Classes Ard Objects class is nothing put a placture follow. Oclass-(2) Object -Materialis often fred-morphresintetim of constitut. I~ OUPS, c/ass Envi-pons - me thode. Noviacles -) altripates ONomespace -> segretor francis. 00 Ps. class my class. 4.64 202- prollo(nom s)

class (ar: excopsulation det laurch (seil, prond'home): Bring (, the prond is of d'oug the nome is & diferonmore (prond. (ax) = (ax) 5 hour - 2522, (~eo ser (ax1. laurch ("tata"), nenon"). (2) class (art: Seif, No me, brand): The light or method In stonce rossegla Seif. mod el vomo: name -> consony conjent Self-Model-Brand: brand. det lauribl seif Drivy (2618-2090] Lame, 2618:20090]-prord)

Private Variables - In Java - 5 topo - Private And protoch
In bithout me you, there and rock contact t
dunder methods- (special methods provided by python).
(touchanname) (quader methods)
(1) Two vers 20 represent chrobject str,repr
2) It 241 in not brezing, then Withou sombiles oull search

Inherstance -	Olack sindhud.
To hereting the properties from a parint class.	Docora honlagenest Docora honlagenest Drec arsin
DRY- Don't Repeat Lourseit.	Darpropylshown. Stilleyredva, wap.
class Phone:	Swarthore is a child
class smarthore	of phone.
Class Ejedzpil broise (bponiziment brom): ~ en - injerny- menoñ- soui-conex	a. Erung - Con esc.
	1 0 U 1 1 - / a 4 - 6 9 c .

(1) Single in heritorico I parent - 2 child. (less). Drugtiple inheritars- more than I paront, but I child. (3) Mustilovel in heritange=-1 chidis a parent of other class. (4) Hybrid inhoritance - combination of any on (5) Hierarchid in stare. A single parent but mon than 2 (mostly aser.