




WordPress Deployment with Nginx Reverse Proxy and MySQL

```
Command Prompt - docker c x + v
C:\Users\sreev\nginx-wordpress-sql>docker compose up --build
[+] up 7/7
✔Network nginx-wordpress-sql_backend Created 0.0s
✔Network nginx-wordpress-sql_frontend Created 0.1s
✔Volume nginx-wordpress-sql_mysql_data Created 0.0s
✔Volume nginx-wordpress-sql_wordpress_data Created 0.0s
✔Container mysql_db Created 0.2s
✔Container wordpress_app2 Created 0.3s
✔Container nginx_proxy Created 0.2s
Attaching to mysql_db, nginx_proxy, wordpress_app2
mysql_db | 2026-05-04 09:20:00+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.4.8-1.el9 started.
Container mysql_db Waiting
mysql_db | 2026-05-04 09:20:00+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
mysql_db | 2026-05-04 09:20:00+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.4.8-1.el9 started.
mysql_db | 2026-05-04 09:20:00+00:00 [Note] [Entrypoint]: Initializing database files
mysql_db | 2026-05-04T09:20:00.727970Z 0 [System] [MY-015017] [Server] MySQL Server Initialization - start.
mysql_db | 2026-05-04T09:20:00.729391Z 0 [System] [MY-013169] [Server] /usr/sbin/mysqld (mysqld 8.4.8) initializing of
server in progress as process 80
mysql_db | 2026-05-04T09:20:00.737658Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
mysql_db | 2026-05-04T09:20:01.175294Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
mysql_db | 2026-05-04T09:20:03.155820Z 6 [Warning] [MY-010453] [Server] root@localhost is created with an empty password ! Please consider switching off the --initialize-insecure option.
mysql_db | 2026-05-04T09:20:06.346705Z 0 [System] [MY-015018] [Server] MySQL Server Initialization - end.
mysql_db | 2026-05-04 09:20:06+00:00 [Note] [Entrypoint]: Database files initialized
mysql_db | 2026-05-04 09:20:06+00:00 [Note] [Entrypoint]: Starting temporary server
mysql_db | 2026-05-04T09:20:06.447692Z 0 [System] [MY-015015] [Server] MySQL Server - start.
mysql_db | 2026-05-04T09:20:06.728800Z 0 [System] [MY-010116] [Server] /usr/sbin/mysqld (mysqld 8.4.8) starting as process 129
mysql_db | 2026-05-04T09:20:06.747645Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
```

```
Command Prompt - docker c x + v
nginx_proxy | 192.168.80.1 - - [04/May/2026:09:21:20 +0000] "GET /wp-content/themes/twentytwentyfour/assets/images/windows.webp HTTP/1.1" 200 126244 "http://localhost/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36" "-"
nginx_proxy | 192.168.80.1 - - [04/May/2026:09:21:20 +0000] "GET /wp-content/themes/twentytwentyfour/assets/fonts/inter/Inter-VariableFont_slnt,wght.woff2 HTTP/1.1" 200 326628 "http://localhost/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36" "-"
nginx_proxy | 192.168.80.1 - - [04/May/2026:09:21:20 +0000] "GET /wp-content/themes/twentytwentyfour/assets/fonts/cardo/cardo_normal_400.woff2 HTTP/1.1" 200 146060 "http://localhost/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36" "-"
nginx_proxy | 192.168.80.1 - - [04/May/2026:09:21:20 +0000] "GET /wp-content/themes/twentytwentyfour/assets/fonts/cardo/cardo_italic_400.woff2 HTTP/1.1" 200 105184 "http://localhost/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36" "-"
nginx_proxy | 192.168.80.1 - - [04/May/2026:09:21:20 +0000] "GET /wp-includes/js/wp-emoji-release.min.js?ver=6.5.5 HTTP/1.1" 200 18726 "http://localhost/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36" "-"
wordpress_app2 | 192.168.80.3 - 04/May/2026:09:21:20 +0000 "GET /index.php" 200
nginx_proxy | 192.168.80.1 - - [04/May/2026:09:21:20 +0000] "GET /favicon.ico/ HTTP/1.1" 200 84712 "http://localhost/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36" "-"
wordpress_app2 | 192.168.80.3 - 04/May/2026:09:21:27 +0000 "GET /index.php" 200
nginx_proxy | 192.168.80.1 - - [04/May/2026:09:21:27 +0000] "GET /?page_id=2 HTTP/1.1" 200 84712 "http://localhost/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36" "-"
wordpress_app2 | 192.168.80.3 - 04/May/2026:09:21:27 +0000 "GET /index.php" 200
nginx_proxy | 192.168.80.1 - - [04/May/2026:09:21:27 +0000] "GET /favicon.ico/ HTTP/1.1" 200 84712 "http://localhost/?page_id=2" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36" "-"
```



```
Terminal
mysql> select * from wp_users;
+-----+-----+-----+-----+-----+-----+-----+-----+
| ID | user_login | user_pass | user_nicename | user_email | user_url | user_registered | user_activation_key | user_s |
+-----+-----+-----+-----+-----+-----+-----+-----+
| 1 | vishnu07 | SP$B5ld3TkcMHBHhkhkCSF8Mgy3agzk/w/ | vishnu07 | sreevishnu0407@gmail.com | http://localhost | 2026-05-04 09:21:09 | | |
+-----+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

RAM 4.10 GB CPU 19.21% Disk: 68.43 GB used (limit 1006.85 GB)
Terminal Update available
```

```
Command Prompt
services:
mysql:
  image: mysql:8
  container_name: mysql_db
  restart: unless-stopped
  env_file:
  - .env
  networks:
  - backend
  volumes:
  - mysql_data:/var/lib/mysql
  healthcheck:
    test: ["CMD-SHELL", "mysqladmin ping -h localhost -u root -p$MYSQL_ROOT_PASSWORD"]
    interval: 10s
    timeout: 5s
    retries: 10
    start_period: 20s


wordpress:
  image: wordpress:6.5-php8.2-fpm
  container_name: wordpress_app2
  restart: unless-stopped
  env_file: .env
  environment:
    WORDPRESS_DB_HOST: mysql:3306
    WORDPRESS_DB_USER: ${MYSQL_USER}
    WORDPRESS_DB_PASSWORD: ${MYSQL_PASSWORD}
    WORDPRESS_DB_NAME: ${MYSQL_DATABASE}
  networks:
  - backend
```

```
Command Prompt
  - frontend
  volumes:
  - wordpress_data:/var/www/html
  depends_on:
    mysql:
      condition: service_healthy

nginx:
  image: nginx:1.25-alpine
  container_name: nginx_proxy
  restart: unless-stopped
  ports:
  - "80:80"
  volumes:
  - wordpress_data:/var/www/html:ro
  - ./nginx/conf.d:/etc/nginx/conf.d:ro
  networks:
  - frontend
  depends_on:
  - wordpress

networks:
  backend:
    internal: true
  frontend:
  volumes:
    mysql_data:
    wordpress_data:

C:\Users\sreev\nginx-wordpress-sql>
```

A screenshot of a code editor window with multiple tabs. The active tab is titled 'defau' and contains an Nginx configuration file. The code is written in a light gray background with black text. The configuration includes a 'server' block with 'listen 80;', 'root /var/www/html;', 'index index.php;', a 'location /' block with 'try_files \$uri /index.php;', and a 'location ~ \.php\$' block with 'fastcgi_pass wordpress:9000;', 'include fastcgi_params;', and 'fastcgi_param SCRIPT_FILENAME /var/www/html\$fastcgi_script_name;'.

```
server {  
    listen 80;  
  
    root /var/www/html;  
    index index.php;  
  
    location / {  
        try_files $uri /index.php;  
    }  
  
    location ~ \.php$ {  
        fastcgi_pass wordpress:9000;  
        include fastcgi_params;  
        fastcgi_param SCRIPT_FILENAME /var/www/html$fastcgi_script_name;  
    }  
}
```

conf.d file (reverse proxy)