Nagios Mastery Part-1: Deployment, Installation and Initial Configuration of Nagios Core Monitoring Infrastructure

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
ubuntu@puppet-master:~$ sudo apt update
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates InRelease [1
28 kB]
Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-backports InRelease
[127 kB]
Get:4 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/main amd64 P
ackages [3766 kB]
Get:5 http://security.ubuntu.com/ubuntu jammy-security InRelease [129 kB]
Get:6 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/main Transla
tion-en [559 kB]
Get:7 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/restricted a
md64 Packages [6504 kB]
Get:8 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/restricted T
ranslation-en [1249 kB]
Get:9 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu jammy-updates/universe amd
64 Packages [1281 kB]
Hit:10 http://apt.puppet.com jammy InRelease
Get:11 http://security.ubuntu.com/ubuntu jammy-security/main amd64 Packages [349
4 kB]
Get:12 http://security.ubuntu.com/ubuntu jammy-security/main Translation-en [490
 kB]
Get:13 http://security.ubuntu.com/ubuntu jammy-security/restricted amd64 Package
s [6260 kB]
```

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
Reading state information... Done
4 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@puppet-master:~$ sudo apt install -y autoconf gcc libc6 make wget unzip a
pache2 php libapache2-mod-php libgd-dev ufw
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
libc6 is already the newest version (2.35-0ubuntu3.14).
libc6 set to manually installed.
ufw is already the newest version (0.36.1-4ubuntu0.1).
ufw set to manually installed.
wget is already the newest version (1.21.2-2ubuntu1.5).
wget set to manually installed.
The following additional packages will be installed:
  apache2-bin apache2-data apache2-utils automake autotools-dev bzip2 cpp
  cpp-11 gcc-11 gcc-11-base libapache2-mod-php8.1 libapr1 libaprutil1
  libaprutil1-dbd-sqlite3 libaprutil1-ldap libasan6 libatomic1 libbrotli-dev
  libc-dev-bin libc-devtools libc6-dev libcc1-0 libcrypt-dev libdeflate-dev
  libdeflate0 libdpkg-perl libexpat1-dev libfile-fcntllock-perl
  libfontconfig-dev libfreetype-dev libfreetype6-dev libgcc-11-dev libgd3
  libgomp1 libice-dev libice6 libisl23 libitm1 libjbig-dev libjbig0
  libjpeg-dev libjpeg-turbo8-dev libjpeg8-dev liblsan0 liblua5.3-0 liblzma-dev
  libmpc3 libnsl-dev libpng-dev libpng-tools libpthread-stubs0-dev
  libquadmath0 libsm-dev libsm6 libtiff-dev libtiff5 libtiffxx5 libtirpc-dev
```

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@puppet-master:~$ cd /tmp
ubuntu@puppet-master:/tmp$ wget https://github.com/NagiosEnterprises/nagioscore/
releases/download/nagios-4.5.10/nagios-4.5.10.tar.gz
--2026-08-25 03:26:59--  https://github.com/NagiosEnterprises/nagioscore/release
s/download/nagios-4.5.10/nagios-4.5.10.tar.gz
Resolving github.com (github.com)... 20.207.73.82
Connecting to github.com (github.com)|20.207.73.82|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://release-assets.githubusercontent.com/github-production-release
-asset/16119670/e58326b9-5feb-4165-bf09-c14eb001a6c2?sp=r&sv=2018-11-09&sr=b&spr
=https&se=2026-08-25T04%3A04%3A44Z&rscd=attachment%3B+filename%3Dnagios-4.5.10.t
ar.gz&rsct=application%2Foctet-stream&skoid=96c2d410-5711-43a1-aedd-ab1947aa7ab0
&sktid=398a6654-997b-47e9-b12b-9515b896b4de&skt=2026-08-25T03%3A04%3A01Z&ske=202
6-08-25T04%3A04%3A44Z&sks=b&skv=2018-11-09&sig=05OsckDEIdMS4ee3K%2FZf9zIuDrWoWJb
ASEXnfO6t8Yg%3D&jwt=eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJnaXRodWIuY29
tIiwiYXVkIjoicmVsZWFzZS1hc3NldHMuZ2l0aHVidXNlcmNvbnRlbnQuY29tIiwia2V5Ijoia2V5MSI
sImV4cCI6MTc4NzYyODcxOSwibmJmIjoxNzg3NjI4NDE5LCJwYXRoIjoicmVsZWFzZWFzc2VOcHJvZHV
jdGlvbi5ibG9iLmNvcmUud2luZG93cy5uZXQifQ.IDGnA1X_b8x_CwigweWXCJJksztyhc5avvaWeCe2
cDk&response-content-disposition=attachment%3B%20filename%3Dnagios-4.5.10.tar.gz
&response-content-type=application%2Foctet-stream [following]
--2026-08-25 03:26:59--  https://release-assets.githubusercontent.com/github-pro
duction-release-asset/16119670/e58326b9-5feb-4165-bf09-c14eb001a6c2?sp=r&sv=2018
-11-09&sr=b&spr=https&se=2026-08-25T04%3A04%3A44Z&rscd=attachment%3B+filename%3D
```

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
ubuntu@puppet-master:/tmp$ ls -lh nagios-4.5.10.tar.gz
-rw-rw-r-- 1 ubuntu ubuntu 2.5M Oct 28  2025 nagios-4.5.10.tar.gz
ubuntu@puppet-master:/tmp$ tar xzf nagios-4.5.10.tar.gz
ubuntu@puppet-master:/tmp$ ls
nagios-4.5.10
nagios-4.5.10.tar.gz
snap-private-tmp
systemd-private-dd2e6421085f436295ace77726e949a1-apache2.service-Jkabp6
systemd-private-dd2e6421085f436295ace77726e949a1-chrony.service-a4nMJU
systemd-private-dd2e6421085f436295ace77726e949a1-systemd-logind.service-OjqOGn
systemd-private-dd2e6421085f436295ace77726e949a1-systemd-resolved.service-a6ZNCk
ubuntu@puppet-master:/tmp$ ls -ld /tmp/nagios-4.5.10
drwxrwxr-x 22 ubuntu ubuntu 4096 Oct 28  2025 /tmp/nagios-4.5.10
ubuntu@puppet-master:/tmp$ cd nagios-4.5.10
ubuntu@puppet-master:/tmp/nagios-4.5.10$ pwd
/tmp/nagios-4.5.10
ubuntu@puppet-master:/tmp/nagios-4.5.10$ ls
CONTRIBUTING.md  cgi           include          startup
Changelog        common        indent-all.sh    subst.in
INSTALLING       config.guess  indent.sh        t
LEGAL            config.sub    install-sh       t-tap
LICENSE          configure     lib              tap
Makefile.in      configure.ac  make-tarball     test
README.md        contrib       mkpackage        update-version
```

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
ubuntu@puppet-master:/tmp/nagios-4.5.10$ ./configure
checking for a BSD-compatible install... /usr/bin/install -c
checking build system type... x86_64-pc-linux-gnu
checking host system type... x86_64-pc-linux-gnu
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether the compiler supports GNU C... yes
checking whether gcc accepts -g... yes
checking for gcc option to enable C11 features... none needed
checking whether make sets $(MAKE)... yes
checking whether ln -s works... yes
checking for strip... /usr/bin/strip
checking for sys/wait.h that is POSIX.1 compatible... yes
checking for stdio.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for strings.h... yes
checking for sys/stat.h... yes
```

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@puppet-master:/tmp/nagios-4.5.10$ ./configure --with-httpd-conf=/etc/apac
he2/sites-enabled
checking for a BSD-compatible install... /usr/bin/install -c
checking build system type... x86_64-pc-linux-gnu
checking host system type... x86_64-pc-linux-gnu
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether the compiler supports GNU C... yes
checking whether gcc accepts -g... yes
checking for gcc option to enable C11 features... none needed
checking whether make sets $(MAKE)... yes
checking whether ln -s works... yes
checking for strip... /usr/bin/strip
checking for sys/wait.h that is POSIX.1 compatible... yes
checking for stdio.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
```

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
ubuntu@puppet-master:/tmp/nagios-4.5.10$ make all
cd ./base && make
make[1]: Entering directory '/tmp/nagios-4.5.10/base'
gcc -Wall -I.. -I. -I../lib -I../include  -I../include -I..  -g -O2  -DHAVE_CONF
IG_H -DNSCORE -c -o nagios.o ./nagios.c
./nagios.c: In function ‘main’:
./nagios.c:611:25: warning: ignoring return value of ‘asprintf’ declared with at
tribute ‘warn_unused_result’ [-Wunused-result]
  611 |                         asprintf(&mac->x[MACRO_PROCESSSTARTTIME], "%llu"
, (unsigned long long)program_start);
      |                         ^~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
./nagios.c:841:25: warning: ignoring return value of ‘asprintf’ declared with at
tribute ‘warn_unused_result’ [-Wunused-result]
  841 |                         asprintf(&mac->x[MACRO_EVENTSTARTTIME], "%llu",
(unsigned long long)event_start);
      |                         ^~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
./nagios.c: In function ‘nagios_core_worker’:
./nagios.c:176:17: warning: ignoring return value of ‘read’ declared with attrib
ute ‘warn_unused_result’ [-Wunused-result]
  176 |                 read(sd, response + 3, sizeof(response) - 4);
      |                 ^~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
./nagios.c: In function ‘test_path_access’:
```

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
make[1]: Leaving directory '/tmp/nagios-4.5.10'
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo install-init
sudo: install-init: command not found
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo make install-init
/usr/bin/install -c -m 755 -d -o root -g root /lib/systemd/system
/usr/bin/install -c -m 755 -o root -g root startup/default-service /lib/systemd/
system/nagios.service
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo make install-commandmode
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/var/rw
chmod g+s /usr/local/nagios/var/rw

*** External command directory configured ***

ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo make install-ping
make: *** No rule to make target 'install-ping'.  Stop.
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo make install-config
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/etc
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/etc/objects
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/nagios.cfg /usr/
local/nagios/etc/nagios.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/cgi.cfg /usr/loc
al/nagios/etc/cgi.cfg
/usr/bin/install -c -b -m 660 -o nagios -g nagios sample-config/resource.cfg /us
```

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo mske install-webconf
sudo: mske: command not found
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo make install-config
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/etc
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/etc/objects
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/nagios.cfg /usr/
local/nagios/etc/nagios.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/cgi.cfg /usr/loc
al/nagios/etc/cgi.cfg
/usr/bin/install -c -b -m 660 -o nagios -g nagios sample-config/resource.cfg /us
r/local/nagios/etc/resource.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/
templates.cfg /usr/local/nagios/etc/objects/templates.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/
commands.cfg /usr/local/nagios/etc/objects/commands.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/
contacts.cfg /usr/local/nagios/etc/objects/contacts.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/
timeperiods.cfg /usr/local/nagios/etc/objects/timeperiods.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/
localhost.cfg /usr/local/nagios/etc/objects/localhost.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/
windows.cfg /usr/local/nagios/etc/objects/windows.cfg
```

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo make install-webconf
/usr/bin/install -c -m 644 sample-config/httpd.conf /etc/apache2/sites-enabled/n
agios.conf
if [ 0 -eq 1 ]; then \
        ln -s /etc/apache2/sites-enabled/nagios.conf /etc/apache2/sites-enabled/
nagios.conf; \
fi

*** Nagios/Apache conf file installed ***

ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo htpasswd -c /usr/local/nagios/etc/
htpasswd.users nagiosadmin
New password:
Re-type new password:
Adding password for user nagiosadmin
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo a2enmod rewrite
Enabling module rewrite.
To activate the new configuration, you need to run:
  systemctl restart apache2
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo a2enmod cgi
Enabling module cgi.
To activate the new configuration, you need to run:
  systemctl restart apache2
```

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
Aug 25 03:21:00 puppet-master systemd[1]: Started The Apache HTTP Server.
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo /usr/local/nagios/bin/nagios -v /u
sr/local/nagios/etc/nagios.cfg

Nagios Core 4.5.10
Copyright (c) 2009-present Nagios Core Development Team and Community Contributo
rs
Copyright (c) 1999-2009 Ethan Galstad
Last Modified: 2025-10-28
License: GPL

Website: https://www.nagios.org
Reading configuration data...
   Read main config file okay...
   Read object config files okay...

Running pre-flight check on configuration data...

Checking objects...
        Checked 8 services.
        Checked 1 hosts.
        Checked 1 host groups.
        Checked 0 service groups.
        Checked 1 contacts.
```

ubuntu@puppet-master: ~

```
ubuntu@puppet-master:~$ cat /etc/apache2/sites-available/nagios-vhost.conf
<VirtualHost *:80>

    ServerName nagios

    ScriptAlias /nagios/cgi-bin "/usr/local/nagios/sbin"

    <Directory "/usr/local/nagios/sbin">
        Options ExecCGI
        AllowOverride None

        AuthName "Nagios Access"
        AuthType Basic
        AuthUserFile /usr/local/nagios/etc/htpasswd.users
        Require valid-user
    </Directory>

     Alias /nagios "/usr/local/nagios/share"

    <Directory "/usr/local/nagios/share">
        Options None
        AllowOverride None

        AuthName "Nagios Access"
```

ubuntu@puppet-master: ~

```
    <Directory "/usr/local/nagios/sbin">
        Options ExecCGI
        AllowOverride None

        AuthName "Nagios Access"
        AuthType Basic
        AuthUserFile /usr/local/nagios/etc/htpasswd.users
        Require valid-user
    </Directory>

     Alias /nagios "/usr/local/nagios/share"

    <Directory "/usr/local/nagios/share">
        Options None
        AllowOverride None

        AuthName "Nagios Access"
        AuthType Basic
        AuthUserFile /usr/local/nagios/etc/htpasswd.users
        Require valid-user
    </Directory>

</VirtualHost>
ubuntu@puppet-master:~$ |
```

ubuntu@puppet-master: /tmp/nagios-4.5.10

```
/etc/apache2/sites-enabled/nagios.conf:39:Alias /nagios "/usr/local/nagios/share
"
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo nano /etc/apache2/sites-available/
nagios-vhost.conf
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo a2dissite 000-default.conf
Site 000-default disabled.
To activate the new configuration, you need to run:
  systemctl reload apache2
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo a2ensite nagios-vhost.conf
Enabling site nagios-vhost.
To activate the new configuration, you need to run:
  systemctl reload apache2
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo systemctl restart apache2
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo systemctl reload apache2
ubuntu@puppet-master:/tmp/nagios-4.5.10$ curl -I http://localhost/nagios/
HTTP/1.1 200 OK
Date: Tue, 25 Aug 2026 04:11:29 GMT
Server: Apache/2.4.52 (Ubuntu)
Content-Type: text/html; charset=UTF-8

ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo a2dissite nagios.conf
ERROR: Site nagios does not exist!
ubuntu@puppet-master:/tmp/nagios-4.5.10$ sudo a2enmod auth_basic authn_file auth
z_user
```





Practical-2: Advanced Nagios Service Monitoring, Template Inheritance, State Management and End-to-End Email Notification Architecture using Postfix and Amazon SES

ubuntu@puppet-master: ~

```
-rw-rw-r-- 1 nagios nagios  4074 Aug 25 03:47 windows.cfg~
ubuntu@puppet-master:~$ grep -E '^(cfg_file|cfg_dir)' /usr/local/nagios/etc/nagi
os.cfg
cfg_file=/usr/local/nagios/etc/objects/commands.cfg
cfg_file=/usr/local/nagios/etc/objects/contacts.cfg
cfg_file=/usr/local/nagios/etc/objects/timeperiods.cfg
cfg_file=/usr/local/nagios/etc/objects/templates.cfg
cfg_file=/usr/local/nagios/etc/objects/localhost.cfg
ubuntu@puppet-master:~$ sudo cat /usr/local/nagios/etc/objects/localhost.cfg
###############################################################################
# LOCALHOST.CFG - SAMPLE OBJECT CONFIG FILE FOR MONITORING THIS MACHINE
#
#
# NOTE: This config file is intended to serve as an *extremely* simple
#       example of how you can create configuration entries to monitor
#       the local (Linux) machine.
#
###############################################################################



###############################################################################
#
# HOST DEFINITION
```

ubuntu@puppet-master: ~

```
ubuntu@puppet-master:~$ cd /tmp
ubuntu@puppet-master:/tmp$ wget https://github.com/nagios-plugins/nagios-plugins
/releases/download/release-2.5/nagios-plugins-2.5.tar.gz
--2026-08-26 06:50:01--  https://github.com/nagios-plugins/nagios-plugins/releas
es/download/release-2.5/nagios-plugins-2.5.tar.gz
Resolving github.com (github.com)... 20.207.73.82
Connecting to github.com (github.com)|20.207.73.82|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://release-assets.githubusercontent.com/github-production-release
-asset/15980298/dcb0d154-4682-4f27-8fdc-c45bbe3ca24e?sp=r&sv=2018-11-09&sr=b&spr
=https&se=2026-08-26T07%3A31%3A57Z&rscd=attachment%3B+filename%3Dnagios-plugins-
2.5.tar.gz&rsct=application%2Foctet-stream&skoid=96c2d410-5711-43a1-aedd-ab1947a
a7ab0&sktid=398a6654-997b-47e9-b12b-9515b896b4de&skt=2026-08-26T06%3A31%3A29Z&sk
e=2026-08-26T07%3A31%3A57Z&sks=b&skv=2018-11-09&sig=bX8XB2UQHmPnTkit7RQWujuzaJDW
xXgiooXlZF%2BCcUQ%3D&jwt=eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJnaXRodW
IuY29tIiwiYXVkIjoicmVsZWFzZS1hc3NldHMuZ2l0aHVidXNlcmNvbnRlbnQuY29tIiwia2V5Ijoia2
V5MSIsImV4cCI6MTc4NzcyNzMwMSwibmJmIjoxNzg3NzI3MDAxLCJwYXRoIjoicmVsZWFzZWFzc2V0cH
JvZHVjdGlvbi5ibG9iLmNvcmUud2luZG93cy5uZXQifQ.JoMRyi389Ke3jGc344lkYa_G46FoyzVgddZ
mAeO7ai4&response-content-disposition=attachment%3B%20filename%3Dnagios-plugins-
2.5.tar.gz&response-content-type=application%2Foctet-stream [following]
--2026-08-26 06:50:01--  https://release-assets.githubusercontent.com/github-pro
duction-release-asset/15980298/dcb0d154-4682-4f27-8fdc-c45bbe3ca24e?sp=r&sv=2018
-11-09&sr=b&spr=https&se=2026-08-26T07%3A31%3A57Z&rscd=attachment%3B+filename%3D
nagios-plugins-2.5.tar.gz&rsct=application%2Foctet-stream&skoid=96c2d410-5711-43
```

ubuntu@puppet-master: ~

```
2957]

ubuntu@puppet-master:/tmp$ tar xzf nagios-plugins
tar (child): nagios-plugins: Cannot open: No such file or directory
tar (child): Error is not recoverable: exiting now
tar: Child returned status 2
tar: Error is not recoverable: exiting now
ubuntu@puppet-master:/tmp$ tar xzf nagios-plugins-2.5.tar.gz
ubuntu@puppet-master:/tmp$ cd nagios-plugins-2.5
ubuntu@puppet-master:/tmp/nagios-plugins-2.5$ ./configure --with-nagios-user=nag
ios --with-nagios-group=nagios
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... /usr/bin/mkdir -p
checking for gawk... gawk
checking whether make sets $(MAKE)... yes
checking whether make supports nested variables... yes
checking whether to enable maintainer-specific portions of Makefiles... yes
checking build system type... x86_64-pc-linux-gnu
checking host system type... x86_64-pc-linux-gnu
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
```

ubuntu@puppet-master: ~

```
ubuntu@puppet-master:/tmp/nagios-plugins-2.5$ ls -l /usr/local/nagios/libexec/ch
eck_ping
-rwxr-xr-x 1 nagios nagios 210192 Aug 26 06:55 /usr/local/nagios/libexec/check_p
ing
ubuntu@puppet-master:/tmp/nagios-plugins-2.5$ /usr/local/nagios/libexec/check_pi
ng -H 127.0.0.1 -w 100.0,20% -c 500.0,60% -p 5
PING OK - Packet loss = 0%, RTA = 0.04 ms|rta=0.035000ms;100.000000;500.000000;0
.000000 pl=0%;20;60;0
ubuntu@puppet-master:/tmp/nagios-plugins-2.5$ client_loop: send disconnect: Conn
ection reset by peer

sreev@admin MINGW64 /d/downloads
$ ssh -i "puppet-lab-key.pem" ubuntu@ec2-15-252-88-163.ap-south-1.compute.amazon
aws.com
Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 6.8.0-1063-aws x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

 System information as of Wed Aug 26 07:12:31 UTC 2026

  System load:  0.0               Processes:             138
  Usage of /:   44.0% of 7.57GB   Users logged in:       1
```





```
ubuntu@puppet-master: ~
-rw-rw-r-- 1 ubuntu ubuntu   204 Aug 26 06:50 .wget-hsts
-rw-rw-r-- 1 ubuntu ubuntu  3786 Apr  9  2025 puppet8-release-jammy.deb
ubuntu@puppet-master:~$ sudo cat /usr/local/nagios/etc/objects/commands.cfg
###############################################################################
# COMMANDS.CFG - SAMPLE COMMAND DEFINITIONS FOR NAGIOS 4.5.10
#
#
# NOTES: This config file provides you with some example command definitions
#        that you can reference in host, service, and contact definitions.
#
#        You don't need to keep commands in a separate file from your other
#        object definitions.  This has been done just to make things easier to
#        understand.
#
###############################################################################



###############################################################################
#
# SAMPLE NOTIFICATION COMMANDS
#
# These are some example notification commands.  They may or may not work on
# your system without modification.  As an example, some systems will require
# you to use "/usr/bin/mailx" instead of "/usr/bin/mail" in the commands below.
#
```

ubuntu@puppet-master: ~

```
    command_name    check_local_mrtgtraf
    command_line    $USER1$/check_mrtgtraf -F $ARG1$ -a $ARG2$ -w $ARG3$ -c $ARG
4$ -e $ARG5$
}



###############################################################################
# NOTE:  The following 'check_...' commands are used to monitor services on
#        both local and remote hosts.
###############################################################################
define command {
    command_name test_failure
    command_line $USER1$/check_dummy 2 "Production test: simulated CRITICAL"
}

define command {

    command_name    check_ftp
    command_line    $USER1$/check_ftp -H $HOSTADDRESS$ $ARG1$
}



define command {
```

ubuntu@puppet-master: ~

```
    use                     local-service           ; Name of service template t
o use
    host_name               localhost
    service_description     PING
    check_command           check_ping!100.0,20%!500.0,60%
}

define service {

    use local-service
    host_name localhost
    service_description State Transition Test
    check_command test_failure
    max_check_attempts 3

}

# Define a service to check the disk space of the root partition
# on the local machine.  Warning if < 20% free, critical if
# < 10% free space on partition.

define service {

    use                     local-service           ; Name of service template t
o use
```

ubuntu@puppet-master: ~

```
ubuntu@puppet-master:~$ sudo grep -Rni -A 10 -B 2 'name[[:space:]]*local-service
' /usr/local/nagios/etc/objects/
/usr/local/nagios/etc/objects/templates.cfg-189-define service {
/usr/local/nagios/etc/objects/templates.cfg-190-
/usr/local/nagios/etc/objects/templates.cfg:191:    name
    local-service           ; The name of this service template
/usr/local/nagios/etc/objects/templates.cfg-192-    use
    generic-service         ; Inherit default values from the generic-service de
finition
/usr/local/nagios/etc/objects/templates.cfg-193-    max_check_attempts
    4                       ; Re-check the service up to 4 times in order to det
ermine its final (hard) state
/usr/local/nagios/etc/objects/templates.cfg-194-    check_interval
    5                       ; Check the service every 5 minutes under normal con
ditions
/usr/local/nagios/etc/objects/templates.cfg-195-    retry_interval
    1                       ; Re-check the service every minute until a hard sta
te can be determined
/usr/local/nagios/etc/objects/templates.cfg-196-    register
    0                       ; DON'T REGISTER THIS DEFINITION - ITS NOT A REAL SE
RVICE, JUST A TEMPLATE!
/usr/local/nagios/etc/objects/templates.cfg-197-}
--
/usr/local/nagios/etc/objects/templates.cfg~-189-define service {
/usr/local/nagios/etc/objects/templates.cfg~-190-
/usr/local/nagios/etc/objects/templates.cfg~:191:    name
```

Not secure 15.252.157.7/nagios/

Machine Learning | Neural Networks ar... | Density-based clust... | Fisher LDA-Stanford | Competitive Progra... | CVB in Unsupervise... | Red Hat Academy | System Design Primer | All Bookma

Nagios

General
Home
Documentation
Current Status
Tactical Overview
Map
Hosts
Services
Host Groups
Summary
Grid
Service Groups
Summary
Grid
Problems
Services (Unhandled)
Hosts (Unhandled)
Network Outages
Quick Search:

Reports
Availability
Trends
Alerts
History
Summary
Histogram
Notifications
Event Log
System
Comments
Downtime
Process Info
Performance Info

Service Information
Last Updated: Wed Aug 26 13:03:44 UTC 2026
Updated every 90 seconds
Nagios® Core™ 4.5.10 - www.nagios.org
Logged in as *nagiosadmin*

View Information For This Host
View Status Detail For This Host
View Alert History For This Service
View Trends For This Service
View Alert Histogram For This Service
View Availability Report For This Service
View Notifications For This Service

Service
State Transition Test
On Host
localhost
(localhost)

Member of
No servicegroups.

127.0.0.1

Service State Information

Current Status:	CRITICAL (for 0d 1h 21m 52s)
Status Information:	CRITICAL: Production test: simulated CRITICAL
Performance Data:	
Current Attempt:	3/3 (HARD state)
Last Check Time:	08-26-2026 13:01:52
Check Type:	ACTIVE
Check Latency / Duration:	0.000 / 0.003 seconds
Next Scheduled Check:	08-26-2026 13:06:52
Last State Change:	08-26-2026 11:41:52
Last Notification:	08-26-2026 12:41:52 (notification 2)
Is This Service Flapping?	NO (4.14% state change)
In Scheduled Downtime?	NO
Last Update:	08-26-2026 13:03:42 (0d 0h 0m 2s ago)

Active Checks:	ENABLED
Passive Checks:	ENABLED
Obsessing:	ENABLED
Notifications:	ENABLED
Event Handler:	ENABLED
Flap Detection:	ENABLED

Service Commands
Disable active checks of this service
Re-schedule the next check of this service
Submit passive check result for this service
Stop accepting passive checks for this service
Stop obsessing over this service
Acknowledge this service problem
Disable notifications for this service
Delay next service notification
Send custom service notification
Schedule downtime for this service
Disable event handler for this service
Disable flap detection for this service
Clear flapping state for this service

Service Comments
Add a new comment | Delete all comments

Entry Time	Author	Comment	Comment ID	Persistent	Type	Expires	Actions
This service has no comments associated with it							


Not secure 15.252.157.7/nagios/
Nagios
General
Home
Documentation
Current Status
Tactical Overview
Map
Hosts
Services
Host Groups
Summary
Grid
Service Groups
Summary
Grid
Problems
Services (Unhandled)
Hosts (Unhandled)
Network Outages
Quick Search:
Reports
Availability
Trends
Alerts
History
Summary
Histogram
Notifications
Event Log
System
Comments
Downtime
Process Info
Performance Info
Service Information
Last Updated: Wed Aug 26 15:43:00 UTC 2026
Updated every 90 seconds
Nagios® Core™ 4.5.10 - www.nagios.org
Logged in as nagiosadmin
View Information For This Host
View Status Detail For This Host
View Alert History For This Service
View Trends For This Service
View Alert Histogram For This Service
View Availability Report For This Service
View Notifications For This Service
Service
State Transition Test
On Host
localhost
(localhost)
Member of
No servicegroups.
127.0.0.1
Service State Information
Current Status: OK (for 0d 0h 0m 8s)
Status Information: manual recovery test
Performance Data:
Current Attempt: 1/3 (HARD state)
Last Check Time: 08-26-2026 15:42:52
Check Type: PASSIVE
Check Latency / Duration: N/A / 0.000 seconds
Next Scheduled Check: 08-26-2026 15:46:00
Last State Change: 08-26-2026 15:42:52
Last Notification: 08-26-2026 15:42:52 (notification 0)
Is This Service Flapping? NO (6.25% state change)
In Scheduled Downtime? NO
Last Update: 08-26-2026 15:42:55 (0d 0h 0m 5s ago)
Active Checks: ENABLED
Passive Checks: ENABLED
Obsessing: ENABLED
Notifications: ENABLED
Event Handler: ENABLED
Flap Detection: ENABLED
Service Commands
Disable active checks of this service
Re-schedule the next check of this service
Submit passive check result for this service
Stop accepting passive checks for this service
Stop obsessing over this service
Disable notifications for this service
Send custom service notification
Schedule downtime for this service
Disable event handler for this service
Disable flap detection for this service
Clear flapping state for this service
Service Comments
Add a new comment
Delete all comments
Entry Time Author Comment Comment ID Persistent Type Expires Actions
This service has no comments associated with it

2 of 5,111
** CUSTOM Service Alert: localhost/State Transition Test is CRITICAL **
Inbox
sreevishnu0407@gmail.com via amazonses.com
to me
22:06 (3 minutes ago)
***** Nagios *****
Notification Type: CUSTOM
Service: State Transition Test
Host: localhost
Address: 127.0.0.1
State: CRITICAL
Date/Time: Wed Aug 26 16:36:00 UTC 2026
Additional Info:
CRITICAL: Production test: simulated CRITICAL
Reply
Forward

1 of 5,111

** RECOVERY Service Alert: localhost/State Transition Test is OK ** Inbox ×

sreevishnu0407@gmail.com via amazonses.com 22:09 (0 minutes ago)
to me

***** Nagios *****

Notification Type: RECOVERY

Service: State Transition Test
Host: localhost
Address: 127.0.0.1
State: OK

Date/Time: Wed Aug 26 16:39:01 UTC 2026

Additional Info:

manual recovery test

Reply Forward

```
  GNU nano 6.2        /usr/local/nagios/etc/objects/contacts.cfg
# Just one contact defined by default - the Nagios admin (that's you)
# This contact definition inherits a lot of default values from the
# 'generic-contact' template which is defined elsewhere.

define contact {

    contact_name            nagiosadmin             ; Short name of user
    use                     generic-contact         ; Inherit default values fr>
    alias                   Nagios Admin            ; Full name of user
    email                   sreevishnu0407@gmail.com
}



###############################################################################
#
# CONTACT GROUPS
#
###############################################################################

# We only have one contact in this simple configuration file, so there is
# no need to create more than one contact group.

^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^/ Go To Line
```

```
  GNU nano 6.2        /usr/local/nagios/etc/objects/commands.cfg
#
# These are some example notification commands.  They may or may not work on
# your system without modification.  As an example, some systems will require
# you to use "/usr/bin/mailx" instead of "/usr/bin/mail" in the commands below.
#
###############################################################################

define command {

    command_name    notify-host-by-email
    command_line    /usr/bin/printf "%b" "***** Nagios *****\n\nNotification Ty>
}



define command {

    command_name    notify-service-by-email
<TIME$\n\nAdditional Info:\n\n$SERVICEOUTPUT$\n" | /bin/mail -r "sreevishnu0407>
}


^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^/ Go To Line
```

```
#
###############################################################################

# We only have one contact in this simple configuration file, so there is
# no need to create more than one contact group.

define contactgroup {

    contactgroup_name       admins
    alias                   Nagios Administrators
    members                 nagiosadmin
}
ubuntu@puppet-master:~$ sudo nano /usr/local/nagios/etc/objects/contacts.cfg
ubuntu@puppet-master:~$ sudo nano /usr/local/nagios/etc/objects/commands.cfg
ubuntu@puppet-master:~$ sudo postconf -n | grep -E 'relayHost|smtp_sasl|smtp_use
_tls|smtp_tls'
smtp_sasl_auth_enable = yes
smtp_sasl_password_maps = hash:/etc/postfix/sasl_passwd
smtp_sasl_security_options = noanonymous
smtp_tls_CAfile = /etc/ssl/certs/ca-certificates.crt
smtp_tls_CApath = /etc/ssl/certs
smtp_tls_note_starttls_offer = yes
smtp_tls_security_level = encrypt
smtp_tls_session_cache_database = btree:${data_directory}/smtp_scache
smtp_use_tls = yes
ubuntu@puppet-master:~$ |
```

```
ubuntu@puppet-master:~$ ls -l /etc/postfix
total 136
-rw-r--r-- 1 root root    60 Aug 26 13:15 dynamicmaps.cf
drwxr-xr-x 2 root root  4096 May  5 15:48 dynamicmaps.cf.d
-rw-r--r-- 1 root root  1645 Aug 26 15:22 main.cf
-rw-r--r-- 1 root root 27120 Aug 26 13:15 main.cf.proto
lrwxrwxrwx 1 root root    31 Aug 26 13:15 makedefs.out -> /usr/share/postfix/mak
edefs.out
-rw-r--r-- 1 root root  6524 Aug 26 13:15 master.cf
-rw-r--r-- 1 root root  6524 Aug 26 13:15 master.cf.proto
-rwxr-xr-x 1 root root 29872 May  5 15:48 post-install
-rw-r--r-- 1 root root 10268 May  5 15:48 postfix-files
drwxr-xr-x 2 root root  4096 May  5 15:48 postfix-files.d
-rwxr-xr-x 1 root root 11031 May  5 15:48 postfix-script
drwxr-xr-x 2 root root  4096 May  5 15:48 sasl
-rw------- 1 root root   109 Aug 26 15:17 sasl_passwd
-rw------- 1 root root 12288 Aug 26 15:23 sasl_passwd.db
ubuntu@puppet-master:~$
```

For Future use, The SES guide for email notification:

 # ==========

 # POSTFIX → AMAZON SES SMTP → GMAIL

 # ==========

sudo apt update

sudo apt install -y postfix mailutils libsasl2-modules

sudo rm -f /etc/postfix/sasl_passwd /etc/postfix/sasl_passwd.db

sudo postconf -e "relayhost = [email-smtp.ap-south-1.amazonaws.com]:587"

sudo postconf -e "smtp_sasl_auth_enable = yes"

sudo postconf -e "smtp_sasl_security_options = noanonymous"

sudo postconf -e "smtp_sasl_password_maps = hash:/etc/postfix/sasl_passwd"

sudo postconf -e "smtp_use_tls = yes"

sudo postconf -e "smtp_tls_security_level = encrypt"

sudo postconf -e "smtp_tls_note_starttls_offer = yes"

sudo postconf -e "smtp_tls_CAfile = /etc/ssl/certs/ca-certificates.crt"

```
sudo nano /etc/postfix/sasl_passwd

# Put this single line inside
[email-smtp.ap-south-1.amazonaws.com]:587:SMTP_USERNAME:SMTP_PASSWORD

sudo chmod 600 /etc/postfix/sasl_passwd

sudo postmap /etc/postfix/sasl_passwd

sudo chown root:root /etc/postfix/sasl_passwd /etc/postfix/sasl_passwd.db
sudo chmod 600 /etc/postfix/sasl_passwd /etc/postfix/sasl_passwd.db

sudo postfix check

sudo postconf relayhost \
smtp_sasl_auth_enable \
smtp_sasl_security_options \
smtp_sasl_password_maps \
smtp_use_tls \
smtp_tls_security_level \
smtp_tls_note_starttls_offer \
smtp_tls_CAfile

sudo systemctl restart postfix
sudo systemctl status postfix --no-pager

# 12. Verify that Postfix can find the SMTP username
sudo postmap -q '[email-smtp.ap-south-1.amazonaws.com]:587' \
hash:/etc/postfix/sasl_passwd | cut -d: -f1
```

**echo "SES SMTP test" | mail **

**-r "YOUR_VERIFIED_EMAIL" **

**-s "SES Test" **

"YOUR_VERIFIED_EMAIL"

sudo tail -30 /var/log/mail.log

sudo tail -f /var/log/mail.log

Practical-3: Production-Grade Custom Nagios Plugin Development



ubuntu@puppet-master: ~

```
  GNU nano 6.2        /usr/local/nagios/etc/objects/commands.cfg
# The check must result in a 100% packet loss or 5 second (5000ms) round trip
# average time to produce a critical error.
# Note: Five ICMP echo packets are sent (determined by the '-p 5' argument)

define command {

    command_name    check-host-alive
    command_line    $USER1$/check_ping -H $HOSTADDRESS$ -w 3000.0,80% -c 5000.0>
}

define command {

   command_name vishnus_custom_app
   command_line $USER1$/vishnus_app
}

###############################################################################
#
# SAMPLE SERVICE CHECK COMMANDS
#

^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^/ Go To Line
```

ubuntu@puppet-master: ~

```
  GNU nano 6.2        /usr/local/nagios/etc/objects/localhost.cfg *
define service{

    use local-service
    host_name localhost
    service_description Apache2 application check

    check_command vishnus_custom_app

    check_interval 1
    retry_interval 1
    max_check_attempts 3

    check_period 24x7
    notification_interval 15
    notification_period 24x7

    notification_options w,c,u,r
    contacts nagiosadmin
}

^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^/ Go To Line
```

Not secure 3.108.250.70/nagios/

Machine Learning | Neural Networks ar... | Density-based clust... | Fisher LDA-Stanford | Competitive Progra... | CVB in Unsupervise... | Red Hat Academy | System Design Primer | All Bookmar

Nagios

General
- Home
- Documentation

Current Status
- Tactical Overview
- Map
- Hosts
- Services
- Host Groups
  - Summary
  - Grid
- Service Groups
  - Summary
  - Grid
- Problems
  - Services (Unhandled)
  - Hosts (Unhandled)
  - Network Outages

Quick Search:

Reports
- Availability
- Trends
- Alerts
  - History
  - Summary
  - Histogram
- Notifications
- Event Log

System
- Comments
- Downtime
- Process Info
- Performance Info

Service Information
Last Updated: Thu Aug 27 08:21:37 UTC 2026
Updated every 90 seconds
Nagios® Core™ 4.5.10 - www.nagios.org
Logged in as *nagiosadmin*

View Information For This Host
View Status Detail For This Host
View Alert History For This Service
View Trends For This Service
View Alert Histogram For This Service
View Availability Report For This Service
View Notifications For This Service

Service
Apache2 application check
On Host
localhost
(localhost)

Member of
No servicegroups.

127.0.0.1

Service State Information

Current Status:	OK (for 0d 0h 19m 27s)
Status Information:	Process - nginx is running OK
Performance Data:	
Current Attempt:	1/3 (HARD state)
Last Check Time:	08-27-2026 08:21:10
Check Type:	ACTIVE
Check Latency / Duration:	0.001 / 0.022 seconds
Next Scheduled Check:	08-27-2026 08:22:10
Last State Change:	08-27-2026 08:02:10
Last Notification:	N/A (notification 0)
Is This Service Flapping?	NO (0.00% state change)
In Scheduled Downtime?	NO
Last Update:	08-27-2026 08:21:36 (0d 0h 0m 1s ago)

Active Checks:	ENABLED
Passive Checks:	ENABLED
Obsessing:	ENABLED
Notifications:	ENABLED
Event Handler:	ENABLED
Flap Detection:	ENABLED

Service Commands
- Disable active checks of this service
- Re-schedule the next check of this service
- Submit passive check result for this service
- Stop accepting passive checks for this service
- Stop obsessing over this service
- Disable notifications for this service
- Send custom service notification
- Schedule downtime for this service
- Disable event handler for this service
- Disable flap detection for this service
- Clear flapping state for this service

Service Comments
Add a new comment | Delete all comments

Entry Time	Author	Comment	Comment ID	Persistent	Type	Expires	Actions
This service has no comments associated with it							

Not secure 3.108.250.70/nagios/cgi-bin/extinfo.cgi?type=2&host=localhost&service=Apache2+application+check

Click to go back, hold to see history | Neural Networks ar... | Density-based clust... | Fisher LDA-Stanford | Competitive Progra... | CVB in Unsupervise... | Red Hat Academy | System Design Primer | All Bookm

Service Information
Last Updated: Thu Aug 27 08:22:22 UTC 2026
Updated every 90 seconds
Nagios® Core™ 4.5.10 - www.nagios.org
Logged in as *nagiosadmin*

View Information For This Host
View Status Detail For This Host
View Alert History For This Service
View Trends For This Service
View Alert Histogram For This Service
View Availability Report For This Service
View Notifications For This Service

Service
Apache2 application check
On Host
localhost
(localhost)

Member of
No servicegroups.

127.0.0.1

Service State Information

Current Status:	CRITICAL (for 0d 0h 0m 12s)
Status Information:	Process - nginx is not running CRITICAL
Performance Data:	
Current Attempt:	1/3 (SOFT state)
Last Check Time:	08-27-2026 08:22:10
Check Type:	ACTIVE
Check Latency / Duration:	0.001 / 0.022 seconds
Next Scheduled Check:	08-27-2026 08:23:10
Last State Change:	08-27-2026 08:22:10
Last Notification:	N/A (notification 0)
Is This Service Flapping?	NO (0.00% state change)
In Scheduled Downtime?	NO
Last Update:	08-27-2026 08:22:15 (0d 0h 0m 7s ago)

Active Checks:	ENABLED
Passive Checks:	ENABLED
Obsessing:	ENABLED
Notifications:	ENABLED
Event Handler:	ENABLED
Flap Detection:	ENABLED

Service Commands
- Disable active checks of this service
- Re-schedule the next check of this service
- Submit passive check result for this service
- Stop accepting passive checks for this service
- Stop obsessing over this service
- Disable notifications for this service
- Delay next service notification
- Send custom service notification
- Schedule downtime for this service
- Disable event handler for this service
- Disable flap detection for this service
- Clear flapping state for this service

Service Comments
Add a new comment | Delete all comments

Entry Time	Author	Comment	Comment ID	Persistent	Type	Expires	Actions
This service has no comments associated with it							



127.0.0.1

Service State Information

Current Status:	CRITICAL (for 0d 0h 0m 14s)
Status Information:	Process - nginx is not running CRITICAL
Performance Data:	
Current Attempt:	3/3 (HARD state)
Last Check Time:	08-27-2026 08:24:10
Check Type:	ACTIVE
Check Latency / Duration:	0.000 / 0.014 seconds
Next Scheduled Check:	08-27-2026 08:25:10
Last State Change:	08-27-2026 08:24:10
Last Notification:	08-27-2026 08:24:10 (notification 1)
Is This Service Flapping?	NO (6.25% state change)
In Scheduled Downtime?	NO
Last Update:	08-27-2026 08:24:16 (0d 0h 0m 8s ago)

Active Checks:	ENABLED
Passive Checks:	ENABLED
Obsessing:	ENABLED
Notifications:	ENABLED
Event Handler:	ENABLED
Flap Detection:	ENABLED

Service Commands

- Disable active checks of this service
- Re-schedule the next check of this service
- Submit passive check result for this service
- Stop accepting passive checks for this service
- Stop obsessing over this service
- Acknowledge this service problem
- Disable notifications for this service
- Delay next service notification
- Send custom service notification
- Schedule downtime for this service
- Disable event handler for this service
- Disable flap detection for this service
- Clear flapping state for this service

Service Comments

Add a new comment Delete all comments

Entry Time	Author	Comment	Comment ID	Persistent	Type	Expires	Actions

This service has no comments associated with it





Production-Grade Custom Nagios Plugin Development and Service Integration:

Not secure 3.108.250.70/nagios/

Machine Learning | Neural Networks ar... | Density-based clust... | Fisher LDA-Stanford | Competitive Progra... | CVB in Unsupervise... | Red Hat Academy | System Design Primer | All Bookm

Nagios

General
- Home
- Documentation

Current Status
- Tactical Overview
- Map
- Hosts
- Services
- Host Groups
  - Summary
  - Grid
- Service Groups
  - Summary
  - Grid
- Problems
  - Services (Unhandled)
  - Hosts (Unhandled)
  - Network Outages
- Quick Search:

Reports
- Availability
- Trends
- Alerts
  - History
  - Summary
  - Histogram
- Notifications
- Event Log

System
- Comments
- Downtime
- Process Info
- Performance Info

Service Information
Last Updated: Thu Aug 27 08:26:16 UTC 2026
Updated every 90 seconds
Nagios® Core™ 4.5.10 - www.nagios.org
Logged in as *nagiosadmin*

View Information For This Host
View Status Detail For This Host
View Alert History For This Service
View Trends For This Service
View Alert Histogram For This Service
View Availability Report For This Service
View Notifications For This Service

Service
Apache2 application check
On Host
localhost
(localhost)

Member of
No servicegroups.

127.0.0.1

Service State Information

Current Status:	OK (for 0d 0h 0m 6s)
Status Information:	Process - nginx is running OK
Performance Data:	
Current Attempt:	1/3 (HARD state)
Last Check Time:	08-27-2026 08:26:10
Check Type:	ACTIVE
Check Latency / Duration:	0.001 / 0.016 seconds
Next Scheduled Check:	08-27-2026 08:27:10
Last State Change:	08-27-2026 08:26:10
Last Notification:	08-27-2026 08:26:10 (notification 0)
Is This Service Flapping?	NO (12.24% state change)
In Scheduled Downtime?	NO
Last Update:	08-27-2026 08:26:15 (0d 0h 0m 1s ago)

Active Checks:	ENABLED
Passive Checks:	ENABLED
Obsessing:	ENABLED
Notifications:	ENABLED
Event Handler:	ENABLED
Flap Detection:	ENABLED

Service Commands
- Disable active checks of this service
- Re-schedule the next check of this service
- Submit passive check result for this service
- Stop accepting passive checks for this service
- Stop obsessing over this service
- Disable notifications for this service
- Send custom service notification
- Schedule downtime for this service
- Disable event handler for this service
- Disable flap detection for this service
- Clear flapping state for this service

Service Comments
Add a new comment | Delete all comments

Entry Time	Author	Comment	Comment ID	Persistent	Type	Expires	Actions
This service has no comments associated with it							

Delete forever | Not spam | 1 of 14

** RECOVERY Service Alert: localhost/Apache2 application check is OK **

Spam ×

sreevishnu0407@gmail.com via amazonses.com
to me

13:56 (0 minutes ago)

Why is this message in spam? This message is similar to messages that were identified as spam in the past.

Report as not spam

***** Nagios *****

Notification Type: RECOVERY

Service: Apache2 application check
Host: localhost
Address: 127.0.0.1
State: OK

Date/Time: Thu Aug 27 08:26:10 UTC 2026

Additional Info:

Process - nginx is running OK



NGINX is running fine with the current threshold



Have stopped NGINX let's see if Nagios catches it



There we go Nagios detected it and is in its confirmation method as max_check_attempts is set to 3



As per Nagios, notification is sent as third attempt returned critical, let's check that



There we go Nagios never disappoints



ubuntu@puppet-master: ~

```
  GNU nano 6.2        /usr/local/nagios/etc/objects/localhost.cfg
    use local-service
    host_name localhost
    service_description State Transition Test
    check_command test_failure
    max_check_attempts 3

}

define service {

   use local-service
   host_name localhost
   service_description Nginx HTTP Response
   check_command check_nginx_http!http://localhost:8080!1!2
   check_interval 1
   retry_interval 1
   max_check_attempts 3

}

^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^/ Go To Line
```

ubuntu@puppet-master: ~

```
        Checked 11 services.
        Checked 1 hosts.
        Checked 1 host groups.
        Checked 0 service groups.
        Checked 1 contacts.
        Checked 1 contact groups.
        Checked 27 commands.
        Checked 5 time periods.
        Checked 0 host escalations.
        Checked 0 service escalations.
Checking for circular paths...
        Checked 1 hosts
        Checked 0 service dependencies
        Checked 0 host dependencies
        Checked 5 timeperiods
Checking global event handlers...
Checking obsessive compulsive processor commands...
Checking misc settings...

Total Warnings: 0
Total Errors:   0

Things look okay - No serious problems were detected during the pre-flight check
ubuntu@puppet-master:~$
```