
Ansible Mastery Part-8(Flagship Practical: Integration of Terraform and Ansible)


End-to-End AWS Infrastructure Provisioning and Configuration Management with Terraform and Ansible


Cross-VPC Peering and Bidirectional Routing, Dual-VPC Architecture, CIDR Planning and Subnet Segmentation, Public Subnet Deployment, Internet Gateway Integration, Custom Route Tables and Associations, Security-Group-Based Access Control, SSH Agent Forwarding, Automated EC2 Provisioning, Python Virtual Environment Isolation, Ansible Inventory and Connectivity, Idempotent Configuration Management, Jinja2 Templating, Nginx Deployment, Event-Driven Handler, Service Lifecycle Management, and Dynamic Web Page Delivery





```
    Directory: D:\terraform-ansible



Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----        31-10-2026     19:25                .terraform
-a----        31-10-2026     19:25           1481 .terraform.lock.hcl
-a----        31-10-2026     19:03           1656 compute.tf
-a----        31-10-2026     19:35            538 data.tf
-a----        31-10-2026     19:03            224 key.tf
-a----        31-10-2026     19:00            219 locals.tf
-a----        31-10-2026     19:25            180 main.tf
-a----        31-10-2026     20:18           3792 network.tf
-a----        31-10-2026     19:31           2041 outputs.tf
-a----        31-10-2026     19:18             48 providers.tf
-a----        31-10-2026     20:16           2438 security.tf
-a----        31-10-2026     20:18          64716 terraform.tfstate
-a----        31-10-2026     20:18          59631 terraform.tfstate.backup
-a----        31-10-2026     18:59            111 terraform.tfvars
-a----        31-10-2026     19:32           2000 variables.tf
```



File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
network.tf terraform.tfvars locals.tf main.tf data.tf providers.tf security.tf variables.tf
Chat
main.tf
terraform {
required_version = ">= 1.6.0"
required_providers {
aws = {
source = "hashicorp/aws"
version = "~> 6.0"
}
}
}
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.



File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
network.tf terraform.tfvars locals.tf main.tf data.tf providers.tf security.tf variables.tf
Chat
providers.tf
provider "aws" {
region = var.aws_region
}
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.



File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
network.tf terraform.tfvars locals.tf main.tf data.tf providers.tf security.tf variables.tf
Chat
variables.tf
1 variable "aws_region" {
2 type = string
3 description = "AWS Region for both VPCs and both EC2 instances."
4 default = "ap-south-1"
5 }
6 variable "availability_zone" {
7 type = string
8 description = "One AZ used by both public subnets and both EC2 instances."
9 default = "ap-south-1a"
10 }
11 variable "control_vpc_cidr" {
12 type = string
13 description = "CIDR block for the Ansible control VPC."
14 default = "10.40.0.0/16"
15 }
16 variable "managed_vpc_cidr" {
17 type = string
18 description = "Non-overlapping CIDR block for the managed-node VPC."
19 default = "10.50.0.0/16"
20 }
21 variable "control_public_subnet_cidr" {
22 type = string
23 description = "Public subnet hosting the Ansible control node."
24 default = "10.40.1.0/24"
25 }
26 variable "managed_public_subnet_cidr" {
27 type = string
28 description = "Public subnet hosting the managed node."
29 default = "10.50.1.0/24"
30 }
31 variable "control_private_ip" {
32 type = string
33 description = "private IPv4 address of the Ansible control node."
34 default = "10.40.1.10"
35 }
36 variable "managed_private_ip" {
37 type = string
38 description = "private IPv4 address of the managed node."
39 default = "10.50.1.10"
40 }
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Describe what to build
Local
Outline
Timeline
Restricted Mode
Ln 53, Col 44 Spaces: 4 UTF-8 CRLF { } Plain Text



File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
network.tf terraform.tfvars locals.tf main.tf data.tf providers.tf security.tf variables.tf
Chat
variables.tf
26 variable "managed_public_subnet_cidr" {
30 }
31 variable "control_private_ip" {
32 type = string
33 description = "private IPv4 address of the Ansible control node."
34 default = "10.40.1.10"
35 }
36 variable "managed_private_ip" {
37 type = string
38 description = "private IPv4 address of the managed node."
39 default = "10.50.1.10"
40 }
41 variable "instance_type" {
42 type = string
43 description = "ec2 instance type"
44 default = "t3.micro"
45 }
46 variable "volume_size" {
47 type = number
48 description = "root-volume-size"
49 default = 8
50
51 validation {
52 condition = var.volume_size >= 8 && var.volume_size <= 30 && var.volume_size == floor(var.volume_s
53 error_message = "For this compact lab, volume_size must be between 8 and 30 GiB."
54 }
55 }
56 variable "admin_cidr" {
57 type = string
58 description = "admin cidr for ssh"
59 }
60 variable "key_name" {
61 type = string
62 description = "Name of the EC2 key pair used"
63 }
64 variable "public_key_path" {
65 type = string
66 description = "local public key path"
67 }
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Describe what to build
Local
Outline
Timeline
Restricted Mode
Ln 53, Col 44 Spaces: 4 UTF-8 CRLF { } Plain Text


File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
network.tf terraform.tfvars locals.tf main.tf data.tf providers.tf security.tf variables.tf
Chat
terraform.tfvars
1 admin_cidr = "128.185.168.215/32"
2 key_name = "SSH-Key"
3 public_key_path = "c:/users/Sreev/.ssh/id_ed25519.pub"
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.


File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
network.tf terraform.tfvars locals.tf main.tf data.tf providers.tf security.tf variables.tf
Chat
data.tf
1 data "aws_ami" "ubuntu_jammy" {
2 most_recent = true
3 owners = ["099720109477"]
4
5 filter {
6 name = "name"
7 values = ["ubuntu/images/hvm-ssd/ubuntu-jammy-22.04-amd64-server-*"]
8 }
9 filter {
10 name = "architecture"
11 values = ["x86_64"]
12 }
13 filter {
14 name = "virtualization-type"
15 values = ["hvm"]
16 }
17 filter {
18 name = "root-device-type"
19 values = ["ebs"]
20 }
21 filter {
22 name = "state"
23 values = ["available"]
24 }
25 }
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
data.tf
Describe what to build
Local
Outline
Timeline
Restricted Mode
Ln 25, Col 2 Spaces: 4 UTF-8 CRLF { } Plain Text


File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
network.tf
terraform.tfvars
locals.tf
main.tf
data.tf
providers.tf
security.tf
variables.tf
Chat
network.tf
resource "aws_vpc" "control"{
cidr_block = var.control_vpc_cidr
enable_dns_support = true
enable_dns_hostnames = true
tags = merge(local.common_tags,{
Name = "${local.practical_name}-control-vpc"
Role = "Control-network"
})
}
resource "aws_vpc" "managed"{
cidr_block = var.managed_vpc_cidr
enable_dns_support = true
enable_dns_hostnames = true
tags = merge(local.common_tags,{
Name = "${local.practical_name}-managed-vpc"
Role = "Managed-network"
})
}
resource "aws_internet_gateway" "control_igw"{
vpc_id = aws_vpc.control.id
tags = merge(local.common_tags,{
Name = "${local.practical_name}-control-igw"
Role = "Control-Internet-Gateway"
})
}
resource "aws_internet_gateway" "managed_igw"{
vpc_id = aws_vpc.managed.id
tags = merge(local.common_tags,{
Name = "${local.practical_name}-managed-igw"
Role = "Managed-Internet-Gateway"
})
}
resource "aws_subnet" "control_public"{
vpc_id = aws_vpc.control.id
cidr_block = var.control_public_subnet_cidr
availability_zone = var.availability_zone
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
network.tf
Describe what to build
Local
Outline
Timeline
Restricted Mode
Ln 74, Col 7 Spaces: 4 UTF-8 CRLF { } Plain Text


File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
network.tf
terraform.tfvars
locals.tf
main.tf
data.tf
providers.tf
security.tf
variables.tf
Chat
network.tf
resource "aws_subnet" "control_public"{
vpc_id = aws_vpc.control.id
cidr_block = var.control_public_subnet_cidr
availability_zone = var.availability_zone
map_public_ip_on_launch = true
tags = merge(local.common_tags,{
Name = "${local.practical_name}-control-public-subnet"
Tier = "Public"
Role = "Ansible control network"
})
}
resource "aws_subnet" "managed_public"{
vpc_id = aws_vpc.managed.id
cidr_block = var.managed_public_subnet_cidr
availability_zone = var.availability_zone
map_public_ip_on_launch = true
tags = merge(local.common_tags,{
Name = "${local.practical_name}-managed-public-subnet"
Tier = "Public"
Role = "Ansible managed nodes"
})
}
resource "aws_route_table" "control_public_rt"{
vpc_id = aws_vpc.control.id
tags = merge(local.common_tags,{
Name = "${local.practical_name}-control-public-rt"
Tier = "Public"
})
}
resource "aws_route_table" "managed_public_rt"{
vpc_id = aws_vpc.managed.id
tags = merge(local.common_tags,{
Name = "${local.practical_name}-managed-public-rt"
Tier = "Public"
})
}
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
network.tf
Describe what to build
Local
Outline
Timeline
Restricted Mode
Ln 74, Col 7 Spaces: 4 UTF-8 CRLF { } Plain Text





```
resource "aws_route_table" "managed_public_rt"{
    vpc_id = aws_vpc.managed.id
    tags = merge(local.common_tags,{
        Name = "${local.practical_name}-managed-public-rt"
        Tier = "Public"
    })
}

resource "aws_route" "control_public_internet"{
    route_table_id = aws_route_table.control_public_rt.id
    destination_cidr_block = "0.0.0.0/0"
    gateway_id = aws_internet_gateway.control_igw.id
}

resource "aws_route" "managed_public_internet"{
    route_table_id = aws_route_table.managed_public_rt.id
    destination_cidr_block = "0.0.0.0/0"
    gateway_id = aws_internet_gateway.managed_igw.id
}
resource "aws_route_table_association" "control_public" {
  subnet_id      = aws_subnet.control_public.id
  route_table_id = aws_route_table.control_public_rt.id
}

resource "aws_route_table_association" "workload_public" {
  subnet_id      = aws_subnet.managed_public.id
  route_table_id = aws_route_table.managed_public_rt.id
}

resource "aws_vpc_peering_connection" "control_to_managed"{
    vpc_id = aws_vpc.control.id
    peer_vpc_id = aws_vpc.managed.id
    auto_accept = true
    tags = merge(local.common_tags,{
        Name = "${local.practical_name}-control-managed-peering"
        Side = "Requester-and-accepter-same-account"
    })
}
```





```
resource "aws_route" "control_public_internet"{
    gateway_id = aws_internet_gateway.control_igw.id
}


resource "aws_route" "managed_public_internet"{
    route_table_id = aws_route_table.managed_public_rt.id
    destination_cidr_block = "0.0.0.0/0"
    gateway_id = aws_internet_gateway.managed_igw.id
}
resource "aws_route_table_association" "control_public" {
  subnet_id      = aws_subnet.control_public.id
  route_table_id = aws_route_table.control_public_rt.id
}


resource "aws_route_table_association" "workload_public" {
  subnet_id      = aws_subnet.managed_public.id
  route_table_id = aws_route_table.managed_public_rt.id
}


resource "aws_vpc_peering_connection" "control_to_managed"{
    vpc_id = aws_vpc.control.id
    peer_vpc_id = aws_vpc.managed.id
    auto_accept = true
    tags = merge(local.common_tags,{
        Name = "${local.practical_name}-control-managed-peering"
        Side = "Requester-and-accepter-same-account"
    })
}


resource "aws_route" "control_public_to_managed"{
    route_table_id = aws_route_table.control_public_rt.id
    destination_cidr_block = var.managed_vpc_cidr
    vpc_peering_connection_id = aws_vpc_peering_connection.control_to_managed.id
}
resource "aws_route" "managed_public_to_control"{
    route_table_id = aws_route_table.managed_public_rt.id
    destination_cidr_block = var.control_vpc_cidr
    vpc_peering_connection_id = aws_vpc_peering_connection.control_to_managed.id
}
```



File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
Outline
Timeline
.tfvars
locals.tf
main.tf
data.tf
providers.tf
security.tf
variables.tf
compute.tf
key.tf
security.tf
1 resource "aws_security_group" "control"{
2 name = "control-sg"
3 description = "control node security group"
4 vpc_id = aws_vpc.control.id
5 tags = merge(local.common_tags,{
6 Name = "${local.practical_name}-control-sg"
7 Role = "Ansible control node's sg config"
8 })
9 }
10
11 resource "aws_security_group" "managed"{
12 name = "managed-sg"
13 description = "Managed node security group"
14 vpc_id = aws_vpc.managed.id
15 tags = merge(local.common_tags,{
16 Name = "${local.practical_name}-managed-sg"
17 Role = "Ansible managed node's sg config"
18 })
19 }
20
21 resource "aws_vpc_security_group_ingress_rule" "control_ssh"{
22 security_group_id = aws_security_group.control.id
23 description = "SSH from admin Vishnus address only"
24 cidr_ipv4 = var.admin_cidr
25 from_port = 22
26 to_port = 22
27 ip_protocol = "tcp"
28 }
29
30 resource "aws_vpc_security_group_egress_rule" "control_outbound"{
31 security_group_id = aws_security_group.control.id
32 description = "outbound access for control node"
33 cidr_ipv4 = "0.0.0.0/0"
34 ip_protocol = "-1"
35 }
36
37 resource "aws_vpc_security_group_ingress_rule" "managed_ssh_from_control"{
38 security_group_id = aws_security_group.managed.id
39 description = "SSH from Ansible control node over VPC peering"
40 referenced_security_group_id = aws_security_group.control.id
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
security.tf
Describe what to build
Local
Restricted Mode
0 0
Ln 40, Col 22 Spaces: 4 UTF-8 CRLF { } Plain Text



File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
Outline
Timeline
.tfvars
locals.tf
main.tf
data.tf
providers.tf
security.tf
variables.tf
compute.tf
key.tf
security.tf
30 resource "aws_vpc_security_group_egress_rule" "control_outbound"{
33 cidr_ipv4 = "0.0.0.0/0"
34 ip_protocol = "-1"
35 }
36
37 resource "aws_vpc_security_group_ingress_rule" "managed_ssh_from_control"{
38 security_group_id = aws_security_group.managed.id
39 description = "SSH from Ansible control node over VPC peering"
40 referenced_security_group_id = aws_security_group.control.id
41 from_port = 22
42 to_port = 22
43 ip_protocol = "tcp"
44 depends_on = [aws_vpc_peering_connection.control_to_managed]
45 }
46
47 resource "aws_vpc_security_group_ingress_rule" "managed_http_from_admin"{
48 security_group_id = aws_security_group.managed.id
49 description = "HTTP health checks from admin"
50 cidr_ipv4 = var.admin_cidr
51 from_port = 80
52 to_port = 80
53 ip_protocol = "tcp"
54 }
55
56 resource "aws_vpc_security_group_ingress_rule" "managed_icmp_from_control"{
57 security_group_id = aws_security_group.managed.id
58 description = "ICMP connectivity tests from control node"
59 referenced_security_group_id = aws_security_group.control.id
60 from_port = -1
61 to_port = -1
62 ip_protocol = "icmp"
63 depends_on = [aws_vpc_peering_connection.control_to_managed]
64 }
65
66 resource "aws_vpc_security_group_egress_rule" "managed_outbound_access"{
67 security_group_id = aws_security_group.managed.id
68 description = "outbound access for managed node"
69 cidr_ipv4 = "0.0.0.0/0"
70 ip_protocol = "-1"
71 }
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
security.tf
Describe what to build
Local
Restricted Mode
0 0
Ln 40, Col 22 Spaces: 4 UTF-8 CRLF { } Plain Text



File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
Outline
Timeline
.tfvars
locals.tf
main.tf
data.tf
providers.tf
security.tf
variables.tf
compute.tf
key.tf
key.tf
1 resource "aws_key_pair" "lab"{
2 key_name = var.key_name
3 public_key = file(var.public_key_path)
4 tags = merge(local.common_tags,{
5 Name = "${local.practical_name}-key"
6 Role = "SSH-Key"
7 })
8 }
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
key.tf
Describe what to build
Local
Restricted Mode
0 0
Ln 7, Col 7 Spaces: 4 UTF-8 CRLF { } Plain Text



File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
Outline
Timeline
.tfvars
locals.tf
main.tf
data.tf
providers.tf
security.tf
variables.tf
compute.tf
key.tf
compute.tf
1 resource "aws_instance" "control"{
2 ami = data.aws_ami.ubuntu_jammy.id
3 instance_type = var.instance_type
4 subnet_id = aws_subnet.control_public.id
5 vpc_security_group_ids = [aws_security_group.control.id]
6 key_name = aws_key_pair.lab.key_name
7 associate_public_ip_address = true
8 private_ip = var.control_private_ip
9
10 credit_specification {
11 cpu_credits = "standard"
12 }
13 metadata_options {
14 http_endpoint = "enabled"
15 http_tokens = "required"
16 }
17 root_block_device {
18 volume_type = "gp3"
19 volume_size = var.volume_size
20 encrypted = true
21 delete_on_termination = true
22 }
23 tags = merge(local.common_tags,{
24 Name = "${local.practical_name}-Ansible-Control"
25 Role = "Ansible-Control-Node"
26 })
27 }
28 resource "aws_instance" "managed"{
29 ami = data.aws_ami.ubuntu_jammy.id
30 instance_type = var.instance_type
31 subnet_id = aws_subnet.managed_public.id
32 vpc_security_group_ids = [aws_security_group.managed.id]
33 key_name = aws_key_pair.lab.key_name
34 associate_public_ip_address = true
35 private_ip = var.managed_private_ip
36
37 credit_specification {
38 cpu_credits = "standard"
39 }
40 metadata_options {
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
compute.tf
Describe what to build
Local
Restricted Mode
0 0
Ln 43, Col 6 Spaces: 4 UTF-8 CRLF { } Plain Text



File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
.tfvars locals.tf main.tf data.tf providers.tf security.tf variables.tf compute.tf key.tf
compute.tf
1 resource "aws_instance" "control"{
22 }
23 tags = merge(local.common_tags,{
24 Name = "${local.practical_name}-Ansible-Control"
25 Role = "Ansible-Control-Node"
26 })
27 }
28 resource "aws_instance" "managed"{
29 ami = data.aws_ami.ubuntu_jammy.id
30 instance_type = var.instance_type
31 subnet_id = aws_subnet.managed_public.id
32 vpc_security_group_ids = [aws_security_group.managed.id]
33 key_name = aws_key_pair.lab.key_name
34 associate_public_ip_address = true
35 private_ip = var.managed_private_ip
36
37 credit_specification {
38 cpu_credits = "standard"
39 }
40 metadata_options {
41 http_endpoint = "enabled"
42 http_tokens = "required"
43 }
44 root_block_device {
45 volume_type = "gp3"
46 volume_size = var.volume_size
47 encrypted = true
48 delete_on_termination = true
49 }
50 tags = merge(local.common_tags,{
51 Name = "${local.practical_name}-Ansible-Managed"
52 Role = "Ansible-Managed-Node"
53 })
54 }
55
Outline
Timeline
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
compute.tf
Describe what to build
Local



File Edit Selection View Go Run Terminal Help
terraform-ansible
Sign In
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
terraform-ansible
.terraform
.terraform.lock.hcl
compute.tf
data.tf
key.tf
locals.tf
main.tf
network.tf
outputs.tf
providers.tf
security.tf
terraform.tfstate
terraform.tfstate.backup
terraform.tfvars
variables.tf
.tfvars locals.tf main.tf data.tf providers.tf security.tf variables.tf compute.tf key.tf
locals.tf
1 locals {
2 practical_name = "ansible-peering-lab-with-terraform"
3
4 common_tags = {
5 Project = "terraform-ansible-vpc-peering"
6 Environment = "learning"
7 Managed_by = "Terraform and Vishnu"
8 }
9 }
10
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.



Windows PowerShell
PS D:\terraform-ansible> terraform plan
data.aws_ami.ubuntu_jammy: Reading...
data.aws_ami.ubuntu_jammy: Read complete after 0s [id=ami-082a1ff88c78c6290]
Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:
+ create
Terraform will perform the following actions:
aws_instance.control will be created
+ resource "aws_instance" "control" {
+ ami = "ami-082a1ff88c78c6290"
+ arn = (known after apply)
+ associate_public_ip_address = true
+ availability_zone = (known after apply)
+ disable_api_stop = (known after apply)
+ disable_api_termination = (known after apply)
+ ebs_optimized = (known after apply)
+ enable_primary_ipv6 = (known after apply)
+ force_destroy = false
+ get_password_data = false
+ host_id = (known after apply)
+ host_resource_group_arn = (known after apply)
+ iam_instance_profile = (known after apply)
+ id = (known after apply)
+ instance_initiated_shutdown_behavior = (known after apply)
+ instance_lifecycle = (known after apply)
+ instance_state = (known after apply)
+ instance_type = "t3.micro"



Windows PowerShell
+ placement_partition_number = (known after apply)
+ primary_network_interface_id = (known after apply)
+ private_dns = (known after apply)
+ private_ip = "10.40.1.10"
+ public_dns = (known after apply)
+ public_ip = (known after apply)
+ region = "ap-south-1"
+ secondary_private_ips = (known after apply)
+ security_groups = (known after apply)
+ source_dest_check = true
+ spot_instance_request_id = (known after apply)
+ subnet_id = (known after apply)
+ tags = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-Ansible-Control"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "Ansible-Control-Node"
}
+ tags_all = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-Ansible-Control"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "Ansible-Control-Node"
}
+ tenancy = (known after apply)
+ user_data_base64 = (known after apply)
+ user_data_replace_on_change = false
+ vpc_security_group_ids = (known after apply)



Windows PowerShell
+ root_block_device {
+ delete_on_termination = true
+ device_name = (known after apply)
+ encrypted = true
+ iops = (known after apply)
+ kms_key_id = (known after apply)
+ tags_all = (known after apply)
+ throughput = (known after apply)
+ volume_id = (known after apply)
+ volume_size = 8
+ volume_type = "gp3"
}
+ secondary_network_interface (known after apply)
}
aws_instance.managed will be created
+ resource "aws_instance" "managed" {
+ ami = "ami-082a1ff88c78c6290"
+ arn = (known after apply)
+ associate_public_ip_address = true
+ availability_zone = (known after apply)
+ disable_api_stop = (known after apply)
+ disable_api_termination = (known after apply)
+ ebs_optimized = (known after apply)
+ enable_primary_ipv6 = (known after apply)
+ force_destroy = false
+ get_password_data = false
+ host_id = (known after apply)



Windows PowerShell
+ subnet_id = (known after apply)
+ tags = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-Ansible-Managed"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "Ansible-Managed-Node"
}
+ tags_all = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-Ansible-Managed"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "Ansible-Managed-Node"
}
+ tenancy = (known after apply)
+ user_data_base64 = (known after apply)
+ user_data_replace_on_change = false
+ vpc_security_group_ids = (known after apply)
+ capacity_reservation_specification (known after apply)
+ cpu_options (known after apply)
+ credit_specification {
+ cpu_credits = "standard"
}
+ ebs_block_device (known after apply)



Windows PowerShell
aws_internet_gateway.control_igw will be created
+ resource "aws_internet_gateway" "control_igw" {
+ arn = (known after apply)
+ id = (known after apply)
+ owner_id = (known after apply)
+ region = "ap-south-1"
+ tags = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-control-igw"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "Control-Internet-Gateway"
}
+ tags_all = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-control-igw"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "Control-Internet-Gateway"
}
+ vpc_id = (known after apply)
}
aws_internet_gateway.managed_igw will be created
+ resource "aws_internet_gateway" "managed_igw" {
+ arn = (known after apply)
+ id = (known after apply)
+ owner_id = (known after apply)
+ region = "ap-south-1"
+ tags = {



Windows PowerShell
aws_key_pair.lab will be created
+ resource "aws_key_pair" "lab" {
+ arn = (known after apply)
+ fingerprint = (known after apply)
+ id = (known after apply)
+ key_name = "SSH-Key"
+ key_name_prefix = (known after apply)
+ key_pair_id = (known after apply)
+ key_type = (known after apply)
+ public_key = "ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIFb5hV6YSNU3IGc3s0EzZsScV4DTpDso9tRHrWXEDBmT sreev@admin"
+ region = "ap-south-1"
+ tags = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-key"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "SSH-Key"
}
+ tags_all = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-key"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "SSH-Key"
}
}
aws_route.control_public_internet will be created
+ resource "aws_route" "control_public_internet" {
+ destination_cidr_block = "0.0.0.0/0"



Windows PowerShell
aws_route.control_public_to_managed will be created
+ resource "aws_route" "control_public_to_managed" {
+ destination_cidr_block = "10.50.0.0/16"
+ id = (known after apply)
+ instance_id = (known after apply)
+ instance_owner_id = (known after apply)
+ network_interface_id = (known after apply)
+ origin = (known after apply)
+ region = "ap-south-1"
+ route_table_id = (known after apply)
+ state = (known after apply)
+ vpc_peering_connection_id = (known after apply)
}
aws_route.managed_public_internet will be created
+ resource "aws_route" "managed_public_internet" {
+ destination_cidr_block = "0.0.0.0/0"
+ gateway_id = (known after apply)
+ id = (known after apply)
+ instance_id = (known after apply)
+ instance_owner_id = (known after apply)
+ network_interface_id = (known after apply)
+ origin = (known after apply)
+ region = "ap-south-1"
+ route_table_id = (known after apply)
+ state = (known after apply)
}
aws_route.managed_public_to_control will be created



Windows PowerShell
aws_security_group.control will be created
+ resource "aws_security_group" "control" {
+ arn = (known after apply)
+ description = "Control node's security group"
+ egress = (known after apply)
+ id = (known after apply)
+ ingress = (known after apply)
+ name = "ansible-peering-lab-with-terraform-control-sg"
+ name_prefix = (known after apply)
+ owner_id = (known after apply)
+ region = "ap-south-1"
+ revoke_rules_on_delete = false
+ tags = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-control-sg"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "Ansible control node's sg config"
}
+ tags_all = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-control-sg"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "Ansible control node's sg config"
}
+ vpc_id = (known after apply)
}
aws_security_group.managed will be created



Windows PowerShell
aws_subnet.control_public will be created
+ resource "aws_subnet" "control_public" {
+ arn = (known after apply)
+ assign_ipv6_address_on_creation = false
+ availability_zone = "ap-south-1a"
+ availability_zone_id = (known after apply)
+ cidr_block = "10.40.1.0/24"
+ enable_dns64 = false
+ enable_resource_name_dns_a_record_on_launch = false
+ enable_resource_name_dns_aaaa_record_on_launch = false
+ id = (known after apply)
+ ipv6_cidr_block = (known after apply)
+ ipv6_cidr_block_association_id = (known after apply)
+ ipv6_native = false
+ map_public_ip_on_launch = true
+ owner_id = (known after apply)
+ private_dns_hostname_type_on_launch = (known after apply)
+ region = "ap-south-1"
+ tags = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-control-public-subnet"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "Ansible control network"
+ "Tier" = "Public"
}
+ tags_all = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-control-public-subnet"


Windows PowerShell
aws_vpc.control will be created
+ resource "aws_vpc" "control" {
+ arn = (known after apply)
+ cidr_block = "10.40.0.0/16"
+ default_network_acl_id = (known after apply)
+ default_route_table_id = (known after apply)
+ default_security_group_id = (known after apply)
+ dhcp_options_id = (known after apply)
+ enable_dns_hostnames = true
+ enable_dns_support = true
+ enable_network_address_usage_metrics = (known after apply)
+ id = (known after apply)
+ instance_tenancy = "default"
+ ipv6_association_id = (known after apply)
+ ipv6_cidr_block = (known after apply)
+ ipv6_cidr_block_network_border_group = (known after apply)
+ main_route_table_id = (known after apply)
+ owner_id = (known after apply)
+ region = "ap-south-1"
+ tags = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-control-vpc"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Role" = "Control-network"
}
+ tags_all = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-control-vpc"


Windows PowerShell
aws_vpc_peering_connection.control_to_managed will be created
+ resource "aws_vpc_peering_connection" "control_to_managed" {
+ accept_status = (known after apply)
+ auto_accept = true
+ id = (known after apply)
+ peer_owner_id = (known after apply)
+ peer_region = (known after apply)
+ peer_vpc_id = (known after apply)
+ region = "ap-south-1"
+ tags = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-control-managed-peering"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Side" = "Requester-and-accepter-same-account"
}
+ tags_all = {
+ "Environment" = "learning"
+ "Managed_by" = "Terraform and Vishnu"
+ "Name" = "ansible-peering-lab-with-terraform-control-managed-peering"
+ "Project" = "terraform-ansible-vpc-peering"
+ "Side" = "Requester-and-accepter-same-account"
}
+ vpc_id = (known after apply)
+ accepter (known after apply)
+ requester (known after apply)
}


Windows PowerShell
aws_vpc_security_group_egress_rule.control_outbound will be created
+ resource "aws_vpc_security_group_egress_rule" "control_outbound" {
+ arn = (known after apply)
+ cidr_ipv4 = "0.0.0.0/0"
+ description = "outbound access for control node"
+ id = (known after apply)
+ ip_protocol = "-1"
+ region = "ap-south-1"
+ security_group_id = (known after apply)
+ security_group_rule_id = (known after apply)
+ tags_all = {}
}
aws_vpc_security_group_egress_rule.managed_outbound_access will be created
+ resource "aws_vpc_security_group_egress_rule" "managed_outbound_access" {
+ arn = (known after apply)
+ cidr_ipv4 = "0.0.0.0/0"
+ description = "outbound access for managed node"
+ id = (known after apply)
+ ip_protocol = "-1"
+ region = "ap-south-1"
+ security_group_id = (known after apply)
+ security_group_rule_id = (known after apply)
+ tags_all = {}
}
aws_vpc_security_group_ingress_rule.control_ssh will be created
+ resource "aws_vpc_security_group_ingress_rule" "control_ssh" {
+ arn = (known after apply)


Windows PowerShell
+ to_port = 22
}
Plan: 26 to add, 0 to change, 0 to destroy.
Changes to Outputs:
+ ansible_inventory_entry = "managed1 ansible_host=10.50.1.10 ansible_user=ubuntu"
+ availability_zone = "ap-south-1a"
+ control_instance_id = (known after apply)
+ control_internet_gateway_id = (known after apply)
+ control_private_ip = "10.40.1.10"
+ control_public_ip = (known after apply)
+ control_public_route_table_id = (known after apply)
+ control_public_subnet_id = (known after apply)
+ control_security_group_id = (known after apply)
+ control_vpc_id = (known after apply)
+ managed_instance_id = (known after apply)
+ managed_internet_gateway_id = (known after apply)
+ managed_private_ip = "10.50.1.10"
+ managed_public_ip = (known after apply)
+ managed_public_route_table_id = (known after apply)
+ managed_public_subnet_id = (known after apply)
+ managed_security_group_id = (known after apply)
+ managed_vpc_id = (known after apply)
+ ubuntu_ami_id = "ami-082a1ff88c78c6290"
+ vpc_peering_connection_id = (known after apply)
Note: You didn't use the -out option to save this plan, so Terraform can't guarantee to take exactly these actions if


Windows PowerShell
PS D:\terraform-ansible> terraform apply
aws_vpc.control: Refreshing state... [id=vpc-061d34c0f51939ea6]
aws_key_pair.lab: Refreshing state... [id=SSH-Key]
data.aws_ami.ubuntu_jammy: Reading...
aws_vpc.managed: Refreshing state... [id=vpc-044ddab9dbdf9b68d]
data.aws_ami.ubuntu_jammy: Read complete after 0s [id=ami-082a1ff88c78c6290]
aws_security_group.managed: Refreshing state... [id=sg-06c0a832bc1781432]
aws_route_table.managed_public_rt: Refreshing state... [id=rtb-0836c6c440248f3e9]
aws_subnet.managed_public: Refreshing state... [id=subnet-0aa18013f26d94ed4]
aws_internet_gateway.managed_igw: Refreshing state... [id=igw-009e5ce2ffae133d1]
aws_route_table.control_public_rt: Refreshing state... [id=rtb-03af7da2cfbf55ce3]
aws_security_group.control: Refreshing state... [id=sg-0d47991f1f542b21a]
aws_internet_gateway.control_igw: Refreshing state... [id=igw-010cce7a78735f23b]
aws_subnet.control_public: Refreshing state... [id=subnet-010abe9519d9105d6]
aws_vpc_peering_connection.control_to_managed: Refreshing state... [id=pcx-0adbeb4cac88daaa9]
aws_vpc_security_group_ingress_rule.managed_http_from_admin: Refreshing state... [id=sgr-06ca57c78e7e0fc47]
aws_vpc_security_group_egress_rule.managed_outbound_access: Refreshing state... [id=sgr-0c2245d9e31203eb4]
aws_instance.managed: Refreshing state... [id=i-05b114fe865c3b73e]
aws_vpc_security_group_ingress_rule.control_ssh: Refreshing state... [id=sgr-06f0ff162be94adff]
aws_vpc_security_group_egress_rule.control_outbound: Refreshing state... [id=sgr-0a0ab6c44224ea466]
aws_vpc_security_group_ingress_rule.managed_icmp_from_control: Refreshing state... [id=sgr-0d9bfa98e992b79c8]
aws_route.managed_public_internet: Refreshing state... [id=r-rtb-0836c6c440248f3e910802894 94]
aws_vpc_security_group_ingress_rule.managed_ssh_from_control: Refreshing state... [id=sgr-07101c1258a7f8a13]
aws_route.control_public_to_managed: Refreshing state... [id=r-rtb-03af7da2cfbf55ce31125690821]
aws_route.control_public_internet: Refreshing state... [id=r-rtb-03af7da2cfbf55ce31080289494]
aws_route_table_association.control_public: Refreshing state... [id=rtbassoc-058aea532dc9fd64b]
aws_instance.control: Refreshing state... [id=i-036d8efad671ca160]
Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:


```
Windows PowerShell
aws_route.managed_public_internet: Creating...
aws_route_table_association.workload_public: Creation complete after 1s [id=rtbassoc-0f243cbf671f668ad]
aws_route.managed_public_to_control: Creation complete after 1s [id=r-rtb-0a6def2c2f6f66a6d1415821702]
aws_route.managed_public_internet: Creation complete after 1s [id=r-rtb-0a6def2c2f6f66a6d1080289494]


Apply complete! Resources: 4 added, 0 changed, 2 destroyed.


Outputs:


ansible_inventory_entry = "managed1 ansible_host=10.50.1.10 ansible_user=ubuntu"
availability_zone = "ap-south-1a"
control_instance_id = "i-036d8efad671ca160"
control_internet_gateway_id = "igw-010cce7a78735f23b"
control_private_ip = "10.40.1.10"
control_public_ip = "3.111.198.212"
control_public_route_table_id = "rtb-03af7da2cfbf55ce3"
control_public_subnet_id = "subnet-010abe9519d9105d6"
control_security_group_id = "sg-0d47991f1f542b21a"
control_vpc_id = "vpc-061d34c0f51939ea6"
managed_instance_id = "i-05b114fe865c3b73e"
managed_internet_gateway_id = "igw-009e5ce2ffae133d1"
managed_private_ip = "10.50.1.10"
managed_public_ip = "52.66.199.8"
managed_public_route_table_id = "rtb-0a6def2c2f6f66a6d"
managed_public_subnet_id = "subnet-0aa18013f26d94ed4"
managed_security_group_id = "sg-06c0a832bc1781432"
managed_vpc_id = "vpc-044ddab9dbdf9b68d"
ubuntu_ami_id = "ami-082a1ff88c78c6290"
vpc_peering_connection_id = "pcx-0adbeb4cac88daaa9"
PS D:\terraform-ansible>
```


And there we go, two independent AWS VPCs, seamlessly connected through VPC Peering, private communication across isolated networks, without getting in or traversing the public internet






Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Resource map Info
Show all details
VPC
Your AWS virtual network
ansible-peering-lab-with-terraform-control-vpc
Subnets (1)
Subnets within this VPC
ap-south-1a
ansible-peering-lab-with-terraform-control-public-subnet
Route tables (2)
Route network traffic to resources
rtb-036cb53e0efac7a2a
ansible-peering-lab-with-terraform-control-public-rt



VPC > Your VPCs > vpc-061d34c0f51939ea6
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
vpc-061d34c0f51939ea6
Available
Off
Enabled
DNS resolution
Enabled
Tenancy
default
DHCP option set
dopt-0fac5cbf89e6f5100
Main route table
rtb-036cb53e0efac7a2a
Main network ACL
acl-0489a957991b5fa9d
Default VPC
No
IPv4 CIDR
10.40.0.0/16
IPv6 pool
–
IPv6 CIDR (Network border group)
–
Network Address Usage metrics
Disabled
Route 53 Resolver DNS Firewall rule groups
–
Owner ID
600907386714
Encryption control ID
–
Encryption control mode
–
Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Resource map Info
Show all details
Subnets (1)
Subnets within this VPC
ap-south-1a
ansible-peering-lab-with-terraform-control-public-subnet
Route tables (2)
Route network traffic to resources
rtb-036cb53e0efac7a2a
ansible-peering-lab-with-terraform-control-public-rt
Network Connections (1)
Connections to other networks
ansible-peering-lab-with-terraform-control-igw



Search
[Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Your VPCs > vpc-061d34c0f51939ea6
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
VPC ID
vpc-061d34c0f51939ea6
State
Available
Block Public Access
Off
DNS hostnames
Enabled
DNS resolution
Enabled
Tenancy
default
DHCP option set
dopt-0fac5cbf89e6f5100
Main route table
rtb-036cb53e0efac7a2a
Main network ACL
acl-0489a957991b5fa9d
Default VPC
No
IPv4 CIDR
10.40.0.0/16
IPv6 pool
–
IPv6 CIDR (Network border group)
–
Network Address Usage metrics
Disabled
Route 53 Resolver DNS Firewall rule groups
–
Owner ID
600907386714
Encryption control ID
–
Encryption control mode
–
Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Tags
Manage tags
Search tags
Key
Value
Name
ansible-peering-lab-with-terraform-control-vpc
Managed_by
Terraform and Vishnu
Environment
learning
Project
terraform-ansible-vpc-peering
Role
Control-network
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Your VPCs > vpc-044ddab9dbdf9b68d
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
vpc-044ddab9dbdf9b68d / ansible-peering-lab-with-terraform-managed-vpc
Actions
Details Info
VPC ID
vpc-044ddab9dbdf9b68d
State
Available
Block Public Access
Off
DNS hostnames
Enabled
DNS resolution
Enabled
Tenancy
default
DHCP option set
dopt-0fac5cbf89e6f5100
Main route table
rtb-0c3eeec0cd1b71bd3
Main network ACL
acl-066d2d819fce5999d
Default VPC
No
IPv4 CIDR
10.50.0.0/16
IPv6 pool
–
IPv6 CIDR (Network border group)
–
Network Address Usage metrics
Disabled
Route 53 Resolver DNS Firewall rule groups
–
Owner ID
600907386714
Encryption control ID
–
Encryption control mode
–
Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Resource map Info
Show all details
VPC
Your AWS virtual network
ansible-peering-lab-with-terraform-managed-vpc
Subnets (1)
Subnets within this VPC
ap-south-1a
ansible-peering-lab-with-terraform-managed-public-subnet
Route tables (2)
Route network traffic to resources
ansible-peering-lab-with-terraform-managed-public-rt
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Resource map Info
Show all details
VPC
Your AWS virtual network
ansible-peering-lab-with-terraform-managed-vpc
Subnets (1)
Subnets within this VPC
ap-south-1a
ansible-peering-lab-with-terraform-managed-public-subnet
Route tables (2)
Route network traffic to resources
ansible-peering-lab-with-terraform-managed-public-rt
rtb-0c3eeec0cd1b71bd3



Search
[Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Your VPCs > vpc-044ddab9dbdf9b68d
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
VPC ID
vpc-044ddab9dbdf9b68d
State
Available
Block Public Access
Off
DNS hostnames
Enabled
DNS resolution
Enabled
Tenancy
default
DHCP option set
dopt-0fac5cbf89e6f5100
Main route table
rtb-0c3eeec0cd1b71bd3
Main network ACL
acl-066d2d819fce5999d
Default VPC
No
IPv4 CIDR
10.50.0.0/16
IPv6 pool
–
IPv6 CIDR (Network border group)
–
Network Address Usage metrics
Disabled
Route 53 Resolver DNS Firewall rule groups
–
Owner ID
600907386714
Encryption control ID
–
Encryption control mode
–
Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Resource map Info
Show all details
Subnets (1)
Subnets within this VPC
ap-south-1a
ansible-peering-lab-with-terraform-managed-public-subnet
Route tables (2)
Route network traffic to resources
ansible-peering-lab-with-terraform-managed-public-rt
rtb-0c3eeec0cd1b71bd3
Network Connections (1)
Connections to other networks
ansible-peering-lab-with-terraform-managed-igw
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Your VPCs > vpc-044ddab9dbdf9b68d
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
VPC ID
vpc-044ddab9dbdf9b68d
State
Available
Block Public Access
Off
DNS hostnames
Enabled
DNS resolution
Enabled
Tenancy
default
DHCP option set
dopt-0fac5cbf89e6f5100
Main route table
rtb-0c3eeec0cd1b71bd3
Main network ACL
acl-066d2d819fce5999d
Default VPC
No
IPv4 CIDR
10.50.0.0/16
IPv6 pool
–
IPv6 CIDR (Network border group)
–
Network Address Usage metrics
Disabled
Route 53 Resolver DNS Firewall rule groups
–
Owner ID
600907386714
Encryption control ID
–
Encryption control mode
–
Resource map
CIDRs
Flow logs
Tags
Related resources
Integrations
Tags
Manage tags
Search tags
Key
Value
Role
Managed-network
Environment
learning
Managed_by
Terraform and Vishnu
Name
ansible-peering-lab-with-terraform-managed-vpc
Project
terraform-ansible-vpc-peering
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Subnets > subnet-010abe9519d9105d6
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
subnet-010abe9519d9105d6 / ansible-peering-lab-with-terraform-control-public-subnet
Actions
Details
Subnet ID
subnet-010abe9519d9105d6
Subnet ARN
arn:aws:ec2:ap-south-1:600907386714:subnet/subnet-010abe9519d9105d6
State
Available
Block Public Access
Off
IPv4 CIDR
10.40.1.0/24
Available IPv4 addresses
250
IPv6 CIDR
–
IPv6 CIDR association ID
–
Availability Zone
aps1-az1 (ap-south-1a)
Network border group
ap-south-1
VPC
vpc-061d34c0f51939ea6 | ansible-peering-lab-with-terraform-control-vpc
Route table
rtb-03af7da2cfbf55ce3 | ansible-peering-lab-with-terraform-control-public-rt
Network ACL
acl-0489a957991b5fa9d
Default subnet
No
Auto-assign public IPv4 address
Yes
Auto-assign IPv6 address
No
Auto-assign customer-owned IPv4 address
No
Customer-owned IPv4 pool
–
Outpost ID
–
IPv4 CIDR reservations
–
IPv6 CIDR reservations
–
IPv6-only
No
Hostname type
IP name
Resource name DNS A record
Disabled
Resource name DNS AAAA record
Disabled
DNS64
Disabled
Owner
600907386714
Flow logs
Route table
Network ACL
CIDR reservations
Sharing
Tags
Related resources
Flow logs
Actions
Create flow log
Search
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Subnets > subnet-0aa18013f26d94ed4
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
subnet-0aa18013f26d94ed4 / ansible-peering-lab-with-terraform-managed-public-subnet
Actions
Details
Subnet ID
subnet-0aa18013f26d94ed4
IPv4 CIDR
10.50.1.0/24
Availability Zone
aps1-az1 (ap-south-1a)
Network ACL
acl-066d2d819fce5999d
Auto-assign customer-owned IPv4 address
No
IPv6 CIDR reservations
–
Resource name DNS AAAA record
Disabled
Subnet ARN
arn:aws:ec2:ap-south-1:600907386714:subnet/subnet-0aa18013f26d94ed4
Available IPv4 addresses
250
Network border group
ap-south-1
Default subnet
No
Customer-owned IPv4 pool
–
IPv6-only
No
DNS64
Disabled
State
Available
IPv6 CIDR
–
VPC
vpc-044ddab9dbdf9b68d | ansible-peering-lab-with-terraform-managed-vpc
Auto-assign public IPv4 address
Yes
Outpost ID
–
Hostname type
IP name
Owner
600907386714
Block Public Access
Off
IPv6 CIDR association ID
–
Route table
rtb-0a6def2c2f6f66a6d | ansible-peering-lab-with-terraform-managed-public-rt
Auto-assign IPv6 address
No
IPv4 CIDR reservations
–
Resource name DNS A record
Disabled
Flow logs
Route table
Network ACL
CIDR reservations
Sharing
Tags
Related resources
Flow logs
Search
Actions
Create flow log
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Route tables > rtb-03af7da2cfbf55ce3
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
rtb-03af7da2cfbf55ce3 / ansible-peering-lab-with-terraform-control-public-rt
Actions
Details Info
Route table ID
rtb-03af7da2cfbf55ce3
VPC
vpc-061d34c0f51939ea6 | ansible-peering-lab-with-terraform-control-vpc
Main
No
Owner ID
600907386714
Explicit subnet associations
subnet-010abe9519d9105d6 / ansible-peering-lab-with-terraform-control-public-subnet
Edge associations
–
Routes
Subnet associations
Edge associations
Route propagation
Tags
Related resources
Routes (3)
Filter routes
Both
Edit routes
Destination
Target
Status
Propagated
Route Origin
0.0.0.0/0
igw-010cce7a78735f23b
Active
No
Create Route
10.40.0.0/16
local
Active
No
Create Route Table
10.50.0.0/16
pcx-0adbeb4cac88daaa9
Active
No
Create Route
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Details Info
Route table ID
rtb-03af7da2cfbf55ce3
VPC
vpc-061d34c0f51939ea6 | ansible-peering-lab-with-terraform-control-vpc
Main
No
Owner ID
600907386714
Explicit subnet associations
subnet-010abe9519d9105d6 / ansible-peering-lab-with-terraform-control-public-subnet
Edge associations
–
Routes
Subnet associations
Edge associations
Route propagation
Tags
Related resources
Explicit subnet associations (1)
Edit subnet associations
Find subnet association
Name
Subnet ID
IPv4 CIDR
IPv6 CIDR
ansible-peering-lab-with-terraform-contr...
subnet-010abe9519d9105d6
10.40.1.0/24
–

Routes | Subnet associations | Edge associations | Route propagation | **Tags** | Related resources


Tags (5)


Search tags

Manage tags

1

Key	Value
Name	ansible-peering-lab-with-terraform-control-public-rt
Project	terraform-ansible-vpc-peering
Managed_by	Terraform and Vishnu
Tier	Public
Environment	learning





Routes | Subnet associations | Edge associations | Route propagation | Tags | Related resources


Tags (5)


Search tags


Manage tags


1


Key	Value
Name	ansible-peering-lab-with-terraform-managed-public-rt
Tier	Public
Managed_by	Terraform and Vishnu
Environment	learning
Project	terraform-ansible-vpc-peering









Search
[Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Security Groups > sg-0d47991f1f542b21a
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
sg-0d47991f1f542b21a - control-sg
Actions
Details
Security group name
control-sg
Security group ID
sg-0d47991f1f542b21a
Description
Control node security group
VPC ID
vpc-061d34c0f51939ea6
Owner
600907386714
Inbound rules count
1 Permission entry
Outbound rules count
1 Permission entry
Inbound rules
Outbound rules
Sharing
VPC associations
Related resources - new
Tags
Inbound rules (1)
Manage tags
Edit inbound rules
Search
Security group rule ID
IP version
Type
Protocol
Port range
Source
sgr-06f0ff162be94adff
IPv4
SSH
TCP
22
128.185.168.215/32
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Security Groups > sg-06c0a832bc1781432
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
sg-06c0a832bc1781432 - managed-sg
Actions
Details
Security group name
managed-sg
Security group ID
sg-06c0a832bc1781432
Description
Managed node security group
VPC ID
vpc-044ddab9dbdf9b68d
Owner
600907386714
Inbound rules count
3 Permission entries
Outbound rules count
1 Permission entry
Inbound rules
Outbound rules
Sharing
VPC associations
Related resources - new
Tags
Inbound rules (3)
Manage tags
Edit inbound rules
Search
Security group rule ID
IP version
Type
Protocol
Port range
Source
sgr-07101c1258a7f8a13
–
SSH
TCP
22
sg-0d47991f1f542b21a...
sgr-0d9bfa98e992b79c8
–
All ICMP - IPv4
ICMP
All
sg-0d47991f1f542b21a...
sgr-06ca57c78e7e0fc47
IPv4
HTTP
TCP
80
128.185.168.215/32
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Security Groups > sg-0d47991f1f542b21a
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
sg-0d47991f1f542b21a - control-sg
Actions
Details
Security group name
control-sg
Security group ID
sg-0d47991f1f542b21a
Description
Control node security group
VPC ID
vpc-061d34c0f51939ea6
Owner
600907386714
Inbound rules count
1 Permission entry
Outbound rules count
1 Permission entry
Inbound rules
Outbound rules
Sharing
VPC associations
Related resources - new
Tags
Outbound rules (1)
Manage tags
Edit outbound rules
Search
Security group rule ID
IP version
Type
Protocol
Port range
Destination
Descript
sgr-0a0ab6c44224ea466
IPv4
All traffic
All
All
0.0.0.0/0
outboun
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Security Groups > sg-06c0a832bc1781432
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
sg-06c0a832bc1781432 - managed-sg
Actions
Details
Security group name
managed-sg
Security group ID
sg-06c0a832bc1781432
Description
Managed node security group
VPC ID
vpc-044ddab9dbdf9b68d
Owner
600907386714
Inbound rules count
3 Permission entries
Outbound rules count
1 Permission entry
Inbound rules
Outbound rules
Sharing
VPC associations
Related resources - new
Tags
Outbound rules (1)
Manage tags
Edit outbound rules
Search
Security group rule ID
IP version
Type
Protocol
Port range
Destination
Descrip
sgr-0c2245d9e31203eb4
IPv4
All traffic
All
All
0.0.0.0/0
outbou
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#PeeringConnections:
Search
[Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Peering connections
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
Peering connections (1/1) Info
Find peering connections by attribute or tag
Actions
Create peering connection
Name
Peering connection ID
Status
Requester VPC
Accepter VPC
ansible-peering-lab-with-terraform-con...
pcx-0adbeb4cac88daaa9
Active
vpc-061d34c0f51939ea6 / ansi...
vpc-044ddab9dbdf9b68d / ansi...
pcx-0adbeb4cac88daaa9 / ansible-peering-lab-with-terraform-control-managed-peering
Details
DNS
Route tables
Tags
Details
Requester owner ID
600907386714
Peering connection ID
pcx-0adbeb4cac88daaa9
Status
Accepter owner ID
600907386714
Requester VPC
vpc-061d34c0f51939ea6 / ansible-peering-lab-with-terraform-control-vpc
VPC Peering connection ARN
arn:aws:ec2:ap-south-1:600907386714:vpc-peering-connection/pcx-0adbeb4cac88daaa9
Accepter VPC
vpc-044ddab9dbdf9b68d / ansible-peering-lab-with-terraform-managed-vpc
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Peering connections > pcx-0adbeb4cac88daaa9
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
pcx-0adbeb4cac88daaa9 / ansible-peering-lab-with-terraform-control-managed-peering
Actions
Details Info
Requester owner ID
600907386714
Peering connection ID
pcx-0adbeb4cac88daaa9
Status
Active
Expiration time
–
Accepter owner ID
600907386714
Requester VPC
vpc-061d34c0f51939ea6 / ansible-peering-lab-with-terraform-control-vpc
Requester CIDRs
10.40.0.0/16
Requester Region
Mumbai (ap-south-1)
VPC Peering connection ARN
arn:aws:ec2:ap-south-1:600907386714:vpc-peering-connection/pcx-0adbeb4cac88daaa9
Accepter VPC
vpc-044ddab9dbdf9b68d / ansible-peering-lab-with-terraform-managed-vpc
Accepter CIDRs
10.50.0.0/16
Accepter Region
Mumbai (ap-south-1)
DNS
Route tables
Tags
DNS settings
Edit DNS settings
Requester VPC (vpc-061d34c0f51939ea6 / ansible-peering-lab-with-terraform-control-vpc)
Info
Allow accepter VPC to resolve DNS of hosts in requester VPC to private IP addresses
Disabled
Accepter VPC (vpc-044ddab9dbdf9b68d / ansible-peering-lab-with-terraform-managed-vpc)
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Peering connections > pcx-0adbeb4cac88daaa9
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
pcx-0adbeb4cac88daaa9 / ansible-peering-lab-with-terraform-control-managed-peering
Actions
Details Info
Requester owner ID
600907386714
Peering connection ID
pcx-0adbeb4cac88daaa9
Status
Active
Expiration time
–
Accepter owner ID
600907386714
Requester VPC
vpc-061d34c0f51939ea6 / ansible-peering-lab-with-terraform-control-vpc
Requester CIDRs
10.40.0.0/16
Requester Region
Mumbai (ap-south-1)
VPC Peering connection ARN
arn:aws:ec2:ap-south-1:600907386714:vpc-peering-connection/pcx-0adbeb4cac88daaa9
Accepter VPC
vpc-044ddab9dbdf9b68d / ansible-peering-lab-with-terraform-managed-vpc
Accepter CIDRs
10.50.0.0/16
Accepter Region
Mumbai (ap-south-1)
DNS
Route tables
Tags
Route tables Info
This VPC peering connection is referenced in a route in the following route tables.
Search
Route table ID
VPC ID
Main
Associated with
rtb-0a6def2c2f6f66a6d / ansible-peering-...
vpc-044ddab9dbdf9b68d / ansible-pee...
No
subnet-0aa18013f26d94ed4
rtb-03af7da2cfbf55ce3 / ansible-peering-...
vpc-061d34c0f51939ea6 / ansible-peer...
No
subnet-010abe9519d9105d6
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
VPC > Peering connections > pcx-0adbeb4cac88daaa9
VPC dashboard
Filter by VPC
Choose a VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
Requester owner ID
600907386714
Peering connection ID
pcx-0adbeb4cac88daaa9
Status
Active
Expiration time
–
Accepter owner ID
600907386714
Requester VPC
vpc-061d34c0f51939ea6 / ansible-peering-lab-with-terraform-control-vpc
Requester CIDRs
10.40.0.0/16
Requester Region
Mumbai (ap-south-1)
VPC Peering connection ARN
arn:aws:ec2:ap-south-1:600907386714:vpc-peering-connection/pcx-0adbeb4cac88daaa9
Accepter VPC
vpc-044ddab9dbdf9b68d / ansible-peering-lab-with-terraform-managed-vpc
Accepter CIDRs
10.50.0.0/16
Accepter Region
Mumbai (ap-south-1)
DNS
Route tables
Tags
Tags (5)
Manage tags
Search tags
Key
Value
Name
ansible-peering-lab-with-terraform-control-managed-peering
Side
Requester-and-accepter-same-account
Project
terraform-ansible-vpc-peering
Environment
learning
Managed_by
Terraform and Vishnu
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
EC2 > Instances > i-036d8efad671ca160
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instance summary for i-036d8efad671ca160 (ansible-peering-lab-with-terraform-Ansible-Control) Info
Connect
Instance state
Actions
Updated less than a minute ago
Instance ID
i-036d8efad671ca160
IPv6 address
–
Hostname type
IP name: ip-10-40-1-10.ap-south-1.compute.internal
Instance type
t3.micro
VPC ID
vpc-061d34c0f51939ea6 (ansible-peering-lab-with-terraform-control-vpc)
Subnet ID
subnet-010abe9519d9105d6 (ansible-peering-lab-with-terraform-control-public-subnet)
Instance ARN
arn:aws:ec2:ap-south-1:600907386714:instance/i-036d8efad671ca160
Public IPv4 address
3.111.198.212 | open address
Instance state
Running
Private IP DNS name (IPv4 only)
ip-10-40-1-10.ap-south-1.compute.internal
Elastic IP addresses
–
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations.
| Learn more
Auto Scaling group name
–
Managed
false
Private IPv4 addresses
10.40.1.10
Public DNS
ec2-3-111-198-212.ap-south-1.compute.amazonaws.com | open address
Answer private resource DNS name
–
Auto-assigned IP address
3.111.198.212 [Public IP]
IAM role
–
IMDSv2
Required
Operator
–
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
EC2 > Instances > i-036d8efad671ca160
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Security details
IAM role
–
Security groups
sg-0d47991f1f542b21a (control-sg)
Owner ID
600907386714
Launch time
Sat Oct 31 2026 20:17:14 GMT+0530 (India Standard Time)
Inbound rules
Filter rules
1
Name
Security group rule ID
Port range
Protocol
Source
Security groups
–
sgr-06f0ff162be94adff
22
TCP
128.185.168.215/32
control-sg
Outbound rules
Filter rules
1
Name
Security group rule ID
Port range
Protocol
Destination
Security groups
–
sgr-0a0ab6c44224ea466
All
All
0.0.0.0/0
control-sg
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
EC2 > Instances > i-05b114fe865c3b73e
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instance summary for i-05b114fe865c3b73e (ansible-peering-lab-with-terraform-Ansible-Managed) Info
Connect
Instance state
Actions
Updated less than a minute ago
Instance ID
i-05b114fe865c3b73e
IPv6 address
–
Hostname type
IP name: ip-10-50-1-10.ap-south-1.compute.internal
Instance type
t3.micro
VPC ID
vpc-044ddab9dbdf9b68d (ansible-peering-lab-with-terraform-managed-vpc)
Subnet ID
subnet-0aa18013f26d94ed4 (ansible-peering-lab-with-terraform-managed-public-subnet)
Instance ARN
arn:aws:ec2:ap-south-1:600907386714:instance/i-05b114fe865c3b73e
Public IPv4 address
52.66.199.8 | open address
Instance state
Running
Private IP DNS name (IPv4 only)
ip-10-50-1-10.ap-south-1.compute.internal
Elastic IP addresses
–
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations.
| Learn more
Auto Scaling group name
–
Managed
false
Private IPv4 addresses
10.50.1.10
Public DNS
ec2-52-66-199-8.ap-south-1.compute.amazonaws.com | open address
Answer private resource DNS name
–
Auto-assigned IP address
52.66.199.8 [Public IP]
IAM role
–
IMDSv2
Required
Operator
–
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Asia Pacific (Mumbai)
Sree Vishnu (600907386714)
tf-admin
EC2 > Instances > i-05b114fe865c3b73e
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Security details
IAM role
–
Security groups
sg-06c0a832bc1781432 (managed-sg)
Owner ID
600907386714
Launch time
Sat Oct 31 2026 20:17:14 GMT+0530 (India Standard Time)
Inbound rules
Filter rules
1
Security group rule ID
Port range
Protocol
Source
Security groups
Descript
sgr-07101c1258a7f8a13
22
TCP
sg-0d47991f1f542b21a
managed-sg
SSH fror
sgr-0d9bfa98e992b79c8
All
ICMP
sg-0d47991f1f542b21a
managed-sg
ICMP co
sgr-06ca57c78e7e0fc47
80
TCP
128.185.168.215/32
managed-sg
HTTP he
Outbound rules
Filter rules
1
Name
Security group rule ID
Port range
Protocol
Destination
Security groups
–
sgr-0c2245d9e31203eb4
All
All
0.0.0.0/0
managed-sg
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Loading my private key into the SSH agent and connecting to the Control node with agent forwarding enabled






Successful SSH into the Control node







Successful SSH into managed node from Control node(remember the security group ingress of managed node was configured to accept SSH only from control node's security group and the magic is ssh agent forwarding is securely using the private key held on my windows)





Successful ping from control node to managed node depicting the ingress rule for icmp worked too







And it only gets better, VPC Peering connects the two networks through private communication, while SSH Agent Forwarding securely carries authentication from Windows without exposing the private key.






ubuntu@ip-10-40-1-10: ~/ansible-lab
GNU nano 6.2 playbook_managed.yml


- name: Ansible integration with terraform
hosts: managed
become: true
gather_facts: true
tasks:
- name: Create a directory
ansible.builtin.file:
path: /opt/ansible-lab
owner: root
group: root
mode: "0755"
state: directory
- name: Get in a file there
ansible.builtin.file:
path: /opt/ansible-lab/check_file
owner: root
group: root
mode: "0644"
[Read 57 lines]
^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line



ubuntu@ip-10-40-1-10: ~/ansible-lab
GNU nano 6.2 playbook_managed.yml
- name: Get in a file there
ansible.builtin.file:
path: /opt/ansible-lab/check_file
owner: root
group: root
mode: "0644"
state: touch
- name: Get in some content in check_file
ansible.builtin.copy:
dest: /opt/ansible-lab/check_file
content: "Hey hi from the flagship terraform-ansible practical\n"
owner: root
group: root
mode: "0644"
- name: Install nginx
ansible.builtin.apt:
name: nginx
update_cache: true
state: present
^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line



ubuntu@ip-10-40-1-10: ~/ansible-lab
GNU nano 6.2 playbook_managed.yml
- name: Lets deploy the html page
ansible.builtin.template:
src: index.html.j2
dest: /var/www/html/index.html
owner: root
group: root
mode: "0644"
notify: Reload nginx
- name: Enable and ensure nginx running
ansible.builtin.service:
name: nginx
enabled: true
state: reloaded
handlers:
- name: Reload nginx
ansible.builtin.service:
name: nginx
state: reloaded
^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line



ubuntu@ip-10-40-1-10: ~/ansible-lab
GNU nano 6.2 templates/index.html.j2
<h1>Flagship practical on Terraform integrated with Ansible</h1>
<h2>OS: {{ ansible_facts['distribution'] }}</h2>
<h2>Hostname: {{ ansible_facts['hostname'] }}</h2>
<h2>Private ip: {{ ansible_facts['default_ipv4']['address'] }}</h2>
<h1>Managed by Ansible and driven by the passion of Vishnu</h1>
[Read 5 lines]
^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line



ubuntu@ip-10-40-1-10: ~/ansible-lab
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible-playbook --syntax-check play
book_managed.yml
playbook: playbook_managed.yml
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible-playbook playbook_managed.ym
l
PLAY [Ansible integration with terraform] **********
TASK [Gathering Facts] **********
[WARNING]: Host 'managed1' is using the discovered Python interpreter at '/usr/b
in/python3.10', but future installation of another Python interpreter could caus
e a different interpreter to be discovered. See https://docs.ansible.com/ansible
-core/2.21/reference_appendices/interpreter_discovery.html for more information.
ok: [managed1]
TASK [Create a directory] **********
changed: [managed1]
TASK [Get in a file there] **********
changed: [managed1]
TASK [Get in some content in check_file] **********
changed: [managed1]


ubuntu@ip-10-40-1-10: ~/ansible-lab
TASK [Get in a file there] **********
changed: [managed1]
TASK [Get in some content in check_file] **********
changed: [managed1]
TASK [Install nginx] **********
changed: [managed1]
TASK [Lets deploy the html page] **********
changed: [managed1]
TASK [Enable and ensure nginx running] **********
changed: [managed1]
RUNNING HANDLER [Reload nginx] **********
changed: [managed1]
PLAY RECAP **********
managed1 : ok=8 changed=7 unreachable=0 failed=0 s
kipped=0 rescued=0 ignored=0
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible managed -m ansible.builtin.c
ommand -a "curl http://localhost"


ubuntu@ip-10-40-1-10: ~/ansible-lab
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible managed -m ansible.builtin.c
ommand -a "curl http://localhost"
[WARNING]: Host 'managed1' is using the discovered Python interpreter at '/usr/b
in/python3.10', but future installation of another Python interpreter could caus
e a different interpreter to be discovered. See https://docs.ansible.com/ansible
-core/2.21/reference_appendices/interpreter_discovery.html for more information.
managed1 | CHANGED | rc=0 >>
<h1>Flagship practical on Terraform integrated with Ansible</h1>
<h2>OS: Ubuntu</h2>
<h2>Hostname: ip-10-50-1-10</h2>
<h2>Private ip: 10.50.1.10</h2>
<h1>Managed by Ansible and driven by the passion of Vishnu</h1> % Total   % Re
ceived % Xferd Average Speed   Time   Time   Time Current
Dload Upload   Total   Spent   Left Speed
100   214 100   214   0   0   318k   0 --:--:-- --:--:-- --:--:-- 208k
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible managed -m ansible.builtin.c
ommand -a "ls -ld /opt/ansible-lab"
[WARNING]: Host 'managed1' is using the discovered Python interpreter at '/usr/b
in/python3.10', but future installation of another Python interpreter could caus
e a different interpreter to be discovered. See https://docs.ansible.com/ansible
-core/2.21/reference_appendices/interpreter_discovery.html for more information.
managed1 | CHANGED | rc=0 >>
drwxr-xr-x 2 root root 4096 Oct 31 17:19 /opt/ansible-lab
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible managed -m ansible.builtin.c
ommand -a "ls -ld /opt/ansible-lab/check_file"



ubuntu@ip-10-40-1-10: ~/ansible-lab
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible managed -m ansible.builtin.c
ommand -a "ls -ld /opt/ansible-lab"
[WARNING]: Host 'managed1' is using the discovered Python interpreter at '/usr/b
in/python3.10', but future installation of another Python interpreter could caus
e a different interpreter to be discovered. See https://docs.ansible.com/ansible
-core/2.21/reference_appendices/interpreter_discovery.html for more information.
managed1 | CHANGED | rc=0 >>
drwxr-xr-x 2 root root 4096 Oct 31 17:19 /opt/ansible-lab
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible managed -m ansible.builtin.c
ommand -a "ls -ld /opt/ansible-lab/check_file"
[WARNING]: Host 'managed1' is using the discovered Python interpreter at '/usr/b
in/python3.10', but future installation of another Python interpreter could caus
e a different interpreter to be discovered. See https://docs.ansible.com/ansible
-core/2.21/reference_appendices/interpreter_discovery.html for more information.
managed1 | CHANGED | rc=0 >>
-rw-r--r-- 1 root root 53 Oct 31 17:22 /opt/ansible-lab/check_file
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible managed -m ansible.builtin.c
ommand -a "cat /opt/ansible-lab/check_file"
[WARNING]: Host 'managed1' is using the discovered Python interpreter at '/usr/b
in/python3.10', but future installation of another Python interpreter could caus
e a different interpreter to be discovered. See https://docs.ansible.com/ansible
-core/2.21/reference_appendices/interpreter_discovery.html for more information.
managed1 | CHANGED | rc=0 >>
Hey hi from the flagship terraform-ansible practical
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible managed -b -m ansible.builti



ubuntu@ip-10-40-1-10: ~/ansible-lab
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible managed -b -m ansible.builti
n.command -a "systemctl status nginx"
[WARNING]: Host 'managed1' is using the discovered Python interpreter at '/usr/b
in/python3.10', but future installation of another Python interpreter could caus
e a different interpreter to be discovered. See https://docs.ansible.com/ansible
-core/2.21/reference_appendices/interpreter_discovery.html for more information.
managed1 | CHANGED | rc=0 >>
● nginx.service - A high performance web server and a reverse proxy server
Loaded: loaded (/lib/systemd/system/nginx.service; enabled; vendor preset:
enabled)
Active: active (running) since Sat 2026-10-31 17:20:07 UTC; 5min ago
Docs: man:nginx(8)
Process: 2799 ExecStartPre=/usr/sbin/nginx -t -q -g daemon on; master_proces
s on; (code=exited, status=0/SUCCESS)
Process: 2800 ExecStart=/usr/sbin/nginx -g daemon on; master_process on; (co
de=exited, status=0/SUCCESS)
Process: 3679 ExecReload=/usr/sbin/nginx -g daemon on; master_process on; -s
reload (code=exited, status=0/SUCCESS)
Main PID: 2894 (nginx)
Tasks: 3 (limit: 1020)
Memory: 7.0M
CPU: 120ms
CGroup: /system.slice/nginx.service
├─2894 "nginx: master process /usr/sbin/nginx -g daemon on; master_
process on;"



ubuntu@ip-10-40-1-10: ~/ansible-lab
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible managed -b -m ansible.builti
n.command -a "systemctl is-enabled nginx"
[WARNING]: Host 'managed1' is using the discovered Python interpreter at '/usr/b
in/python3.10', but future installation of another Python interpreter could caus
e a different interpreter to be discovered. See https://docs.ansible.com/ansible
-core/2.21/reference_appendices/interpreter_discovery.html for more information.
managed1 | CHANGED | rc=0 >>
enabled
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ansible managed -b -m ansible.builti
n.command -a "cat /var/www/html/index.html"
[WARNING]: Host 'managed1' is using the discovered Python interpreter at '/usr/b
in/python3.10', but future installation of another Python interpreter could caus
e a different interpreter to be discovered. See https://docs.ansible.com/ansible
-core/2.21/reference_appendices/interpreter_discovery.html for more information.
managed1 | CHANGED | rc=0 >>
<h1>Flagship practical on Terraform integrated with Ansible</h1>
<h2>OS: Ubuntu</h2>
<h2>Hostname: ip-10-50-1-10</h2>
<h2>Private ip: 10.50.1.10</h2>
<h1>Managed by Ansible and driven by the passion of Vishnu</h1>
(.venv) ubuntu@ip-10-40-1-10:~/ansible-lab$ ssh ubuntu@10.50.1.10
Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 6.8.0-1066-aws x86_64)
* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com



So, as the caption goes, from Infrastructure as Code to a live, dynamically Rendered Web Page. Terraform provisions, Ansible configures, and AWS VPC Peering connects. That's one heck of an integrated, automated infrastructure pipeline.







And that's the end of an extensive documentation, such a close to heart practical it was

- Signing off

Vishnu