11.Deploying Zoho Creator App to Production

Aim:

To understand and execute the deployment lifecycle of the Insurance Claim Request & Processing Management application in Zoho Creator by moving components from the Development Environment to the Live Production Environment safely and efficiently.

Overview:

Zoho Creator provides separate environments for application development, testing, and live operations. Proper deployment ensures data integrity and controlled release management.

1. Development Environment (Sandbox)

The development environment is used to create forms, configure reports, develop Deluge scripts, and test workflows without affecting live operations.

Application: The insurance claim form, reports, and workflows can be tested before deployment.

2. Production Environment (Live)

The production environment is the live application accessed by authorized users. It contains active claim records and uses appropriate access controls.

Application: Claims Processing Team members and other authorized users can access the deployed application according to their permissions.


3. Migration and Publishing


Migration and publishing transfer application components and configuration changes from development to production.


Application: Updated claim forms, reports, validations, and workflows can be published after successful testing.

Procedure

1. Open the Insurance Claim Request & Processing Management application in the Zoho Creator development workspace.
2. Verify that the Claim Request Form, nine required reports, five workflows, and validation rules function correctly.
3. Test the claim submission, investigation, approval, rejection, and settlement workflows.
4. Open the application deployment or environment management section.
5. Select the option to publish or migrate the application to the appropriate environment.
6. Review the component comparison report to identify newly added forms, modified fields, updated scripts, and changed workflows.
7. Resolve any deployment errors or missing dependencies before proceeding.
8. Confirm the deployment and publish the application to the Production Environment, if available.
9. Open the live application and verify that forms, reports, and workflows operate correctly.
10. Check that user permissions are appropriate and that existing data has been preserved.







Result

The deployment lifecycle of the Insurance Claim Request & Processing Management application was studied. The process covers development testing, reviewing component changes, publishing application updates, and verifying functionality in the production environment.