MUFG IT OPS CANDIDATE GUIDE

Banking Domain & Pitch

Core Banking Batch Architecture

1. Executive Pitch Playbook

30-SECOND ELEVATOR PITCH (MEMORIZE):
I built FinOps-BatchGuard, an enterprise batch execution, auto-recovery, and SLA alert engine modeled after Control-M and JP1 used at banks like MUFG. It orchestrates overnight SWIFT feeds and settlement, auto-retries transient database lock timeouts, suppresses cascading false P1 alarms on dependent reporting jobs, auto-generates ServiceNow tickets with parent-child links, and publishes automated shift handover dashboards.

In a global corporate and investment bank like MUFG, batch operations represent the vital heartbeat of financial stability. Between 22:00 and 06:00, hundreds of mission-critical jobs execute in strict sequential dependency.

KEY TAKEAWAY FOR INTERVIEWERS:
Banks do not fail because code is poorly written; banks fail because operational failure modes (locks, deadlocks, race conditions) are not isolated, leading to cascading alert storms that overwhelm the Command Center.

2. The 4 Mock Banking Jobs

JOB 01: FX Swift Feed Ingestion	SUCCESS (0)
Script:	jobs/job_01_fx_ingest.sh
Domain:	Foreign Exchange & Trade Services
SWIFT MT940:	Customer Statement (End-of-day balances)
SWIFT MT535:	Statement of Holdings (Custody portfolios)
Volume:	14,820 FX payment messages staged
Checksum:	SHA256 hash match against header
Exit Code:	0 (SUCCESS on Attempt 1, ~0.63s)

Why SWIFT matters: Before domestic clearing houses open, external bank account statements (MT940) and security holdings (MT535) must be parsed and staged into STG_SWIFT_FX_TRANSACTIONS so cash balancing can commence.

JOB 02: General Ledger Reconciliation	SLA BREACH
Script:	jobs/job_02_ledger_recon.py
Domain:	Financial Accounting & Control
Function:	Balances Chart of Accounts lines
Verification:	Total Debits == Total Credits ($4.28B)
Failure:	Attempt 1: ORA-04021 lock timeout
Recovery:	Attempt 2: Auto-retry succeeds
SLA Window:	1.50s threshold (Wall-Clock: 3.20s)
SLA State:	SLA BREACH (Triggers P2 Warning)

Why transient locks happen: High-volume ETL loaders frequently lock database library objects during partition swaps. BatchGuard avoids waking on-call DBAs by executing an automatic backoff retry.

JOB 03: End-of-Day Settlement Engine	FAILED (2)
Script:	jobs/job_03_eod_settlement.sh
Domain:	Core Banking Settlement Core
Function:	Multi-currency net cash settlements
Accounts:	23,400 corporate accounts committed
Root Failure:	ORA-00060 Deadlock on T_SETTLEMENT
Retries:	Exhausts all 3 attempts (Exit Code 2)
Incident:	INC0010404 (P1 Major Incident Bridge)
Runbook:	KB0041209 (Oracle RAC Escalation)

Why ORA-00060 is a Hard Failure: Two concurrent batch sessions locked resources in reverse order. In Oracle RAC, deadlocks cannot self-heal without terminating one transaction (SQLSTATE 40001). Retrying without clearing the orphan session will fail every time.

JOB 04: Daily Regulatory MAS/Fed Report	BLOCKED
Script:	jobs/job_04_reg_report.sh
Domain:	Statutory Risk & Compliance
MAS 610:	Monetary Authority of Singapore Return
Fed CCAR:	Federal Reserve Daily Capital Summary
Status:	BLOCKED_BY_UPSTREAM (Not Executed)
Incident:	INC0010406 (P3 Linked Child Ticket)
Parent Ref:	Correlated to INC0010404
State:	On Hold - Awaiting Upstream

CRITICAL COMPLIANCE PRINCIPLE:
Never run statutory regulatory reports against failed or unposted EOD settlement ledgers. Submitting incorrect capital returns to central banks results in regulatory censure, public enforcement notices, and statutory fines.