

Google Account X Launch an instance | EC2 | ap-south-1 X +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws | Search [Alt+S]

Account ID: 2589-9389-4541 Keerthi

EC2 > Instances > Launch an instance

Name and tags Info

Name Add additional tags

Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

Recents Quick Start

Amazon Linux macOS Ubuntu Windows Red Hat SUSE Linux Debian

aws Mac ubuntu Microsoft Red Hat SUSE debian

Browse more AMIs Including AMIs from AWS, Marketplace and the Community

Summary

Number of instances Info

1

Software Image (AMI)
Canonical, Ubuntu, 24.04, amd64... [read more](#)
ami-02d26659fd82cf299

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

Cancel Launch instance Preview code

Amazon Machine Image (AMI)

Ubuntu Server 24.04 LTS (HVM), SSD Volume Type
Free tier eligible

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

31°C Mostly cloudy ENG IN 20:29 17-10-2025

Google Account Launch an instance | EC2 | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 > Instances > Launch an instance

On-Demand Windows base pricing: 0.0204 USD per Hour
On-Demand Ubuntu Pro base pricing: 0.0147 USD per Hour On-Demand

Additional costs apply for AMIs with pre-installed software

▼ Key pair (login) Info

You can use a key pair to securely connect to your instance. Ensure

Key pair name - required Select

▼ Network settings Info

Network Info
vpc-05e9cb097e26538b7

Subnet Info
No preference (Default subnet in any availability zone)

Auto-assign public IP Info
Enable

Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your insta

Create security group Select existing security group

Create key pair

Key pair name jenkinssreya
Key pairs allow you to connect to your instance securely.
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type RSA RSA encrypted private and public key pair ED25519 ED25519 encrypted private and public key pair

Private key file format .pem For use with OpenSSH .ppk For use with PuTTY

⚠️ When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. [Learn more](#)

Cancel Create key pair

Summary

Number of instances Info

Software Image (AMI)
Ubuntu, 24.04, amd64... [read more](#)

Instance type (instance type)
micro

Security group (security group)
security group

Volume (volumes)
volume(s) - 8 GiB

Launch instance Preview code

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

31°C Mostly cloudy ENG IN 20:29 17-10-2025

Google Account

Launch an instance | EC2 | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws

Search [Alt+S]

Account ID: 2589-9389-4541 Keerthi

EC2 > Instances > Launch an instance

On-Demand Windows base pricing: 0.0204 USD per Hour
On-Demand Ubuntu Pro base pricing: 0.0147 USD per Hour
On-Demand RHEL base pricing: 0.04 USD per Hour

Compare instance types

Additional costs apply for AMIs with pre-installed software

▼ Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

jenkinssreya

Create new key pair

▼ Network settings [Info](#)

Network [Info](#)

vpc-05e9cb097e26538b7

Subnet [Info](#)

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)

Enable

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

Create security group

Select existing security group

Edit

▼ Summary

Number of instances [Info](#)

1

Software Image (AMI)

Canonical, Ubuntu, 24.04, amd6... [read more](#)
ami-02d26659fd82cf299

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

Preview code

CloudShell Feedback

31°C Mostly cloudy

Search

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ENG IN 20:30 17-10-2025

Google Account X Launch an instance | EC2 | ap-south-1 X +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

warn Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 Instances Launch an instance

Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
[Create billing alerts](#)

Connect to your instance
Once your instance is running, log into it from your local computer.
[Connect to instance](#) [Learn more](#)

Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
[Connect an RDS database](#) [Create a new RDS database](#) [Learn more](#)

Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
[Create EBS snapshot policy](#)

Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.
[Manage detailed monitoring](#)

Create Load Balancer
Create a application, network gateway or classic Elastic Load Balancer
[Create Load Balancer](#)

Create AWS budget
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.
[Create AWS budget](#)

Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for the instance.
[Manage CloudWatch alarms](#)

[View all instances](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

31°C Mostly cloudy ENG IN 20:30 17-10-2025

Google Account X Launch an instance | EC2 | ap-south-1 + X

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

warn Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 Instances Launch an instance

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags [Info](#)

Name [Add additional tags](#)

Application and OS Images (Amazon Machine Image) [Info](#)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Recents **Quick Start**

Amazon Linux	macOS	Ubuntu	Windows	Red Hat	SUSE Linux	Debian
 AWS	 Mac	 ubuntu®	 Microsoft	 Red Hat	 SUSE	 debian

[Browse more AMIs](#) Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Ubuntu Server 24.04 LTS (HVM) SSD Volume Type Free tier eligible

[CloudShell](#) [Feedback](#) © 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

31°C Mostly cloudy  ENG IN 20:31 17-10-2025

Summary

Number of instances [Info](#) 1

Software Image (AMI) Canonical, Ubuntu, 24.04, amd64... [read more](#) ami-02d26659fd82cf299

Virtual server type (instance type) t3.micro

Firewall (security group) New security group

Storage (volumes) 1 volume(s) - 8 GiB

[Cancel](#) [Launch instance](#) [Preview code](#)

Google Account X Launch an instance | EC2 | ap-south-1 X +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

warn Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 Instances Launch an instance

Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
[Create billing alerts](#)

Connect to your instance
Once your instance is running, log into it from your local computer.
[Connect to instance](#) [Learn more](#)

Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
[Connect an RDS database](#) [Create a new RDS database](#) [Learn more](#)

Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
[Create EBS snapshot policy](#)

Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.
[Manage detailed monitoring](#)

Create Load Balancer
Create a application, network gateway or classic Elastic Load Balancer
[Create Load Balancer](#)

Create AWS budget
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.
[Create AWS budget](#)

Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for the instance.
[Manage CloudWatch alarms](#)

[View all instances](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

31°C Mostly cloudy ENG IN 20:32 17-10-2025

Google Account Instances | EC2 | ap-south-1 Connect to instance | EC2 | ap-+ +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ConnectToInstance:instanceId=i-089a173047f93c62e

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 Instances i-089a173047f93c62e Connect to instance

Connect to an instance using the browser-based client.

EC2 Instance Connect Session Manager SSH client EC2 serial console

Instance ID i-089a173047f93c62e (jenkinssreyasslave)

Connection type

Connect using a Public IP Connect using a public IPv4 or IPv6 address

Public IPv4 address 52.66.244.203

IPv6 address

Username

Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ubuntu.

ubuntu

Note: In most cases, the default username, ubuntu, is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.

Cancel Connect

https://ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=ap-south-1&connType=standard&instanceId=i-089a173047f93c62e&osUser=ubuntu&sshPort=22&addressFamily=ipv4 on Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

31°C Mostly cloudy ENG IN 20:33 17-10-2025

Google Account Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-0599a18fcc942b9ee&osUser=ubuntu&sshPort=22&addressFamily=...

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi Asia Pacific (Mumbai) ▾

```
ubuntu@ip-172-31-2-215:~$ sudo apt update
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:4 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages [15.0 MB]
Get:5 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Get:6 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe Translation-en [5982 kB]
Get:7 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Components [3871 kB]
Get:8 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 c-n-f Metadata [301 kB]
Get:9 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Packages [269 kB]
Get:10 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse Translation-en [118 kB]
Get:11 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Components [35.0 kB]
Get:12 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 c-n-f Metadata [8328 B]
Get:13 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1498 kB]
Get:14 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main Translation-en [288 kB]
Get:15 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [175 kB]
Get:16 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata [15.3 kB]
Get:17 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1496 kB]
Get:18 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe Translation-en [301 kB]
Get:19 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [378 kB]
Get:20 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [31.2 kB]
Get:21 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages [2090 kB]
Get:22 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted Translation-en [470 kB]
Get:23 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Components [212 B]
Get:24 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 c-n-f Metadata [516 B]
Get:25 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Packages [30.3 kB]
Get:26 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/multiverse Translation-en [5564 B]
Get:27 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Components [940 B]
```

i-0599a18fcc942b9ee (jenkinsreyamaster)

Public IPs: 13.126.4.58 Private IPs: 172.31.2.215

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

31°C Mostly cloudy  ENG IN 20:46 17-10-2025

Google Account Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-0599a18fcc942b9ee&osUser=ubuntu&sshPort=22&addressFamily=...

Keerthi Account ID: 2589-9389-4541

aws Search [Alt+S] [Alt+S]

```

Get:35 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe amd64 Components [11.0 kB]
Get:36 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe amd64 c-n-f Metadata [1444 B]
Get:37 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports/restricted amd64 Components [216 B]
Get:38 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports/restricted amd64 c-n-f Metadata [116 B]
Get:39 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 Components [212 B]
Get:40 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 c-n-f Metadata [116 B]
Get:41 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [1222 kB]
Get:42 http://security.ubuntu.com/ubuntu noble-security/main Translation-en [204 kB]
Get:43 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [21.6 kB]
Get:44 http://security.ubuntu.com/ubuntu noble-security/main amd64 c-n-f Metadata [8968 B]
Get:45 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [892 kB]
Get:46 http://security.ubuntu.com/ubuntu noble-security/universe Translation-en [197 kB]
Get:47 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [52.2 kB]
Get:48 http://security.ubuntu.com/ubuntu noble-security/universe amd64 c-n-f Metadata [18.3 kB]
Get:49 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [1978 kB]
Get:50 http://security.ubuntu.com/ubuntu noble-security/restricted Translation-en [450 kB]
Get:51 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:52 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 c-n-f Metadata [520 B]
Get:53 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [28.0 kB]
Get:54 http://security.ubuntu.com/ubuntu noble-security/multiverse Translation-en [5844 B]
Get:55 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [212 B]
Get:56 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 c-n-f Metadata [384 B]
Fetched 38.0 MB in 6s (6166 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
53 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-2-215:~$ 
```

i-0599a18fcc942b9ee (jenkinsreyamaster)

Public IPs: 13.126.4.58 Private IPs: 172.31.2.215



Google Account Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-089a173047f93c62e&osUser=ubuntu&sshPort=22&addressFamily=...

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi Asia Pacific (Mumbai) ▾

```
ubuntu@ip-172-31-7-189:~$ sudo apt update
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:4 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages [15.0 MB]
Get:5 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe Translation-en [5982 kB]
Get:6 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Components [3871 kB]
Get:7 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 c-n-f Metadata [301 kB]
Get:8 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Packages [269 kB]
Get:9 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse Translation-en [118 kB]
Get:10 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Components [35.0 kB]
Get:11 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 c-n-f Metadata [8328 B]
Get:12 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1498 kB]
Get:13 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Get:14 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main Translation-en [288 kB]
Get:15 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [175 kB]
Get:16 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata [15.3 kB]
Get:17 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1496 kB]
Get:18 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe Translation-en [301 kB]
Get:19 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [378 kB]
Get:20 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [31.2 kB]
Get:21 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages [2090 kB]
Get:22 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted Translation-en [470 kB]
Get:23 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Components [212 B]
Get:24 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 c-n-f Metadata [516 B]
Get:25 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Packages [30.3 kB]
Get:26 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/multiverse Translation-en [5564 B]
Get:27 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 Components [940 B]
```

i-089a173047f93c62e (jenkinssreyaslave)

Public IPs: 52.66.244.203 Private IPs: 172.31.7.189

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

31°C Mostly cloudy  ENG IN 20:48 17-10-2025

Google Account Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-0599a18fcc942b9ee&osUser=ubuntu&sshPort=22&addressFamily=...

Account ID: 2589-9389-4541 Keerthi

aws Search [Alt+S] Asia Pacific (Mumbai) ▾ Keerthi

```
Adding debian:ePKI_Root_Certification_Authority.pem
Adding debian:emSign_ECC_Root_CA_-C3.pem
Adding debian:emSign_ECC_Root_CA_-G3.pem
Adding debian:emSign_Root_CA_-C1.pem
Adding debian:emSign_Root_CA_-G1.pem
Adding debian:vTrus_ECC_Root_CA.pem
Adding debian:vTrus_Root_CA.pem
done.
Setting up openjdk-21-jre:amd64 (21.0.8+9~us1~0ubuntu1~24.04.1) ...
Processing triggers for libc-bin (2.39-0ubuntu8.5) ...
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-2-215:~$ java --version
openjdk 21.0.8 2025-07-15
OpenJDK Runtime Environment (build 21.0.8+9-Ubuntu-0ubuntu124.04.1)
OpenJDK 64-Bit Server VM (build 21.0.8+9-Ubuntu-0ubuntu124.04.1, mixed mode, sharing)
ubuntu@ip-172-31-2-215:~$
```

i-0599a18fcc942b9ee (jenkinsreyamaster)

Public IPs: 13.126.4.58 Private IPs: 172.31.2.215



Google Account Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-089a173047f93c62e&osUser=ubuntu&sshPort=22&addressFamily=...

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi Asia Pacific (Mumbai) ▾

```
Adding debian:ePKI_Root_Certification_Authority.pem
Adding debian:emSign_ECC_Root_CA_-C3.pem
Adding debian:emSign_ECC_Root_CA_-G3.pem
Adding debian:emSign_Root_CA_-C1.pem
Adding debian:emSign_Root_CA_-G1.pem
Adding debian:vTrus_ECC_Root_CA.pem
Adding debian:vTrus_Root_CA.pem
done.
Setting up openjdk-21-jre:amd64 (21.0.8+9~us1~0ubuntu1~24.04.1) ...
Processing triggers for libc-bin (2.39-0ubuntu8.5) ...
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-7-189:~$ java --version
openjdk 21.0.8 2025-07-15
OpenJDK Runtime Environment (build 21.0.8+9-Ubuntu-0ubuntu124.04.1)
OpenJDK 64-Bit Server VM (build 21.0.8+9-Ubuntu-0ubuntu124.04.1, mixed mode, sharing)
ubuntu@ip-172-31-7-189:~$
```

i-089a173047f93c62e (jenkinssreyaslave)

Public IPs: 52.66.244.203 Private IPs: 172.31.7.189



```
ubuntu@ip-172-31-2-215:~$ sudo wget -O /etc/apt/keyrings/jenkins-keyring.asc https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
--2025-10-17 15:23:19-- https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.210.133, 2a04:4e42:31::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.210.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 3175 (3.1K) [application/pgp-keys]
Saving to: '/etc/apt/keyrings/jenkins-keyring.asc'

/etc/apt/keyrings/jenkins-keyring.asc      100%[=====] 3.10K --.-KB/s   in 0s
2025-10-17 15:23:19 (33.2 MB/s) - '/etc/apt/keyrings/jenkins-keyring.asc' saved [3175/3175]

ubuntu@ip-172-31-2-215:~$
```

i-0599a18fcc942b9ee (jenkinsreyamaster)

Public IPs: 13.126.4.58 Private IPs: 172.31.2.215



```
ubuntu@ip-172-31-2-215:~$ sudo wget -O /etc/apt/keyrings/jenkins-keyring.asc https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
--2025-10-17 15:23:19-- https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.210.133, 2a04:4e42:31::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.210.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 3175 (3.1K) [application/pgp-keys]
Saving to: '/etc/apt/keyrings/jenkins-keyring.asc'

/etc/apt/keyrings/jenkins-keyring.asc    100%[=====] 3.10K --.-KB/s   in 0s
2025-10-17 15:23:19 (33.2 MB/s) - '/etc/apt/keyrings/jenkins-keyring.asc' saved [3175/3175]

ubuntu@ip-172-31-2-215:~$ echo "deb [signed-by=/etc/apt/keyrings/jenkins-keyring.asc] https://pkg.jenkins.io/debian-stable binary/" | sudo tee /etc/apt/sources.list.d/jenkins.list > /dev/null
ubuntu@ip-172-31-2-215:~$
```

i-0599a18fcc942b9ee (jenkinsreyamaster)

Public IPs: 13.126.4.58 Private IPs: 172.31.2.215



Google Account Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-0599a18fcc942b9ee&osUser=ubuntu&sshPort=22&addressFamily=... ☆ 🔍

Account ID: 2589-9389-4541 Keerthi

```
ubuntu@ip-172-31-2-215:~$ sudo wget -O /etc/apt/keyrings/jenkins-keyring.asc https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
--2025-10-17 15:23:19-- https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.210.133, 2a04:4e42:31::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.210.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 3175 (3.1K) [application/pgp-keys]
Saving to: '/etc/apt/keyrings/jenkins-keyring.asc'

/etc/apt/keyrings/jenkins-keyring.asc    100%[=====] 3.10K --.-KB/s   in 0s

2025-10-17 15:23:19 (33.2 MB/s) - '/etc/apt/keyrings/jenkins-keyring.asc' saved [3175/3175]

ubuntu@ip-172-31-2-215:~$ echo "deb [signed-by=/etc/apt/keyrings/jenkins-keyring.asc]" https://pkg.jenkins.io/debian-stable binary/ | sudo tee /etc/apt/sources.list.d/jenkins.list > /dev/null
ubuntu@ip-172-31-2-215:~$ sudo apt-get update
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Hit:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Ign:4 https://pkg.jenkins.io/debian-stable binary/ InRelease
Get:5 https://pkg.jenkins.io/debian-stable binary/ Release [2044 B]
Get:6 https://pkg.jenkins.io/debian-stable binary/ Release.gpg [833 B]
Hit:7 http://security.ubuntu.com/ubuntu noble-security InRelease
Get:8 https://pkg.jenkins.io/debian-stable binary/ Packages [30.0 kB]
Fetched 32.9 kB in 0s (89.3 kB/s)
Reading package lists... Done
ubuntu@ip-172-31-2-215:~$
```

i-0599a18fcc942b9ee (jenkinsreyamaster)

Public IPs: 13.126.4.58 Private IPs: 172.31.2.215



Google Account Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-0599a18fcc942b9ee&osUser=ubuntu&sshPort=22&addressFamily=... ☆ 🔍

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

```
ubuntu@ip-172-31-2-215:~$ sudo apt-get install jenkins
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  net-tools
The following NEW packages will be installed:
  jenkins net-tools
0 upgraded, 2 newly installed, 0 to remove and 53 not upgraded.
Need to get 95.2 MB of archives.
After this operation, 96.3 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 net-tools amd64 2.10-0.1ubuntu4.4 [204 kB]
Get:2 https://pkg.jenkins.io/debian-stable binary/ jenkins 2.528.1 [95.0 MB]
Fetched 95.2 MB in 4s (25.1 MB/s)
Selecting previously unselected package net-tools.
(Reading database ... 86468 files and directories currently installed.)
Preparing to unpack .../net-tools_2.10-0.1ubuntu4.4_amd64.deb ...
Unpacking net-tools (2.10-0.1ubuntu4.4) ...
Selecting previously unselected package jenkins.
Preparing to unpack .../jenkins_2.528.1_all.deb ...
Unpacking jenkins (2.528.1) ...
Setting up net-tools (2.10-0.1ubuntu4.4) ...
Setting up jenkins (2.528.1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/jenkins.service → /usr/lib/systemd/system/jenkins.service.
Processing triggers for man-db (2.12.0-4build2) ...
Scanning processes...
Scanning linux images...
```

i-0599a18fcc942b9ee (jenkinsreyamaster)

Public IPs: 13.126.4.58 Private IPs: 172.31.2.215



Google Account Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-0599a18fcc942b9ee&osUser=ubuntu&sshPort=22&addressFamily=...

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

```
Do you want to continue? [Y/n] y
Get:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 net-tools amd64 2.10-0.1ubuntu4.4 [204 kB]
Get:2 https://pkg.jenkins.io/debian-stable binary/ jenkins 2.528.1 [95.0 MB]
Fetched 95.2 MB in 4s (25.1 MB/s)
Selecting previously unselected package net-tools.
(Reading database ... 86468 files and directories currently installed.)
Preparing to unpack .../net-tools_2.10-0.1ubuntu4.4_amd64.deb ...
Unpacking net-tools (2.10-0.1ubuntu4.4) ...
Selecting previously unselected package jenkins.
Preparing to unpack .../jenkins_2.528.1_all.deb ...
Unpacking jenkins (2.528.1) ...
Setting up net-tools (2.10-0.1ubuntu4.4) ...
Setting up jenkins (2.528.1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/jenkins.service → /usr/lib/systemd/system/jenkins.service.
Processing triggers for man-db (2.12.0-4build2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-2-215:~$
```

i-0599a18fcc942b9ee (jenkinsreyamaster)

Public IPs: 13.126.4.58 Private IPs: 172.31.2.215



Google Account Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-0599a18fcc942b9ee&osUser=ubuntu&sshPort=22&addressFamily=...

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

```
ubuntu@ip-172-31-2-215:~$ sudo service jenkins status
● jenkins.service - Jenkins Continuous Integration Server
  Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: enabled)
  Active: active (running) since Fri 2025-10-17 15:29:50 UTC; 54s ago
    Main PID: 4174 (java)
      Tasks: 40 (limit: 1017)
     Memory: 288.8M (peak: 302.3M)
        CPU: 19.962s
       CGroup: /system.slice/jenkins.service
           └─4174 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080

Oct 17 15:29:43 ip-172-31-2-215 jenkins[4174]: [LF]> This may also be found at: /var/lib/jenkins/secrets/initialAdminPassword
Oct 17 15:29:43 ip-172-31-2-215 jenkins[4174]: [LF]>
Oct 17 15:29:43 ip-172-31-2-215 jenkins[4174]: [LF]> ****
Oct 17 15:29:50 ip-172-31-2-215 jenkins[4174]: 2025-10-17 15:29:50.077+0000 [id=31] INFO jenkins.InitReactorRunner$1#onAttained: Completed initialization.
Oct 17 15:29:50 ip-172-31-2-215 jenkins[4174]: 2025-10-17 15:29:50.110+0000 [id=24] INFO hudson.lifecycle.Lifecycle#onReady: Jenkins is fully up and running.
Oct 17 15:29:50 ip-172-31-2-215 systemd[1]: Started jenkins.service - Jenkins Continuous Integration Server.
Oct 17 15:29:52 ip-172-31-2-215 jenkins[4174]: 2025-10-17 15:29:52.217+0000 [id=50] INFO h.m.DownloadService$Downloadable#load: Obtained the updated data.
Oct 17 15:29:52 ip-172-31-2-215 jenkins[4174]: 2025-10-17 15:29:52.222+0000 [id=50] INFO hudson.util.Retrier#start: Performed the action check updates service.
lines 1-20/20 (END)
```

i-0599a18fcc942b9ee (jenkinsreyamaster)

Public IPs: 13.126.4.58 Private IPs: 172.31.2.215



Google Account Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-0599a18fcc942b9ee&osUser=ubuntu&sshPort=22&addressFamily=...

Keerthi Account ID: 2589-9389-4541

aws Search [Alt+S] Asia Pacific (Mumbai) Keerthi

```

Memory: 288.8M (peak: 302.3M)
CPU: 19.962s
CGroup: /system.slice/jenkins.service
└─4174 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080

Oct 17 15:29:43 ip-172-31-2-215 jenkins[4174]: [LF]> This may also be found at: /var/lib/jenkins/secrets/initialAdminPassword
Oct 17 15:29:43 ip-172-31-2-215 jenkins[4174]: [LF]>
Oct 17 15:29:43 ip-172-31-2-215 jenkins[4174]: [LF]> ****
Oct 17 15:29:50 ip-172-31-2-215 jenkins[4174]: 2025-10-17 15:29:50.077+0000 [id=31] INFO jenkins.InitReactorRunner$1#onAttained: completed initialization
Oct 17 15:29:50 ip-172-31-2-215 jenkins[4174]: 2025-10-17 15:29:50.110+0000 [id=24] INFO hudson.lifecycle.Lifecycle#onReady: Jenkins is fully up and running
Oct 17 15:29:50 ip-172-31-2-215 systemd[1]: Started jenkins.service - Jenkins Continuous Integration Server.
Oct 17 15:29:52 ip-172-31-2-215 jenkins[4174]: 2025-10-17 15:29:52.217+0000 [id=50] INFO h.m.DownloadService$Downloadable#load: obtained the updated data >
Oct 17 15:29:52 ip-172-31-2-215 jenkins[4174]: 2025-10-17 15:29:52.222+0000 [id=50] INFO hudson.util.Retriger#start: Performed the action check updates service... skipping...
● jenkins.service - Jenkins Continuous Integration Server
  Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: enabled)
  Active: active (running) since Fri 2025-10-17 15:29:50 UTC; 54s ago
    Main PID: 4174 (java)
      Tasks: 40 (limit: 1017)
     Memory: 288.8M (peak: 302.3M)
        CPU: 19.962s
       CGroup: /system.slice/jenkins.service
             └─4174 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080

Oct 17 15:29:43 ip-172-31-2-215 jenkins[4174]: [LF]> This may also be found at: /var/lib/jenkins/secrets/initialAdminPassword
Oct 17 15:29:43 ip-172-31-2-215 jenkins[4174]: [LF]>
```

i-0599a18fcc942b9ee (jenkinsreyamaster)

Public IPs: 13.126.4.58 Private IPs: 172.31.2.215



Google Account Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 Instances

EC2 Successfully initiated stopping of i-0116e0fc2fd41b2

Instances (1/8) Info Last updated 32 minutes ago Connect Instance state Actions Launch instances

Find Instance by attribute or tag (case-sensitive)

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4
slavejenkins	i-02d4479dbdcee9b96	Stopped	t3.micro	-	View alarms +	ap-south-1b	-
masterjenkins	i-04903d6f73d732a7c	Stopped	t3.micro	-	View alarms +	ap-south-1b	-
gitsreyadevops	i-0116e0fc2fd41b2	Stopped	t3.micro	-	View alarms +	ap-south-1b	-
jenkinsreya...	i-089a173047f93c62e	Running	t3.micro	Initializing	View alarms +	ap-south-1b	ec2-52-66-2
<input checked="" type="checkbox"/> jenkinssreyam...	i-0599a18fcc942b9ee	Running	t3.micro	Initializing	View alarms +	ap-south-1b	ec2-13-203-
Keerthi	i-0e030a2fd79d84cfc	Stopped	t3.micro	-	View alarms +	ap-south-1a	-

i-0599a18fcc942b9ee (jenkinssreyamaster)

Details Status and alarms Monitoring Security Networking Storage Tags

Instance summary

Instance ID: i-0599a18fcc942b9ee Public IPv4 address: 13.203.222.33 | open address Private IPv4 addresses: 172.31.2.215

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 31°C Mostly cloudy ENG IN 21:04 17-10-2025

Google Account EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#SecurityGroup:securityGroupId=sg-07ce5db9daf1a090e

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 > Security Groups > sg-07ce5db9daf1a090e - launch-wizard-9

sg-07ce5db9daf1a090e - launch-wizard-9

Details

Security group name	sg-07ce5db9daf1a090e	Description	VPC ID
Owner	258993894541	Inbound rules count	vpc-05e9cb097e26538b7
		1 Permission entry	
		Outbound rules count	
		1 Permission entry	

Inbound rules Outbound rules Sharing - new VPC associations - new Tags

Inbound rules (1)

Name	Security group rule ID	IP version	Type	Protocol	Port range
-	sgr-09ba7c5e88ae28d85	IPv4	SSH	TCP	22

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 31°C Mostly cloudy ENG IN 17-10-2025

Google Account ModifyInboundSecurityGroupRules EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ModifyInboundSecurityGroupRules:securityGroupId=sg-07ce5db9daf1a090e

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 Security Groups sg-07ce5db9daf1a090e - launch-wizard-9 Edit inbound rules

Edit inbound rules Info

Inbound rules control the incoming traffic that's allowed to reach the instance.

Security group rule ID	Type	Protocol	Port range	Source	Description - optional
sgr-09ba7c5e88ae28d85	SSH	TCP	22	Custom	0.0.0.0/0

Add rule

⚠ Rules with source of 0.0.0.0/0 or ::/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Cancel Preview changes Save rules

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

31°C Mostly cloudy  ENG IN 21:05 17-10-2025

Google Account ModifyInboundSecurityGroupRules EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ModifyInboundSecurityGroupRules:securityGroupId=sg-07ce5db9daf1a090e

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi Asia Pacific (Mumbai)

EC2 > Security Groups > sg-07ce5db9daf1a090e - launch-wizard-9 > Edit inbound rules

Edit inbound rules Info

Inbound rules control the incoming traffic that's allowed to reach the instance.

Security group rule ID	Type	Protocol	Port range	Source	Description - optional
sgr-09ba7c5e88ae28d85	SSH	TCP	22	Custom	0.0.0.0/0 <small>X</small>
-	Custom TCP	TCP	8080	Anywh...	0.0.0.0/0 <small>X</small>

[Add rule](#)

⚠ Rules with source of 0.0.0.0/0 or ::/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

[Cancel](#) [Preview changes](#) [Save rules](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

31°C Mostly cloudy  ENG IN 21:06 17-10-2025

Google Account | SecurityGroup | EC2 | ap-south- | EC2 Instance Connect | ap-sout | EC2 Instance Connect | ap-sout | Sign in - Jenkins

Not secure 13.126.4.58:8080/login?from=%2F

Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log ([not sure where to find it?](#)) and this file on the server:

`/var/lib/jenkins/secrets/initialAdminPassword`

Please copy the password from either location and paste it below.

Administrator password

Continue

31°C Mostly cloudy

Search

21:07 17-10-2025

Google Account SecurityGroup | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 Sign in - Jenkins

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-0599a18fcc942b9ee&osUser=ubuntu&sshPort=22&addressFamily=...

warn | Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

```
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.14.0-1011-aws x86_64)

* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/pro

System information as of Fri Oct 17 15:40:02 UTC 2025

System load: 0.0 Temperature: -273.1 C
Usage of /: 41.9% of 6.71GB Processes: 112
Memory usage: 57% Users logged in: 0
Swap usage: 0% IPv4 address for ens5: 172.31.2.215

Expanded Security Maintenance for Applications is not enabled.

59 updates can be applied immediately.
35 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

Last login: Fri Oct 17 15:13:51 2025 from 13.233.177.5
ubuntu@ip-172-31-2-215:~$
```

i-0599a18fcc942b9ee (jenkinssreyamaster)

Public IPs: 13.126.4.58 Private IPs: 172.31.2.215



Google Account | SecurityGroup | EC2 | ap-south- | EC2 Instance Connect | ap-sout | EC2 Instance Connect | ap-sout | Sign in - Jenkins

Not secure 13.126.4.58:8080/login?from=%2F

Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log ([not sure where to find it?](#)) and this file on the server:

`/var/lib/jenkins/secrets/initialAdminPassword`

Please copy the password from either location and paste it below.

Administrator password


.....

Continue

31°C Mostly cloudy

Search

21:13 17-10-2025



Google Account | SecurityGroup | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | Setup Wizard - Jenkins

Not secure 13.126.4.58:8080

Getting Started

Getting Started

✓ Folders	✓ OWASP Markup Formatter	✓ Build Timeout	✗ Credentials Binding
✗ Timestampper	✗ Workspace Cleanup	✗ Ant	✗ Gradle
✗ Pipeline	✗ GitHub Branch Source	✗ Pipeline: GitHub Groovy Libraries	✗ Pipeline Graph View
✗ Git	✗ SSH Build Agents	✗ Matrix Authorization Strategy	✗ LDAP
✗ Email Extension	✗ Mailer	✗ Dark Theme	

** commons-lang3 v3.x Jenkins API
** Ionicons API
Folders
OWASP Markup Formatter
** ASM API
** JSON Path API
** Structs
** Pipeline: Step API
** commons-text API
** Token Macro
Build Timeout
** bouncycastle API

** - required dependency

Jenkins 2.528.1

31°C Mostly cloudy

Search

21:15 17-10-2025

Google Account | SecurityGroup | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | Setup Wizard - Jenkins

Not secure 13.126.4.58:8080

Getting Started

Create First Admin User

Username: Sreya89

Password:

Confirm password:

Full name: Sreya S

E-mail address:

Jenkins 2.528.1

Skip and continue as admin

Save and Continue

31°C Mostly cloudy

Search

21:20 17-10-2025

Google Account | SecurityGroup | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | Setup Wizard - Jenkins

Not secure 13.126.4.58:8080

Getting Started

Instance Configuration

Jenkins URL:

The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the `BUILD_URL` environment variable provided to build steps.

The proposed default value shown is **not saved yet** and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.

Jenkins 2.528.1 Not now Save and Finish

31°C Mostly cloudy Search

ENG IN 21:20 17-10-2025

