

ADMIN.PHP

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
.header img {  
    float: center;  
    width: 1250px;  
    height: 100px;  
    background: #555;  
}
```

```
.header h1 {  
    position: relative;  
    top: 18px;  
    left: 10px;  
}
```

```
.button1 {  
    position: fixed;  
    left: 10px;  
    bottom: 150px;  
}
```

```
.button2 {  
    position: fixed;  
    left: 200px;  
    bottom: 150px;
```

```
}  
.button3 {  
  position: fixed;  
  left: 400px;  
  bottom: 150px;  
/}
```

```
.button {  
  padding: 8px 25px;  
  font-size: 24px;  
  text-align: center;  
  cursor: pointer;  
  outline: none;  
  color: #fff;  
  background-color: #4CAF50;  
  border: none;  
  border-radius: 10px;  
  box-shadow: 0 9px #999;  
}
```

```
.button:hover {background-color: #3e8e41}
```

```
.button:active {  
  background-color: #3e8e41;  
  box-shadow: 0 5px #666;
```

```
transform: translateY(4px);  
}
```

```
</style>
```

```
</head>
```

```
<style>
```

```
body {  
    background-image: url('images/quad.jpg');  
    background-repeat: no-repeat;  
    background-attachment: fixed;  
    background-size: cover;  
}
```

```
</style>
```

```
<body>
```

```
<div class="header">
```

```
<center></center>
```

```
<h1 style="color: #F44D30 ; font-size:50px;"><center><b> MIT Digital  
Notes</b></center></h1>
```

```
<h2 style="color: green; font-size:35px;"><center>Admin</center></h2>
```

```
<form>
```

```
<button class="button button1"><a  
href=admin_teacher.php>FACULTY</button>
```

```
</form>
```

```
<form>
```

```
        <button class="button button2"><a  
href=admin_student.php>STUDENT</button>
```

```
</form>
```

```
<form>
```

```
        <button class="button button3"><a href=faculty.php>NOTES</button>
```

```
        </form>
```

```
</body>
```

```
</html>
```

ADMIN_STUDENT.PHP

```
<?php

// define database related variables

$db_name = 'student notes management system';

$host = 'localhost';

$user = 'root';

$password = '';


$db = mysqli_connect($host, $user, $password, $db_name);

if(mysqli_connect_errno()) {

    die("Failed to connect with MySQL: ". mysqli_connect_error());

}


session_start();

$error="";

if(isset($_POST['Insert']))

{

    if(empty($_POST['usn']) || empty($_POST['name']) ||

empty($_POST['did']) || empty($_POST['dob']))

    {

        echo ' Please Fill in the Blanks ';

    }

    else

    {
```

```

$usn = $_POST['usn'];
$name = $_POST['name'];
$did = $_POST['did'];
$dob = $_POST['dob'];

$query = " insert into student (usn, studentname,deptid,dob)
values('$usn','$name','$did','$dob')";

$result = mysqli_query($db,$query);

if($result)
{
    echo "Successfully Inserted";
}
else
{
    echo 'Data in this USN already inserted, Please try to Update';
}
}

elseif(isset($_POST['Update']))
{
    if(empty($_POST['usn']) || empty($_POST['name']) ||
empty($_POST['did']) || empty($_POST['dob']))
    {
        echo ' Please Fill in the Blanks ';
    }
}

```

```

    }
else
{
    $usn = $_POST['usn'];
    $name = $_POST['name'];
    $did = $_POST['did'];
    $dob = $_POST['dob'];

    $query = " update student set
studentname='$name',deptid='$did',dob='$dob' where usn='$usn' ";
    $result = mysqli_query($db,$query);

    if($result)
    {
        echo " Successfully Updated";
    }
else
{
    echo 'Something Went Wrong';
}
}
}

elseif(isset($_POST['Delete']))
{
    if(empty($_POST['usn']) )

```

```

{
    echo ' Please Fill in the Blanks ';
}
else
{
    $usn = $_POST['usn'];
    $query = " delete from student where usn='$usn'";
    $result = mysqli_query($db,$query);

    if($result)
    {
        echo "Successfully Deleted";
    }
    else
    {
        echo 'Something Went Wrong';
    }
}
}

elseif(isset($_POST['Search']))
{
    if(!empty($_POST['usn']) )
    {
        $fid = $_POST['usn'];
        $sql="SELECT * FROM student WHERE usn like '%$_POST[usn]%'";
    }
}

```



```
$result=mysqli_query($db,$sql);
if($result->num_rows > 0)
{
    echo "<table border='1'>
        <tr>
<th>USN</th>
<th>Name</th>
<th>Department</th>
<th>Date Of Birth</th>
</tr>";

    while($row = mysqli_fetch_array($result))
    {
        echo "<tr><td>" . $row['usn'] . "</td>";
        echo "<td>" . $row['studentname'] . "</td>";
        echo "<td>" . $row['deptid'] . "</td>";
        echo "<td>" . $row['dob'] . "</td></tr>";
    }

    echo "</table>";
}
else{echo 'Data not Found.';}
}
elseif(!empty($_POST['name']))
{
    $name = $_POST['name'];
```

```
$sql="SELECT * FROM student WHERE studentname like  
'%$_POST[name]%'";
```

```
$result=mysqli_query($db,$sql);
```

```
if($result->num_rows > 0)
```

```
{
```

```
echo "<table border='1'>
```

```
<tr>
```

```
<th>USN</th>
```

```
<th>Name</th>
```

```
<th>Department</th>
```

```
<th>Date Of Birth</th>
```

```
</tr>";
```

```
while($row = mysqli_fetch_array($result))
```

```
{
```

```
echo "<tr><td>" . $row['usn'] . "</td>";
```

```
echo "<td>" . $row['studentname'] . "</td>";
```

```
echo "<td>" . $row['deptid'] . "</td>";
```

```
echo "<td>" . $row['dob'] . "</td></tr>";
```

```
}
```

```
echo "</table>";
```

```
}
```

```
else{echo 'Data not Found.';}
```

```
}
```

```
elseif(!empty($_POST['did']))
```

```
{
```

```

$name = $_POST['did'];
$sql="SELECT * FROM student WHERE deptid like '%$_POST[did]%'";
$result=mysqli_query($db,$sql);
if($result->num_rows > 0)
{
    echo "<table border='1'>
        <tr>
<th>USN</th>
<th>Name</th>
<th>Department</th>
<th>Date Of Birth</th>
</tr>";

    while($row = mysqli_fetch_array($result))
    {
        echo "<tr><td>" . $row['usn'] . "</td>";
        echo "<td>" . $row['studentname'] . "</td>";
        echo "<td>" . $row['deptid'] . "</td>";
        echo "<td>" . $row['dob'] . "</td></tr>";
    }

    echo "</table>";
}
else{echo 'Data not Found.';}
}
}

```

?>

<!DOCTYPE html>

<html>

<body bgcolor="white">

<meta name="viewport" content="width=device-width, initial-scale=1">

<style>

body {

background-image: url('images/loginbackground.jpg');

background-attachment: fixed;

background-size: cover;

}

<style>

.button:active {

background-color: #3e8e41;

box-shadow: 0 5px #666;

transform: translateY(4px);

}

.header img {

float: center;

width: 1200px;

height: 100px;

```
background: #555;  
}
```

```
.header h1 {  
    position: relative;  
    top: 18px;  
    left: 10px;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="header">
```

```
    <center></center>
```

```
</div>
```

```
<style>
```

```
ul {
```

```
    list-style-type: none;
```

```
    margin: 0px;
```

```
    padding: 0px;
```

```
    overflow: hidden;
```

```
    background-color: #333;
```

```
    bottom: 0;
```

```
    width: 100%;
```

```
}
```

```
li {
```

```
        float: left;
    }
    li {
        float: left;
    }
```

```
    li a {
        display: block;
        color: white;
        text-align: center;
        padding: 14px 16px;
        text-decoration: none;
    }
```

```
    li a:hover {
        background-color: #111;
    }
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<ul>
```

```
    <li><a class="tablinks" onclick="openCity(event, 'view')"
id="defaultOpen">$</a></li>
```



```
<input type="text" name="name" placeholder="Enter Student Name"
class="form-control mb-2" required>
```

</p>

<p>

<label style="font-size:30px">Department Id&nbsp;</label>

```
<input type="text" name="did" placeholder="Enter CS/CV/EC/IS/ME"
class="form-control mb-2" required>
```

<p>

<label style="font-size:30px">Date of Birth &nbsp; </label>

```
<input type="Date" name="dob" placeholder="YYYY-MM-DD"
class="form-control mb-2" required>
```

</form>

```

```

</div>

```
<div id="Update" class="tabcontent">
```

Update Student

```
<form method="POST">
```

<p>

[illegible]


```
</p>
<p>
  <label style="font-size:30px">Student Name :</label>
  <input type="text" name="name" placeholder="Enter Student Name"
class="form-control mb-2" required>
</p>
<p>
  <label style="font-size:30px">Department Id&nbsp;</label>
  <input type="text" name="did" placeholder="Enter CS/CV/EC/IS/ME"
class="form-control mb-2" required>
</p>
<p>
  <label style="font-size:30px">Date of Birth &nbsp;</label>
  <input type="Date" name="dob" placeholder="YYYY-MM-DD"
class="form-control mb-2" required>
</p>
<input type="submit" value="Update" name="Update">
</form>

</div>
```

```
<div id="Delete" class="tabcontent">
  <h3 style="color:green; font-size:45px; ">Remove
Student</h3>
  <form method="POST">
    <p>
      <label style="font-size:30px">USN &nbsp;&nbsp;</label>
```



```

    </p>
</form>
    <form method="POST">
    <p>
        <label style="font-size:30px"> Search by Department &nbsp;
&nbsp;&nbsp;&nbsp;</label>
        <input type="text" name="did" placeholder="Enter CS/CV/EC/IS/ME"
class="form-control mb-2" required>
        <input type="submit" value="Search" name="Search">
    </p>

</form>
    
</div>

<script>
function openCity(evt, cityName) {
    var i, tabcontent, tablinks;
    tabcontent = document.getElementsByClassName("tabcontent");
    for (i = 0; i < tabcontent.length; i++) {
        tabcontent[i].style.display = "none";
    }
    tablinks = document.getElementsByClassName("tablinks");
    for (i = 0; i < tablinks.length; i++) {
        tablinks[i].className = tablinks[i].className.replace(" active", "");
    }
}

```

```
document.getElementById(cityName).style.display = "block";  
evt.currentTarget.className += " active";  
}
```

```
// Get the element with id="defaultOpen" and click on it
```

```
document.getElementById("defaultOpen").click();
```

```
</script>
```

```
</html>
```

ADMIN_TEACHER.PHP

```
<?php
```

```
// define database related variables
```

```
$db_name = 'student notes management system';
```

```
$host = 'localhost';
```

```
$user = 'root';
```

```
$password = '';
```

```
$db = mysqli_connect($host, $user, $password, $db_name);
```

```
if(mysqli_connect_errno()) {
```

```
    die("Failed to connect with MySQL: ". mysqli_connect_error());
```

```
}
```

```
session_start();
```

```
$error="";
```

```
if(isset($_POST['Insert']))
```

```
{
```

```
    if(empty($_POST['fid']) || empty($_POST['name']) ||  
empty($_POST['did']) || empty($_POST['pass']))
```

```
{
```

```
    echo ' Please Fill in the Blanks ';
```

```
}
```

```
else
```

```
{
```

```

$fid = $_POST['fid'];
$name = $_POST['name'];
$did = $_POST['did'];
$pass = $_POST['pass'];

$query = " insert into faculty (fid, fname,deptid,password)
values('$fid','$name','$did','$pass')";

$result = mysqli_query($db,$query);

if($result)
{
    echo "Successfully Inserted";
}
else
{
    echo 'Data in this Faculty ID already inserted, Please try to Update ';
}
}

elseif(isset($_POST['Update']))
{
    if(empty($_POST['fid']) || empty($_POST['name']) ||
empty($_POST['did']) || empty($_POST['pass']))
    {
        echo ' Please Fill in the Blanks ';
    }
}

```

```

    }
else
{

    $fid = $_POST['fid'];
    $name = $_POST['name'];
    $did = $_POST['did'];
    $pass = $_POST['pass'];

    $query1 = " update  faculty set
fname='$name',deptid='$did',password='$pass' where fid='$fid' ";
    $result = mysqli_query($db,$query1);

    if($result)
    {
        echo " Successfully Updated";
    }
else
{
    echo 'Something Went Wrong';
}
}

elseif(isset($_POST['Delete']))
{

```

```
if(empty($_POST['fid']) )
{
    echo ' Please Fill in the Blanks ';
}
else
{
    $fid = $_POST['fid'];
    $query = " delete from faculty where fid='$fid'";
    $result = mysqli_query($db,$query);

    if($result)
    {
        echo "Successfully Deleted";
    }
    else
    {
        echo 'Something Went Wrong';
    }
}
}
```

```
elseif(isset($_POST['Search']))
{
    if(!empty($_POST['fid']) )
    {
        $fid = $_POST['fid'];
```



```

    $sql="SELECT * FROM faculty WHERE fid like '%$_POST[fid]%'";
    $result=mysqli_query($db,$sql);
    if($result->num_rows > 0)
    {
        echo "<table border='1'>
            <tr>
                <th>Faculty Id</th>
                <th>Name</th>
                <th>Department</th>
            </tr>";

        while($row = mysqli_fetch_array($result))
        {
            echo "<tr><td>" . $row['fid'] . "</td>";
            echo "<td>" . $row['fname'] . "</td>";
            echo "<td>" . $row['deptid'] . "</td></tr>";
        }

        echo "</table>";
    }
    else{echo 'Data not Found.';}
    }
    elseif(!empty($_POST['name']))
    {
        $name = $_POST['name'];
        $sql="SELECT * FROM faculty WHERE fname like '%$_POST[name]%'";
        $result=mysqli_query($db,$sql);
    }

```

```

        if($result->num_rows > 0)
        {
            echo "<table border='1'>
                <tr>
<th>Faculty Id</th>
<th>Name</th>
<th>Department</th>
</tr>";

            while($row = mysqli_fetch_array($result))
            {
                echo "<tr><td>" . $row['fid'] . "</td>";
                echo "<td>" . $row['fname'] . "</td>";
                echo "<td>" . $row['deptid'] . "</td></tr>";
            }
            echo "</table>";
        }
        else{echo 'Data not Found.';}
    }
    elseif(!empty($_POST['did']))
    {
        $name = $_POST['did'];
        $sql="SELECT * FROM faculty WHERE deptid like '%$_POST[did]%'";
        $result=mysqli_query($db,$sql);
        if($result->num_rows > 0)
        {

```

```

        echo "<table border='1'>
        <tr>
        <th>Faculty Id</th>
        <th>Name</th>
        <th>Department</th>
        </tr>";

while($row = mysqli_fetch_array($result))
{
    echo "<tr><td>" . $row['fid'] . "</td>";
    echo "<td>" . $row['fname'] . "</td>";
    echo "<td>" . $row['deptid'] . "</td></tr>";
}
echo "</table>";
    }
    else{echo 'Data not Found.';}
    }
}

```

```

?>

```

```

<!DOCTYPE html>

```

```

<html>

```

```

    <body bgcolor="white">

```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<style>
```

```
    body {  
background-image: url('images/loginbackground.jpg');  
background-attachment: fixed;  
background-size: cover;  
}
```

```
    <style>
```

```
        .button:active {  
background-color: #3e8e41;  
box-shadow: 0 5px #666;  
transform: translateY(4px);  
}
```

```
        .header img {  
float: center;  
width: 1200px;  
height: 100px;  
background: #555;  
}
```

```
        .header h1 {  
position: relative;  
top: 18px;  
left: 10px;  
}
```

```
</style>
```

```
</head>

<body>

<div class="header">

  <center></center>

</div>

<style>

  ul {

    list-style-type: none;

    margin:0px;

    padding: 0px;

    overflow: hidden;

    background-color: #333;

    bottom: 0;

    width: 100%;

  }

  li {

    float: left;

  }

  li {

    float: left;

  }

}
```

```
li a {  
    display: block;  
    color: white;  
    text-align: center;  
    padding: 14px 16px;  
    text-decoration: none;  
}
```

```
li a:hover {  
    background-color: #111;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<ul>
```

```
    <li><a class="tablinks" onclick="openCity(event, 'view')"  
id="defaultOpen">$</a></li>
```

```
    <li><a class="tablinks" onclick="openCity(event, 'Insert')">Insert  
</a></li>
```


```
    <li><a class="tablinks" onclick="openCity(event, 'Update')">Update  
</a></li>
```

```
    <li><a class="tablinks" onclick="openCity(event, 'Delete')">Remove  
</a></li>
```

```
    <li><a class="tablinks" onclick="openCity(event, 'Search')">Search  
</a></li>
```

```
    <li style="float:right"><a class="active"  
href="login.php">Logout</a></li>
```

```
<div id="view" class="tabcontent">
```



Insert Faculty

```
<form method="POST">
```

<p>

[illegible]

```
<input type="text" name="fid" placeholder="Enter Faculty id(XX000)"
class="form-control mb-2" required>
```

</p>

<p>

<label style="font-size:30px">Faculty Name &nbsp;&nbsp; :</label>

```
<input type="text" name="name" placeholder="Enter Faculty Name"
class="form-control mb-2" required>
```

<p>

<label style="font-size:30px">Department Id :</label>

<p>

```
<label style="font-size:30px">Password &nbsp; &nbsp; &nbsp; &nbsp;  
&nbsp;&nbsp; :</label>
```

```
        <input type="text" name="pass" placeholder="Enter Password"
class="form-control mb-2" required>
```

```
    </p>
```

```
        <input type="submit" value="Insert" name="Insert">
```

```
    </form>
```

```
        
```

```
    </div>
```

```
<div id="Update" class="tabcontent">
```

```
    <h3 style="color:green; font-size:45px; ">Update Faculty</h3>
```

```
    <form method="POST">
```

```
        <p>
```

```
            <label style="font-size:30px">Faculty ID &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
:</label>
```

```
                <input type="text" name="fid" placeholder="Enter Faculty id(XX000)"
class="form-control mb-2" required>
```

```
        </p>
```

```
        <p>
```

```
            <label style="font-size:30px">Faculty Name &nbsp;&nbsp;&nbsp;:</label>
```

```
                <input type="text" name="name" placeholder="Enter Faculty Name"
class="form-control mb-2" required>
```

```
        </p>
```

```
        <p>
```

```
            <label style="font-size:30px">Department Id &nbsp; &nbsp;:</label>
```

```
                <input type="text" name="did" placeholder="Enter CS/CV/EC/IS/ME"
class="form-control mb-2" required>
```



```

    </p>

    <p>
        <label style="font-size:30px">Password &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
&nbsp; &nbsp; :</label>

        <input type="text" name="pass" placeholder="Enter new Password"
class="form-control mb-2" required>

    </p>

    <input type="submit" value="Update" name="Update">

</form>

</div>

<div id="Delete" class="tabcontent">

    <h3 style="color:green; font-size:45px; ">Remove Faculty</h3>

    <form method="POST">

    <p>

        <label style="font-size:30px">Faculty Id &nbsp; &nbsp; </label>

        <input type="text" name="fid" placeholder="Enter faculty id"
class="form-control mb-2" required>

    </p>

    <input type="submit" value="Delete" name="Delete">

    </form>

</div>

```

```
<div id="Search" class="tabcontent">

    <h3 style="color:green; font-size:45px; ">Search for
Staff</h3>

    <form method="POST">

        <p>

            <label style="font-size:30px">Search by Faculty Id &nbsp; &nbsp; &nbsp;
&nbsp;</label>

            <input type="text" name="fid" placeholder="Enter faculty id"
class="form-control mb-2" required>

            <input type="submit" value="Search" name="Search">

        </p>
    </form>

    <form method="POST">

        <p>

            <label style="font-size:30px"> Search by Faculty Name &nbsp;</label>

            <input type="text" name="name" placeholder="Enter faculty Name"
class="form-control mb-2" required>

            <input type="submit" value="Search" name="Search">

        </p>
    </form>

    <form method="POST">

        <p>

            <label style="font-size:30px"> Search by Department &nbsp; &nbsp;
&nbsp;</label>

            <input type="text" name="did" placeholder="Enter CS/CV/EC/IS/ME"
class="form-control mb-2" required>

            <input type="submit" value="Search" name="Search">
```

```
        </p>
    </form>

    </div>
```

```
<script>

function openCity(evt, cityName) {
    var i, tabcontent, tablinks;
    tabcontent = document.getElementsByClassName("tabcontent");
    for (i = 0; i < tabcontent.length; i++) {
        tabcontent[i].style.display = "none";
    }
    tablinks = document.getElementsByClassName("tablinks");
    for (i = 0; i < tablinks.length; i++) {
        tablinks[i].className = tablinks[i].className.replace(" active", "");
    }
    document.getElementById(cityName).style.display = "block";
    evt.currentTarget.className += " active";
}
```

```
// Get the element with id="defaultOpen" and click on it
document.getElementById("defaultOpen").click();
</script>
```

```
</html>
```

BRANCH.PHP

```
<?php
```

```
$db_name = 'student notes management system';
```

```
    $host = 'localhost';
```

```
    $user = 'root';
```

```
    $password = '';
```

```
    $db = mysqli_connect($host, $user, $password, $db_name);
```

```
    if(mysqli_connect_errno()) {
```

```
        die("Failed to connect with MySQL: ". mysqli_connect_error());
```

```
    }
```

```
session_start();
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<style>
```

```
    body {
```

```
        background-image: url('images/branchback.jpg');
```

```
        background-attachment: fixed;
```

```
background-size: cover;  
}
```

```
.button {  
  position: fixed;  
  right: 10px;  
  bottom: 40px;  
}
```

```
.button {  
  padding: 5px 30px;  
  font-size: 20px;  
  text-align: center;  
  cursor: pointer;  
  outline: none;  
  color: #fff;  
  background-color: #4CAF50;  
  border: none;  
  border-radius: 20px;  
  box-shadow: 0 5px #999;  
}
```

```
.button:hover {background-color: #3e8e41}
```

```
.button:active {  
  background-color: #3e8e41;  
  box-shadow: 0 5px #666;
```

```
transform: translateY(4px);  
}
```

```
.header img {  
  float: center;  
  width: 1200px;  
  height: 100px;  
  background: #555;  
}
```

```
.header h1 {  
  position: relative;  
  top: 18px;  
  left: 10px;
```

```
</style>
```

```
<div class="header">  
  <center></center>  
</div>
```

```
<body bgcolor="white">
```

```
<h1 style="color:green; font-size:40px; "><center>Select Your  
Branch</center></h1>
```

```
<body>
```

```
<form action="sem.php" method="POST">
<input type="hidden" name="branch" value="ec">
<input type="image" src="images/ece.png" name="branch" value='ec'
width="230" height="230" alt="ec" />
</form>
```

```
<form action="sem.php" method="POST">
<input type="hidden" name="branch" value="me">
<input type="image" src="images/me.png" name="branch" value='me'
width="230" height="230" alt="me" style="float:left;margin:-235px 775px" />
</form>
```

```
<form action="sem.php" method="POST">
<input type="hidden" name="branch" value="cs">
<input type="image" src="images/cse.png" name="branch" value='cs'
width="230" height="230" alt="cse" style="float:left;margin:-235px 515px" />
</form>
```

```
<form action="sem.php" method="POST">
<input type="hidden" name="branch" value="cv">
<input type="image" src="images/ce.png" name="branch" value='cv'
width="230" height="230" alt="cv" style="float:left;margin:-235px 255px" />
</form>
```


FACULTY.PHP

```
<?php

// define database related variables

$db_name = 'student notes management system';

$host = 'localhost';

$user = 'root';

$password = '';


$db = mysqli_connect($host, $user, $password, $db_name);

if(mysqli_connect_errno()) {

    die("Failed to connect with MySQL: ". mysqli_connect_error());

}


session_start();

$error="";

if (isset($_POST['uploaded'])==1) {

    $file = $_FILES['notes'];

    $fileName = $_FILES['notes']['name'];

    $fileTmpName = $_FILES['notes']['tmp_name'];

    $fileSize = $_FILES['notes']['size'];

    $fileError = $_FILES['notes']['error'];
```

```

$fileType = $_FILES['notes']['type'];

$fileExt = pathinfo($fileName, PATHINFO_EXTENSION);
$allowed = array('pdf', 'txt', 'doc', 'docx', 'png', 'jpg', 'jpeg');

if (in_array($fileExt, $allowed)) {
    if ($fileError === 0) {
        if ($fileSize < 104857601) {

            $q = "SELECT * FROM notes WHERE notes='$fileName'";

            if (mysqli_num_rows(mysqli_query($db, $q)) == 0) {

                $fileDestination = 'C:\\xampp\\htdocs\\student notes
management system\\files\\'.$fileName;
                move_uploaded_file($fileTmpName, $fileDestination);

                $created = @date('Y-m-d H:i:s');
                //$description = mysqli_real_escape_string($db,
$_POST['description']);

                $sql = "INSERT INTO notes (subcode, module, notes) VALUES
('$_POST[subcode]', '$_POST[module]', '$fileName')";
                mysqli_query($db, $sql);

                echo "<p class='alert alert-success'>File uploaded
successfully</p><br>";
            }

```

```

        else{
            echo "<p class='alert alert-warning'>File already exists. Check it
out OR Change your filename and try again...</p><br>";
        }
    }
    else{
        echo "<p class='alert alert-warning'>File too large</p><br>";
    }
}
else{
    echo "<p class='alert alert-danger'>Error uploading file</p><br>";
}
}
else{
    echo "<p class='alert alert-danger'>Invalid file type</p><br>";
}
}
}

```

```
elseif(isset($_POST['ok']))
```

```
{
```

```
    $file = $_FILES['notes'];
```

```
    $fileName = $_FILES['notes']['name'];
```

```
    $fileTmpName = $_FILES['notes']['tmp_name'];
```

```
    $fileSize = $_FILES['notes']['size'];
```

```
    $fileError = $_FILES['notes']['error'];
```

```
    $fileType = $_FILES['notes']['type'];
```

```

$fileExt = pathinfo($fileName, PATHINFO_EXTENSION);
$allowed = array('pdf', 'txt', 'doc', 'docx', 'png', 'jpg', 'jpeg');

if (in_array($fileExt, $allowed)) {
    if ($fileError === 0) {
        if ($fileSize < 104857601) {

            $q = "SELECT * FROM notes WHERE notes='$fileName'";

            if (mysqli_num_rows(mysqli_query($db, $q)) == 0) {

                $fileDestination = 'C:\\xampp\\htdocs\\student notes
management system\\files\\'.$fileName;

                move_uploaded_file($fileTmpName, $fileDestination);

                $created = @date('Y-m-d H:i:s');

                //$description = mysqli_real_escape_string($db,
$_POST['description']);

                $sql = "Update notes set notes='$fileName' where
subcode='$_POST[subcode]' and module='$_POST[module]'";

                mysqli_query($db, $sql);

                echo "<p class='alert alert-success'>File uploaded
successfully</p><br>";
            }
        }
    }
}
else{

```

```
        echo "<p class='alert alert-warning'>Unable to Update. Check it  
out OR Change your filename and try again...</p><br>";
```

```
    }  
}  
else{  
    echo "<p class='alert alert-warning'>File too large</p><br>";  
}  
}  
else{  
    echo "<p class='alert alert-danger'>Error uploading file</p><br>";  
}  
}  
else{  
    echo "<p class='alert alert-danger'>Invalid file type</p><br>";  
}  
}
```

```
elseif(isset($_POST['Delete']))  
{  
    if(empty($_POST['subcode']) || empty($_POST['module']) )  
    {  
        echo ' Please Fill in the Blanks ';  
    }  
    else  
    {  
        $subcode = $_POST['subcode'];
```

```
$module = $_POST['module'];

$query = " delete from notes where subcode='$subcode' and
module='$module' ";

$result = mysqli_query($db,$query);

if($result)
{
    echo "File Successfully Deleted";
}
else
{
    echo 'Something Went Wrong';
}
}
}
```

?>

<!DOCTYPE html>

<html>

<body bgcolor="white">

<meta name="viewport" content="width=device-width, initial-scale=1">

<style>

```
body {  
background-image: url('images/loginbackground.jpg');  
background-attachment: fixed;  
background-size: cover;  
}
```

```
<style>
```

```
.button:active {  
background-color: #3e8e41;  
box-shadow: 0 5px #666;  
transform: translateY(4px);  
}
```

```
.header img {  
float: center;  
width: 1200px;  
height: 100px;  
background: #555;  
}
```

```
.header h1 {  
position: relative;  
top: 18px;  
left: 10px;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="header">
```

```
  <center></center>
```

```
</div>
```

```
<style>
```

```
  ul {
```

```
    list-style-type: none;
```

```
    margin: 0px;
```

```
    padding: 0px;
```

```
    overflow: hidden;
```

```
    background-color: #333;
```

```
    bottom: 0;
```

```
    width: 100%;
```

```
  }
```

```
  li {
```

```
    float: left;
```

```
  }
```

```
  li {
```

```
    float: left;
```

```
}
```

```
  li a {
```

```
    display: block;
```



```
color: white;
text-align: center;
padding: 14px 16px;
text-decoration: none;
}
```

```
li a:hover {
background-color: #111;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<ul>
```

```
<li><a class="tablinks" onclick="openCity(event, 'view')"
id="defaultOpen">$</a></li>
```

```
<li><a class="tablinks" onclick="openCity(event, 'Insert')">Insert
Notes</a></li>
```

```
<li><a class="tablinks" onclick="openCity(event, 'Update')">Update
Notes</a></li>
```

```
<li><a class="tablinks" onclick="openCity(event, 'Delete')">Delete
Notes</a></li>
```

```
<li><a class="tablinks" href="branch.php" >Notes</a></li>
```

```
<li style="float:right"><a class="active"
href="login.php">Logout</a></li>
```

```
</ul>
```

```
<div id="view" class="tabcontent">
```


</div>

<div id="Insert" class="tabcontent">

<h3 style="color:green; font-size:45px; ">Insert
Notes</h3>

<form method="POST" enctype="multipart/form-data">

<p>

<label style="font-size:30px">Subject Code </label>

<input type="text" name="subcode" placeholder="Enter SubCode"
class="form-control mb-2" required>

</p>

<p>

<label style="font-size:30px">Module
 </label>

<input type="text" name="module" placeholder="Enter Module
Number" class="form-control mb-2" required>

</p>

<div class="form-group">

<div class="input-group">

<label for="file" style="font-size:30px">Upload Notes
:</label>

<i class="fa fa-info-circle" data-toggle="tooltip" data-
placement="top" title="Supported File Format: pdf, txt, doc, docx, png, jpg,
jpeg" aria-hidden="true"></i>


```
        <input type="file" class="btn btn-default" style="width: 225px"
id="notes" name="notes" required>
```

```
    </div>
```

```
</div>
```

```
        <input type="submit" class="btn btn-success" name="uploaded"
value="Upload">
```

```
        
```

```
    </form>
```

```
</div>
```

```
<div id="Update" class="tabcontent">
```

```
    <h3 style="color:green; font-size:45px; ">Update Notes</h3>
```

```
    <form method="POST" enctype="multipart/form-data">
```

```
        <p>
```

```
            <label style="font-size:30px">Subject Code &nbsp; &nbsp; </label>
```

```
            <input type="text" name="subcode" placeholder="Enter
SubCode" class="form-control mb-2" required>
```

```
        </p>
```

```
        <p>
```

```
            <label style="font-size:30px">Module  &nbsp; &nbsp; &nbsp; &nbsp;
&nbsp; &nbsp; &nbsp; &nbsp; </label>
```

```
            <input type="text" name="module" placeholder="Enter Module
Number" class="form-control mb-2" required>
```

```
        </p>
```

```
    <div class="form-group">
```

```

        <div class="input-group">
            <label for="file" style="font-size:30px">Upload Notes &nbsp;
:</label>

            <span class="input-group-addon">

                <i class="fa fa-info-circle" data-toggle="tooltip" data-
placement="top" title="Supported File Format: pdf, txt, doc, docx, png, jpg,
jpeg" aria-hidden="true"></i>

            </span>

            <input type="file" class="btn btn-default" style="width: 225px"
id="notes" name="notes" required>

        </div>

    </div>

    <input type="submit" class="btn btn-success" name="ok"
value="Upload">

</form>

</div>

```

```

<div id="Delete" class="tabcontent">

    <h3 style="color:green; font-size:45px; ">Delete
Notes</h3>

    <form method="POST">

        <p>

            <label style="font-size:30px">Subject Code &nbsp; &nbsp;:</label>

            <input type="text" name="subcode" placeholder="Enter SubCode"
class="form-control mb-2" required>

        </p>

```

```
<p>
    <label style="font-size:30px">Module  &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; </label>
    <input type="text" name="module" placeholder="Enter Module
Number" class="form-control mb-2" required>
</p>
    <input type="submit" value="Delete" name="Delete">
</form>
    
</div>
```

```
<script>
function openCity(evt, cityName) {
    var i, tabcontent, tablinks;
    tabcontent = document.getElementsByClassName("tabcontent");
    for (i = 0; i < tabcontent.length; i++) {
        tabcontent[i].style.display = "none";
    }
    tablinks = document.getElementsByClassName("tablinks");
    for (i = 0; i < tablinks.length; i++) {
        tablinks[i].className = tablinks[i].className.replace(" active", "");
    }
    document.getElementById(cityName).style.display = "block";
    evt.currentTarget.className += " active";
}
```

```
// Get the element with id="defaultOpen" and click on it
document.getElementById("defaultOpen").click();
</script>
```

```
</html>
```

HOME.PHP

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<body bgcolor="white">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<link rel="preconnect" href="https://fonts.gstatic.com">
```

```
<link
```

```
href="https://fonts.googleapis.com/css2?family=Yusei+Magic&display=swap"
rel="stylesheet">
```

```
<style>
```

```
*{font-family: 'Yusei Magic', sans-serif;}
```

```
body {
```

```
background-image: url('images/loginbackground.jpg');
```

```
background-attachment: fixed;
```

```
background-size: cover;
```

```
}
```

```
.header img {
```

```
float: center;
```

```
width: 1200px;
```

```
height: 100px;
```

```
background: #555;
```

```
}  
.menu{  
background: rgb(0,100,0);  
text-decoration: none;  
color: #fff;  
text-align: center;  
padding: 35px;  
}  
.menu-bar{  
background:transparent;  
text-align: center;  
}  
.menu-bar ul  
{  
display: inline-flex;  
list-style: none;  
color: #fff;  
}  
.menu-bar ul li  
{  
width: 150px;  
margin: 15px;  
padding: 10px;  
  
}  
.menu-bar ul li a
```



```
{
text-decoration: none;
color: rgb(0,100,0);
}

.active, .menu-bar ul li:hover
{
background-color: #009900;
border-radius: 5px;

}

.menu-bar .fa
{
margin-right: 8px;
}


{box-sizing: border-box;}


body {font-family: Verdana, sans-serif;}


.mySlides {display: none;}


img {vertical-align: middle;}


/* Slideshow container */
```

```
.slideshow-container {  
    max-width: 1000px;  
    position: relative;  
    margin: auto;  
    background-color: rgb(0,100,0);  
}
```

```
/* Caption text */
```

```
.text {  
    color: black;  
    font-size: 15px;  
    padding: 8px 12px;  
    position: absolute;  
    bottom: 8px;  
    width: 100%;  
    text-align: center;  
}
```

```
/* Number text (1/3 etc) */
```

```
.numbertext {  
    color: black;  
    font-size: 12px;  
    padding: 8px 12px;  
    position: absolute;  
    top: 0;  
}
```

```
/* The dots/bullets/indicators */
.dot {
  height: 15px;
  width: 15px;
  margin: 0 2px;
  background-color: #bbb;
  border-radius: 50%;
  display: inline-block;
  transition: background-color 0.6s ease;
}

.active {
  background-color: #717171;
}

/* Fading animation */
.fade {
  -webkit-animation-name: fade;
  -webkit-animation-duration: 1.5s;
  animation-name: fade;
  animation-duration: 2s;
}

@-webkit-keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
}
```

```
@keyframes fade {  
  from {opacity: .4}  
  to {opacity: 1}  
}
```

```
/* On smaller screens, decrease text size */  
@media only screen and (max-width: 300px) {  
  .text {font-size: 11px}  
}
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="header">
```

```
  <center></center>
```

```
</div>
```

```
<div class="menu">
```

```
<h style="font-size:50px">MIT Digital Notes</h>
```

```
</div>
```

```
<div class="menu-bar">
```

```
<ul>
```

```
<center><li><a href="login.php"><p style="font-size:25px"><b>Get  
Notes</b></p></a></li></center>
```

```
</ul>
```

```
</div>
```

```
<div class="slideshow-container">
```

```
<div class="mySlides fade">
```

```
<div class="numbertext">1 / 5</div>
```

```

```

```
<div class="text"></div>
```

```
</div>
```

```
<div class="mySlides fade">
```

```
<div class="numbertext">2 / 5</div>
```

```

```

```
<div class="text"></div>
```

```
</div>
```

```
<div class="mySlides fade">
```

```
<div class="numbertext">3 / 5</div>
```

```

```

```
<div class="text"></div>
```

```
</div>
```

```
<div class="mySlides fade">
```

```
<div class="numbertext">4 / 5</div>

<div class="text"></div>
</div>
```

```
<div class="mySlides fade">
  <div class="numbertext">5 / 5</div>
  
  <div class="text"></div>
</div>
```

```
</div>
<br>
```

```
<div style="text-align:center">
  <span class="dot"></span>
  <span class="dot"></span>
  <span class="dot"></span>
  <span class="dot"></span>
  <span class="dot"></span>
</div>
```

```
<script>
var slideIndex = 0;
showSlides();
```

```
function showSlides() {
```

```
var i;

var slides = document.getElementsByClassName("mySlides");
var dots = document.getElementsByClassName("dot");
for (i = 0; i < slides.length; i++) {
    slides[i].style.display = "none";
}
slideIndex++;
if (slideIndex > slides.length) {slideIndex = 1}
for (i = 0; i < dots.length; i++) {
    dots[i].className = dots[i].className.replace(" active", "");
}
slides[slideIndex-1].style.display = "block";
dots[slideIndex-1].className += " active";
setTimeout(showSlides, 4000); // Change image every 2 seconds
}

</script>

<div class="menu">

<?php require_once('footer.php'); ?>

</div>

</body>

</html>
```

LOGIN.PHP

```
<?php
// define database related variables

$db_name = 'student notes management system';
$host = 'localhost';
$user = 'root';
$password = '';

$db = mysqli_connect($host, $user, $password, $db_name);
if(mysqli_connect_errno()) {
    die("Failed to connect with MySQL: ". mysqli_connect_error());
}

session_start();
$error="";

if($_SERVER["REQUEST_METHOD"] == "POST") {

    if(isset($_POST['action']) && $_POST['action'] == "admin"){
        $myusername = mysqli_real_escape_string($db,$_POST['username']);
```



```
$mypassword = mysqli_real_escape_string($db,$_POST['psw']);
```

```
$sql = " SELECT mgrid,password from department ,faculty where mgrid=fid  
and fid = '$myusername' and password = '$mypassword'";
```

```
$result = mysqli_query($db,$sql) ;//or die( mysqli_error($db));
```

```
$row = mysqli_fetch_array($result,MYSQLI_ASSOC);
```

```
$count = mysqli_num_rows($result);
```

```
if($count == 1) {
```

```
    header("location: admin.php");
```

```
}else {
```

```
    $error = "Invalid Username or Password";
```

```
}
```

```
}
```

```
elseif(isset($_POST['action']) && $_POST['action'] == "student"){
```

```
    $myusername = mysqli_real_escape_string($db,$_POST['username']);
```

```
    $mypassword = mysqli_real_escape_string($db,$_POST['psw']);
```

```
$sql = " SELECT usn,dob FROM student WHERE usn = '$myusername' and  
dob = '$mypassword'";
```

```
$result = mysqli_query($db,$sql) ;//or die( mysqli_error($db));
```

```
$row = mysqli_fetch_array($result,MYSQLI_ASSOC);
```

```
$count = mysqli_num_rows($result);
```

```
if($count == 1) {
```

```
    header("location: branch.php");
```

```
}else {
```

```
    $error = "Invalid Username or Password";
```

```
}  
}
```

```
elseif(isset($_POST['action']) && $_POST['action'] == "faculty")  
{  
    $myusername = mysqli_real_escape_string($db,$_POST['uname']);  
    $mypassword = mysqli_real_escape_string($db,$_POST['psw']);  
  
    $sql = " SELECT fid,password FROM faculty WHERE fid = '$myusername'  
and password = '$mypassword'";  
    $result = mysqli_query($db,$sql) ;  
    $row = mysqli_fetch_array($result,MYSQLI_ASSOC);  
    $count = mysqli_num_rows($result);  
    if($count == 1) {  
        header("location: faculty.php");  
    }else {  
        $error = "Invalid Username or Password";  
    }  
}  
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
body {
    background-image: url('images/loginback.jpg');
    background-attachment: fixed;
    background-size: cover;
}
body {font-family: Arial, Helvetica, sans-serif;}

/* Full-width input fields */
input[type=text], input[type=password] {
    width: 100%;
    padding: 12px 20px;
    margin: 8px 0;
    display: inline-block;
    border: 1px solid #ccc;
    box-sizing: border-box;
}

/* Set a style for all buttons */
button {
    background-color: #4CAF50;
    color: white;
    padding: 14px 20px;
    margin: 8px 0;
    border: none;
```

```
    cursor: pointer;
    width: 100%;
}
```

```
button:hover {
    opacity: 0.8;
}
```

```
/* Extra styles for the cancel button */
.cancelbtn {
    width: auto;
    padding: 10px 18px;
    background-color: #f44336;
}
```

```
/* Center the image and position the close button */
.imgcontainer {
    text-align: center;
    margin: 24px 0 12px 0;
    position: relative;
}
```

```
img.avatar {
    width: 40%;
    border-radius: 50%;
}
```

```
.container {  
  padding: 16px;  
}
```

```
span.psw {  
  float: right;  
  padding-top: 16px;  
}
```

```
/* The Modal (background) */  
.modal {  
  display: none; /* Hidden by default */  
  position: fixed; /* Stay in place */  
  z-index: 1; /* Sit on top */  
  left: 0;  
  top: 0;  
  width: 100%; /* Full width */  
  height: 100%; /* Full height */  
  overflow: auto; /* Enable scroll if needed */  
  background-color: rgb(0,0,0); /* Fallback color */  
  background-color: rgba(0,0,0,0.4); /* Black w/ opacity */  
  padding-top: 60px;  
}
```

```
/* Modal Content/Box */  
.modal-content {  
  background-color: #fefefe;
```

```
margin: 1% auto 5% auto; /* 5% from the top, 15% from the bottom and
centered */
border: 1px solid #888;
width: 50%;/* Could be more or less, depending on screen size */
}
```

```
/* The Close Button (x) */
```

```
.close {
position: absolute;
right: 25px;
top: 0;
color: #000;
font-size: 35px;
font-weight: bold;
}
```

```
.close:hover,
.close:focus {
color: red;
cursor: pointer;
}
```

```
/* Add Zoom Animation */
```

```
.animate {
-webkit-animation: animatezoom 0.6s;
animation: animatezoom 0.6s
}
```

```
@-webkit-keyframes animatezoom {  
  from {-webkit-transform: scale(0)}  
  to {-webkit-transform: scale(1)}  
}
```

```
@keyframes animatezoom {  
  from {transform: scale(0)}  
  to {transform: scale(1)}  
}
```

```
/* Change styles for span and cancel button on extra small screens */
```

```
@media screen and (max-width: 300px) {  
  span.psw {  
    display: block;  
    float: none;  
  }  
  .cancelbtn {  
    width: 100%;  
  }  
}
```

```
.header img {  
  float: center;  
  width: 1200px;  
  height: 100px;  
  background: #555;
```

```
}
```

```
.header h1 {  
    position: relative;  
    top: 18px;  
    left: 10px;  
</style>
```

```
</head>
```

```
<div>
```

```
<body>
```

```
<div class="header">
```

```
    <center></center>
```

```
</div>
```

```
<h2 style="color:green; font-size:50px;">Save papers! Save trees!</h2>
```

```
<div class="login-block">
```

```
    <button onclick="document.getElementById('id01').style.display='block'"  
    style="width:auto;">Admin Login</button>
```

```
    <div id="id01" class="modal">
```

```
        <form class="modal-content animate" action="<?php echo  
$_SERVER['SCRIPT_NAME']; ?>" method="POST">
```



```

<input type="hidden" name="action" value="admin">

<div class="imgcontainer">

    <span onclick="document.getElementById('id01').style.display='none'"
class="close" title="Close Modal">&times;</span>

</div>


<div class="container">

    <h2 style="color:green;">Admin</h2>

    <label for="username"><b>Admin id</b></label>

    <input type="text" placeholder="Enter Your Faculty id" name="username"
required>

    <label for="psw"><b>Password</b></label>

    <input type="password" placeholder="Enter Password" name="psw"
required>


    <button type="submit" value="adminLogin"
name="adminLogin">Login</button>


</div>

<div style = "font-size:20px; color:#cc0000; margin-top:10px"><?php echo
$error; ?></div>

<div class="container" style="background-color:#f1f1f1">

    <button type="button"
onclick="document.getElementById('id01').style.display='none'"
class="cancelbtn">Cancel</button>


</div>

```

```
</form>
</div>
</div>
```

```
<div class="login-block">
  <button onclick="document.getElementById('id02').style.display='block'"
style="width:auto;">Student Login</button>
```

```
<div id="id02" class="modal">

  <form class="modal-content animate" action="<?php echo
$_SERVER['SCRIPT_NAME']; ?>" method="POST">
    <input type="hidden" name="action" value="student">
    <div class="imgcontainer">
      <span onclick="document.getElementById('id02').style.display='none'"
class="close" title="Close Modal">&times;</span>
      
    </div>
```

```
<div class="container">
  <h2 style="color:green;">Student</h2>
  <label for="username"><b>USN</b></label>
  <input type="text" placeholder="Enter USN" name="username" required>

  <label for="psw"><b>Password(dob)</b></label>
  <input type="password" placeholder="Enter Password (yyyy-mm-dd)"
name="psw" required>
```

```
<button type="submit" value="studentLogin"
name="studentLogin">Login</button>
```

```
</div>
```

```
<div style = "font-size:20px; color:#cc0000; margin-top:10px"><?php echo
$error; ?></div>
```

```
<div class="container" style="background-color:#f1f1f1">
```

```
<button type="button"
onclick="document.getElementById('id02').style.display='none'"
class="cancelbtn">Cancel</button>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
<div class="login-block">
```

```
<button onclick="document.getElementById('id03').style.display='block'"
style="width:auto;">Faculty Login</button>
```

```
<div id="id03" class="modal">
```

```
<form class="modal-content animate" action="<?php echo
$_SERVER['SCRIPT_NAME']; ?>" method="POST">
```

```
<input type="hidden" name="action" value="faculty">
```

```
<div class="imgcontainer">
```

```
<span onclick="document.getElementById('id03').style.display='none'"
class="close" title="Close Modal">&times;</span>
```

```

```

```
</div>
```

```
<div class="container">
```

```
<h2 style="color:green;">Faculty</h2>
```

```
<label for="uname"><b>Faculty id</b></label>
```

```
<input type="text" placeholder="Enter Your Faculty id" name="uname"
required>
```

```
<label for="psw"><b>Password</b></label>
```

```
<input type="password" placeholder="Enter Password" name="psw"
required>
```

```
<button type="submit">Login</button>
```

```
</div>
```

```
<div style = "font-size:20px; color:#cc0000; margin-top:10px"><?php echo
$error; ?></div>
```

```
<div class="container" style="background-color:#f1f1f1">
```

```
<button type="button"
onclick="document.getElementById('id03').style.display='none'"
class="cancelbtn">Cancel</button>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
<script>
// Get the modal
var modal = document.getElementById('id01');
var modal1 = document.getElementById('id02');
var modal2 = document.getElementById('id03');
// When the user clicks anywhere outside of the modal, close it
window.onclick = function(event) {
    if (event.target == modal) {
        modal.style.display = "none";
    }
    if (event.target == modal1) {
        modal1.style.display = "none";
    }
    if (event.target == modal2) {
        modal2.style.display = "none";
    }
}
</script>
```

```
<body>
```

```
</body>
```

```
</body>
```

```
</html>
```

SEM.PHP

```
<?php
```

```
// define database related variables
```

```
$db_name = 'student notes management system';
```

```
$host = 'localhost';
```

```
$user = 'root';
```

```
$password = '';
```

```
$db = mysqli_connect($host, $user, $password, $db_name);
```

```
if(mysqli_connect_errno()) {
```

```
    die("Failed to connect with MySQL: ". mysqli_connect_error());
```

```
}
```

```
session_start();
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<style>
```

```
body {  
background-image: url('images/semback.jpg');  
background-attachment: fixed;  
background-size: cover;  
}
```

```
.dropbtn {  
background-color: #4CAF50;  
color: white;  
padding: 16px;  
font-size: 16px;  
border: none;  
}
```

```
.dropdown {  
position: relative;  
display: inline-block;  
}
```

```
.dropdown-content {  
display: none;  
position: absolute;  
background-color: #f1f1f1;  
min-width: 160px;  
box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);  
z-index: 1;  
}
```

```
.dropdown-content a {  
  color: black;  
  padding: 12px 16px;  
  text-decoration: none;  
  display: block;  
}
```

```
.dropdown-content a:hover {background-color: #ddd;}
```

```
.dropdown:hover .dropdown-content {display: block;}
```

```
.dropdown:hover .dropbtn {background-color: #3e8e41;}
```

```
.header img {  
  float: center;  
  width: 1200px;  
  height: 100px;  
  background: #555;  
}
```

```
.header h1 {  
  position: relative;  
  top: 18px;  
  left: 10px;  
}
```

```
</style>
```



```

</head>

<body>

<div class="header">

    <center></center>

</div>

<h1 style="color:green; font-size:40px; font-style:;>Select Your Subject</h1>

<div class="dropdown" >

    <button class="dropbtn">First Year</button>

    <div class="dropdown-content">

        <?php
        $var=$_POST['branch'];
        $sql1="select * from subject where deptid='FY' ";
        $sql_row1=mysqli_query($db,$sql1);
        while($sql_res1=mysqli_fetch_assoc($sql_row1))
        {
            ?>

            <a href="view.php?subcode=<?php echo $sql_res1['subcode']; ?>"
            value="<?php echo $sql_res1['subcode']; ?>" ><?php echo
            $sql_res1["subname"]; ?></a>

            <?php
            }

            ?>

        </div>

    </div>

```

```

<div class="dropdown" >
  <button class="dropbtn">Mathematics</button>
  <div class="dropdown-content">
    <?php
      $var=$_POST['branch'];
      $sql1="select * from subject where deptid='MAT' ";
      $sql_row1=mysqli_query($db,$sql1);
      while($sql_res1=mysqli_fetch_assoc($sql_row1))
      {
        ?>
        <a href="view.php?subcode=<?php echo $sql_res1['subcode']; ?>"
value="<?php echo $sql_res1['subcode']; ?>" ><?php echo
$sql_res1["subname"]; ?></a>
        <?php
      }
    ?>
  </div>
</div>

```

```

<div class="dropdown">
  <button class="dropbtn">3rd</button>
  <div class="dropdown-content">
    <?php
      $var=$_POST['branch'];
      $sql1="select * from subject where deptid='$var' and sem='3' ";
      $sql_row1=mysqli_query($db,$sql1);
      while($sql_res1=mysqli_fetch_assoc($sql_row1))

```

```

{
?>

    <a href="view.php?subcode=<?php echo $sql_res1['subcode']; ?>"
value="<?php echo $sql_res1['subcode']; ?>"><?php echo
$sql_res1["subname"]; ?></a>

    <?php
    }
    ?>
</div>
</div>
<div class="dropdown">
    <button class="dropbtn">4th</button>
    <div class="dropdown-content">
        <?php
        $var=$_POST['branch'];
        $sql1="select * from subject where deptid='$var' and sem='4' ";
        $sql_row1=mysqli_query($db,$sql1);
        while($sql_res1=mysqli_fetch_assoc($sql_row1))
        {
            ?>
            <a href="view.php?subcode=<?php echo $sql_res1['subcode']; ?>"
value="<?php echo $sql_res1['subcode']; ?>" ><?php echo
$sql_res1["subname"]; ?></a>

            <?php
            }
            ?>
        </div>
    </div>

```

</div>

<div class="dropdown">

<button class="dropbtn">5th</button>

<div class="dropdown-content">

<?php

\$var=\$_POST['branch'];

\$sql1="select * from subject where deptid='\$var' and sem='5' ";

\$sql_row1=mysqli_query(\$db,\$sql1);

while(\$sql_res1=mysqli_fetch_assoc(\$sql_row1))

{

?>

<a href="view.php?subcode=<?php echo \$sql_res1['subcode']; ?>"
value="<?php echo \$sql_res1['subcode']; ?>" ><?php echo
\$sql_res1["subname"]; ?>

<?php

}

?>

</div>

</div>

<div class="dropdown">

<button class="dropbtn">6th</button>

<div class="dropdown-content">

<?php

\$var=\$_POST['branch'];

\$sql1="select * from subject where deptid='\$var' and sem='6' ";

\$sql_row1=mysqli_query(\$db,\$sql1);

while(\$sql_res1=mysqli_fetch_assoc(\$sql_row1))

```

{
?>

    <a href="view.php?subcode=<?php echo $sql_res1['subcode']; ?>"
value="<?php echo $sql_res1['subcode']; ?>" ><?php echo
$sql_res1["subname"]; ?></a>

    <?php
    }
?>

</div>
</div>
<div class="dropdown">
    <button class="dropbtn">7th</button>
    <div class="dropdown-content">
        <?php
        $var=$_POST['branch'];
        $sql1="select * from subject where deptid='$var' and sem='7' ";
        $sql_row1=mysqli_query($db,$sql1);
        while($sql_res1=mysqli_fetch_assoc($sql_row1))
        {
            ?>

            <a href="view.php?subcode=<?php echo $sql_res1['subcode']; ?>"
value="<?php echo $sql_res1['subcode']; ?>" ><?php echo
$sql_res1["subname"]; ?></a>

            <?php
            }
            ?>

        </div>

```

</div>

<div class="dropdown">

<button class="dropbtn">8th</button>

<div class="dropdown-content">

<?php

\$var=\$_POST['branch'];

\$sql1="select * from subject where deptid='\$var' and sem='8' ";

\$sql_row1=mysqli_query(\$db,\$sql1);

while(\$sql_res1=mysqli_fetch_assoc(\$sql_row1))

{ ?>

<a href="view.php?subcode=<?php echo \$sql_res1['subcode']; ?>"
value="<?php echo \$sql_res1['subcode']; ?>" ><?php echo
\$sql_res1["subname"]; ?>

<?php

} ?>

</div>

</div>

</body>

</html>

VIEW.PHP

```
<?php
// define database related variables

$db_name = 'student notes management system';
$host = 'localhost';
$user = 'root';
$password = '';

$db = mysqli_connect($host, $user, $password, $db_name);
if(mysqli_connect_errno()) {
    die("Failed to connect with MySQL: ". mysqli_connect_error());
}

session_start();
$error="";

?>
<!DOCTYPE html>
<html>
<head>
<style >
    body {
        background-image: url('images/loginbackground.jpg');
        background-attachment: fixed;
```

```
        background-size: cover;
    }
.pdf{
width:32px;
        height:32px;
background:url('images/pdf.png');
display:inline-block;
        content:' ';
}
```

```
.header img {
float: center;
width: 1200px;
height: 100px;
background: #555;
}
```

```
.header h1 {
position: relative;
top: 18px;
left: 10px;
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="header">
```

```
    <center></center>
```


</div>

</body>

<div class="col-md-8">

<h2 style="color:green; font-size:40px; font-style:;> NOTES</h2>

<?

\$subcode=\$_GET['subcode'];

\$sql1="select * from notes where subcode='\$subcode'";

\$row=mysqli_fetch_assoc(mysqli_query(\$db,\$sql1));

unlink("C:\\xampp\\htdocs\\student notes management
system\\files\\".\$row['notes']);

?>

<table class="table table-hover">

<tr>

<th class="likes"><i class="fa fa-thumbs-up" aria-
hidden="true"></i></th>

<th>Subcode</th>

<th>module</th>

<th>View</th>

</tr>

```
<?php
    $subcode=$_GET['subcode'];
    $q = "SELECT * FROM notes WHERE subcode='$subcode' ";

    $r = mysqli_query($db, $q);
    $i = 1;
    while($row = mysqli_fetch_assoc($r)) { ?>

        <tr>
            <td class="likes">
                <td><?php echo $row['subcode']; ?></td>
                <td><?php echo $row['module']; ?></td>
                <td><a href="view_file.php?notes=<?php echo $row['notes']; ?>"
target="_blank">
                    <div class='pdf'></div>
                </a></td>
            </tr>

            <?php } ?>

        </table>

    </div>
```

VIEW_FILE.PHP

```
<?php
```

```
session_start();
```

```
$file='C:\\xampp\\htdocs\\student notes management  
system\\files\\'.$_GET['notes'];
```

```
header('Content-Type: '.mime_content_type($file));
```

```
readfile($file);
```

```
?>
```