CODES:

Header.html:

```
<header class="site-header">
  <div class="logo">
    <a href="/content/myTraining/books/home.html">
      <img src="/content/dam/myTraining/images/jkrlogo11%20(1).jpg" alt="Site Logo"</pre>
class="logo-img">
    </a>>
  </div>
  <h1 class="site-title">Rowling Verse</h1>
  <nav>
    <ul>
      class="dropdown">
         <a href="/content/myTraining/books/book.html" id="books-link">Books</a>
         ul class="dropdown-menu">
           <a href="/content/myTraining/books/harry-potter.html">Harry Potter and the</a>
Sorcerer's Stone</a>
           <a href="/content/myTraining/books/harry-potter-and-the-chamber-of-
secrets.html">Harry Potter and the Chamber of Secrets</a>
           <a href="/content/myTraining/books/harry-potter-and-the-prisoner-of-
azkaban.html">Harry Potter and the Prisoner of Azkaban</a>
           <a href="/content/myTraining/books/harry-potter-and-the-goblet-of-fire.html">Harry</a>
Potter and the Goblet of Fire</a>
           <a href="/content/myTraining/books/harry-potter-and-the-order-of-the-
phoenix.html">Harry Potter and the Order of the Phoenix</a>
           <a href="/content/myTraining/books/harry-potter-and-the-half-blood-</li>
prince.html">Harry Potter and the Half-Blood Prince</a>
           <a href="/content/myTraining/books/harry-potter-and-the-deathly-
hallows.html">Harry Potter and the Deathly Hallows</a>
           <a href="/content/myTraining/books/the-casual-vacancy.html">The Casual</a>
Vacancy</a>
           <a href="/content/myTraining/books/the-ickabog.html">The Ickabog</a>
```

```
<a href="/content/myTraining/books/the-christmas-pig.html">The Christmas</a>
Pig</a>
         <a href="/content/myTraining/books/home.html">Home</a>
       <a href="/content/myTraining/books/about_us.html">About Me</a>
       <a href="/content/myTraining/books/reach_me.html">Reach_Me</a>
    <\!\!/ul\!\!>
  </nav>
</header>
<style>
/* Header styling */
.site-header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  background: linear-gradient(135deg, #6a11cb, #2575fc);
  padding: 15px 20px;
  box-shadow: 0px 4px 10px rgba(0, 0, 0, 0.2);
  width: 100%;
  z-index: 1000;
  flex-wrap: wrap;
}
/* Logo Styling */
.logo {
  display: flex;
  align-items: center;
}
.logo-img {
  width: 140px;
  height: auto;
  max-height: 55px;
  object-fit: contain;
```

```
}
/* Title Styling */
.site-title {
  font-size: 20px;
  font-weight: bold;
  color: white;
  margin: 0 auto;
  text-shadow: 2px 2px 5px rgba(0, 0, 0, 0.3);
  flex-grow: 1;
  text-align: center;
/* Navigation Styling */
nav {
  flex-grow: 1;
  text-align: right;
}
nav ul {
  list-style: none;
  display: flex;
  justify-content: center;
  gap: 10px;
  margin: 0;
  padding: 0;
}
nav ul li {
  display: inline-block;
  position: relative;
/* Remove underline from links */
nav ul li a {
  text-decoration: none;
  color: white;
```

```
font-size: 16px;
  font-weight: 500;
  padding: 8px 10px;
  border-radius: 6px;
  transition: all 0.3s ease-in-out;
  white-space: nowrap;
}
nav ul li a:hover {
  background-color: rgba(255, 255, 255, 0.2);
  color: #ffcc00;
  box-shadow: 0px 3px 6px rgba(255, 255, 255, 0.3);
}
/* Dropdown Menu Styling */
.dropdown-menu {
  display: none;
  position: absolute;
  top: 100%;
  left: 0;
  background: #1f2937;
  border-radius: 8px;
  box-shadow: 0px 3px 6px rgba(255, 255, 255, 0.3);
  width: max-content;
  min-width: 200px;
  padding: 8px 0;
  text-align: left;
}
.dropdown:hover .dropdown-menu {
  display: block;
.dropdown-menu li {
  display: block;
  text-align: left;
```

```
}
.dropdown-menu li a {
  display: block;
  padding: 10px 15px;
  color: #ffffff;
  font-size: 14px;
  transition: background 0.3s;
}
.dropdown-menu li a:hover {
  background: rgba(255, 255, 255, 0.2);
}
/* Responsive Design */
@media screen and (max-width: 768px) {
  .site-header {
     flex-direction: column;
     text-align: center;
  }
  .site-title {
     margin: 10px 0;
  }
  nav ul {
     flex-direction: column;
     gap: 10px;
     margin-top: 10px;
  }
  nav ul li {
     display: block;
  }
  nav ul li a {
     display: block;
     padding: 10px;
  }
```

```
/* Mobile dropdown toggle */
.dropdown-menu {
    position: static;
    display: none;
    width: 100%;
    background: #1f2937;
    border-radius: 0;
}
.dropdown.active .dropdown-menu {
    display: block;
}
</style>
```

Footer.html:

```
<footer class="site-footer">
  <div class="footer-grid">
    <!-- Books Section -->
    <div class="footer-section">
       <h3>Books</h3>
       <u1>
         <a href="/content/myTraining/books/harry-potter.html" target=" blank">Harry Potter</a>
and the Sorcerer's Stone</a>
<a href="/content/myTraining/books/harry-potter-and-the-chamber-of-secrets.html"</a>
target=" blank">Harry Potter and the Chamber of Secrets</a>
<a href="/content/myTraining/books/harry-potter-and-the-prisoner-of-azkaban.html"</a>
target=" blank">Harry Potter and the Prisoner of Azkaban</a>
<a href="/content/myTraining/books/harry-potter-and-the-goblet-of-fire.html"</a>
target=" blank">Harry Potter and the Goblet of Fire</a>
<a href="/content/myTraining/books/harry-potter-and-the-order-of-the-phoenix.html"</a>
target=" blank">Harry Potter and the Order of the Phoenix</a>
<a href="/content/myTraining/books/harry-potter-and-the-half-blood-prince.html"</a>
target=" blank">Harry Potter and the Half-Blood Prince</a>
<a href="/content/myTraining/books/harry-potter-and-the-deathly-hallows.html"</a>
target=" blank">Harry Potter and the Deathly Hallows</a>
<a href="/content/myTraining/books/the-casual-vacancy.html" target=" blank">The Casual
Vacancy</a>
<a href="/content/myTraining/books/the-ickabog.html" target=" blank">The Ickabog</a>
<a href="/content/myTraining/books/the-christmas-pig.html" target=" blank">The Christmas</a>
Pig</a>
      </div>
    <!-- About Us Section -->
    <div class="footer-section">
       <h3>About Us</h3>
       To know more about the author tap here.
       <a href="/content/myTraining/books/about_us.html">Read More</a>
```

```
</div>
    <!-- Reach Me Section -->
    <div class="footer-section">
      <h3>Reach Me</h3>
      click here to contact me.
       <a href="/content/myTraining/books/reach_me.html">Contact</a>
    </div>
    <!-- Social Media Section -->
    <div class="footer-section">
      <h3>Follow Us</h3>
      <a href="https://www.facebook.com/jkrowling" target=" blank"><img
src="/content/dam/myTraining/images/fb.jpg" alt="Facebook" class="social-icon"></a>
       <a href="https://twitter.com/jk rowling" target=" blank"><img
src="/content/dam/myTraining/images/twitter.jpg" alt="Twitter" class="social-icon"></a>
       <a href="https://www.instagram.com/j.krowling_official?igsh=eDBtc3M0a2kwOXF6"
target=" blank"><img src="/content/dam/myTraining/images/ig.jpg" alt="Instagram" class="social-
icon"></a>
    </div>
  </div>
  <div class="footer-bottom">
    © 2025 Book Site. All Rights Reserved.
  </div>
</footer>
<style>
/* Footer Styling */
.site-footer {
  background-color: #222;
  color: #fff;
  padding: 40px 20px;
}
```

```
.footer-grid {
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  gap: 20px;
}
.footer-section h3 {
  font-size: 18px;
  margin-bottom: 10px;
}
.footer-section ul {
  list-style: none;
  padding: 0;
}
.footer-section ul li {
  margin-bottom: 8px;
}
.footer-section ul li a {
  color: #bbb;
  text-decoration: none;
  transition: 0.3s;
}
.footer-section ul li a:hover {
  color: #fff;
}
.footer-bottom {
```

```
text-align: center;
  margin-top: 20px;
  padding-top: 10px;
  border-top: 1px solid #444;
}
/* Styling for Social Media Icons */
.social-icon {
  width: 30px;
  height: 30px;
  margin-right: 10px;
  transition: 0.3s;
}
.social-icon:hover {
  opacity: 0.8;
}
</style>
```

About me(author) .html:

```
<div class="book-detail">
  <h1 class="book-title">${properties.name}</h1>
  <div class="book-cover-container">
    <div class="book-cover-box">
      <img src="${properties.image}" alt="${properties.title}" class="book-cover"/>
    </div>
  </div>
  test="${properties.description}">${properties.description}
</div>
<style>
  .book-detail {
    display: flex;
    flex-direction: column;
    align-items: center;
    text-align: center;
    max-width: 800px; /* Rectangular shape */
    margin: 50px auto;
    padding: 30px;
    border: 3px solid #222;
    border-radius: 10px;
    box-shadow: 0 6px 12px rgba(0, 0, 0, 0.15);
    background-color: #f0f0f0;
  }
  .book-title {
    font-size: 28px;
```

```
font-weight: bold;
  margin-bottom: 20px;
  color: #222;
}
.book-cover-container {
  display: flex;
  justify-content: center;
  width: 100%;
  margin-bottom: 20px;
}
.book-cover-box {
  border: 2px solid #444;
  border-radius: 8px;
  padding: 12px;
  display: flex;
  justify-content: center;
  align-items: center;
  background-color: #fff;
  width: 100%;
  max-width: 400px;
  height: 450px; /* Adjusted height for better proportions */
}
.book-cover {
  max-width: 100%;
  max-height: 100%;
  object-fit: contain;
  border-radius: 5px;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
}
```

```
.book-description {
    font-size: 18px;
    color: #333;
    line-height: 1.6;
    font-weight: 400;
    margin-top: 10px;
    padding: 0 20px;
}
</style>
```

Reach me(author).html:

```
<div class="reach-us">
 <h2><strong>Contact Me</strong></h2>
 <span class="reach-icon"> \(^{\section} < \section > < \section > \section \)
   <span class="reach-icon"> \square\span > \strong > Email: </strong>
contact@jkrowling.com<br><br>
   href="https://www.facebook.com/jkrowling" target=" blank">J.K. Rowling</a><br/>br><br/>><br/>br>
   <span class="reach-icon">X</span> <strong>Twitter:</strong> <a</pre>
href="https://www.instagram.com/j.krowling official?igsh=eDBtc3M0a2kwOXF6"
target=" blank">@jkrowling official</a><br><br>
 </div>
<style>
.reach-us {
 display: flex;
 flex-direction: column;
 align-items: center;
 padding: 30px;
 border-radius: 12px;
 background: #D8BFD8; /* Light purple to match your card */
 box-shadow: 0 6px 15px rgba(0, 0, 0, 0.3);
 max-width: 650px;
 margin: 40px auto;
 font-family: 'Poppins', sans-serif;
 text-align: center;
 border: 2px solid #8B008B; /* Dark purple border for contrast */
}
.reach-us h2 {
```

```
font-size: 26px;
  font-weight: bold;
  color: black; /* Black for visibility */
  margin-bottom: 15px;
  text-transform: uppercase;
}
.reach-details {
  font-size: 18px;
  color: black; /* Black text for better visibility */
  line-height: 1.8;
  font-weight: 400;
}
.reach-details a {
  color: #4B0082; /* Dark purple links */
  text-decoration: none;
  font-weight: 500;
}
.reach-details a:hover {
  text-decoration: underline;
  color: #8B008B; /* Brighter purple on hover */
}
.reach-icon {
  font-size: 22px;
  margin-right: 10px;
  color: #8B008B; /* Dark purple for icons */
}
@media (max-width: 768px) {
  .reach-us {
     padding: 20px;
     max-width: 100%;
  }
```

```
.reach-details {
    font-size: 16px;
}
</style>
```

Awards.html:

```
<style>
  .book-detail {
     display: flex;
     flex-direction: column;
     align-items: center;
     text-align: center;
     max-width: 90%;
     width: 800px;
     margin: 20px auto;
     padding: 20px;
     border: 1px solid #ccc;
     border-radius: 10px;
     box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
     background-color: #f9f9f9;
  }
  .book-cover-container {
     margin-bottom: 15px;
     width: 100%;
  }
  .book-cover {
     width: 100%;
     max-width: 300px;
     height: auto;
     object-fit: cover;
     border-radius: 5px;
    box-shadow: 0 \ 2px \ 5px \ rgba(0, 0, 0, 0.2);
  }
```

```
.book-title {
    font-size: 24px;
    font-weight: bold;
    margin: 10px 0;
    color: #333;
  }
  .book-author {
    font-size: 18px;
    color: #666;
  }
  .book-description {
    font-size: 16px;
    color: #444;
    margin-top: 10px;
  }
</style>
<div class="book-detail">
  <h1 class="book-title">${properties.title}</h1>
  <div class="book-cover-container">
    <img src="${properties.image}" alt="${properties.title}" class="book-cover"</pre>
onerror="this.src='fallback-image.jpg'"/>
  </div>
  ${properties.description}
</div>
```

Booklist.html:

```
<div class="cmp-booklist">
  <!-- Including Client Library -->
  <sly data-sly-use.clientlib="/libs/granite/sightly/templates/clientlib.html"
     data-sly-call="${clientlib.all @ categories='myTraining.booklist'}" />
  <h1 class="cmp-booklist_heading">These are the book cards</h1>
  <div data-sly-use.model="com.myTraining.core.models.BookListModel"</pre>
     class="cmp-booklist cards-container">
    <sly data-sly-list.bookListBean="${model.bookListBean}">
       <div class="cmp-booklist cards">
         <img src="${bookListBean.image}" alt="${bookListBean.title}" class="cmp-</pre>
booklist card-image"/>
         <h2 class="cmp-booklist card-title">${bookListBean.title}</h2>
         <div class="cmp-booklist__card-desc">${bookListBean.description}</div>
         <div class="cmp-booklist__card-btn-container">
            <a href="#" class="cmp-booklist card-btn">Explore</a>
         </div>
       </div>
    </sly>
  </div>
</div>
```

BookListBean.java:

```
package com.myTraining.core.beans;
public class BookListBean {
  private String path;
  private String title;
  private String description;
  private String image; // New Image Property
  public void setPath(String path) {
     this.path = path;
  }
  public void setTitle(String title) {
     this.title = title;
  }
  public void setDescription(String description) {
     this.description = description;
  }
  public void setImage(String image) { // New Setter for Image
     this.image = image;
  }
  public String getPath() {
     return path;
  }
  public String getTitle() {
     return title;
  }
  public String getDescription() {
     return description;
  }
```

```
public String getImage() { // New Getter for Image
    return image;
}
```

BooklistModel.java:

```
package com.myTraining.core.models;
import com.day.cq.search.result.Hit;
import com.day.cq.search.result.SearchResult;
import com.myTraining.core.beans.BookListBean;
import org.apache.sling.api.resource.Resource;
import org.apache.sling.api.resource.ResourceResolver;
import com.day.cq.wcm.api.Page;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import javax.jcr.RepositoryException;
import com.day.cq.search.PredicateGroup;
import com.day.cq.search.Query;
import com.day.cq.search.QueryBuilder;
import org.apache.sling.models.annotations.DefaultInjectionStrategy;
import org.apache.sling.models.annotations.Model;
import org.apache.sling.models.annotations.injectorspecific.Self;
import javax.annotation.PostConstruct;
import javax.inject.Inject;
import javax.jcr.Session;
import java.util.ArrayList;
import java.util.HashMap;
import java.util.List;
import java.util.Map;
```

```
@Model(adaptables = Resource.class,
defaultInjectionStrategy = DefaultInjectionStrategy.OPTIONAL)
```

```
public class BookListModel {
  private static final Logger LOGGER = LoggerFactory.getLogger(BookListModel.class);
  List<BookListBean>bookListBeansArray=null;
  @Inject
  private String bookRootPath;
  @Self
  Resource resource;
  public String getBookRootPath() {
    return bookRootPath;
  }
  @PostConstruct
  protected void init() {
    ResourceResolver resourceResolver = resource.getResourceResolver();
    Session session = resourceResolver.adaptTo(Session.class);
    QueryBuilder builder = resourceResolver.adaptTo(QueryBuilder.class);
    Map<String> predicate = new HashMap<>();
    predicate.put("path", bookRootPath);
    predicate.put("type", "cq:Page");
    Query query = null;
    try {
       query = builder.createQuery(PredicateGroup.create(predicate), session);
    } catch (Exception e) {
       LOGGER.error("Error in Query", e);
    bookListBeansArray=new ArrayList<BookListBean>();
    SearchResult searchResult = query.getResult();
    for (Hit hit : searchResult.getHits()) {
       BookListBean bookListBean();
       String path = null;
       try {
         path = hit.getPath();
```

```
Resource bookResource = resourceResolver.getResource(path);
         Page bookPage = bookResource.adaptTo(Page.class);
         String title = bookPage.getTitle();
         String description = bookPage.getDescription();
         bookListBean.setPath(path);
         bookListBean.setDescription(description);
         bookListBean.setTitle(title);
         LOGGER.debug("Path: {} \nTitle: {} \nDescription: {}", path, title, description);
         bookListBeansArray.add(bookListBean);
       } catch (RepositoryException e) {
         throw new RuntimeException(e);
       }
     }
}
  public List<BookListBean> getBookListBean() {
    return bookListBeansArray;
  }
}
```