

CRXDE Lite

Save All • Create ... • Delete • Copy • Paste • Move ... • Rename ... • Overlay Node ... • Modes ... • Tools •

admin@crx: default

apps/myTraining/components/author/author.html

Homeauthor.html

126<div class="author-content">
127<h2 class="author-name">\${authorModel.authorName}</h2>
128<p class="author-bio">\${authorModel.authorBio}</p>
129<p class="author-dob">
130DOB: \${'dd MMM, YYYY' @ format=authorModel.dob, type='datetime'}
131</p>
132
133<h3 class="section-title">Books by \${authorModel.authorName}</h3>
134<div class="books-list" data-sly-list.item="\${authorModel.books}">
135</div>
136
137<div class="api-data \${properties.fetchDataFromApi}">
138\${authorModel.fetchApi}
139</div>
140
141<div class="author-container"></div>
142
143<button id="load-more" class="load-more-btn" data-cards-to-show="\${authorModel.loadMoreValue}">
144Load More
145</button>
146</div>
147</div>
148

Properties

Access ControlReplicationConsoleBuild Info

	Name	Type	Value	Protected	Mandatory	Multiple	Auto Created
1	jcr:created	Date	2025-03-10T15:08:13.166+05:30	true	false	false	true
2	jcr:createdBy	String	admin	true	false	false	true
3	jcr:primaryType	Name	nt:file	true	true	false	true

CRXDE Lite

Save All Create Delete Copy Paste Move Rename Overlay Node Mixins Tools admin@crx.default

/apps/myTraining/components/author/clientlib/js/site.js

Home author.html site.js

```
1 // Function to fetch data from the API
2 async function fetchData() {
3   try {
4     const response = await fetch('https://sampleapi-production-13b0.up.railway.app/authors'); // Update API endpoint
5     const data = await response.json();
6     return data.authors; // Access 'authors' array
7   } catch (error) {
8     console.error('Error fetching data:', error);
9     return [];
10  }
11 }
12
13 // Function to render data in cards
14 async function renderData() {
15   const container = document.querySelector('.author-container');
16   const loadMoreButton = document.getElementById('load-more');
17
18   // Fetch the number of cards to show from the data attribute
19   const cardsToShow = parseInt(loadMoreButton.dataset.cardsToShow, 10);
20
21   let currentIndex = 0;
22
23   // Fetch data from the API
```

Properties Access Control Replication Console build info

Name	Type	Value	Protected	Mandatory	Multiple	Auto Created
1 jcr.created	Date	2025-03-11T15:07:24.543+05:30	true	false	false	true
2 jcr.createdBy	String	admin	true	false	false	true
3 jcr.primaryType	Name	nt:file	true	true	false	true

Name Type String Value Multi Add

CRXDE - Lite

Save All Create Delete Copy Paste Move Rename Overlay Node Mixins Tools admin@crx default

/apps/myTraining/components/author/cq.dialog/content/items/column/items/books

author.html

```
132 <div class="author-content">
133   <h2 class="author-name">${authorModel.authorName}</h2>
134   <p class="author-bio">${authorModel.authorBio}</p>
135   <p class="author-dob">
136     <strong>DOB:</strong> ${authorModel.dob}
137   </p>
138   <h3 class="section-title">Books by ${authorModel.authorName}</h3>
139   <div class="books-list" data-sly-list.items="${authorModel.books}"></div>
140   <div class="api-data ${properties.fetchDataFromApi}">
141     ${authorModel.fetchApi}
142   </div>
143   <div class="author-container"></div>
144   <button id="load-more" class="load-more-btn" data-cards-to-show="${authorModel.loadMoreValue}">
145     Load More
146   </button>
147 </div>
148
149
150
151
152
153
```

Properties Access Control Replication Console Build Info

Name	Type	Value	Protected	Mandatory	Multiple	Auto Created
------	------	-------	-----------	-----------	----------	--------------

Name Type String Value Multi Add



JAMES CLEAR

American author known for his bestselling book **Atomic Habits**, which provides practical strategies for building good habits, breaking bad ones, and mastering small behaviors that lead to remarkable results.

DOB: 1986

BOOKS BY POPULAR AUTHORS

Atomic Habits

By James Clear

On the Edge

By Richard Hammond

War and Peace

By Leo Tolstoy

To Kill a Mockingbird

The Origin of Species

Atomic Habits

By James Clear

On the Edge

By Richard Hammond

War and Peace

By Leo Tolstoy

To Kill a Mockingbird

By Harper Lee

The Origin of Species

By Charles Darwin

The Lord of the Rings

By J.R.R. Tolkien

A Tale of Two Cities

By Charles Dickens

Rich Dad Poor Dad

By Robert Kiyosaki


Ponniyin Selvan


By Kalki Krishnamurthy


Harry Potter and the Philosopher's Stone


By J.K. Rowling


Load More
















AEM - myTraining.core/src/main/java/com/myTraining/core/servlets/SimpleServlet.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer

- SimpleServletTest.java
- src/test/java
- JRE System Library [JavaSE-11]
- Maven Dependencies
- src
 - main
 - java
 - com
 - myTraining
 - core
 - filters
 - LoggingFilter.java
 - package-info.java
 - listeners
 - package-info.java
 - PageCreationEventHandler.java
 - SimpleResourceListener.java
 - models
 - AuthorModelImpl.java
 - BookModel.java
 - HelloWorldModel.java
 - package-info.java
 - schedulers
 - package-info.java
 - SimpleScheduledTask.java
 - services
 - CustomConfig.java
 - CustomServices.java
 - SimpleServiceImpl.java
 - servlets
 - package-info.java
 - PageSearchServlet.java
 - SimpleServlet.java
 - test
 - target
 - pom.xml
 - myTraining.dispatcher.ams (in dispatcher)
 - myTraining.dispatcher.cloud (in dispatcher.cloud)

Outline

 - com.myTraining.core.servlets
 - SimpleServlet
 - serialVersionUID: long
 - doGet(SlingHttpServletRequest)

```
2 * Copyright 2015 Adobe Systems Incorporated
16 package com.myTraining.core.servlets;
17
18 import com.day.cq.commons.jcr.JcrConstants;
19
20 /**
21  * Servlet that writes some sample content into the response. It is mounted for
22  * all resources of a specific Sling resource type. The
23  * {@link SlingSafeMethodsServlet} shall be used for HTTP methods that are
24  * idempotent. For write operations use the {@link SlingAllMethodsServlet}.
25  */
26 @Component(service = { Servlet.class })
27 @SlingServletResourceTypes(
28     resourceTypes="myTraining/components/page",
29     methods=HttpConstants.METHOD_GET,
30     extensions="txt")
31 @ServiceDescription("Simple Demo Servlet")
32 public class SimpleServlet extends SlingSafeMethodsServlet {
33
34     private static final long serialVersionUID = 1L;
35
36     @Override
37     protected void doGet(final SlingHttpServletRequest req,
38         final SlingHttpServletResponse resp) throws ServletException, IOException {
39         final Resource resource = req.getResource();
40         resp.setContentType("text/plain");
41         resp.getWriter().write("Title = " + resource.getValueMap().get(JcrConstants.JCR_TITLE));
42     }
43 }
```

Problems 6,625 errors, 40 warnings, 2 others (Filter matched 142 of 6667 items)

Description	Resource	Path	Location	Type
Errors (100 of 6625 items)				
Warnings (40 items)				
Infos (2 items)				

Writable Smart Insert 2:1:4

