



PUBLIC

2026-02-27

SAP Service Cloud Version 2, Add-On for Utilities

Content


1	Utilities.	4
1.1	Configuration and System Setup.	4
	Configuration in SAP Service Cloud Version 2.	5
	Integrate with SAP S/4HANA.	7
	Implement SAP Notes.	8
1.2	Configure Utilities.	14
	Configure General Settings.	15
	Configure Import of Code Lists.	15
	Configure Dynamic Code List.	15
	Configure Move Processes.	16
	Configure Terms & Conditions.	17
1.3	Global Search.	17
1.4	Contract Account.	19
	Header Pane.	20
	Create Contract Accounts.	21
	Central.	22
	Financials.	24
	Locks.	26
	Payment Arrangements.	27
	Bank Data.	30
	Exceptions.	31
1.5	Premise.	31
	Header Pane.	32
	Central.	34
	Customers.	35
	Services.	36
	Cases.	39
	Exceptions.	39
	Disconnection Documents.	39
	Move Processes.	40
1.6	External Alerts.	47
1.7	Search for Utilities Objects.	49
1.8	Audit Logs.	50
1.9	Agent Desktop.	52
1.10	Extensibility.	52
	Create Extension Fields.	53

Create Extension Fields in SAP S/4HANA for Utilities. 58

Cloud Integration (CI). 59

1 Utilities

Utilities is an enterprise that provides certain classes of services to the public including Electricity, Gas, and Water for a business partner.



The focus is inclusive of the following utilities industry segments that classifies as sectors within the Utilities:

- **Electricity-** Includes the generation, trading, transmission, distribution, retail, metering, and customer care segments of electricity providers.
- **Gas-** Includes the distribution, metering, retail, and customer care segments of end-use natural gas providers.
- **Water -** Includes the supply, treatment, distribution, metering and customer care segments of water and waste water providers.

The solution helps you to optimize call center operations using modern customer engagement tools for service processes. The utilities are fully integrated SAP S/4 HANA and supports seamless transition between the different support channels.

1.1 Configuration and System Setup

Administrators can set up various configurations depending on their requirements

Related Information

[Utilities Integration with SAP S/4HANA](#)

1.1.1 Configuration in SAP Service Cloud Version 2

This integration package enables you to integrate master data between SAP Sales Cloud and SAP Service Cloud Version 2 and SAP S/4HANA.

Configuration in SAP Service Cloud Version 2 in the Core Integration Guide (Set-up Instructions for SAP Service Cloud Version 2, SAP Cloud Integration, and SAP S/4HANA) briefly explains the procedure to configure.

For more information refer to [SAP Sales Cloud and SAP Service Cloud Version 2 Integration for Master Data with SAP S/4HANA or SAP S/4HANA Cloud](#) 

1.1.1.1 Create Communication System

A communication system represents an external system that is used for application integration. Communication systems can be, for example, an external time recording or master data system.

Context

On the [Communication Systems](#) page, you can filter the communication systems by status and authentication type. You can create and edit communication systems to exchange data across systems electronically.

Procedure

1. Log in to the system as an administrator.
2. Navigate to user profile on the right-top corner, and access the [Settings](#) page.
3. Go to [All Settings](#) > [Integration](#) > [Communication Systems](#) .
4. Click the **+** (Add) icon on the [Communication Systems](#) page, enter the [Display ID](#) and [Description](#) for the communication system.

Note

Display ID must be the Business System ID of your external system.

5. Click **+ Create** button in the [Inbound](#) tab, enter a password or upload a certificate file for authentication.

6. Click [Save and Activate](#) to create the inbound communication system.

Note

By default the user is created while creating communication system. The communication user ID is same name as the communication system and the password is maintained in the inbound communication tab of the communication system.

7. Click [+ Create](#) button in the [Outbound](#) tab, choose a protocol, enter a host name, select an authentication method from the dropdown, and click [Save and Activate](#) to create the outbound communication system.

Results

You've now successfully created a communication system, which you can use for integrating applications.

Related Information

[Create Communication Systems](#)

1.1.1.2 Create Communication Configurations

Configure communication between SAP Service Cloud Version 2 and the SAP S/4HANA you are integrating it with.

Context

Procedure

1. Go to  [User Menu](#)  [Settings](#)  [All Settings](#)  [Integration](#)  [Communication Configuration](#) .
2. To integrate Service Cloud Utilities Master Data with SAP S/4HANA, select the following communication configurations:
 - Integrate Service Cloud Utilities with SAP S/4HANA- Premise
 - Integrate Service Cloud Utilities with SAP S/4HANA- Move
 - Integrate Service Cloud Utilities with SAP S/4HANA- Common
 - Integrate Service Cloud Utilities with SAP S/4HANA- Financials
 - Integrate Service Cloud Utilities with SAP S/4HANA- Collections

- Integrate Service Cloud Utilities with SAP S/4HANA - Contract Account
- Integrate Service Cloud Utilities Master Data with SAP S/4HANA

You can also click **+** (Create) to create a communication configuration for your requirements.

3. Click  (Copy).
4. Go to the [Communication Configuration](#) page and click the copied communication configuration.
5. Edit [Communication System](#) and select the name of the communication system.
6. Repeat the same for all the communication configurations which you copied.

Target message entity is the structure in which the target system expects the data to arrive. [Target Message Entity API Path](#) is the path to which the data is stored. Source entity is the structure in which the source sends the data to connector.

The test icon gives the connection status.

Note

- The [Target Message Entity API Path](#) must match the respective iflow endpoints.
- For all the modules except Integrate Service Cloud Utilities Master Data with SAP S/4HANA, the synchronous calls and services list are under HTTP data. For Integrate Service Cloud Utilities Master Data with SAP S/4HANA, the synchronous calls and services list are under Inbound Configuration.

7. In [HTTP Data](#), use the search icon to select the configurations relevant to your scope.

Related Information

[Create Communication Configurations](#)

[View Inbound Configurations](#)

[View Outbound Configurations](#)

1.1.2 Integrate with SAP S/4HANA

Integrate the SAP Service Cloud Version 2, Add-on for Utilities with SAP S/4HANA.

To perform an end-to-end integration of the solution with SAP S/4HANA, there are three steps involved.

1. Configuration in SAP Cloud Platform Integration

All the new and enhanced artifacts need to be upgraded to the latest available version.

To update the packages containing the new and enhanced iFlows,

 1. Go to your Cloud Integration tenant.
 2. From the left pane, choose  [Design](#)  [Integrations and APIs](#) .
 3. From the list of packages that appear, open the required package for utilities, and choose [Update package](#) on the top-right corner of the screen. The enhanced iFlows are automatically deployed if you have already deployed the initial version. For the new iFlows you must update the sender and receiver configuration details, and then deploy it.

(Optional) If you want to update specific iFlows, select the iFlow from the relevant package, choose **⋮** (*Actions*) , *Update*, and then *Deploy*.

Note

You must not make any updates to the standard package delivered by SAP. Doing this will lead to missing of auto-update of the integration package, and you can see an error message stating the failure of uniqueness check. For more details on the error, see [0003531297](#) .

2. Configuration in SAP Service Cloud Version 2, Add-on for Utilities

For all new features, you must update the communication configuration services.

3. Configuration in SAP S/4HANA

You must create bindings for all the new services in the SOAMANAGER transaction. You may have to re-create some of the bindings.

After re-creating the bindings, you may encounter the following errors:

- Error: Message "<message name>{urn:sap-com:document:sap:rfc:functions}" not supported (interface: "<interface name>" binding key: "<binding key>"),
- Message "<message name>{urn:sap-com:document:sap:soap:functions:mc-style}" not supported (interface: "<interface name>" binding key: "<binding key>").

You must then delete and re-create the binding.

Related Information

[Extensibility](#)

[SAP Note 2818078](#) 

[Configuration in SAP Service Cloud Version 2 \[page 5\]](#)

This integration package enables you to integrate master data between SAP Sales Cloud and SAP Service Cloud Version 2 and SAP S/4HANA.

[SAP S/4HANA Web Service Configuration \(SOA Management\)](#)

1.1.3 Implement SAP Notes

For every release of the SAP Service Cloud Version 2, Add-On for Utilities, you must implement some SAP notes.

This section covers information on the additional steps that you must follow while implementing the SAP Notes.

→ Remember

- Ensure that all the notes from the previous releases are implemented in your system.
- While implementing the SAP note, do not alter the default selections in the objects list. Which means, you must not select or deselect any objects in the list.

Posting Instructions

- Check if all the notes are implemented successfully.
- Ensure that the service definitions are adjusted in SE80 and activated.
- Capture all the transport requests for the modified services.

Create Service Definitions

To create service definitions, do as follows:

1. Go to transaction SE80.
2. Select the appropriate *Function Group*.
3. Right-click *Create*, go to *Other Objects* and *Enterprise Service*.
4. Provide the *Service Definition Name* (same as *Function Group*).
5. Enter a suitable description.
6. Select the option *Map Names*.
7. Select all Function Modules shown.
8. Choose the options as per the dropdown.
9. Assign the package ISU_C4C_PROXY and a *Transport Request*.
10. Finish and activate.

Add Service Operations or Function Modules to Service Definitions

To add an operation in the web service, do as follows:

1. Open the service.
 1. Go to transaction SE80.
 2. Navigate to the required service in the package ISU_C4C_PROXY and navigate to the service.
 3. Open it in the *Change* mode.
2. Switch to the *Internal View* tab of the selected service.
3. In the object navigator, right-click on the interface node. Note that interface names vary by service.
4. Add a new operation.
 1. Choose *Add* from the context menu.
 2. The *Function Group* is automatically derived from the service. You must not modify it.
5. Include the required function modules.
 1. Use the F4 Help on the function module field to view the available modules.
 2. Add any missing function modules that are not already listed under the interface.
 3. *Save* and *Activate* the service.

Note

Ensure that the service is available for consumption in the relevant proxy or consumer setup.

To adjust the service definition, go to the [Systems](#) tab, select  and then . A popup message for [Service Adjustment](#) appears. Choose [Yes](#) and activate the service.

Adjust Service Definition

To adjust or regenerate an existing service definition, do as follows:

1. Go to transaction code SE80.
2. Select object type as [Proxy](#) from the drop-down and provide the value as ISU_C4C_PROXY.
3. Expand the enterprise services node and expand [Service Definition](#).
4. Double click on the service you want to regenerate and select the [Service Definition](#).
5. Choose [Edit](#) and then [Syntax Check](#). In the dialog box that appears, choose [Yes](#) and then [Activate](#).

Troubleshooting

When a service returns errors, execute the following reports:

- WS_MANUAL_WEBI_AFTER_IMPORT (enable force generation).
- WEBI_CHECK_REPAIR

1.1.3.1 SAP Notes (Current Release)

A list of SAP Notes need to be implemented to use the features released. Implement the notes in the same order as mentioned. You can follow the steps mentioned in the respective notes to use the features.

February 2026

SAP Notes to be Implemented

Order	SAP Note	Details	iFlow Update	Package	iFlow Name and version
1	3714651 	Remove leading zeros in Security Deposit	NA		
2	3714650 	The disconnection activity and status are not appearing in the disconnection tab.	NA		

Order	SAP Note	Details	iFlow Update	Package	iFlow Name and version
3	3712828 	Installment Plan – Remaining Open Amount Not Displayed Correctly	Yes	SAP Service Cloud V2 for Utilities Contract Account Integration with SAP S/4HANA (version 1.2.3)	- Get Installment Plan 1.1.4 - Get Installment Plan Type Details 1.1.1
4	3712714 	Contract account locks with different dates are deleted.	NA		
5	3712670 	Duplicate records are sent in the POD payload from SAP S/4HANA.	NA		
6	3710061 	Payment Plan Amount Change Updates Already Invoiced Items	Yes	SAP Service Cloud V2 for Utilities Contract Account Integration with SAP S/4HANA (version 1.2.3)	Edit Payment Plan 1.1.1
7	3706040 	Incorrect Unit of Measure Displayed for Consumption	Yes	SAP Service Cloud V2 for Utilities Premise Integration with SAP S/4HANA (version 1.2.2)	- Get Premise Services 1.1.6 - Get Meter Reading 1.1.3
8	3690714 	Incorrect device status displayed at premise services and device quick view	Yes	SAP Service Cloud V2 for Utilities Premise Integration with SAP S/4HANA (version 1.2.2)	Get Device Details 1.0.3

Notes for Bank Data

SAP Notes to use Bank Data

Order	SAP Note	Details
1	3570297 	Incoming and outgoing bank and credit card details in the left panel of contract accounts.
2	3343911 	Fetch and create bank details for customers.

Order	SAP Note	Details
3	3681432 	SAP Service Cloud Version 2 Utilities: Bank Details in Contract Account. Prerequisite Notes 3570297  , and 3343911  .
4	3691972 	Service Cloud Version 2 Utilities: Contract Account Payment Data – Exit Options
5	3691975 	Service Cloud Version2 Utilities: Utilities Payment Data – Service Definitions

After implementing these notes, you must verify the following services:

New Service Definition: ISU_C4C_V2_CA_PAYMENT_DATA

- ISU_C4C_V2_CA_PAYMENT_DATA
- ISU_C4C_V2_CA_PAYMTHD_UPDATE

Existing Service Definition: ISU_C4C_V2_BANK_DATA

- ISU_C4C_V2_BANK_CREATE – Existing Service Operation
- ISU_C4C_V2_BANK_DELETE – New Service Operation
- ISU_C4C_V2_BANK_GET – Existing Service Operation
- ISU_C4C_V2_BANK_CHANGE – New Service Operation

Notes for Meter Reading, Dunning, and Billing Amounts

SAP Notes for actions in meter reading, dunning and billing amounts

Order	SAP Note	Details
1	3677508 	Future dunning data not being displayed in the Contract account central tab
2	3677573 	Actual and expected consumption value for meter readings are rounded to whole number
3	3678732 	Incorrect billing amount showed in the financial metrics of contract account Prerequisite Note 3431888  to get the billing amount details for the CA.
4	3676682 	Customers moved out because of a new move-in were shown as inactive.

After implementing the SAP notes, you must adjust the Service Definition **ISU_C4C_V2_PREMISE_BP**.

Notes for Locks, Code List Mapping, and Security Deposit

SAP Notes for actions in meter reading, dunning and billing amounts

Order	SAP Note	Details
1	3691715 	Incorrect lock status is being displayed by the Get Contract.
2	3691716 	No enhancement points available in ISU_C4C_V2_BP_SECURITY_DEP_GET.
3	3691733 	Lock status is not being displayed in contract account. iFlow is mentioned in the note. The service needs to be adjusted as per attached document in note. Prerequisite note 3555616 
4	3691714 	Adding new context fields into the code list mapping download utility. Prerequisite notes 3572538  and 3659632 
5	3691720 	To allow blank-value input for the Billing Reason and Release Reason. Prerequisite note 3664153 

After implementing the notes, adjust the Service Definition ISU_C4C_V2_CA_OVERVIEW.

Notes for Utilities Entities for Accounts and Individual Customers

Implement the SAP Note [3683175](#) .

You must then create a service definition ISU_C4C_V2_BP_UTIL_DATA.

1.1.3.2 SAP Notes (Previous Release)

A list of SAP Notes need to be implemented to use the features released for a specific release.

Following is a list of notes and the additional actions needed for them.

- Locks and Active Contracts [3664153](#) 
After implementing the note, you must add the new service operations and function modules to the service definition as follows:
 - Open transaction SE80.

2. Navigate to the service definition **ISU_C4C_V2_CONTRACTS_GET**.
 3. Add the new service operations.
 4. Save and activate the service definition.
- Billing Document Creation and Details Services [3646536](#) 
There are no additional steps needed. Follow the standard steps of note implementation. This is a note from previous release. However, this is an updated note.
 - Full reversal and adjustment reversal of Invoice [3674953](#) 
After implementing the note, you must add the new service operations and function modules to the service definition. Follow the instructions mentioned in the SAP Note to manually add the following new function modules to the existing service definitions.

Service Names and New Function Modules

Service Name	New Function Module to be Added
ISU_C4C_V2_INVOICES	ISU_C4C_V2_INVOICE_SUBSEQ_GET
ISU_C4C_V2_BILL_DOCUMENT	ISU_C4C_V2_BILL_DOC_SUBSEQ_GET

You can ignore the warnings that appear when you add the function modules to services.

- Retrieve the disconnection document [3675062](#) 
There are no additional steps needed. Follow the standard steps of note implementation.
- Consider future date items [3675006](#) 
There are no additional steps needed. Follow the standard steps of note implementation.
- Installment Plan Amount Determination for Open and Due Items [3625979](#) 
 1. Open transaction **SE80**.
 2. Navigate to the service definition **ISU_C4C_V2_INSTALLMENT_PLAN**.
 3. Make the adjustments as mentioned in the SAP Note.
 4. Save and activate the service definition.
- Payment Plan Deactivation Status [3669455](#) 
 1. Implement the SAP Note [3400650](#)  and ensure it is successful.
 2. Open transaction **SE80**.
 3. Open the service definition **ISU_C4C_V2_PAYMENT_PLAN**.
 4. Make the adjustments as mentioned in the SAP Note.
 5. Save and activate the service.
- Code list for Disconnection Activity Status and Process Variant [3675547](#) 
Follow the instructions mentioned in the SAP Note for the manual activities.

1.2 Configure Utilities

Administrator can configure *Utilities* in *Settings*

Find Settings in the user menu at the top right of the screen.

1.2.1 Configure General Settings

Configure all the settings for Utilities in this section.

1. To configure the meter reading table, navigate to ► [User Menu](#) ► [System Settings](#) ► [All Settings](#) ► [Utilities](#) ► [General Settings](#) ► [Settings](#) ►.
2. Turn on the [Meter Reading Table](#) switch for the expanded view of the meter reading table by default, in the [Services](#) tab of [Premise](#).
3. Choose [Save](#).

1.2.2 Configure Import of Code Lists

As an administrator, update all the code lists by importing the standard excel maintained in SAP S/4 HANA. You can export the codes from the SAP S/4 HANA using the **ISU_C4C_V2_CODE_LIST_MAPPING** report. By default, the report supports codes 02, 09, and 10 for meter reading reasons.

Procedure

1. Navigate to your user profile and select ► [System Settings](#) ► [All Settings](#) ► [Utilities](#) ► [General Settings](#) ►.
2. Choose [Browse File](#).
3. Select the excel file and choose [Import](#).

All the code lists are added to the respective collections.

Note

You can import code lists even without descriptions from SAP S/4 HANA. The code lists without descriptions display a hyphen.

1.2.3 Configure Dynamic Code List

Group the code list values based on the business processes.

Context

This configuration is done to maintain the S/4 Code values in the admin screen.

Admin can add, edit, and delete any code value based on the business requirement.

Procedure

1. Go to your user profile, navigate to ► [System Settings](#) ► [All Settings](#) ► [Entity](#) ►.
2. From the left pane, select the field you want to configure.
3. Use the ⊕ (Add) button to add a new field.
4. Enter Code and Description for the new field.
5. Click [Create](#) to save the changes.

You can edit the created code list using in-line edit option and view the changes in the [Changes](#) tab.

You can also delete a added entry by selecting the ✖ (Delete) icon in the [Action](#) column and view them in the [Deletions](#) tab.

1.2.4 Configure Move Processes

As an administrator, configure various fields and parameters for the move process.

1. Navigate to ► [User Menu](#) ► [System Settings](#) ► [All Settings](#) ► [Utilities](#) ► [Move Processes](#) ► [General](#) ►.
1. In the list of options available, make the required updates.

Configuration Options in Move Processes

Option	Details
Date Threshold	Set the date threshold for move processes to define how far in the past or future moves can be scheduled. For example, if the minimum is set to 10 days and the maximum to 40 days, users can select dates from 10 days before today to 40 days after today.
Address Type	Select the default address type to be pre-selected when setting up a mailing address. You can choose from premise address, customer address mailing address, or PO box.
Country/Region	Select the country/region to be pre-selected when setting up a mailing address.
Currency	Select the default currency from the drop-down.
Contract Account	Select the default contract account for move processes. You can choose existing accounts or new accounts.
Service	Activate all the services in the move process by default by using the switch.
Security Deposit	Choose to display the security deposit amount by default using the switch.
Alerts	Choose to display the alerts section by default when you open a move-in, move-out, or transfer process using the switch.

2. Choose [Save](#).

1.2.5 Configure Terms & Conditions

As an administrator, configure the terms and condition for move processes according to your business needs.

Procedure

1. Navigate to ► [User Menu](#) ► [System Settings](#) ► [All Settings](#) ► [Utilities](#) ► [Move Processes](#) ► [Terms & Conditions](#) ►.
2. Select **+** ([Add](#)).
3. Enter the terms and conditions based on the requirement.
4. Click [Save](#).

1.3 Global Search

Search for entity details across the solution.

Global search allows you to search through the entire solution. After clicking the search bar, located at the top of the screen, you can choose to do a simple or advanced search. You can search for a term without specifying any details, or you can search in all categories, or you can specify a specific category. The system displays a list of all the previously searched terms.



Currently, the available entities for search are:

- Cases
- Individual Customers
- Installed Bases
- Registered Products
- Installation Points
- Library
- Accounts
- Contract Accounts
- Premises

1.4 Contract Account

In the contract account, you can store controlling data for long-term business relationships with a business partner.

This data controls processes in invoicing, contract accounts receivable and payable, and correspondence processing. You can define several contract accounts for each business partner.

All the contract accounts within the application appear in a list view. Use the search and filter options to choose the relevant contract account. For more information on filters, see [Create and Organize Filters](#).

You can import and export the contract account details to a **CSV** or **Excel** file in **Data Import and Export** via **Settings**.

ⓘ Note

The search option is available only for the following fields:

- Contract Account ID
- Contract Account External ID
- Contract Account Name
- Collective Contract Account External ID
- Collective Contract Account Name

Quick View

You can launch the contract account quick view by clicking the [Contract Account External ID](#) and view the key information regarding contract account prior opening in the detail view.

On quick view screen, you can view the following information:

- **Header:** Shows Contract Account Name, ID, Incoming Payment Method, and Contract Account Category.
- **Security Deposit:** Shows the deposit amount due and the paid by the customer.
- **Collective Contract Account:** Shows collective contract account tied to the contract account.
- **Premise:** Shows all the premise associated with the contract account.
- **General Information:** Shows other information such as Category, Account Determination ID, and so on for the contract account.

Click an contract account, to open the detailed view, where you can get a glance of all the important details

1.4.1 Header Pane

The header pane provides the basic information of the contract account in the left panel.

The information are displayed in the sections such as:

1. **Overview:** View more information about the contract account.
 - **Alerts:** Shows the list of alerts specific to the premise. These alerts are from external systems that are integrated to SAP Sales and Service Cloud V2 and are categorized based on priority.
 - **Financials:** Shows the following details of the contract account:
 - **Amount Due:** Sum of all unpaid invoices for which the due date has elapsed.
 - **Open and Payable:** Total amount the business partner owes to the utility company with respect to the opened contract account.
 - **Payment:** Latest posted payment amount and respective posting date.
 - **Scheduled Payment:** Next scheduled payment date and payment amount.
 - **Customer Information:** Shows the Customer name, External ID and Credit Worthiness details of the contract account. If the customer has provided their email ID and phone number, they can make calls and send emails. If these details are missing, the options will be grayed out.
 - **Collective Contract Account:** Appears only when the contract account opened has a collective contract account tied to it. This section display the collective contract account ID, name, type and payment method.
 - **Security Deposit:** Shows the total amount requested/due from the customer and the amount of deposit paid by the customer.
 - **Invoice Delivery Method:** Choose your preferred **Invoice Delivery Method** to deliver the invoices created in the contract account.
 - **Fixed Address:** Select/edit from the standard address of business partner to add it as a fixed address for the contract account.
 - **Premises:** Shows all the premises associated with the contract account which have active contract.

Note

To enable the fixed address and invoice delivery method fields in the left panel for synchronous services, configure them through communication management in the settings.

If contract account replication hasn't occurred after the upgrade, the updated fields will display the old record data type until replication in S/4 HANA system is done.

2. **Timeline:** View the latest financial transactions for the opened contract account. Date, time and the document details such as **Amount**, **Origin Text**, **Posting Date**, **Due Date**, and **Invoice Document ID** are available in the table. You can also search using the document ID available in basic search option.

Related Information

[Make Outbound Phone Calls](#)

1.4.2 Create Contract Accounts

Create contract accounts from SAP Service Cloud V2 by using mashups.

Context

To create a contract account in SAP Service Cloud V2, you must use a HTML mashup that links to the S/4 HANA system. You can invoke this mashup anywhere in the SAP Service Cloud V2 system. However, we recommend you add this mashup as a new workspace on the navigation menu.

Ensure that a connection is established between SAP Service Cloud V2 and SAP S/4 HANA.

Procedure

1. Get the S/4 HANA target system's URL using the steps below:
 - a. Log into your SAP system and enter the transaction SICF.
 - b. Navigate to `/default_host/sap/bc/gui/sap/its/webgui`. You can also use the search function in SICF to locate it quickly.
 - c. If the service is inactive, right-click the service and select [Activate Service](#).
 - d. Right-click the service again and select [Test Service](#). A browser window opens, displaying a URL.
 - e. Copy the URL and modify it by appending the following parameters:

```
swift
CopyEdit
/sap/bc/gui/sap/its/webgui?sap-client=<your_client>&sap-
language=EN&~transaction=CAA1
```
 - f. Replace `<your_client>` with your SAP Client Number.
2. Create a mashup of the type [HTML](#) and enter the URL obtained.
3. Add the mashup as a workspace.
4. Add the service and application to the business role for which you want to allow creation of contract accounts.
5. Go to the new workspace, enter the user name, password the first time you log into the system.
6. In the screen that appears, enter the contract account name and provide a reference if available.
7. Save the contract account.

Results

This account is now created in the SAP S/4 HANA system and is available in the list of contract accounts in SAP Service Cloud V2.

Related Information

[Create HTML Mashups](#)

1.4.3 Central

This tab displays cards pertaining to the contract account.

The cards are as follows:

1. **Open Items:** The unpaid items for a billing document are grouped and displayed for each contract account. The Time slice shows the total open amount due against the range. Future due shows the open items with due dates in the future. 0-30 days range shows the amount due in the last 30 days from today's date. In similar way 30-60 days range shows for last 30- 60 days, 60+ days range shows the rest of the total open amount due.
Click the **Make Payment** option to make a one time payment with the existing or new bank account.
2. **Budget Billing:** Shows the upcoming due amount along the start and end date of the budget billing plan. The graphical view displays the number of plan items that are in **Open** and **Closed** status.
 - **Open:** The billing plan item does not have a clearing document
 - **Closed:** The billing plan item have a clearing document and clearing statusAlso you can create the plan using + (**Create**) icon.
3. **Disconnection Documents:** Shows the three most recent disconnection documents for the premise.

Note

This card is hidden by default. You must enable it via extensibility.

4. **Payment Plan:** Shows the upcoming due amount along with the due date and the current difference value. The graphical representation displays the active payment plan amounts of all the contracts along with their corresponding consumption values in a stacked format.
The average consumption of all the contracts are represented in a dotted line.
Also you can create the plan using + (**Create**) icon.

Note

Either budget billing or payment plan is displayed on contract account budget billing procedure.

5. **Installment Plan:** Shows the latest installment plan in a pie chart with details such as plan amount paid, past due and open. Also you can create the plan using + (**Create**) icon.
6. **Promise to Pay:** Promise to Pay is a commitment from customer for payment of an outstanding receivable within a specified time. This card shows the latest promise to pay plan in a pie chart with the details such as plan amount paid, past due and open.
View the next due date, next due amount and number of plan already due by system date for the contract account
Also you can create the promise to pay using + (**Create**) icon.
7. **Dunning:** Shows the dunning amount and the dunning step text and the graphical representation of the latest dunning amount and dunning date.
It as shows the simulated value of the next dunning date and dunning value.

8. [Recent Invoices](#): Shows the latest three invoices along with the **Invoice ID**, **Status**, **Invoice Amount**, and **Due Date**. Click  (Preview) icon to view the invoice in PDF.
9. [Recent Cases](#): Shows the latest three cases for the contract account along with the **Case ID**, **Case Description**, **Priority State**, **Last Updated** and the **Case Status**.
Click the hyper-linked **Case ID** and **Description** to open the case quick view.
Click **+** (Create) to create a new case.
10. [Active Contracts](#): Shows the latest three active contracts for that particular contract account with there **Contract ID**, **Contract Address**, **Contract Log Status**, **Contract Division**, and **Moving-In** and date.
11. [Correspondence History](#): Shows the latest three correspondence linked to the contract account along with the creation date and status.

Click  (Open in Detailed View) to navigate to the detail view of that respective card.

Note

These cards are displayed only if the contract account has active plans.

Related Information

[Create Installment Plan \[page 27\]](#)

As an administrator, you can create installment for open items. The Utilities Contact Center solution supports create, change, and deactivation of an installment plan.

[Create Promise to Pay \[page 28\]](#)

Promise to Pay is a commitment from customer for payment of an outstanding receivable within a specified time.

[Create Budget Billing Plan \[page 29\]](#)

Utility company normally bills for its services at the end of a supply period. To remain solvent, therefore starts charging budget billing amounts throughout the current period based on the expected bill amount due. Specify the budget billing amounts and the dates that are due in the budget billing plan.

[Create Payment Plan \[page 29\]](#)

The utility company and the customer together decide the amount to be paid with each bill.

1.4.3.1 Make Payment

You can make one time payments for contract account.

Procedure

1. Click **+** ([Create](#)) to open the payment screen.
The system opens the **Make a Payment** screen.

2. Choose the amount you want to pay under [Open Items](#), the **Open & Payable, Amount Due** and **Other Amount** fields.
3. Choose the bank details from the latest four bank ID's, under [Bank Information](#)
4. Optional: You can also create new bank account by using + ([Add](#)) icon.
5. Add all the necessary details and click [Make Payment](#).

1.4.4 Financials

This tab displays all the financial transactions for the selected contract account in a tabular form.

The financials are differentiated into 6 main blocks:

- [Financial Documents](#): Shows all financial related transactions posted for the selected contract account for the last 365 days.

There are three KPI cards which displays the information such as:

- [Payment Behavior](#): Shows the number of active plans for the contract account and whether payments have been made on time or not for the latest 12 invoices in graphical form.
- [Collection Analysis](#): Shows the dunning step text and the graphical representation of the latest dunning amount and dunning date.
It also displays the count for the write offs, returns, and disconnect documents.

ⓘ Note

You can use the sort option in the table for only one field at a time.

- [Monthly Bill Amount](#): Shows the monthly billing amount over the last 12 months for the selected contract account.

ⓘ Note

The KPI cards are visible only when the [Show Financial Metrics](#) switch is enabled.

Choose + ([Create](#)) if you want to create invoices, manual postings, or make payments.

ⓘ Note

The [Create Invoice](#) option is hidden by default. You must enable it through adaptation. If you have previously enabled it, it will continue to be available.

To create an invoice, follow these steps:

1. Go to the contract account, in the [Financials](#) tab, go to [Financial Documents](#) or [Invoices](#).
 2. Choose + ([Create](#)) to create an invoice for the selected contract account.
 3. Select the contracts and billing documents for which you want to create the invoice. If there are no billing documents generated, choose [Submit Meter Reading](#) and create new bill orders. Once generated, choose [Bill Now](#) to generate the billing document.
 4. (Optional) Choose [Simulate Invoice](#) to see the preview of the invoices created.
 5. Choose [Invoice Now](#). You can now see the generated invoice in the [Invoices](#) section.
- [Open Items](#): Shows all the open documents posted for the last 365 days.

In the list of [Open Items](#), you can add a [Deferral Date](#) based on your customer's requirement. Note that you can make only in-line edits to the deferral date by using [✎ \(Edit\)](#) that appears when you hover over the required field. You can select multiple open items from the list and apply a deferral date. When you edit multiple line items of the same document number, you will receive an error message stating that the document is locked.

Choose [⋮ \(Actions\)](#), and [Reverse](#).

Note

- The [Actions](#) column is hidden by default. You must enable it through adaptation.
- The [Reverse](#) option is enabled based on the [Transaction](#) and [Sub-Transaction](#) maintained in SAP S/4HANA. The BAPI BAPI_CTRACDOCUMENT_REVERSE is used to identify whether the open item is reversible or not.

- [Invoices](#): Shows all the invoices pertaining to the open contract account posted for the last 365 days. Click [PDF](#) (Preview) icon to view the invoice in PDF. You can create invoices and simulate them from here.

Note

The [Create Invoice](#) option is hidden by default. You must enable it through adaptation.

To reverse an invoice you must first download the codelist [Invoice Reversal Reason](#) from SAP S/4HANA by navigating to [► Settings ► Utilities ► General ► Import Codelists ►](#).

You can reverse invoices using the following steps:

1. Choose [⋮ \(Actions\)](#).
2. Choose [Full Reversal](#) if you want to reverse the invoice, or choose [Adjustment Reversal](#) to reverse the underlying billing documents in the invoice.
3. Select the reason for reversal from the dropdown. Note that you must maintain the reversal reasons in the code list in SAP Service Cloud V2, for the corresponding values to be available in SAP S/4HANA. In adjustment reversal you must select the billing documents after you select the reversal reason. In adjustment reversal, you must select the billing documents that you want to reverse.
4. Choose [Reverse](#). Then, you can either [Rebill](#), that is create the invoice, or choose to go to the next screen to update the meter reading, which is optional. If meter readings are available after reversing, the [Next](#) option is enabled. You can edit the meter readings listed here and save your changes using [Save](#) or [Save and Override](#).

Note

This feature is released through the [Feature Activation Hub](#), where, as administrators, activate the feature [Utilities - Invoice Reversal](#) on your system before it is activated by default.

- [Payments](#): Shows all the payment documents created posted for the last 365 days.
- [Security Deposit](#): Shows all the security deposit related details created for the contract account with latest status information.

Perform actions such as **Reverse**, **Release** and **Partial Release** from the more option under **Actions** column.

The actions are enabled based on the security deposit status such as:

- Requested- Reversed
- Reversed- No Action Enable
- Partially Released- Partial Release/Release

- Released- No Action Enable
- Paid- Partially Release/ Release
- Partial Paid- No Action Enable
- **Collections**: Shows the dunning, returns, correspondence history, and write-offs related to that contract account.

1.4.5 Locks

This tab displays all the locks on a contract account that you select, and also for the contracts within the account.

You can create these locks both at the contract account and individual contract level, which are listed in two sections on the screen.

This tab is not available by default. You must enable it via adaptation.

You must download the following Code Lists from SAP S/4HANA by navigating to ► **Settings** ► **Utilities** ► **General** ► **Import Codelists** ►:

- Dunning Lock Reason
- Incoming Payment Lock Reason
- Outgoing Payment Lock Reason
- Interest Lock Reason
- Invoice Lock Reason
- Correspondence Dunning Reason
- Posting Lock Reason
- Billing Block Reason
- Release Block Reason

Create a contract account lock as follows:

1. From the navigation menu, choose **Contract Accounts**. Go to the **Locks** tab. All active locks for the contract account and contracts are displayed by default.
2. In the **Contract Account Lock** section, choose **+** (**Create**). A new row is created in the table.
3. Select the **Lock Type**, **Lock Reason**, **Start Date**, and **End Date**.
4. Choose **✓** (**Save**).

Select the **Show Expired Locks** checkbox to view locks that are already expired.

You can edit and delete contract account locks that you have created. To edit a contract account lock, choose the **Edit** option. The **Lock Reason**, **Start Date**, and **End Date** fields are editable. Make your changes and choose **✓** (**Save**).

ⓘ Note

Once you delete a lock, it is no longer displayed in the table.

Create locks for contracts inside the contract account as follows:

1. In the [Contract Locks](#) section, choose **⋮ (Actions)** and select [Create Contract Lock](#).
2. Select the [Lock Type](#), [Lock Reason](#), [Start Date](#), and [End Date](#).
3. Choose [Save](#).

Create a billing block for a contract as follows:

1. In the [Contract Locks](#) section, choose **⋮ (Actions)** and select [Create Billing Block](#).
2. Select the [Billing Block Reason](#).
3. Choose [Save](#).

To remove the billing block, choose **⋮ (Actions)** and select [Remove Billing Block](#). To delete the contract lock, choose  [\(Delete\)](#).

1.4.6 Payment Arrangements

View installment plans, promise to pay, payment plans, or budget billing plans by division in card or table format

In the card view, you can see all plans by their status, create and edit plans, and make payments directly from each card.

In the table view, view all plan details in a tabular form. Use the actions menu for detailed views, inline edits, and creating new plans for each contract account.

Note

Payment Arrangements displays both active and deactivated plans.

1.4.6.1 Create Installment Plan

As an administrator, you can create installment for open items. The Utilities Contact Center solution supports create, change, and deactivation of an installment plan.

Procedure

1. From the  ([Navigation Menu](#)), search for [Contract Account](#).
2. Select the contract for which you need to create a installment plan.
3. Click  ([Create](#)) icon from payment arrangement tab or from the [Installment Plan](#) card in the central tab.
4. Select [Open Items](#) as per your requirement.
5. Under [Plan Selection](#) specify the each parameter and click [Generate Proposal](#) option.
6. Review the installment plan summary under the [Confirm Installment Plan](#) screen and click [Save](#).

Edit or Deactivate Installment Plan

- To edit the existing installment plan, select the plan and click  (*Edit*) icon.
- If you add or delete installments, then you must ensure that the total installment plan corresponds to the amount of the source receivable.
- If the installment plan is unpaid or partly paid, select Deactivate to cancel the interest and charge documents and deactivate the plan. Click *Deactivate* option to deactivate the plan.

1.4.6.2 Create Promise to Pay

Promise to Pay is a commitment from customer for payment of an outstanding receivable within a specified time.

Procedure

1. From the  (*Navigation Menu*), search for *Contract Account*.
2. Select the contract for which you need to create promise to pay.
3. Click  (*Create*) icon from payment arrangement tab or from *Promise to Pay* card in the central tab.
4. Select *Open Items* and enter the fields as per requirement.
5. Enter the desired fields for *Company Code*, *Plan Selection*, and *Plan Details* and click *Generate Proposal* option.
6. Review the promise to pay summary under the *Confirm Promise to Pay* screen and click *Save*.

Edit Promise to Pay

To edit the existing promise to pay, select the plan and click  (*Edit*) icon.

You can perform the following actions in edit screen:

- **Withdraw:** Allows you to disable an open plan. You need to specify the **Reason for Withdrawal** and **Initiator of Withdrawal**.
- **Replace:** Allows you to withdraw an existing plan and create a new plan.
- **Status Change:** Allows you to modify status of an existing plan. Enter the **Levels of Fulfillment** and maintain comments.
- **Reactivate:** Enables and activates a closed plan. The system prompts you to confirm if you need to reactivate a plan. This option is only available for the deactivated promise to pay plans.

Note

The Levels of Fulfillment and Reactivate options is only available for the deactivated promise to pay plans.

1.4.6.3 Create Budget Billing Plan

Utility company normally bills for its services at the end of a supply period. To remain solvent, therefore starts charging budget billing amounts throughout the current period based on the expected bill amount due. Specify the budget billing amounts and the dates that are due in the budget billing plan.

Procedure

1. From the  (*Navigation Menu*), search for *Contract Account*.
2. Select the contract for which you need to create budget billing plan.
3. Click  (*Create*) icon from payment arrangement tab or from *Budget Billing* card in the central tab.
4. Select *Contract* as per requirement.
5. Enter the desired fields for budget billing period and click *Generate Proposal* option.
6. Review the budget billing plan information under the *Confirm Budget Billing Plan* screen.
7. Enter the data in the *Text for Budget Billing* field.
8. Optional: Change the due date and plan amount for each line item. You can also use the **Update Amount** to update the changes for all the plan amount in the Items list.
9. Click *Save*.

Edit or Delete Budget Billing

To edit the existing budget billing plan, select the plan and click  (*Edit*) icon and modify the **Plan Amount** and **Text for Budget Billing**.

To delete the existing plan, select the budget billing plan and click  (*Delete*) icon.

Note

You can only delete plans with no payments or further activities.

1.4.6.4 Create Payment Plan

The utility company and the customer together decide the amount to be paid with each bill.

Context

Instead of paying the actual bill amount, which varies according to season, the customer then has either a fixed payment plan or a payment plan in which the fluctuation of the amount is kept to a minimum. The utility company records the difference between the payment plan amount and the actual bill amount and charges it at a later date.

Note

Currently we support only Budget Billing Plans (BBP) type.

Procedure

1. From the  ([Navigation Menu](#)), search for [Contract Account](#).
2. Select the contract for which you need to create payment plan.
3. Click  ([Create](#)) icon from payment arrangement tab or from [Payment Plan](#) card in the central tab.
4. Select [Contract](#) as per requirement.
5. Enter the desired fields and click [Generate Proposal](#) option.
6. Review the payment plan details under the [Confirm Payment Plan](#) screen and click [Save](#).

Edit or Delete Payment Plan

To edit the existing plan, select the payment plan and click  ([Edit](#)) icon.

To delete the existing plan, select the payment plan and click  ([Delete](#)) icon.

Note

You can only delete plans with no payments or further activities.

1.4.7 Bank Data

The [Bank Data](#) table displays the bank details of the contract account.

This tab is hidden by default. You must enable it via adaptation.

The  ([Add](#)) option allows you to create new bank details. In the window that appears, enter the [Country/Region](#), [Bank Key](#), [Bank Account](#), [Bank Name](#), [Account Holder](#), [SWIFT Code](#). Choose [Save](#).

For this feature to be available, you must enable the options [Incoming Payment Method](#) and [Bank Details Required](#) in the codelist of [Contract Accounts](#). You can do this by navigating to your [User Profile](#),  [Settings](#)  [Utilities](#)  [Contract Accounts](#)  [Payment Method](#) .



Use [Assign](#) to assign the bank data to a customer with the payment details. When you choose this option, the [Assign Contract Accounts](#) dialog box appears. Select the contract account for which you want to assign the bank data and save the changes. You can also assign incoming and outgoing payment methods while assigning the bank details.



You can remove the assignment using the [Unassign](#) option.

Note

- The *Incoming Payment Method* and *Outgoing Payment Method* dropdown menus display only the payment methods that are related to the bank information.
- For security reasons, only the last four digits of the bank account number are displayed.

While updating the bank details, you must select the reason for changing the details.

You can also delete the bank data by using the  (*Delete*) option provided in the table. When you choose this option, the contract accounts are unassigned from the bank, after which the bank data is deleted.

1.4.8 Exceptions

The exception tab displays all the exceptions created in S/4 HANA system for the contract account.

You can add and view notes under the **Notes** column in the table.

1.5 Premise

The premise is an enclosed unit which allows to perform a host of utilities functions such as creating or changing move-in.

All premises within the application is listed in a list or card view.

You can import and export the premise details to a **CSV** or **Excel** file in **Data Import and Export** via **Settings**.

Use the filter option to find specific premises. Select a premise to view all its important details.

For more information on filters, see [Create and Organize Filters](#).

Quick View

Click the [Premise External ID](#) to view key information of the premise without opening in the detail view.

In the quick view, you can access the following information:

- **Header:** Shows premise address, premise type, and owner for premise.
- **Current Customers:** Shows the active, moving in and moving out customers for premise.
- **Services:** Shows all the active services for premise.
- **General Information:** Shows other information such as External ID, Street, District, and so on of the premise.

1.5.1 Header Pane

The header pane provides the basic information of the premise in the left panel.

The information is displayed in the following sections:

- **Header:** Shows details about the premise address and premise type.
- **Alerts:** Shows the list of alerts specific to the premise. These alerts are from external systems that are integrated to SAP Sales and Service Cloud V2 and are categorized based on priority.
- **Service Status:** Shows the services along with their status available for the premise.
- **Customers:** Shows all the active, moving in and moving out customer linked to premise. If the customer has provided their email ID and phone number, they can make calls and send emails. If these details are missing, the options will be grayed out.
- **Owner:** Shows owner details linked to the premise
- **Details:** Shows more information about the premise

Service Status

For each service the corresponding division is shown as icons along with the *Installation ID* and *Service Status*.

By default three services are displayed on the screen. Choose **Show More** to view more available services.

The service status codes are defined as follows:

Service Status

Status Code	Status Text in S/4 Logic	Status Text in S/4 UI
00	Installation Fully Operational	Installation not disconnected
05	Disconnection Started	Disconnection started
10	Installation Completely Disconnected	Installation fully disconnected
11	Installation Partially Disconnected	Installation partially disconnected

Customers Status

The customer status are:

1. **Active:** Customer has moved in without move-out date specified in system.
2. **Moving In:** Customer has a future dated move-in specified.
3. **Moving Out:** Customer has a future dated move-out specified.
4. **Inactive:** Customer as all ready moved out as of today.

Premise Address Format

The premise address is formatted and maintained consistently across all screens of the premise workspace.

The formatted address should be in the format as:

1. Address Line 1:
 - House Number
 - Street
 - House Number 2
 - Location
2. Address Line 2:
 - City
 - Region
 - Postal Code
3. Address Line 3:
 - House Supplement
 - Street Supplement
 - Street Supplement 2
 - Location Supplement

Note

Due to space limitations, the address may appear truncated in certain areas. Hover over the address to view the full formatted version.

Customers must implement enhancements in S/4 to ensure the formatted address for objects in the class `CL_ISU_C4C_V2_OBJECT_ADDRESS` methods.

1. **Premise Replication:** Enhancement points in the following methods must be implemented before replicating data to the CX system
 - `PREMISE_ADDRESS`
 - `CONNECTION_OBJECT_ADDRESS`If data has already been replicated, implement the enhancements first, then re-replicate the data.
2. **Contract Account Fixed Address:** Implement enhancements in `CA_FIXED_ADDRESS` method.
3. **Fixed Address Value Help:** Implement enhancements in `FIXED_ADDRESS` method.

Note

An exit is provided for each address type, allowing customers to modify the address format according to their business requirements.

Related Information

[Make Outbound Phone Calls](#)

1.5.2 Central

This tab displays premise details in cards such as Moving-in & Moving-out, Services, and Recent Cases.

Moving In & Moving Out

The card displays the customer information such as customer name, future move-in date or move-out date, contract account along with services, due amount, and open and payable amount for the customer.

Note

This card is visible only if there is a future move-in or move-out date document for that premise.

You can also reverse the created move-in for active and moving in customers and reverse move-out for inactive and moving out customers.

If a new customer moves in while the premise has an existing active customer, the active customer is moved out. This is indicated by the status *Forced Out*.

Note

This feature is released through the [Feature Activation Hub](#), where, as administrators, activate the feature [Utilities - Force Out Visibility](#) on your system before it is activated by default.

Services

Gives an overview about the services associated with the premise and shows the **Division**, **Installation ID** and the **Graphical View** surfaced on the cards.

This graph shows the details of the billed consumptions for latest three cycles for that installation or service.

Heart icon shows the supply guarantee and next meter read date along with the service order count and implausible meter reading count.

Note

If the installation has multiple metes/Registers, then you have to switch to the table view for more details.

Recent Cases

Shows the latest three cases for the premise along with the **Case ID**, **Case Description**, **Priority State**, **Last Updated** and the **Case Status**.

Click + (Create) to create a new case.

1.5.3 Customers

View all the customer information in a card and table view along with the status associated with the premise.

The card view displays all the active, inactive, moving-in, and moving-out contracts in card and also information about the move-in date, move-out date, balance amount the customer owes, due date from the last open item date till today. You can also perform actions based on the status of the contracts.

The table view is the graphical representation of all the active, inactive, moving-in, and moving-out status of contracts for each customer are listed. By default, the contract accounts which has all active contracts are expanded, and inactive contracts are collapsed. You can perform the actions at the contract account level based on the status of the contracts.

Categorized the customers based on the contract status by providing both customer and contract account specific details in sections. The Customer status is classified based on the use case:

- **Active**: Current date is greater than move-in date and the end date is not defined
- **Moving-In**: Move-In date is defined for future date
- **Moving-Out**: Move-Out date is defined (Not Infinity)
- **In Active**: Move-Out date is past current date

You can add custom buttons under the ... (**More Actions**) option for each customer card. You can use the button to either go to a specific tab within the premise, or to open a URL in a different browser tab using mashups.

To create a custom button, do as follows:

1. Go to the adaptation mode.
2. Hover over ... (**More Actions**), and choose  (**Edit**) that appears beside it.
3. Choose  (**Add**) to add a button.
4. To make the button open an existing tab in premise,
 1. Enter the **Button Text** and an **Event Name**, and choose **Apply**.
 2. Once you end the session, the button is listed under ... (**More Actions**).
 3. Go back to the adaptation mode. Choose  (**Edit**) that appears beside the tabs.
 4. Choose  (**Edit**) beside the tab that you want to associate to the button and select the event that you created, and choose **Apply**.
5. To make the button open a URL in a different browser URL,
 1. Enter the **Button Text** and select **Mashup**.
 2. Choose **Select Mashup**, and select a mashup from the list of mashups available in the system.
 3. Choose **Apply**.

You can add custom buttons from the left panel of the premise too.

Related Information

[Move-In Process \[page 40\]](#)

Move-in of a service means that a customer is signing up for a utilities service such as gas, electricity, water, and so on. When move-in is created in SAP Cloud Solution, it creates a corresponding move-in in the S/4HANA system also.

[Move-Out Process \[page 43\]](#)

Move-out of a service means that a customer is signing off for a utilities service such as gas, electricity, water, and so on.

[Transfer Process](#)

1.5.4 Services

This tab displays all the services associated with the premise. Here, you can see a list of services with the [Installation ID](#) and the [Rate Category](#).

1.5.4.1 Billed Consumption Details

This section shows details of the billed consumption of last 12 cycles for the installation or service in both graphical and table views.

In the graphical view, you can view both the active and inactive customer's consumption with different color bars. The billed consumption shown here is the summation of all individual billed consumption of the meters connected to that service.

In the table view, consumption details are listed in a table format. You can also navigate to the contract account and customer quick view.

Use [Download](#) to download the details either as a .CSV or Microsoft Excel file. This option is available in both the tabular and graphical view.

Use the [Generate Summary](#) option to generate a summary of the billed consumption for each service (installation) on a premise. This allows users to quickly grasp key information about their current consumption pattern.

📘 Note

The [Generate Summary](#) option is not available by default. You must enable it via adaptation. Ensure that your administrator has enabled the [Activate Utilities Insights](#) option in [Settings](#). For more information, see the related links section.

The summary includes details of the current consumption, its pattern, and possible reasons for any spike or dip in consumption level for the last 12 billed cycles.

📘 Note

Customer can customize the consumption graph with their own logic using enhancement point such as:

- **EHP_ISU_C4C_TEMPERATURE_GET** in spot **ES_ISU_C4C_TEMPERATURE**: Use this point to retrieve the temperature data corresponding to the billed consumption provided by the standard
- **EHP_ISU_C4C_CONSUMPT_COMPARE** in spot **ES_ISU_C4C_CONSUMPTION_COMPARE**: Use this point to provide the comparison consumption value to be matched against the standard consumption value.

Use the enhancement section **EHS_ISU_C4C_BILLED_CONSUMPTION** in spot **ES_ISU_C4C_BILL_CONSUMPTION** to override the standard logic for determining billed consumption.

Related Information

[Utilities Insights](#)

1.5.4.2 Meter Reading

The meter reading process involves creating meter reading orders for each register, which includes the information such as meter reader, scheduled meter reading date and meter reading reason.

The header displays *Meter Type*, *Meter ID*, *Validity Date* and *Next Scheduled Meter Reading Date*.

The meter reading for the services are displayed in the following views:

- **Table View:** Shows the meter reading data in table view.
- **Card View:** Shows the meter reading data in card view.

Select a meter to view its details and the device's location in the quick view. You can also view notes for the device location using the *Device Location Notes* option. You can also see this information in the quick view.

AMI Meter Features

Use AMI (Advanced Metering Infrastructure) meters in SAP Service Cloud V2, Add-On for Utilities.

When you select an AMI meter in the *Services* tab of a premise, you can view all the details of the meter, device location, and list of available AMI features in the quick view. Note that currently you cannot create or edit AMI meter readings.

Note

The *Reconnect* option is hidden by default. You must enable it through adaptation.

For checking the voltage of an AMI meter at a particular time, use the *Ping* option.

In the *Services* tab of *Premise*, you can select *Reconnect* to reconnect an AMI meter to the respective premise. This option is enabled only if the AMI meter is active.

When you choose *Reconnect*, you can see the *Terms and Conditions* which is maintained in **Settings > All Settings > Utilities > Premise**. On confirming the message, a reconnection order is created in the linked disconnection document in SAP S/4 HANA system.

The *DisDocStat* (Disconnection Document Status) becomes *Reconnection started* (22).

For the *Reconnect* option to be available, the following conditions must be true:

- The meter is of type AMI only.
- In the *AMI Data* tab of the AMI meter, *Remote Reconnection* is enabled.
- *Disconnection Document Status* is *Disconnection Carried Out*.

To further enhance the reconnect option, you can use the following SPOTs:

- In the *Premise Service* tab, use the function module `ISU_C4C_V2_PREMISE_SERVICE_GET` for the enhancement point `EHP_ISU_C4C_AMI_RECONNECT_DER` which belongs to the enhancement spot `ES_ISU_C4C_PREMISE`.
- In the quick view of the device, use the function module `ISU_C4C_V2_DEVICE_GET` for the enhancement point `EHP_ISU_C4C_DEVICE_AMI` which belongs to the enhancement spot `ES_DEVICE_DATA`.

1.5.4.2.1 Create or Edit Individual Meter Reading

Add new meter readings for each service corresponding to the service address of the contract.

Procedure

1. Under the premises *Services* tab, go to *Meter Reading*.
2. Choose **+** (*Create*) to create new meter reading.
3. Enter the *Meter Reading Reason*, *Notes*, and *Meter Reading*.
4. Choose one of the option to determine the meter reading values:
 - **Estimate**: Estimate the meter reading and consumption for an installation
 - **Reset**: Clears all the meter reading values and you can enter fresh data.
 - **Save & Override**: Overrides the estimated value and save the meter reading.
 - **Save**: Saves the estimated meter reading and creates a new meter reading results.

The created meter reading is displayed in a table, card, and graphical form.

You can edit a meter reading using the  (*Edit*) icon.

Note

For meter reading reasons, the Excel import function supports only codes 02, 09, and 10. If additional codes are required, they must be added through  *Settings*  *Administration*  *Utilities*  *Premise*  *Meter Reading Reason* .

By default, only these codes are supported. If new codes are added, customers must implement enhancements for the functionality to work with the new codes.

1.5.4.2.2 Create or Edit Multiple Meter Readings

Create or edit multiple meter readings simultaneously, for all the available devices of the service.

Context

You can create and edit meter readings simultaneously for multiple meters and meters with multiple registers.

Procedure

1. Go to the [Services](#) tab of [Premise](#). You can see the list of services.
2. Choose **+** (New Meter Readings) icon. You can see a list of meter readings in the [Create Meter Readings](#) dialog.
3. Select the required meters from the list to validate, estimate or reset them. You can also view the history.
To edit multiple meter readings, choose the  ([Edit](#)) option. In the [Edit Meter Readings](#) table that appears, select the entries and make the required changes.

1.5.5 Cases

Displays all the cases created for the premise along with there status in a list and card view.

Use the search option to choose the relevant cases.

1.5.6 Exceptions

The exception tab displays all the exceptions created in S/4 HANA system for the premise.

You can add and view notes under the **Notes** column in the table.

1.5.7 Disconnection Documents

View disconnection documents for the premise, in the detail view. A disconnection document is generated for each disconnection.

In this tab, you can see the list of disconnection documents associated with the premise. To view details of each document, choose  ([View Details](#)).

You can view the last three disconnection documents in the *Recent Disconnection Documents* card of the *Central* tab.

Note

The *Disconnection Document* tab and *Recent Disconnection Documents* card are hidden by default. You must enable them via adaptation.

You must download the following codelists from SAP S/4HANA by navigating to ► *Settings* ► *Utilities* ► *General* ► *Import Codelists* ►:

- Process Variant
- Disconnection Activity Status

1.5.8 Move Processes

You can initiate Move-In, Move-Out, and Transfer services for a premise.

Note

User can implement the extended fields validations in each step of move processes through SAP S/4 HANA calls.

When you initiate a move-in, move-out, or transfer process, the calendar displays the working days and holidays to help you plan the move effectively. This is also applicable when you want to change the move dates. Based on the working day calendar selected, you can plan the move-in, move-out, or transfer.

1.5.8.1 Move-In Process

Move-in of a service means that a customer is signing up for a utilities service such as gas, electricity, water, and so on. When move-in is created in SAP Cloud Solution, it creates a corresponding move-in in the S/4HANA system also.

An agent can view the details in the Move-In tool bar as and when the details are filled in under the different steps of guided move-in. The tool bar shows the **Customer Name**, **Move-In Address**, **Move-In Date**, **Services Chosen**, **Security Deposit Amount**, and **Mailing Address**.

1.5.8.1.1 Create Move-In

For guided move-in, you can only use either Move-in or Move-in using MDT to create a new move-in.

Procedure

1. From the navigation menu choose [Premise](#). Select the premise from the list for which you want to create move-in.
2. Go to [Customers](#) tab, where you can also view all the customers with their status associated with the premise.
3. Choose [Move-In](#).

The create move-in screen has four main sections.

- a. **Customer and Premise:** This section displays the information related to customer and premise.
 - **Who:** Select the customer using the value help. The system displays the corresponding **Total Amount Due, Open and Payable, Payment and Credit Worthiness** cards.

⚠ Restriction

If an account has a large number of associated contract accounts, it may lead to performance issues, preventing value calculations for total amount due, open and payable, and payment cards causing a timeout error.

- **Where:** By default, the premise address is updated under the **Address** field. You can view the further details under Premise Details, Customers, and Service Status.
 - **When:** Choose the move-in date from the calendar when the customer wants to move-in to the premise.
- b. **Service:** This section displays the types of services (Electricity/Gas/Water) available for the customer to perform move-in.

Enable the **Activate Service** switch against the service which is chosen for move-in.

📌 Note

By default the [Activate Service](#) switch is enabled for all available services. You can set it to On/Off as per the requirement.

Add the corresponding move-in meter reading for the devices available under chosen services. Also set the rate category from the **Rate** drop down.

- c. **Contract Account and Billing:** This section has four parts:
 - **Contract Account:** Choose **Use Existing Account** to use the exiting contract accounts or choose **Create New Contract Account** to create a new contract account.
Use the search feature to find the required contract account associated with your account. You can search using either the contract account name or the contract account ID.
When you choose **Create Contract Account**, the Contract Accounts dialogue screen pops up where you need to fill all the required fields.

📘 Note

By default, the **Create New Contract Account** is enabled. If the customer has only one contract account then that is chosen as default.

- **Security Deposit and Joint Invoicing:** Select the security deposit type and reason, Joint Invoicing and enter the amount.
Choose **Calculate Deposit** which automatically determines the amount and deposit type. If you chooses the option as **Waive** then the security deposit amount will be set to zero.

📘 Note

1. When you manually choose a reason for a security deposit, the security deposit and the amount fields are made mandatory.
2. The services are visible only if the installations have the divisions with categories 01, 02, 03, and 91.

- **Mailing Address:** Specify the mailing address for correspondence with the customer. This can be maintained by any of the following four available options:
 1. **Premise Address-** Chooses the premise address as the mailing address
 2. **Customer Address-** Chooses the customer address as the mailing address
 3. **New Mailing Address-** Create a new mailing address along with validity dates
 4. **PO Box-** Create new PO Box address as the mailing address

📘 Note

If you enable the [Premise Address](#) or [Customer Address](#) option, you can only modify the email ID, telephone number, mobile number and fax. To create a new address, you must use the [New Mailing Address](#) option.

If you have chosen [Premise Address](#) or [Customer Address](#), Enhancement Point :EHP_ISU_C4C_ADDRESS_LOGIC_MI, Enhancement Spot: ES_ISU_C4C_MOVE_EDIT to provide the address that you want to make the standard address.

- **Notes:** (Optional) Enter if you have any notes.
- d. **Review:** Review all the details and agree to the terms and conditions.

📘 Note

If you want to have agreeing to these terms and conditions as mandatory, ensure this setting is configured in the extensibility settings.

4. Choose Submit or Submit via MDT (Move-In using MDT) to create move-in.

📘 Note

To predefine fields like date limits, default address type, country, currency, and services, configure them under ► [Setting](#) ► [Utilities](#) ► [Move Process](#) ► [General Settings](#) ►.

If you want to auto-populate any fields that need user inputs, you must enter your logic in the Enhancement point EHP_ISU_C4C_MOVE_SIMULATION under the enhancement spot ES_ISU_C4C_MOVE.

1.5.8.1.2 Change Move-In

You can change the date for an existing move-in using the  (*Edit*) icon.

1. Go to the *Central* tab. You can see the customers in the *Moving In & Out* section.
You can also access the customers for which you want to change the date, through the *Customers* tab.
2. Choose  (*Edit*).
3. Select the move-in document for which you want to edit the move-in date.
If there is only one document available, you are directed to the *Edit Move-In* dialog.

Note

You cannot enter a date earlier than the move-in date of the previous contract.

4. In the *Edit Move-In* dialog, enter the *New Move-In Date*. Save the changes.
5. In the *Meter Reading* process, you can update all the meter readings at once for the installation, or devices in the move-in document. Choose *Submit*.

1.5.8.2 Move-Out Process

Move-out of a service means that a customer is signing off for a utilities service such as gas, electricity, water, and so on.

Move-out is triggered from SAP cloud solution which in turn gets implemented in S/4 HANA and creates the move out document which is then shown on SAP Cloud for Customer.

1.5.8.2.1 Create Move-Out

Move-out process is applicable for the active customer under premise.

Context

As a service agent follow the steps for guided move-out:

Procedure

1. Launch the guided move-out process under *Active* section in *Customer* tab of the *Premise* workspace.
A pop over dialogue box appears to choose the **Contract Account**.
2. **Customer and Premise**

- **Who:** By default, the customer details are auto populated. Once the customer is chosen it displays the corresponding **Total Amount Due, Open and Payable, Payment and Credit Worthiness** card.

⚠ Restriction

If an account has a large number of associated contract accounts, it may lead to performance issues, preventing value calculations for total amount due, open and payable, and payment cards causing a timeout error.

- **Where:** By default, the premise address is updated under the **Move-out Address** field. You can view the further details under Premise Details, Customers, Service Status, and Work Order cards.
- **When:** Choose the move-out date from the calendar when the customer wants to move-out of the premise.

3. Service

- This step shows the types of services (Electricity/Gas/Water) available for the customer to perform move-out.
- Enable the **Activate Service** switch against the service which is chosen for move-out.
- Choose the meter reading available under chosen services and do the necessary actions:
 1. Estimate
 2. Validate
 3. Override
 4. Reset

4. Contract Account

- The Contract account details is auto populated as you have already chosen the contract account for move-out.
- Under Mailing section, specify the mailing address for correspondence with the customer. This can be maintained by any of the following four available options:
 1. **Use Premise Address-** Chooses the premise address as the mailing address.
 2. **Use Customer Address-** Chooses the customer address as the mailing address.
 3. **New Mailing Address-** You can create a new mailing address along with validity dates
 4. **New PO Box-** You can create new PO Box address as the mailing address.

📌 Note

If you enable the [Premise Address](#) or [Customer Address](#) option, you can only modify the email ID, telephone number, mobile number and fax. To create a new address, you must use the [New Mailing Address](#) option.

If you have chosen [Premise Address](#) or [Customer Address](#), Enhancement Point: EHP_ISU_C4C_ADDRESS_LOGIC_MO , Enhancement Spot: ES_ISU_C4C_MOVEOUT_EDIT to provide the address that you want to make the standard address.

5. **Review:** Review all the details and agree to the terms and conditions.

📌 Note

If you want to make agreeing to these terms and conditions as mandatory, ensure this setting is configured in the extensibility settings.

6. Choose Submit to create move-out.

Note

To predefine fields like date limits, default address type, country, currency, and services, configure them under [Setting](#) > [Utilities](#) > [Move Process](#) > [General Settings](#).

1.5.8.2.2 Change Move-Out

Change the date for an existing move-out.

1. Go to the [Central](#) tab. You can see the customers in the [Moving In & Out](#) section. You can also access the customers for which you want to change the date, through the [Customers](#) tab.
2. Choose  ([Edit](#)).
3. Select the move-out document for which you want to edit the move-out date. If there is only one document available, you are directed to the [Edit Move-Out](#) dialog.

Note

You cannot enter a date earlier than the move-out date of the previous contract.

4. In the [Edit Move-Out](#) dialog, enter the [New Move-Out Date](#). Save the changes.
5. In the [Meter Reading](#) process, you can update all the meter readings at once for the installation, or devices in the move-out document. Choose [Submit](#).

1.5.8.3 Transfer Process

You can transfer the services from an existing a premise to another premise.

Context

Transfer is applicable for the active customer.

As a service agent follow the steps for guided transfer:

Procedure

1. Launch the transfer process under [Active](#) section in [Customer](#) tab of the [Premise](#) workspace. You can also use the [Create](#) option on the top-right corner of the [Premise](#) screen. Choose [Transfer](#) to initiate a transfer of the premise.
2. **Customer and Premise**

- **Customer:** By default, the customer details are auto populated. Once the customer is chosen it displays the corresponding **Total Amount Due, Open and Payable, Payment and Credit Worthiness** card.
- **Moving Out Premise:** By default, displays the move-out address. You must select the date of move-out.
- **Moving In Premise:** Choose the upcoming moving in premise details and date from the calendar to which premise customer wants to transfer.

3. Service

- All the **Move-In Services** and **Move-Out Services** available for that premise are displayed.
- The security deposit details are transferred if you have enabled the [Automatically transfer security deposit](#) option in SAP S/4 HANA.
- Enable the **Activate Service** switch against the service which is chosen for transfer.
- Choose the meter reading available under chosen services and do the necessary actions:
 1. Estimate
 2. Validate
 3. Override
 4. Reset

4. Contract Account and Billing: This section has four parts:

- **Contract Account:** Choose **Use Existing Account** to use the exiting contract accounts or choose **Create New Contract Account** to create a new contract account.
Use the search feature to find the required contract account associated with your account. You can search using either the contract account name or the contract account ID.
When you choose **Create Contract Account**, the Contract Accounts dialogue screen pops up where you need to fill all the required fields.
- **Security Deposit and Joint Invoicing:** Select the security deposit type and reason, Joint Invoicing and enter the amount.
Choose **Calculate Deposit** which automatically determines the amount and deposit type. If you chooses the option as **Waive** then the security deposit amount will be set to zero.

① Note

- When you manually choose a reason for a security deposit, the security deposit and the amount fields are made mandatory.
- The system automatically transfers the security deposit details when moving in to a same premise.

- **Mailing Address:** Specify the mailing address for correspondence with the customer. This can be maintained by any of the following four available options:
 1. **Premise Address-** Chooses the premise address as the mailing address
 2. **Customer Address-** Chooses the customer address as the mailing address
 3. **New Mailing Address-** Create a new mailing address along with validity dates
 4. **PO Box-** Create new PO Box address as the mailing address

① Note

If you enable the [Premise Address](#) or [Customer Address](#) option, you can only modify the email ID, telephone number, mobile number and fax. To create a new address, you must use the [New Mailing Address](#) option.

- **Notes:** (Optional) Enter if you have any notes.
5. **Review:** Review all the details and agree to the terms and conditions.

Note

If you want to make agreeing to these terms and conditions as mandatory, ensure this setting is configured in the extensibility settings.

6. Choose Submit or Submit via MDT to transfer the service.

Note

To predefine fields like date limits, default address type, country, currency, and services, configure them under [Setting](#) > [Utilities](#) > [Move Process](#) > [General Settings](#) .

1.5.8.4 Dry Run

When you move-in, move-out or transfer, you can perform a dry run on some of the values so you can get the required information before submitting the process in the system.

Dry Runs allow users to check data in the SAP Service Cloud V2, Add-On for Utilities, and create validations in SAP S/4 HANA based on the available information.

As service agents, to ensure you receive the right data and make decisions before submitting the process, use the following dry run checkpoints:

- Initial screen, when the process loads.
- Selection of business partner.
- Selection of move-in/move-out dates.
- Selection of premise in move-in address (applicable only for the transfer process).
- [Next](#) option on every screen.
- [Previous](#) option on every screen.

1.6 External Alerts

View external alerts in the SAP Service Cloud V2 system in both Contract Accounts and Premises. You can create these alerts in the SAP S/4 HANA system.

Set Up SAP S/4 HANA

1. Access the demo service in the S/4 system by implementing the SAP note [3618340](#)  . You can now see the demo function module `ISU_C4C_V2_ALERTS_GET` .

2. Create your alerts service by referring to the demo function module for getting external alerts. For more information on alerts see [Alerts](#), and [Alerts System API](#).

→ Tip

Generate the service definition (WSDL file) for the service you created and share it with the integration team to import it into the integration flow.

Set Up Cloud Platform Integration

1. Refer the sample [Integration Flow Get Alerts](#) available in the standard package : *SAP Service Cloud V2 for Utilities Premise Integration with SAP S/4HANA*.
2. Create the integration flow and deploy it.

ⓘ Note

- The integration flow provided is for reference only. We recommend you to create your own for any further enhancements.
Note that you can use the same JSON schema maintained in the sample provided.

Set Up SAP Service Cloud V2

1. Create your communication configuration by copying the [Integrate Customer Insights with Alerts](#) configuration.
2. Update the API Path based on your requirement and activate it.
3. Open the contract account or premise. In the detail view, go to the adaptation mode.
4. In the left pane, choose [Manage Sections](#), select [Add Alerts](#) from the list and end the session.

ⓘ Note

You cannot see the Alerts section by default.

Related Information

[External Alerts](#)

[Alerts System API](#)

[Create Communication Systems](#)

[Manage Fields](#)

1.7 Search for Utilities Objects

Use APIs to find all objects specific to Utilities supported by ISU finder in SAP S/4 HANA, and view it in SAP Service Cloud Version 2, Add-On for Utilities.

Set Up SAP Service Cloud V2

1. Make sure the outbound HTTP communication service **Get Utilities Object IDs** is activated in the communication configuration **Integrate Service Cloud Utilities with SAP S/4HANA - Move**.
2. Create a custom work center.
3. Create a mashup, and add it as a work center.
4. Open the mashup and enter the details of the item you are searching for.

Set Up SAP Cloud Integration

As a part of completing the end-to-end utilities functionality integration setup, the respective utilities integration packages and iFlows might already be deployed.

The integration flow *Get Utilities Object IDs*, in the package *SAP Service Cloud V2 for Utilities Premise Integration with SAP S/4HANA*, is used to search and retrieve utilities objects from SAP S/4HANA. Ensure that this iFlow is deployed. If not, deploy it using the following steps.

1. Open the integration package *SAP Service Cloud V2 for Utilities Premise Integration with SAP S/4HANA*.
2. Select the iFlow *Get Utilities Object IDs* and choose *Configure*.
3. Under *Sender*, choose the appropriate authorization method as per your requirement.
4. Under *Receiver*, configure the SAP S/4HANA system details.
5. Choose **Deploy**.

Set Up SAP S/4 HANA

To complete the integration setup between SAP Cloud Integration and the SAP S/4HANA system, you must create a binding for the SOAP service `isu_c4c_v2_object_search`. This is the final step in integrating SAP CPI and SAP S/4HANA.

1. In the SAP S/4HANA system, enter the transaction SOAMANAGER.
2. Navigate to ► *Service Administration* ► *Simplified Web Service Configuration* ►.
3. In the search box, enter the service name `isu_c4c_v2_object_search` and choose *Go*.
4. Select the service and configure the authentication method: either **User Name/Password (Basic)** or **X.509 Client Certificate**, based on your requirement. Then, choose *Save*.

The binding is created. The access URL of the service remains the same as the corresponding Cloud Integration iFlow endpoint URL. You can verify the binding URL by choosing *Display Service*.

For example, consider that you want to search for the object of the type premise (objectType eq PREMISES).

For the query parameter where xxxx is the meter number (serialNo eq xxxx), the complete string is `https://{TENANT_NAME}/sap/c4c/api/v1/utilities-common-integration-service/utilitiesSearch?$filter=objectType eq PREMISES and serialNo eq xxxx`.

Note that you can retrieve the ID for one only one object at a time.

Related Information

[Create Communication Systems](#)

[Create HTML Mashups](#)

[Create a Mashup-Based Custom Service](#)

1.8 Audit Logs

Audit Logging is necessary for reproducing malicious behaviors of users and monitoring administrative activities.

The audit log for SAP Service Cloud Version 2 is managed using the table `ISU_C4C_V2_AUDIT` with its corresponding DDL view `ISU_C4C_V2_AUDIT_VIEW`, view `ISU_C4C_V2_ADT_V`, and FM to create change log `ISU_C4C_V2_AUDIT_LOG_CREATE`.

Since SAP Service Cloud Version 2 does not support principal propagation, any change documents created in the S/4HANA system will be recorded against the CPI/Technical user.

To track changes carried out from SAP Service Cloud Version 2, users can refer to the view `ISU_C4C_V2_ADT_V`, which captures all changes along with the SAP Service Cloud Version 2 user responsible for them.

Supported Services and Corresponding Change Objects

Service Name	Change Object
ISU_C4C_V2_BANK_CREATE	BUPA_BUP
ISU_C4C_V2_BP_SEC_DEP_STAT_UPD	FKK_SEC
ISU_C4C_V2_BUDGET_BILL_DELETE	ISU_EABP
ISU_C4C_V2_BUDGET_BILL_EDIT	MKK_BELEG
ISU_C4C_V2_BUDGET_BILL_CREATE	ISU_EABP
ISU_C4C_V2_INSTALL_PLAN_CANCEL	MKK_BELEG
ISU_C4C_V2_INSTALL_PLAN_CHANGE	MKK_BELEG

Service Name	Change Object
ISU_C4C_V2_INSTALL_PLAN_CREATE	ISU_C4C
ISU_C4C_V2_MDTCA_CRT	BUPA_BUP DEBI BUPA_ADR MKK_VKONT
ISU_C4C_V2_METER_READ_CREATE	ISU_EABL
ISU_C4C_V2_METER_READ_EDIT	ISU_EABL
ISU_C4C_V2_MOVE_CREATE	ISU_EEINV ISU_EANL ISU_EAUSV
ISU_C4C_V2_ONE_TIME_PAY_CREATE	MKK_BELEG
ISU_C4C_V2_PAYMENT_PLAN_CREATE	ISU_EABP
ISU_C4C_V2_PAYMENT_PLAN_DELETE	ISU_EABP
ISU_C4C_V2_PAYMENT_PLAN_EDIT	MKK_BELEG
ISU_C4C_V2_PPLAN_DEACTIVATE	ISU_EVER
ISU_C4C_V2_P2P_WITHDRAW	ISUC4C_P2P
ISU_C4C_V2_P2P_CREATE	ISUC4C_P2P
ISU_C4C_V2_P2P_REACTIVATE	ISUC4C_P2P
ISU_C4C_V2_P2P_REPLACE	ISUC4C_P2P
ISU_C4C_V2_P2P_CHANGE_STATUS	ISUC4C_P2P
ISU_C4C_V2_RATE_CATEGORY_CHG	ISU_EANL

Related Information

[Audit Logs](#)

1.9 Agent Desktop

Utilities service agents can use the agent desktop to work on several business processes and communication items simultaneously.

Browse for a contract account and premise by entering the respective *Contract Account ID* and *Premise ID* in the search field.

Once the search result appears you can confirm the customer corresponding to contract account and premise that want to investigate more.

You can create the guided move processes (move-in and move-out) and make payment using the create option on the top of the screen and from the entity level as well.

The guided move processes opens in a wizard with all the necessary validations.

The *Customer* details is auto populated, and the agent should add the *Premise* details manually.

After confirming the customer, the *Customer Hub* screen appears where you can navigate to the quick view of the utility specific entities such as:

- *Contract Account*: View the contract account ID & name, account class, and amount due in the card.

Note

For the contract accounts where there is active contract then that contract's address is displayed in the card.

- *Premise*: View the premise address and type where the customer has a move-in and the services for which the move-in has happened.

Related Information

[Agent Desktop](#)
[Customer Hub](#)

1.10 Extensibility

Extensibility allows you and your partners to extend the software platform without having to modify the original code base. So, you can add to the base functionality, thereby offering new capabilities and outputs.

When you want to create extension fields, there are three phases:

1. Create the custom field for the entity in SAP Service Cloud V2 and generate OpenAPI schema.
2. Create the custom field in SAP S/4HANA and generate the WSDL.
3. Integrate the OpenAPI schema generated from SAP Service Cloud V2 and the WSDL file from SAP S/4HANA.

1.10.1 Create Extension Fields

Extension fields are additional fields that you, as an administrator, can add to a cloud solution from SAP.

Context

Extension fields provide the means to store additional data for specific use cases beyond what is natively present in the solution. You can create these fields for a screen that has been enabled for extension fields.

Procedure

1. Navigate to ► [User Menu](#) ► [System Settings](#) ► [All Settings](#) ► [Extensibility](#) ► [Extensibility Administration](#) ►.

The system opens a new screen and displays a list of all business entities in the left panel. These entities are grouped by services.

2. Select the [Extendable](#) checkbox to view the entities that can be extended.
3. Drill down to the entity that you want to add an extension field to, and select it. The system opens the corresponding worklist.
4. In the [Custom Fields](#) tab, select + [\(Add\)](#) to open the [Create Fields](#) quick create screen.
5. Enter the [Label](#). The system automatically generates the [Technical Name](#). You can edit the technical name if the system displays a duplication error.

Note

Technical names must be unique and are not case-sensitive.

6. Select the [Data Type](#) and the corresponding [Data Format](#).
7. (Optional) If the [Data Type](#) is [String](#) and the [Data Format](#) is [UUID](#), you can make this field a standard value help option. To do so, select the [Standard Value Help](#) checkbox, and choose the desired value help from the dropdown list to associate it with the extension field.

Note

Standard Value Help has restricted availability and is available only for Sales Quotes and Sales Orders. To request access to this feature, you must create a case with the component CEC-CRM-CZM-EXT.

8. (Optional) If you want to map this field with an existing field in a different entity, turn on the [Default Mapping](#) switch and select .

Note

Default Mapping has restricted availability. To request access to this feature, you must create a case with the component CEC-CRM-CZM-EXT.

9. Select the field either from the direct or indirect references.

Note

- In the direct references, when the value of the mapped entity changes, the value of custom fields update automatically. There are associated entity references.
- Indirect references are follow-up or create with reference type entity. The value of the custom field remains unchanged until manually updated.

10. (Optional) If you want to mark the custom field that you are creating as a custom reference, enable the [Custom Reference Attribute](#) switch. Based on the data type and data format you enter, you must select the attributes. Any changes made to this standard field is automatically updated in the reference attributes across the referenced entities.

11. Select [Apply](#) and save your changes.

The extension field is now created and is listed under the [Custom Fields](#) tab.

Note

You can create up to 150 extension fields for root or main entity and up to 30 extensions fields for a child entity.

Related Information

[Extension Field Data Types \[page 54\]](#)

Extension Field Data Types refer to the various formats or structures of data that can be used when creating custom fields (extension fields) in an application. These data types define the kind of data the field can store, such as text, numbers, dates, boolean values, amounts , ensuring that the data entered aligns with the intended use and system requirements.

[Field Attributes \[page 57\]](#)

Field attributes, also known as column attributes or field properties, are characteristics or settings associated with a database field (column) that define various aspects of how data is stored, displayed, and processed within a database. These attributes help ensure data integrity, enforce constraints, and control how the data is used.

[Delete Extension Fields](#)

1.10.1.1 Extension Field Data Types

Extension Field Data Types refer to the various formats or structures of data that can be used when creating custom fields (extension fields) in an application. These data types define the kind of data the field can store, such as text, numbers, dates, boolean values, amounts , ensuring that the data entered aligns with the intended use and system requirements.

Extension Field Data Types

Data Type	Data Format	Description
STRING	STRING (Default)	This data type is used for storing alpha-numeric characters. It can be a single line or a multiline text field.
	UUID	A UUID (Universally Unique Identifier) is a 128-bit identifier used for unique resource identification, typically represented as a 36-character string.
	EMAIL	Email data types are designed for storing email addresses and often include validation checks.
	CODE	CODE data type is used for code list. Fixed code lists are defined via Enum options. Dynamic code lists are defined via reference to the corresponding entity.
	TOKEN	A TOKEN represents a small piece of data, often a single word, number, or symbol used as a fundamental unit in programming or language processing.
	URI	A URI (Uniform Resource Identifier) is a text string used to identify a resource, typically consisting of a scheme, authority, path, query, and fragment components. Example: <code>https://www.example.com/resource?param=value#section</code> .
NUMBER	FLOAT (Default)	Number data types can include integers, decimals, or floats. They are used for storing numeric values. Use FLOAT when memory conservation is critical, and you can tolerate lower precision
	DOUBLE	The DOUBLE data type is used to represent real numbers with a high level of precision. Double provides a higher level of precision compared to the FLOAT data type. It can represent approximately 15-16 decimal digits accurately.
BOOLEAN		Boolean fields can have only two values - true or false. They are used for binary data or simple yes/no choices.
OBJECT		OBJECT is a versatile and often generic data type that can represent a wide range of values, data structures, or entities.

Note

Do not store ID fields as the number data type. Use the string data type for ID values. Even if the IDs consist only of numbers, we recommend that you store them as string type, especially when number formatting is not required.

Data Type	Data Format	Description
	AMOUNT	AMOUNT stores numerical values that represent quantities, prices, costs, or any other kind of monetary or non-monetary amounts.
	QUANTITY	QUANTITY typically refers to a numerical value that represents a count, measurement, or amount. Such values are generally represented using standard numeric data types, which can be either integer or floating-point types, depending on the nature of the quantities being measured.
INTEGER	INT32 (Default)	The INT32 data type can store a range of integer values, both positive and negative, within the constraints of a 32-bit binary representation. Int-32 is more memory-efficient than larger integer types like int-64, making it a good choice for applications where memory optimization is a concern.
	INT64	The INT64 data type is capable of storing a wide range of integer values, both positive and negative, within the constraints of a 64-bit binary representation. The range of values for a 64-bit integer is extensive, making it suitable for applications where very large or very small integer values need to be handled.
DATETIME	DATETIME (Default)	DATETIME data types store information about both the date (day, month, and year) and time (hours, minutes, seconds, and sometimes fractions of a second).
	DATE	Date fields store date values, including options for time and time zone settings.
	TIME	Time fields store time values without date information.
	DURATION	Duration fields are used to represent a specific length of time, typically measured in terms of hours, minutes, seconds, and sometimes milliseconds. It allows you to work with time intervals or durations, as opposed to specific points in time, which are handled by date and time data types.

Note

- You can add up to 100 codes in a code list field. For existing static code lists having more than 100 codes, further code addition is restricted. However, other modifications such as activation / deactivation of the codes are allowed.

1.10.1.2 Field Attributes

Field attributes, also known as column attributes or field properties, are characteristics or settings associated with a database field (column) that define various aspects of how data is stored, displayed, and processed within a database. These attributes help ensure data integrity, enforce constraints, and control how the data is used.

Available Field Attributes

Field Attribute	Description
createable	Createable fields indicate whether a field can be populated with data when inserting a new record (i.e., during the creation of a new record in a database table). If a field is createable, you can provide a value for it when adding a new record to the database. If it's not createable, the field must remain empty or be set to a default value during insertion.
updateable	Updateable fields determine whether a field's value can be modified after the record has been created. If a field is updateable, you can change its value when updating existing records. Fields marked as non-updateable typically remain unchanged after the record's creation, but this behavior can be controlled using field attributes.
nullable	A field is nullable if it can contain null values, meaning that it's not required to have a value in every record. If a field is nullable, you can leave it empty (null) when creating or updating a record. If a field is not nullable, it must always have a valid value, and it can't be null. Non-nullable fields are typically used for data that's required and must always have a value.
required	Required fields are those that must have a value in every record, and null values are not allowed. When defining a field as required, you must ensure that it is populated with a valid value whenever a new record is created or an existing record is updated. These fields are essential for data integrity and accuracy.

Field Attribute	Description
hidden	Hidden fields are not visible to the user by default, but they may contain data that is used for various purposes, such as calculations or internal processing. Hidden fields are often used in forms or data structures where the data is needed for processing but doesn't need to be displayed to the user.

Note

- You cannot change the `searchable` property for the `OBJECT`, `ARRAY`, `INTEGER`, `NUMBER`, and `DATETIME` datatypes.
- You cannot change the `filterable` and `sortable` properties for the `OBJECT`, `ARRAY`, `INTEGER`, and `NUMBER` datatypes.
- The `required` and `nullable` properties are not applicable for the `BOOLEAN` datatype.
- `OBJECT` datatype can not have `dataFormat` as `DEFAULT` or not defined. `dataFormat` `AMOUNT` or `QUANTITY` or `TEXT` are only supported for custom/extension attributes.
- You cannot update `dataType` and `dataFormat`.

1.10.2 Create Extension Fields in SAP S/4HANA for Utilities

Extend a standard function module in SAP S/4HANA by adding extension fields to the API request and exposing those fields through the service definition so they are available externally.

Procedure

1. Identify the relevant function module / RFC used by the utilities integration.
2. Use the transaction `SE11` to review the parameter structure that contains the output fields. This structure contains standard fields sent by the API.
3. Extend this structure with custom fields. For this, In the menu bar choose [Goto](#) and [Append Structure](#).
4. Create a new append structure. This append structure will hold your custom fields.
5. Define all required custom fields inside the append structure.
6. Locate the enhancement points provided in the function module code.

These are predefined hooks where customer logic can be implemented. They enable you to insert custom logic without modifying SAP standard code. You may also use implicit enhancements (pre-exit, post-exit) if available.

7. Create an enhancement implementation using the provided enhancement points.
8. Open the corresponding SOAP service proxy and go to the service definition in the edit mode.
9. Perform a syntax check, if extended fields were added, there will be a prompt to regenerate the service metadata.

10. Choose [Regenerate](#) to refresh the service definition. This ensures the custom fields are included in the external API (SOAP payload).
11. Activate the updated service definition.

Without regenerating the service definition, the custom fields added to the RFC structures will not be visible outside the S/4HANA system.

1.10.3 Cloud Integration (CI)

The platform integration packages include both synchronous integration flows (transactional data) and asynchronous integration flows (master data).

The types of integration flows are as follows:

- **Asynchronous flow:** Initiating from the S4H system in XML format, the integration flow includes mapping that converts XML data into JSON format before sending it to the SAP Service Cloud Version 2 system.
- **Synchronous flow:** These consist of two types: **Get calls** and **Post calls**. Get calls retrieve transactional data from S4H, while Post calls retrieve data and create, update, or delete data in the S4H system.
 - **Get Integration Flow:** Originating from the SAP Service Cloud Version 2 system via HTTP query, this flow uses two Groovy scripts: one processes HTTP query parameters to structure JSON in message headers, and the other converts JSON data into custom XML format stored in the message body. The XML request is then sent to the S4 system, which responds with XML. Response mapping converts the XML response into JSON format.
 - **Post Integration Flow:** Starting from the SAP Service Cloud Version 2 system in JSON format, this flow undergoes request mapping before sending the XML request to the S4H system. The S4H system responds with XML, and response mapping converts the XML response into JSON format before sending it back to the SAP Service Cloud Version 2 system.

All integration flows use either message mapping, Groovy scripts, or a combination of both to map data formats between systems, converting between XML and JSON as needed.

Important Disclaimers and Legal Information

Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.

About the icons:

- Links with the icon  : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
 - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
 - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon  : You are leaving the documentation for that particular SAP product or service and are entering an SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.

The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

Bias-Free Language

SAP supports a culture of diversity and inclusion. Whenever possible, we use unbiased language in our documentation to refer to people of all cultures, ethnicities, genders, and abilities.

© 2026 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see <https://www.sap.com/about/legal/trademark.html> for additional trademark information and notices.

