



Southern California Edison
CS Re-Platform Project

CIM-CS-11 Manage Outbound Request

Customer Interaction Management

Business Process Design

Version 0.10

Table of Contents

1	Business Process Overview	5
1.1	Current Pain Points for Southern California Edison	5
1.2	Responsible Parties	65
1.3	Document Control	6
1.4	Terminology	76
2	Business Process Design	8
2.1	Overview Details	8
2.1.1	Manual Outbound Correspondence	1310
2.1.2	Automatic Outbound Correspondence	1512
2.1.3	Manual Mass Outbound Correspondence	1713
2.1.4	Obtain customer contact information	1714
2.1.5	Handling of data files	1814
2.1.6	Control Report	1915
2.1.7	Correspondence Master Table	1915
2.2	Process / Performance Improvement	2416
2.3	Prerequisites and Inputs	2416
2.4	General Assumptions	2516
2.5	Business Process Hierarchy	2516
2.6	Process Flows	2617
2.6.1	Manual Outbound Correspondence	2617
2.6.1	Automatic and Manual Mass Outbound Correspondence	2920
2.7	3 rd Party and SCE Legacy System Integrations	3122
2.8	Data Elements	3122
2.8.1	Outbound Correspondence	3122
2.8.2	Source Systems and Data Volumes	3122
2.9	Cloud for Customer (C4C) Integration	3223
2.9.1	Processes	3223
2.9.2	C4C Views	3223
2.9.3	Activity / BP Contact	3223
2.10	Exception Management Requirements	3223
2.11	Process Risks and Mitigation	3223
2.12	Key Performance Indicators	3323
2.12.1	Key Metric Definition	3324
3	Controls, Regulatory Rules, and Security	3425
3.1	Security Considerations	3925
3.2	Custom Program/Transaction Codes	3926
3.3	Custom Table/Transaction Codes	3926
3.4	Data Criticality and Cybersecurity Baseline Risks	4026
4	Technical Considerations	4128
4.1	RICEF-W Assessment	4128
4.1.1	Reports	4128
4.1.2	Interfaces	4128
4.1.3	Conversion	4128
4.1.4	Extension/Enhancements	4229
4.1.5	Forms	4330

4.1.6	Workflows	43 ³⁰
4.2	IDEX Considerations	43 ³⁰
4.3	Production System Cut-over Considerations	43 ³⁰
4.6	Other Considerations	44 ³⁰
5	Change Management	45 ³¹
5.1	Change Impacts	45 ³¹
6	Requirements	51 ³⁶

This page intentionally left blank

1 Business Process Overview

This document defines the process to manage outbound communications that are sent to a Business Partner. All outbound correspondences that are stored in OpenText can be sent via email, voice call, SMS, TTY or U.S. Mail are the channels through which correspondence is sent to the customer or stored.

All Outbound correspondence that are stored in OpenText can be sent to a BP automatically based on logic and triggers in the system or manually by a user triggering the communication to be sent. OpenText will be used for sending outbound communications to BPs. OpenText allows a user to generate and send ad hoc communications to BPs via the different channels mentioned above.

Outbound correspondence will be integrated with OpenText for retrieving the OpenText document template, content editing, and channel selection. The correspondence image will be stored in OpenText xECM (Extended Content Management) automatically when the correspondence is sent to the BP. xECM allows user to view the correspondence image via Hybris C4C and S/4HANA. Refer to BPD [CIM-CS-09 - Manage Inbound Request](#) for more information on xECM. A BP Contact in S/4HANA will be created by xECM automatically for each communication sent to a BP including the authorized persons for the BP. A user of the system will be able to view all communications sent to a BP via Hybris C4C and S/4HANA.

Notification for Demand Response notification, Budget Assistance notification, Outage alert and Final Call notice, will not be sent to customer from S/4HANA to OpenText. The notification will be sent to customer from S/4HANA to Nuance. These Notification will be communicated to customer via SMS, Voice Call and Email only.

A consolidated master list of all current SCE correspondence can be found in APSE container [General Document # 223 Correspondence Master List](#). Not all the correspondences documented in the master list will be implemented by CSRP.

1.1 Current Pain Points for Southern California Edison

- Today, BP email addresses and phone numbers can be stored in multiple systems and there is no existing system process to ensure they are synched up. This results in us having inaccurate contact information and communication preferences.
- BP email address must be entered for each letter. System is not pulling email address from the BP record.
- Inability to send customized letters to a target group, i.e. specific offering/content for each recipient.
- Inability to send customized attachments to a target group, i.e. rate analysis specific to the BP or contact verification request specific to the BP
- Inability to send to BPs by target list (not all BPs sign up for My Account or have email addresses – correspondence can only be sent to BPs that have My Account/email) A mandated print version is created as a result in addition to My Account/Email
- Resending letters is not possible (letter must be re-created)
- Capturing touch points with BPs. Tracking what and when BPs are receiving communications. (e.g. receiving multiple promotional emails in the same month)
- No central storage of correspondence
- No system controls today to ensure we are not ‘over’ communicating to a BP.
- No system controls to prioritize digital communications that are sent to a BP (e.g., outage alert has higher priority than marketing communication).
- Our current notification systems cannot support sending high volumes of alerts in a timely fashion (e.g., storm conditions requiring high volumes of outage alerts to be sent to BPs)

1.2 Responsible Parties

Contact	Contact Person
Southern California Edison Business Process Owner	Janet Covington
Southern California Edison Lead	Christine Evans
HCL Functional Lead	Adrianus Halim
Solution Architect	Pedro Costa
Front Office or Back Office Lead	Christine Evans
Subject Matter Experts	Janine Aumont Scott Hirth Debbie Tillman Danielle Manzano Kristen James Rudy Rodriguez Araceli Perez Yumi Takayama
Key User Group	Customer Contact Center (CCC) Business Customer Division (BCD) BP Programs & Services (CP&S) RSO Billing RSO CAPS

1.3 Document Control

Version	Description of Change	Date	Author
0.1	Creation of Initial Version	02/25/2018	Satyendra Singh
0.2	Review	03/05/2018	Tuan Howe Yap
0.3	Update based on review	03/19/2018	Satyendra Singh
0.4	Review	03/21/2018	Tuan Howe Yap
0.5	Update Based on review	03/29/2018	Satyendra Singh
0.6	Review	04/01/2018	Tuan Howe Yap
0.7	Update	04/23/2018	Tuan Howe Yap
0.8	Update based on Shalini review	05/03/2018	Tuan Howe Yap
0.9	Update base on Pedro review	05/08/2018	Tuan Howe Yap
0.10	Updated Pedro new comments	05/10/2018	Tuan Howe Yap

1.4 Terminology

Term/Acronym	Definition and SAP Equivalent (if applicable)
APSE	Accelerated (or Axon) Project Support Environment
BDEX	SAP add-on functionality to support the processing of BPEM Cases
Billing Cycle	Is a group of contracts to be billed together via date-driven or regional criteria, it controls the billing cycle and is linked to the Meter Reading Unit. SAP equivalent term is the Portion.
Billing Document	A document that outlines the charges incurred for energy consumption for a specific contract. During the process of Billing, a billing document is generated for each contract on a contract account.
BMD	Business Master Data. The BP information which includes personal details, payment terms, dunning levels, billing rates and rate categories. The business master data objects are Business Partner, Business Agreement/Contract Account and Contract.
BPD	Business Process Design (or Document)
BPEM	Business Process Exception Management
BWR	Basic Work Request. SAP equivalent is BPEM.
CA	Contract Account
Channel	Data object in SAP that holds the interval data. Intervals can be kwh, price, factor, etc. SAP equivalent is Profile.
Clarification	A list of payments that could not be processed and require additional work in order to be posted.
Connection Object	Link between installation and postal regional structure. Usually a building, but can also be a piece of property or other facility, such as a fountain or construction site. The connection object corresponds to the functional location in plant maintenance (PM).
Contract	Standard SAP object that is used to link SAP Business Master Data and Technical Master Data through the move-in process
BP	Any entity with a relationship with SCE. This term is usually used in reference to BPs (both individuals and organizations) This can include employees and third party suppliers (banks and payment partners). SAP Equivalent is Business Partner (BP)
EAM	SAP Enterprise Asset Management
Hybris C4C	SAP Cloud for BP Solution
IMG	SAP Implementation Guide – where configuration is performed
Level Pay Plans	SAP equivalent term is Budget Billing. Budget Billing allows BPs to pay regular equal amounts over a yearly period.
Nuance	A 3rd party application that handles sending of correspondence to BP via SMS, email and voice call
OA	Owner Allocation
Premise	Represents one of the SAP Technical Master Data object that is supplied with energy, for example, an apartment or factory. A premise can have several utility installations. The premise is allocated to a connection object and the address of that connection object
Property	Standard SAP object that is primarily used for arranging agreements with the owner concerning automatic move-in. It also stores an owner history for installations that are part of owner allocation process
S/4HANA	SAP HANA 4 Business Suite
SCE	Southern California Edison

Additional terms may be found in APSE [General Document # 32 CSRP Glossary](#)

2 Business Process Design

2.1 Overview Details

This document details the management of outbound correspondence from SCE to Business Partner.

The correspondence management process will be documented for the variants detailed below:

- Manual outbound correspondence.
- Automatic outbound correspondence.
- Mass manual Outbound correspondence

An outbound correspondence can be created manually by user or automatically by the system. Outbound correspondence can be sent via email, voice call, SMS, TTY or by U.S. mail. The BP communication method preferences for various types of communications (e.g., account alerts, outage, program events and marketing) is stored in BP Preference. Refer to BPD [CIM-CS-01 Business Master Data – Manage Business Partner](#) for more information.

When an outbound correspondence is generated by OpenText, a copy of the correspondence image ([US Mail and Email only](#)) will be uploaded and saved in the OpenText xECM (Extended Content Management) system. Users of the system will be able to view the correspondence sent to a BP including the delivery results. Refer to BPD [CIM-CS-09 - Manage Inbound Request](#) for more information. When outbound correspondence that is sent to a BP via ~~3rd-party notification system~~ [Nuance](#) (SMS, voice call, TTY & email) a copy of the correspondence image will be stored in xECM as well.

A BP Contact will be created automatically each time a copy of the document image is uploaded to xECM using *E-CIM-CS-11 - Auto IR creation for Inbound & Outbound Correspondence/Communication*. The source of the BP Contact will indicate the BP Contact is Outbound. This is to differentiate the outbound correspondence vs inbound correspondence that is uploaded to xECM.

The diagram below ([Figure 1](#)) describes a high level process flow for outbound correspondence using OpenText and SAP referencing the step numbers indicated in the diagram.

When a BP requests a correspondence be sent to them (e.g., CARE application) the user will employ OpenText Empower Editor (1) to construct the correspondence using a predefined OpenText correspondence template.

Automatic / Mass Manual correspondence and invoices are generated in S/4HANA (2).

The Manual, Automatic, and Mass Manual correspondences will undergo formatting in Exstream (3) before it is sent to the BP via multiple communication channels such as US mail, SMS and email (4).

The BP will receive the correspondence based on their preferred communication (5) channel setup in BP Preference. A copy of the outbound correspondence will be uploaded to xECM (6) for storage. xECM is documented in BPD [CIM-CS-09 – Handle Inbound Correspondence](#).




Figure 1: Outbound correspondence process flow

Exstream is the central system hosting the correspondence ~~/notification~~ content and layout. Any correspondence will be sent to Exstream to obtain the correspondence content and under go layout formatting before sending out to the BP or to the contact information defined in the correspondence request (e.g., adhoc communication, confirmation for a specific transaction, Trouble Service Order notification, etc.).

Notifications that sent via Nuance will have the content and layout stored in Nuance. Any Notification will be sent to Nuance to obtain the Notification and under go layout formatting before sending out to the BP. The diagram below (Figure 2) explains the process flow where the triggering program extracts the list of customers to Notification Engine where data is formatted before passing to External Notification Vendor (Nuance) via Notification Engine. Nuance will then send the Notification to customer based on customer preferred communication channel. A BP Contact will be created when Notification is sent to the customer. The same BP Contact will be updated when the response is received for the Notification. Refer to CIM-CS-09 - Manage Inbound Request for more information about updating the BP




Figure 2: Notification via Nuance

Outbound correspondences can be sent to the BP via the BPs preferred communication channels; US Mail, SMS, TTY, voice call and email. Notification will be sent to the BP via SMS, Voice call, Email or as specified in the correspondence (e.g. Final Call Notice is voice call). Below are the explanations of how OpenText correspondences/Notifications are sent via various channels:

~~A BP Contact will be created when the correspondence is sent to the BP. If the correspondence is required to be sent to the authorized person, a BP Contact will be created for the authorized person BP number using E-CIM-CS-11 - Auto IR creation for Inbound & Outbound Correspondence/Communication. BP Contact will contain the following information~~

U.S. Mail

OpenText Exstream sends files to SCE print facility at G03 where correspondences will be printed. The files will be uploaded to a G03 file server by Exstream. At the end of the day, G03 personnel will go to the G03 file server and extract the files for printing. G03 personnel manage printing of correspondence to be sent to a BP via U.S. mail. This can include paper applications for programs, the BP monthly bill and any inserts to be mailed with the correspondence.

A copy of the correspondence will be stored in xECM by OpenText and a BP Contact will be created automatically by OpenText using E-CIM-CS-11 - Auto IR creation for Inbound & Outbound Correspondence/Communication.

Email

There will be at least 3 types of email ids that will send out correspondences to the BPs. SCE may keep the existing email ids or email vendor(s) that are currently used.

- There will not be any integration between Exstream and 'Sales Force' email server. Sales Force will send out marketing related emails to BP. The email sent out via Sales Force can be stored in xECM by user manually by emailing soft copy of the correspondence to user email inbox and upload to xECM via Outlook.
- OpenText will use the group email ID to send the Outbound Correspondence that currently has a SCE group email id identified (e.g. SCE-OLS@sce.com and CICORR@sce.com). Email campaigns can also be sent via OpenText using the Account Manager email ID and BP can reply to the Account

Commented [CA1]: Will sce and non-sce fringe BPs be handled in the same manner (not sure of Non-SCE accounts have BPs....we will have Connection/Premise/Device Location.) OMS will be going on premise on a circuit, not sure if it will screen out any Non-SCE accounts. May want to check into that .

Commented [TY2R1]: SCE and non-SCE Fringe BP that has BP and Contract created in SAP will be received outage alert. If no BP or Contract created, outage will not be sent.

Commented [FS3R1]: I thought we weren't going to create a BP for everyone who reports an outage. Example, a non-SCE customer reports an outage and wants updates.

Commented [TY4R1]: If the outage is based on a circuit and the circuit consists of SCE and non-SCE fringe BPs, only SCE fringe BPs will receive alert. As non-SCE fringe BPs do not have a BP created, alert can't be sent to the non-SCE fringe BP.
If a non-SCE customer reports an outage and wants updates, alert can be sent to the non-SCE customer because the contact information resides in Service Order.

Manager. A copy of the email will be stored in xECM and a BP Contact will be created automatically by OpenText using *E-CIM-CS-11 - Auto IR creation for Inbound & Outbound Correspondence/Communication*.

- For Outbound Correspondence that is not sent via Sales Force and has no SCE group email or account manager identified, a general email ID will be setup and OpenText will use this general email (e.g. SCE_Reply@SCE.COM or NO_REPLY@SCE.COM) to send the rest of the correspondence to the BP.

For Outbound correspondence sent to BPs from Account Managers outlook email without going through OpenText, correspondence will not be stored in OpenText automatically, the account manager will document this as an activity record in C4C.

Triggering process such as ~~Rate Change program~~ ~~an Outage notification or campaign~~ will generate an XML file and place it in the file server. Exstream will pick up the file for formatting and place a new XML file in 'email' file server for ~~3rd-party notification system~~ [Nuance](#) to send an email to BP if the BP preferred communication channel is 'Email'.

A copy of the email will be stored in xECM based on business need and a BP Contact will be created automatically by OpenText using *E-CIM-CS-11 - Auto IR creation for Inbound & Outbound Correspondence/Communication*.

All outbound correspondence that sent via email through OpenText will have a *privacy notice* to be in compliance.

Notification such as Budget Assistant, Demand Response and Final Call Notice will be sent to customer via Nuance using NO_Reply@SCE.COM as customer does not have the option to reply to these Notifications.

Notification such as Outage will be sent to customer via Nuance using SCE_Reply@SCE.COM. Customer is able to reply to the Notification by responding if the power is ON or OFF. Refer to *CIM-CS-09 Manage Inbound Request* for more information.

SMS

~~3rd-party notification system~~ [Nuance](#) will send ~~notification/~~ correspondence to BP ~~such as Outage notifications.~~ (Assumption made: Nuance is the vendor to send SMS to BP). The ~~3rd-party notification system~~ [Nuance](#) will be integrated with Exstream. Triggering process in S/4HANA ~~such as Outage~~ will extract the data from S/4HANA, pass the XML data structure in a file and store it in the file server. Exstream will pick up the file for formatting and then place a XML file in 'SMS' file server for ~~3rd-party notification system~~ [Nuance](#) to send SMS to BP if BP preferred communication channel is SMS. Exstream will also store the XML file in the SMS file server if the BP preferred channel for the manual correspondence is SMS. SMS messages sent to a BP will contain instructions on how the recipient can opt-out of future SMS messages (e.g., text STOP to stop) for that type (e.g., outage alerts) and specific phone number.

A copy of the SMS file will NOT be stored in xECM by OpenText based on business need. A BP Contact will be created automatically by OpenText using *E-CIM-CS-11 - Auto IR creation for Inbound & Outbound Correspondence/Communication* ~~when the correspondence is uploaded to xECM.~~

The SMS file structure contains all data that needs to be shown on the correspondence including business master data, technical master data and dynamic data.

```
<MESSAGE label="1">
  <SUBJECT>MESSAGE FROM SCE</SUBJECT>
  <TEMPLATE>generic</TEMPLATE>
  <MESSAGEARG>
    <NAME>THEME</NAME>
    <VALUE>SCE:AOC-Planned;SCE::VOICETALENT:IF_ENG_4</VALUE>
  </MESSAGEARG>
  <MESSAGEARG>
    <NAME>SENDER</NAME>
    <VALUE>SCE</VALUE>
  </MESSAGEARG>
  <MESSAGEARG>
    <NAME>EMAIL_ADDR</NAME>
    <VALUE>SCE@sce.com</VALUE>
  </MESSAGEARG>
  <MESSAGEARG>
    <NAME>OAN</NAME>
    <VALUE>836933</VALUE>
  </MESSAGEARG>
  <MESSAGEARG>
    <NAME>SERVICE_ADDRESS_1</NAME>
    <VALUE>2383 BROOKHILL DR</VALUE>
  </MESSAGEARG>
  <MESSAGEARG>
    <NAME>SERVICE_ADDRESS_2</NAME>
    <VALUE>CAMARILLO, CA 93010</VALUE>
  </MESSAGEARG>
  <MESSAGEARG>
    <NAME>SA_NUMBER</NAME>
    <VALUE>3-XXX-XX40-48</VALUE>
  </MESSAGEARG>
  <MESSAGEARG>
    <NAME>PCONTACT</NAME>
    <VALUE>
      <CDATA[1-800-611-1911]>
    </VALUE>
  </MESSAGEARG>
</MESSAGE>
```

Figure 332: XML data structure

Notification such as Budget Assistant, Demand Response, Final Call Notice and Outage will be sent to customer from S/4HANA directly to Nuance. Customer is able to reply to the Notification by responding if the power is ON or OFF. Refer to [CIM-CS-09 Manage Inbound Request](#) for more information.

Voice Call & TTY

~~3rd party notification system~~ Nuance will be used to send voice calls to BPs such as Outage notifications, DR events, final call, etc. ~~The 3rd party notification system~~ Nuance will be integrated with Exstream in order to make an outbound voice call. Similar to an outbound SMS, the xml files will be stored in a file server for Exstream to carry out formatting. Exstream will then place the xml file in the 'voice call' file server for ~~3rd party notification system~~ Nuance to process and make outbound voice calls to BPs. Certain types of voice calls will enable the recipient to opt-out of future calls, refer to [CIM-CS-09 Handle Inbound Request](#) for more information.

A copy of the voice call message will not be stored in xECM. A BP Contact will be created by OpenText automatically using *E-CIM-CS-11 - Auto IR creation for Inbound & Outbound Correspondence/Communication*.

The TTY communication process is a combination of voice call with an operator typing in the content to the TTY device and is similar to SMS.

Notification such as Budget Assistant, Demand Response, Final Call Notice and Outage will be sent to customer from S/4HANA directly to Nuance. Customer is able to reply to the Notification by responding if the power is ON or OFF. Refer to [CIM-CS-09 Manage Inbound Request](#) for more information.

Send to local printer

The user will select this channel if the correspondence is to be printed in a local printer. This option is applicable to manual correspondence where user will change the defaulted Channel from 'GO3' to 'Local Printer' in OpenText Empower Editor screen. A copy of the correspondence will be stored in xECM and a BP Contact will be created automatically.

A BP Contact will be created when the correspondence is sent to the BP. If the correspondence is required to be sent to the authorized person, a BP Contact will be created for the authorized person BP number using *E-CIM-CS-11 - Auto*

Commented [FS5]: This image isn't very useful. Most of the information is cut off.

Commented [TY6R5]: Updated

IR creation for Inbound & Outbound Correspondence/Communication. BP Contact will contain the following information:

- BP Number
- Class – ‘Outbound Correspondence’
- Action – Correspondence ID
- Type – ‘Email’ or ‘SMS’ or ‘Phone’ or ‘Mail’ or ‘TTY’
- In/Outgoing – ‘Outgoing’
- Date/Time – System date and time

Commented [FS7]: I thought all BPs needed to have a mailing address.

Commented [DT8R7]: The BP contact will only be created when alert is sent to a BP in the system. If alert is sent by adding onetime contact info in the trouble order and they are not a BP in the system, no BP Contact will be created.

I think people would have to look at the Service Order log to see the alerts sent to non BPs.

Tuan and team, please confirm. If yes, then please add this info please. thanks

Commented [TY9R7]: Non SCE customer will not have a BP created, hence no BP Contact will be created. User will need to search the Service Order to check the alert sent to non BPs.

2.1.1 Manual Outbound Correspondence

Manual correspondence is correspondence which is initiated manually by a user, also known as adhoc correspondence. Manual correspondence is generated in OpenText Exstream, which is accessible from Hybris C4C via Mashup

1. Empower editor – An interface that utilizes the predefined correspondence templates that are built by OpenText consultant to allow user to select, edit, and send correspondence to the BP. It is integrated with SAP where S/4HANA data is pushed to Empower editor using *E-CIM-CS-11 Passing SAP data to Outbound Correspondence Tool*.
2. Communication server – Manages the sending of correspondence to the BPs preferred communication channel via OpenText communication connectors. It handles sending of manual, automatic, and mass manual correspondence.

Manual correspondence is generated upon BP request or after user executes a transaction for the BP, as part of the business processes.

Examples of manual correspondence are *Paid in Full* letter, *Guarantor Declined* letter, and *Cancellation of Owner Allocation* letter [or Macro Outage alerts.](#)

The diagram below demonstrates the end to end process of a user initiating outbound correspondence to a BP.

1. Design – The OpenText consultant constructs the OpenText correspondence template in the Design Center. The Control Center controls the OpenText template version released to the Production system.
2. Business – This represents Hybris C4C OpenText activities where users will navigate to the Composition Center (Empower Editor) to select the correspondence to be sent to the BP. Empower Editor retrieves the correspondence template that is released to the Production system to generate the correspondence. Empower editor formats the correspondence, extracts SAP data, and displays on Hybris C4C OpenText view. The user is able to edit specific correspondence based on authorization and can preview the correspondence before sending it out to the BP via the BP preferred communication channel.
3. Production – Exstream is connected to S/4HANA where data is provided from S/4HANA to Exstream for manual, automatic, and manual mass correspondence.




Figure 443: Manual outbound correspondence process

To generate a manual correspondence, users will login to the OpenText screen via Hybris C4C Mashup using *E-CIM-CS-02-1 - Transaction Launcher*. User will select the correspondence from a drop down list. Empower Editor will retrieve the predefined OpenText template where the content of the correspondence will be pulled to compose the correspondence. Empower Editor will also extract S/4HANA data such as BP #, Contract Account #, Contract # and the BPs preferred communication channel such as email, voice, SMS, TTY or U.S. mail and associated contact information such as email address, phone number and mailing address. Other information may include the Contract Account account balance and other information depending on the data elements identified for the correspondence using *E-CIM-CS-11 Passing SAP data to Outbound Correspondence Tool*. The data elements and content of the correspondence is documented in each correspondence Functional Specification.

After the user has selected the correspondence, the user will be prompted to select information such as:

- Preferred communication channel to send correspondence. The BPs preferred communication channel is defaulted but the user is able to override the default channel. However, this action does not update the BP preferred communication channel that was initially setup in BP preferences.
- Contact information such as email ID and mobile phone. The user is able to overwrite the contact information. If the BP contact information is marked 'Do No Use' due to BP request, an error message will be shown on Empower Editor to alert user to choose a different communication channel.
- ~~For Macro Outage Alerts the system will enable the user to select the districts that are part of the Macro event so that the system will be able to send the alert to all BPs that are currently impacted by an outage in that district, as well as, anyone who has reported an outage trouble order that has requested status updates. When this process is selected, the user will not select specific BPs. These alerts can be sent by email, voice, SMS and TTY.~~
- Preview the correspondence. A mock up screen can be seen in Figure 45.
- Add, edit or delete a paragraph of the correspondence content. This needs to be predefined and will be documented in the Functional Specification

Commented [TY10]: This does not belong to CIM-CS-11.




Figure 554: Preview correspondence mock up screen

The user will select submit when the correspondence is ready to be sent to the BP. The communication server of OpenText will send correspondence to the BP.

A BP Contact will be created by OpenText in S/4HANA automatically when correspondence is sent to BP. If the correspondence requires supervisor approval (optional), a notification will be sent to the supervisor's SCE email. If the correspondence is still pending for approval after 1 day (configurable), an escalation notification email will be sent to the next level of management.

The supervisor is able to edit the correspondence while approving the correspondence. If the supervisor approves the correspondence, the correspondence is sent to the BP. If the supervisor rejects the correspondence, a notification is sent to creator of the notification via email to revise the correspondence.

2.1.2 Automatic Outbound Correspondence

Automatic outbound correspondence is generated by the system automatically. The correspondence can be generated based on the execution of a SAP transaction or a batch job that creates correspondence based on business rules, such as a Dunning Notice. When an outbound correspondence is generated in S/4HANA, the data will be pushed to OpenText using XML structure file (*E-CIM-CS-11 Passing SAP data to Outbound Correspondence Tool*). The XML structure contains all information such as Correspondence ID, BP, Contract Account, mailing address, etc. The Functional Specification document will document the triggering process of the correspondence, layout, and the data elements required for the correspondence.

Demand Response Notification generated by PP-CS-04-01 will trigger enhancement CIM-CS-11 - Interface to send Notification from SAP S/4 HANA to Nuance where a file will be sent to a file server and Nuance will process the file and send Notifications to customer. Enhancement E-CIM-CS-11 Checking on Customer Preference will be triggered to obtain the customer preferred communication channel.

Budget Assistance Notification generated by PP-CS-02-13 will trigger enhancement CIM-CS-11 - Interface to send Notification from SAP S/4 HANA to Nuance where a file will be sent to a file server and Nuance will process the file and send Notification to customer. Enhancement E-CIM-CS-11 Checking on Customer Preference will be triggered to obtain the customer preferred communication channel.

Outage Notification generated by DF-WM-02 Handle Field Orders – Manage Field Orders will trigger Workflow W-CIM-CS-04 Communication Rules where the workflow will determine if the Notification can be sent to customer based on business rules. If the Notification is ready to be sent to customer, the Workflow will trigger CIM-CS-11 - Interface to send Notification from SAP S/4 HANA to Nuance where a file will be sent to a file server and Nuance will process the file and send Notification to customer. Enhancement E-CIM-CS-11 Checking on Customer Preference will be triggered to obtain the customer preferred communication channel.

Final Call Notice generated CC-FI-04 will trigger enhancement I-CC-FI-04 - IVR final call and alerts where a file will be sent to a file server and Nuance will process the file and send voice call to customer. Checking on the customer preferred communication channel is not required as the communication channel is always voice call.

A copy of the Demand Response/Budget Assistance/Outage Notification or Final Call Notice will not be stored in xECM. A copy of the BP Contact will be created using E-CIM-CS-11 - Auto IR creation for Inbound & Outbound Correspondence/Communication.

The triggering process of the correspondence will create a log file documenting the number of correspondence processed successfully and the number of correspondence that failed to process. This will be documented in the respective Functional Specification. The IT User will use S/4HANA (tcode SP01) to view the log file. The IT user will double click on the log file spool number to see the content of the file (Figure 56).

The log file will also document records that failed to process due to BP contact information being marked as 'Do Not Use'. When automatic outbound correspondence is not generated due to BP contact information being marked as 'Do Not Use', the system will create a BP Contact labeled *Action 'Outbound Correspondence' and Class 'Failed'*. The correspondence name, BP contact information and failed reason such as 'BP contact information is marked Do Not Use' will be documented in the BP Contact long text by the respective triggering process that creates the automatic outbound correspondence.

Users can leverage a self-service report to extract the list of failed outbound correspondences that failed to be delivered due to the BP contact information being marked as 'Do Not Use' or other reason (e.g., phone busy, email address inactive, etc) to update the BP contact information. These BP Contacts will be available in Hybris C4C BP Contact view.




Figure 665: Spool file

Upon receiving the XML file structure, OpenText will retrieve the correct OpenText correspondence template and format the correspondence accordingly. The OpenText Communication Server will then push the correspondence to the BP via BP their preferred communication channel.

If the letter is defined having automatic and manual capability, a user can send the same communication to the BP again if needed. The only way this can happen is when BP requests agent to manually generate the letter after system has generated the letter automatically. User can also go to xECM to retrieve the correspondence image and resend it to BP.

2.1.3 Manual Mass Outbound Correspondence

Manual Mass Correspondence is correspondence that is generated by a user manually using an upload file. Instead of using Empower Editor to generate the correspondence individually, the user can use the custom function of the program (*E-CIM-CS-11 - Creating Mass correspondence*) to mass generate correspondence.

To generate mass correspondence, the user will need to prepare an excel file that is tab delimited. The excel file will have predefined columns. Each column will contain a SAP data element (Figure 67). The data elements include but are not limited to a BP, Contract Account, Contract, Premise, and Installation. The complete list of data elements will be determined when the list of correspondence is obtained.

	A	B	C	D	E	F
1	Letter ID	Business Partner	Contract Account	Contract	Premie	Installation
2	CIM01			40331234		
3	CIM01			30229922		
4	CIM01			29982001		
5	CIM01			33822920		
6	CIM01			12282222		
7						
8						

Figure 776: Upload file

A list of mass manual correspondence will be identified and each correspondence will have a pre-defined set of data elements that are documented in the respective RICEFW. The user will only need to populate the excel file on those columns that are required by the respective correspondence type. A user can send a mass communication to many BPs at a time. This process enables a user to send mass communications via email, voice call, SMS, TTY, or U.S. mail. The user will populate the excel file by extracting data from S/4HANA using a self service report. The self service report can then be converted to an excel format.

Once the upload file is prepared, user will execute a customized program (Figure 78) in S/4HANA (tcode ZMASS_CORR) to upload the excel file using enhancement *E-CIM-CS-11-2 Creating Mass correspondence*. User has the option of uploading the file from their desktop or from the file server. After the program is executed, a log file will be created in the spool. The viewing of log file will be the same as the Automatic Outbound Correspondence section documented above. If any outbound correspondence is not generated due to BP contact information being marked as 'Do Not Use', the system will automatically create a BP Contact with Action 'Outbound Correspondence' and Class 'Failed'. The correspondence name, BP contact information, and failed reason such as 'BP contact information is marked as Do Not Use' will be documented in the BP Contact long text. The user may use a self-service report to identify that communications failed to sent to BP and resend to BP via another communication channel.




Figure 887: Upload program

2.1.4 Obtain Customer contact information

A common program (function module) will be built using *E-CIM-CS-11 Determine correspondence address* for the purpose of ensuring that all correspondence will have the same logic to obtain customer contact information. This program will be triggered by all outbound correspondence RICEFW 'Forms'. This program will obtain the customer valid contact information such as mailing address, mobile phone number, phone number and email address depending on the customer preferred communication channel. Any customer contact that is marked 'Do Not Use' due to customer request will not be selected as valid contact information.

2.1.5 Handling of data files

The BPs preferred communication channel will determine how the data files are handled from initiation of the correspondence to when correspondence is sent to the BP.

OpenText Exstream has the ability to display the *Signature*, *Reference Code*, and the *Version Number* in correspondence that requires a signature for the BP preferred communication channel for US mail and email. The *Reference Code* and Version Number need to be maintained in a custom table that is referenced in section 2.1.7 - Correspondence Master table.

A batch job will be scheduled every 10 mins calling *E-CIM-CS-11 Creating automatic outbound correspondence*. The enhancement will check the preferred communication channel of the correspondence, if the preferred communication channel is 'SMS', 'Email', 'Voice Call' and 'TTY', the enhancement will create an XML file and stored in the file server for OpenText to process the file. If the preferred communication channel is 'US Mail', the enhancement will create an XML file and stored in the file server at end of the day for OpenText to process the file.

Notification such as Demand Response, Budget Assistant, Outage and Final Call Notice are sent to customer in near real time as these notification is sent to Nuance directly.

For automatic and manual mass correspondence, the triggering process and manual mass program will generate spool files in S/4HANA and store them in the S/4HANA spool. A custom program in S/4HANA will be scheduled at the end of the day to collect these files from the spool, create a XML file and upload to file the server using *E-CIM-CS-11 Creating automatic outbound correspondence*. For manual correspondence, Exstream will create a XML file and upload it to the file server whenever a manual correspondence is submitted by the user using Empower Editor.

At the end of the day, OpenText will consolidate all of the XML files from the file server and generate an AFP (Advance Function Presentation) file that is defined by the GO3 file server. The AFP file will be uploaded to the GO3 file server and the GO3 file server will process the AFP file to print the correspondence. There will be various pre-printed SCE letterhead types for various correspondence types such as *Bill Stock* or *Inserts*, Exstream will name the AFP filename according to the GO3 file server specification. The GO3 file server will retrieve the AFP files based on file name and print the correspondence on the designated paper type for that correspondence.

A log file will be generated to report on the number of correspondence uploaded to the GO3 file server. Refer to next section (Control Report) for more information.

Email, SMS, TTY & Voice call

For automatic and manual mass correspondence, the triggering process for ~~notifications correspondence~~ and the manual mass correspondence program will send the XML file to a file server. *E-CIM-CS-11 Creating automatic outbound correspondence* collect the XML file and upload to file server for Exstream to process. Exstream will process the file by formatting the layout and provide content. Exstream will then place the XML file in the ~~3rd-party notification systems~~ Nuance file server.

~~The 3rd-party notification system~~ Nuance will process the files in the file server and send the correspondence to the BP based on the BP preferred communication channel. A log file will be generated to report on the number of correspondence uploaded to the file server. Refer to next section (Control Report) for more information.

Notifications and Final Call Notices are sent to Nuance directly using I-CC-FI-04 - IVR final call and I-CIM-CS-11 - Interface to send Notification from SAP S/4 HANA to Nuance. A file will be created a place in the file server. Nuance will pick up the file, process it and send notification to customer.

For manual correspondence, if the selected communication channel for the correspondence is SMS, voice call or email, Exstream will send the correspondence in a XML file to the ~~3rd-party notification~~

Commented [DT11]: I'm thinking that we need to set priorities and timing for different outbound communication. We do this today. For example, outage and trouble updates should have the highest priority and be sent more timely (e.g., every 1 min), whereas other lower priority comms like payment processed could be every 15 mins.

Commented [TY12R11]: Notifications such as outage is sent to Nuance directly. It will be sent in near real time.

~~systems~~Nuance file server after user has submitted the correspondence. ~~The 3rd-party notification~~ and send the correspondence to the file server.

2.1.6 Control Report

A log file/control report will be generated in S/4HANA with the purpose of providing visibility to the number of correspondence uploaded to OpenText to send to BP. The control report is generated when the custom program has collected the S/4HANA files from the spool and uploaded to the file server for the day using *E-CIM-CS-11 Creating automatic outbound correspondence*. This Control Report contains the number of correspondence successfully uploaded to file server and number of correspondence that failed to upload.

OpenText will provide a control report. The control report will provide information about the number of correspondence processed and sent to GO3 file server and ~~the 3rd-party notification system~~Nuance for the day.

~~The 3rd-party notification system~~Nuance and GO3 file server will have a control report available providing the number of correspondences received and sent to BP for the day.

SCE IT user can use Control Report from S/4HANA, OpenText, ~~3rd-party notification system~~Nuance and the GO3 control report to perform reconciliation if required.

System should have the ability to re-trigger not processed correspondence in case the server is down when the job is scheduled. This may need to have IT intervention to re-trigger the job.

2.1.7 Correspondence Master Table

A customized table will be created in OpenText to host the correspondence information. This table contains information that is required by OpenText to have the correspondence generated. Some of the information such as *Reference Code* and *Version number* will be shown at the bottom of the correspondence.

Information for Manual, Automatic, and Manual Mass correspondence will be documented in this table by an authorized user in OpenText.

No.	Field Name	Description
1	Correspondence Id	Internally defined correspondence ID, to be used by OpenText
2	Correspondence Name	Name of the correspondence for reference purposes
3	OpenText template ID	OpenText template ID
4	Layout	Portrait / Landscape
5	Number of pages	1, 2, 3, 4 or 5 etc.
6	Print on front and/or back	Print on the front and/or back of the page
7	GO3 file name convention	File naming convention for GO3 print facility (US Mail)
8	Editable	Correspondence is editable during preview
9	Reference code	Reference code that shows at the bottom of the correspondence
10	Version number	Version number of the correspondence that shows at the bottom of the correspondence
11	Attachment	Attachment or Insert required at GO3 print facility
12	Language	Language

13	Action	Action for BP Contact
14	Class	Class for BP Contact

2.1.8 Handling of Trouble Order and Outage Alerts

The type of outage alerts are as below:

Maintenance (planned) and Repair (unplanned) outage

A BP or non-BP can request to receive outage notification when an outage is reported or requested for alert when an outage happens. [Customer Reported Outage \(Trouble Order\)](#)

When an outage is reported to an agent, agent will create a Service Order (Trouble Order) in Hybris C4C. Outage can be reported from OMS (Outage Management System) and Service Order (Outage Order) will be created in S/4HANA by D&F program via OMS (Outage Management System).

When a Service Order is created, if the customer is a non-residential customer, a notification (email) will be sent to the Account Manager informing about the outage (if applicable). When a Service Order is created, [DF-WM-02 Handle Field Orders – Manage Field Orders](#) will trigger Workflow [W-CIM-CS-04 Communication Rules](#). The workflow will pass the correspondence category to enhancement [E-CIM-CS-11 Checking on Customer Preference](#) where the enhancement will check Customer Preference if that correspondence category requires notification to the Account Manager. If notification is required, [E-CIM-CS-11 Checking on Customer Preference](#) will obtain the Account Manager for the BP via BP Relationship and the email address for the Account Manager in the BP master.

When a Service Order is created, if the customer is a non-residential customer, a notification (email) will be sent to the Account Manager informing about the outage (if applicable). When a Service Order is created, [DF-WM-02 Handle Field Orders – Manage Field Orders](#) will trigger Workflow [W-CIM-CS-04 Communication Rules](#). The workflow will pass the correspondence category to enhancement [E-CIM-CS-11 Checking on Customer Preference](#) where the enhancement will check Customer Preference if that correspondence category requires notification to the Account Manager. If notification is required, [E-CIM-CS-11 Checking on Customer Preference](#) will obtain the Account Manager for the BP via BP Relationship and the email address for the Account Manager in the BP master.

When a non-BP reports an outage, a Service Order (Trouble Order) will be created by the Front Office user and the caller name and contact information is updated to the Order Address section in the Service Order (Figure 998).




Figure 998: Order Address for non-BP

Upon creation of the Trouble Order, If there is any outbound notification is required to be sent to the BP/non-BP, the Trouble Order creation program from D&F will trigger [E-CIM-CS-11 - Passing SAP data to Outbound Correspondence Tool](#) where a XML file will be created for OpenText to process and send to BPs via ~~3rd party notification system~~ [Nuance](#). [E-CIM-CS-11 Checking on Customer Preference](#) will be triggered during creation of XML file to obtain customer preferred communication channel and black out window.

Commented [DT13]: Per agreement with Tuan and Lee, I have removed the detailed process for trouble, outage and macro from this document. We will outline the entire process in a separate Word doc to review with key business stakeholders and HCL on 7/3.

A BP Contact will be created when the notification is sent to a BP if an outbound notification is sent to BP. BP Contact will not be created for a non-BP. BP Contact will contain this information:

- BP Number
- Class – ‘Outbound Correspondence’
- Action – Any of the type of outage notification such as below:
 - Emergency Maintenance Outage Power Restoration Alert
 - Repair Outage Restoration Alert
 - Maintenance Outage Restoration Alert
 - Streetlight Outage Trouble Order
- Type – ‘Email’ or ‘SMS’ or ‘Phone’ or ‘Mail’
- In/Outgoing – ‘Outgoing’
- Date/Time – System date and time
- Long Text – Information about the outage and information is passed from the workflow.

Maintenance and Repair Outage (Planned & Unplanned)

If the outage is Maintenance (planned) or Repair (unplanned), OMS will pass the information to S/4HANA in real time. A Service Order (Outage Order) will be created containing all affected areas and as well as customers information in respective S/4HANA object, refer to BPD [DF-WM-02 Handle Field Orders – Manage Field Orders](#) for more information.

Whenever there is an update made to the outage situation, OMS will push the update to S/4HANA and a notification will be sent to the BP/non-BP immediately. [DF-WM-02 Handle Field Orders – Manage Field Orders](#) program will pass the list of affected customers and the designated contact person that setup in customer preference to receive notification along with the BP that lives in the affected outage area to the workflow *W-CIM-CS-04 Communication Rules*. Based on the pre-defined rules that defined in BRF+, the workflow will verify when to send notification to the affected customers. Once that is done, the Workflow will then trigger *E-CIM-CS-11 - Passing SAP data to Outbound Correspondence Tool* where XML file will be created for OpenText to process and send to BPs via ~~3rd party notification system~~ [Nuance](#).

E-CIM-CS-11 Checking on Customer Preference will be triggered by *E-CIM-CS-11 - Passing SAP data to Outbound Correspondence Tool* to obtain customer preference information along with and the designated contact person that setup in customer preference to receive notification along with the BP that lives in the affected outage area.

The following notification/alert type will be sent to the BP/non-BP based on the Service Order status. D&F program will pass the status to workflow for *W-CIM-CS-04 Communication Rules* which then passes the status

Commented [CA14]: We would like to set up a meeting to clarify how this really works because we were getting lost on the call
The document is confusing because terms are being used too generically and we need to be a bit more specific.

Example....service orders are created when customers call in issues/trouble the Service order does NOT carry any information regarding the outage and/or impacted premises....this is communicated via the OAN.

The OAN is it's own record, distinct from the service order.

OANs can and do exist without service orders. `

Repair orders are issued outside of USI, via EAM module – these are not visible in C4C

When repairs are scheduled they notify the DOC who creates an OAN.

Example of a scenario

Transformer needs to be replaced

No Service Order
Repair Order Created
OAN Created – CSRs get status via OAN.

We should validate this throughout the document.

Commented [TY15R14]: We had design discussion with D&F team and it was concluded that Service Order will always be created for outage reported by customer and OMS.

to E-CIM-CS-11 - Passing SAP data to Outbound Correspondence Tool in order to identify the notification type to be sent to BP/non-BP.

Service Order Status	Notification/Alert type
<u>Repair Outage (unplanned)</u>	
Create	Repair Outage Alert
Any status that is not Create and Completed	Repair Outage Update Alert
Cancel	N/A
Completed	Repair Outage Restoration Alert
<u>Maintenance (planned)</u>	
Create	Maintenance Outage Alert
Any status that is not in Create and Completed	Maintenance Outage Update Alert
Cancel	Maintenance Outage Cancellation Alert
Rescheduled	Maintenance Pending Rerchedule Alert
Completed	Maintenance Outage Power Restoration Alert
<u>Streetlight Trouble Order</u>	
Create, update, cancel & complete	Streetlight Trouble Order Alert

BPs and non-BPs may request to receive trouble order and outage alert updates. The triggers to send alerts will be addressed in [DF-WM-02 Handle Field Orders – Manage Field Orders](#).

BP Contact

AA BP Contact will be created on a BP each time a when an Trouble or Outage Alert is sent to the BP. If there is an update to the Service Order and an alert is sent to the BP/non-BP, an update will be done to the same Trouble/Outage Alert BP Contact using long text using E-CIM-CS-09 – Update Response to Original BP Contact documenting the date, time and information about the update that provided by workflow W-CIM-CS-04 Communication Rules.

Any reply from BP to the Notification via email, voice call, TTY or SMS such as delivery status and opt-out request will get updated to the same outbound notification BP Contact. Refer to [CIM-CS-09 Handle Inbound Request](#) for more information.

User can use a self-service reports to extract the BP Contact records for list of alerts sent to BPs. Notification based on customer preferred communication channel. To view alerts sent to contact information in the Trouble order, the user will need to run a self-service report.

Notification Black Out window

An enhancement E-CIM-CS-11 Checking on Customer Preference will check for black out window that maintained in Customer Preference for the BP (refer to BPD [CIM-CS-01 – Business Master Data - Manage Business Partner](#) for black out window identifier). By having this check, the BP will not received any Outage Notification within black out window for preferred communication channel 'Voice call' only. Assumption is that user is not allowed to maintain Black out window for preferred communication channel other than 'Voice call'.

Customer preferred communication channel will also be identified using this enhancement. This enhancement will be triggered by the Workflow W-CIM-CS-04 Communication Rules for planned and unplanned outage notification to customer.

BP Contact will not be created or updated as there is no outage notification is sent to the BP. If the BP calls to ask about not receiving the outage notification, user will need to look at the Service Order change history and customer preference on the black out window.

Business Rules in sending notifications

Dunning Alerts and Final Call Notifications

When a BP enters the dunning process and is at risk of disconnect, as well as, when they reach final call status, a file will be generated by [CC-FI-04 - Manage Collections \(Dunning\) - Manage Credit and Collections](#). The file will contain BPs and accounts which meet the condition so that the system can send the BP a digital alert (email, voice, SMS, or TTY) and U.S. mailed letter (based on business rules) to the BP. [CC-FI-04 - Manage Collections \(Dunning\) - Manage Credit and Collections](#) will trigger pass the list of customers to enhancement [I-CIM-CS-11 - Passing Notification from S/4HANA to Nuance](#) where Notification will be sent to customers via Voice Call. Voice Call is the only communication channel for Final Call. [E-CIM-CS-11 - Passing SAP data to Outbound Correspondence Tool](#) and XML file will be generated for OpenText to send Final Call Notification to BPs. If BP requests to make payment, the BP will be routed to IVR to make payment. Routing of call to IVR will be managed by 3rd party notification system and IVR BPD [CIM-CS-13 - Manage Inbound Telephone Call - IVR](#). The list of final call notifications are:

- [o Residential Reminder](#)
- [o Residential Final Call](#)
- [o Residential Before Cut](#)

Notification is sent to customer depending on Demand Response Events. Refer to BPD [PP-CS-04-01 Manage Support Program Operations - Demand Response Management](#) for more information on the triggering events.

PP-CS-04-01 enhancement will pass the list of recipients to enhancement [I-CIM-CS-11 - Passing Notification from S/4HANA to Nuance](#) where customer preferred communication channel will be obtained and Notification will be sent to customers via customer preferred communication channel. This enhancement will then create a file and place the file in the file folder for Nuance to process.

Budget Assistant

Notification is sent to customer depending Budget Assistant alert condition. The list of Budget Assistant Notifications are:

- [o Under non TOU](#)
- [o Under TOU](#)
- [o Above non TOU](#)
- [o Above TOU](#)
- [o Bill is ready](#)
- [o Demand GS1](#)
- [o Demand GS2](#)

For more information around Budget Assistant Notifications and triggers, please refer to BPD [PP-CS-02-13 Budget Assistance](#).

Enhancement from PP-CS-02-13 "Interface to send Budget Assistant Alert notifications to Varolli/ Nuance" will send the list of Budget Assistance Notification to Nuance by triggering enhancement [I-CIM-CS-11 - Passing Notification from S/4HANA to Nuance](#). This enhancement will obtain the customer preferred communication channel in Customer Preference using [E-CIM-CS-11 Checking on Customer Preference](#). This enhancement will

Commented [DT16]: Tuan/Lee, per our discussion this section needs to be moved to DF02

Commented [TY17R16]: These are part of CIM-CS-04.

then create a file and place the file in the file folder for Nuance to processed. A BP Contact will be created using E-CIM-CS-11 - Auto IR creation for Inbound & Outbound Correspondence/Communication.

2.2 Process / Performance Improvement

- One central repository system for managing outbound correspondences
- Able to preview and edit the correspondence in the system before sending to BP
- Verification that Phone, Mobile phone, Email & mailing address is valid and retrieved from one single source – SAP
- Ability to view correspondence sent to BP in a central repository

2.3 Prerequisites and Inputs

- BP and/or Contract Account, Contract, or premise information must be located in Hybris C4C when composing correspondence
- Email ID is prerequisite for sending correspondence & communication via email
- SMS Text enabled phone number is prerequisite for sending alert/message via text
- Phone number or Mobile phone number is pre-requisite for making voice call to BP
- Mailing address is pre-requisite for sending US mail
- Connection is established between OpenText Exstream and ~~3rd party notification system~~ Nuance for outbound email, SMS and voice call
- Connection is established between OpenText Exstream and Printing facility at GO3 for outbound US mail
- Connection is established between OpenText Exstream and OpenText xECM for storing of outbound correspondence image

2.4 General Assumptions

- OpenText Exstream is able to send correspondence to BP via various channels such as email, SMS, voice call and US mail
- OpenText Exstream will have these features available when user is composing ad hoc correspondence:
 - Content of the correspondence is editable
 - Predefined sentences are available for user via drag and drop feature
 - Preview of the correspondence prior sending to BP

~~◦ Able to save correspondence as draft and user is able to work on it later~~
- Whenever an outbound correspondence is generated by OpenText Exstream, a copy of the outbound correspondence image will be stored in OpenText document repository system (xECM) for US Mail and Email only.
- 3rd party notification system (Nuance) will be used to send outbound SMS and make outbound voice call
- 3rd party notification system (Nuance) and GO3 file server are able to provide Control Report with information such as number of correspondence received from OpenText and number of correspondence sent to BP for a particular day
- When the 'creator' sends correspondence for approval to Supervisor or Manager, the correspondence must be ready to present to the BP.

- The only reason the 'creator' would receive the document back from the supervisor is if the communication does not meet supervisor/manager approval. The creator will update the communication and re-submit for approval.
- Documents will follow the retention schedule defined by SCE ACT policy. Retention schedule will not be defined as part of this BPD.
- Marketing & Campaign correspondence is out of scope for this BPD.
- All correspondences sent out using OpenText will ~~mask~~ not contain customer PII information.
- ~~3rd Party Vendor~~ Nuance will have the capacity to meet SCE's growing threshold for outbound correspondence.

2.5 Business Process Hierarchy

This Business Process Hierarchy provides a listing of all scenarios/business processes, sub-processes, and SAP Transaction codes identified to support this process.

Level 1	Level 2	Level 3	Level 4
Front Office	Manage Outbound Request	Manual Correspondance creation	Hybris C4C Mashup (OpenText)
Back Office	Manage Outbound Request	Automatic Correspondance creation	S/4HANA respective process tcode
Back Office	Manage Outbound Request	Mass Correspondance creation	S/4HANA tcode ZMASS_CORR
Back Office	Mange Outbound Request	View log file in S/4HANA spool	SP01
Front Office	Manage Outbound Request	Maintain Correspondence master table. Information required by OpenText	S/4HANA tcode ZCORR_TDL


2.6 Process Flows

This BPD will cover Outbound Correspondence processes, including Manual Outbound correspondence, Automatic Outbound correspondence and Manual Mass correspondence. Each subsection where the process is detailed will have a process flow diagram for that process and a table detailing the steps that are taken within that process including processes handled outside of SAP.

2.6.1 Manual Outbound Correspondence

This process describes the process of handling manual outbound correspondence.

Process Flow Diagram



Field Code Changed

Process Flow Steps


Step	Description of Step	C4C/ T-Code	Role(s)	If step is relevant for a Control, add Requirement ID
10	Start			
30	Select correspondence. Select the correspondence to be generated.	C4C Mashup (Empower Editor)	Manual Outbound Correspondence	
40	Select communication channel Communication channel is defaulted. User is able to overwrite communication channel.	C4C Mashup (Empower Editor)	Manual Outbound Correspondence	

Step	Description of Step	C4C/ T-Code	Role(s)	If step is relevant for a Control, add Requirement ID
50	Preview correspondence Preview the correspondence	C4C Mashup (Empower Editor)	Manual Outbound Correspondence	
60	Edit allowed? If edit allowed, go to step 70. Otherwise, go to step 80.	C4C Mashup (Empower Editor)	Manual Outbound Correspondence	
70	Edit correspondence Edit the correspondence.	C4C Mashup (Empower Editor)	Manual Outbound Correspondence	
80	Submitted? If correspondence is submitted, go to step 110. Otherwise, go to step 40.	N/A	N/A	
110	Channel is email/SMS/Voice call? If communication channel is email or SMS or voice call, go to step 140. Otherwise, go to 120.	N/A	N/A	
120	Channel is US mail? If communication channel is US mail, go to step 150. Otherwise, go to step 130.	N/A	N/A	
130	Channel is send to printer? If communication channel is send to printer, go to step 160. Otherwise, go to step 140.	N/A	N/A	
140	Nuance to process data file 3 rd party notification system (Nuance) picks up correspondence data file and process the file. Go to step 170.	N/A	N/A	
150	GO3 process data file GO3 picks up correspondence data file and process the file. Go to step 170.	N/A	N/A	
160	Print correspondence Correspondence is printed.	N/A	N/A	
170	Send correspondence to BP Correspondence is sent to the BP.	N/A	N/A	CONTROL-CS-2354
180	Create BP Contact A BP Contact is created.	BCT0	Manual Outbound Correspondence	
190	Upload correspondence to OpenText xECM An image copy of the correspondence is stored in xECM.	OpenText	N/A	
200	End			

2.6.1 Automatic and Manual Mass Outbound Correspondence

This process describes the process of handling automatic and manual mass outbound correspondence.

Process Flow Diagram



Field Code Changed

Step	Description of Step	C4C/ T-Code	Role(s)	If step is relevant for a Control, add Requirement ID
10	Start			
20	Automatic correspondence? If it is automatic correspondence, go to step 70. Otherwise, go to step 30.	N/A	N/A	
30	Manual Mass correspondence? If it is a manual mass correspondence, go to step 40. Otherwise, go to step 170.	N/A	N/A	
40	Execute self-service report Execute a self-service report.	S/4HANA BI	Automatic & Manual Mass Correspondence	

Step	Description of Step	C4C/ T-Code	Role(s)	If step is relevant for a Control, add Requirement ID
50	Download data to excel file Download self-service report into an excel file.	S/4HANA BI	Automatic & Manual Mass Correspondence	
60	Execute upload file Execute Manual Mass correspondence program to generate manual mass correspondences.	ZCORR_MASS	Automatic & Manual Mass Correspondence	
70	Processes generate correspondence Respective processes generate correspondences upon completion.	S/4HANA	Automatic & Manual Mass Correspondence	
80	Generate log file Program generates log file and stores in the spool.	S/4HANA	Automatic & Manual Mass Correspondence	
90	Channel is email/SMS/Voice call? If communication channel is email or SMS or voice call, go to step 100. Otherwise, go to 160.	N/A	N/A	
100	Nuance to process data file 3 rd party notification system (Nuance) picks up correspondence data file and process the file. Go to step 130.	N/A	N/A	
110	Channel is US mail? If communication channel is US mail, go to step 120. Otherwise, go to step 170.	N/A	N/A	
120	GO3 process data file GO3 picks up correspondence data file and process the file.	N/A	N/A	
130	Send correspondence to BP Correspondence is sent to the BP via BP preferred channel.	N/A	N/A	CONTROL-CS-2354
1340	Create BP Contact A BP Contact is created.	BCT0	Automatic & Manual Mass Correspondence	
140	Send correspondence to BP <u>Correspondence is sent to the BP via BP preferred channel.</u>	<u>N/A</u>	<u>N/A</u>	<u>CONTROL-CS-2354</u>
150	Correspondence is of type Notification? <u>If it is Notification (Demand Response, Budget Assistant, Outage or Final Call Notice), go to step 160. Otherwise, go to step 170.</u>	<u>S/4HANA</u>	<u>Automatic & Manual Mass Correspondence</u>	

Step	Description of Step	C4C/ T-Code	Role(s)	If step is relevant for a Control, add Requirement ID
1650	Upload correspondence to OpenText xECM An image copy of the correspondence is stored in xECM.	OpenText	Automatic & Manual Mass Correspondence	
1670	End			

2.7 3rd Party and SCE Legacy System Integrations

Identify 3rd Party and SCE Legacy systems that are integrated to this Process and provide a description of the integration and required change together with an estimate of the complexity of the change. This section should relate closely to the Interfaces captured in the Technical Considerations section of this BPD.

3 rd Party or SCE Legacy System Integration	Description of Integration and Required Change to 3 rd Party or SCE Legacy System	Estimated Complexity of 3 rd Party or SCE Legacy system change
OpenText Empower editor Integrate with S/4HANA	SAP passes data to OpenText	Medium
3 rd party notification system integrate with OpenText	Sending outbound correspondence in SMS, email and voice call	Complex
OpenText integrate with S/4HANA	Creating BP Contact	Medium

2.8 Data Elements

N/A

2.8.1 Outbound Correspondence

The following data elements will be used by the outbound correspondence.

Field	Type	Comments
Business Partner	Optional	This is the BP number of the BP.
Contract Account	Optional	This is the CA of the BP.
Contract	Optional	This is the service Contract of the BP
Premise	Optional	This is the Premise of the BP.

2.8.2 Source Systems and Data Volumes

The following statistics are the client letters generated for the past 3 years:

Year	Volume
2015	841,493
2016	1,056,405
2017	909,227

2.9 Cloud for Customer (C4C) Integration

2.9.1 Processes

- User is able to generate manual correspondence to send to BP
- System is able to generate correspondence automatically and send to BP
- User is able to generate list of correspondences based on an upload file

2.9.2 C4C Views

A Hybris C4C Mashup view (Empower Editor) that allows user to compose and send correspondence to BP

2.9.3 Activity / BP Contact

BP Contact is created automatically when an outbound correspondence is uploaded to xECM

2.10 Exception Management Requirements

User Exception Scenario / Description	User Group	Initiated by	Work Distribution
N/A			

2.11 Process Risks and Mitigation

Risk Statement	Mitigation
If communication fails the BP will not be sent the intended communication.	Report for when a communication fails so the communication can be sent via an alternative method as needed.

2.12 Key Performance Indicators

The following have been identified as KPI's at Southern California Edison, along with the means of measuring each KPI and the current measurement statistic for each KPI:

Measured KPI	Description	Measurement Method	Current Statistic
N/A			

Commented [DT18]: Kristen, David Ritchey and Yumi:
Don't we have KPIs we should measure related to Outage, DR events and credit related communications to customers since we have regulatory requirements?

2.12.1 Key Metric Definition

The following have been identified as key metrics at Southern California Edison that require business rule for calculation:

Key Metric	Description	Business Rule	Reference
N/A			

3 Controls, Regulatory Rules, and Security

Requirement ID (from RTM)	"As-Is" Control Requirement	"To Be" Risk Statement	"To-Be" Control Activity"	Control Automation (manual, IT dependent-manual, automated)	Relevant technical identifier or RICEFW reference
CONTROL-CS-1216 (Out of Scope)	Provide Training to Employees that Develop Content for Customer Notices (DisabRA Settlement Agreement): SCE is required to provide training, as needed, to employees that develop/design content for written customer notices on importance of providing access to individuals with disabilities. (See DisabRA Settlement Agreement, IV.E.2).	Noncompliance or misinterpretation with regulatory and legislative requirements may lead to misstatement of financial statements, penalties, fines and/or prosecution from governing regulatory bodies	Out of scope because this process does not provide editing the content to cater to the individuals with disabilities. The process to make edits by Consumer Affairs or CCC are outside this process.	N/A	N/A

CONTROL-CS-2354 (Covered by CIM-CS-11-R0001)	SCE is required to notify affected customers of a planned outage at least 3 calendar days before an outage event. SCE may notify customers by US mail, by phone, in-person or door-to-door through door hangers, or by e-mail if SCE has the customer's e-mail address on file. If a planned outage is rescheduled to a new date not specified in the original notice to the customer, SCE will provide a new notice at least three calendar days before the rescheduled planned outage. (Service Guarantee Standard 3; See also SCE's tariff in Section E.4 of the Preliminary Statement).	Noncompliance or misinterpretation with regulatory and legislative requirements may lead to misstatement of financial statements, penalties, fines and/or prosecution from governing regulatory bodies	SCE provides notifications by US Mail, by phone, or by e-mail if SCE has the customer's e-mail address on file for outage notifications. (Outage Requirement met in Outage BPD and in-person or door-to-door through door hangers are cover in DF-WM BPDs)) N-DF-WM-02-102 (Outage notice to customer within 3 days). N-DF-WM-02-076 (Outage notification by door hangers)	Manual for Manual Correspondences & Automated for Mass/Automated Correspondences	N/A
--	---	--	---	--	-----

CONTROL-CS-2358 (Out of Scope)	SCE shall follow up with customers who complain about their bills, customers who are behind on their bills, and customers who have been contacted about disconnection or have been placed on a payment plan. SCE is directed to follow up with each customer through the customers' preferred method of communication (phone, email or mailer) on potential CMT solutions to reduce these customers' bills and avoid disconnection. At a minimum the follow up would include: a. Direct installation energy management technology measures available through energy efficiency, demand response (including direct install measures that provides a rebate, like Air Conditioning Cycling), and low income or Middle Income Direct Install programs that may be available to the customer; b. Specific rebates for energy management technology products and programs that may be available	Noncompliance or misinterpretation with regulatory and legislative requirements may lead to misstatement of financial statements, penalties, fines and/or prosecution from governing regulatory bodies	Out of Scope: This BPD covers methods for outbound communications and there is a Complaints BPD covering complaints, a. BP Communications Preferences BPD, covering preferred methods of communications (Manage BP), b. Information on energy management technology measures are available on SCE.com,		
--------------------------------	--	--	---	--	--

	to the customer that would be tailored to meet the customer's climate zone, energy consumption patterns, and the home vintage of the customer; e. Directions on how to access the updated energy technology marketplace website and understand the relevant product information that would be obtained there (product pricing, product rebates available, savings estimates for the products, customer reviews etc.); and d. Directions to and tips for navigating the IOU online tools to monitor energy usage and perform online audits, such as through MyAccount, and instructions on how to sign up for bill alerts or bill forecasts.		c. iEnergy covers the Rebate Programs scope, d. directions & tips for SCE online tools to monitor energy usage are covered in SCE.com.		

3.1 Security Considerations

Guidelines:

- Identify task functions for the processes and sub processes in the Role column. This will be used to establish SAP Technical Roles in SAP by Security during build phase security workshops conducted with process teams
- In the Functional Restriction column, identify any sensitive/critical t-codes or confidential and elevated access t-codes
- Identify any known cross- functional business processes that will have potential SOD (Segregation of Duties) conflicts and ensure any applicable mitigating controls are identified in the above Section 3
- Special Considerations should be noted if there is any of the following:
 - Segregation of Duties (SOD) - Control that is based on the system authorization concept to assist in segregating system and non-system duties that could cause conflicts of interest
 - Sensitive Access – System based control that is based on the system authorization concept
 - Elevated Access - Privileges temporarily assigned and highly monitored to address emergency situations. Includes sensitive and confidential access. Access managed in Firefighter. Requires additional review of activity logs to confirm access was appropriately used for the emergency need.

Role	Transaction Code (T-Code)	T-Code Description	Functional Restriction	Organizational Restriction
Manual Outbound Correspondence	Hybris C4C Mashup (OpenText Empower Editor)	OpenText screen to generate correspondence	Create/Change/Delete	N/A
Automatic & Manual Mass Correspondence	S/4HANA ZMASS_CORR	Create mass manual correspondence	Create	N/A
Automatic & Mass Outbound Correspondence	SP01	Access to the spool to locate the log file created by Automatic and Mass Outbound Correspondence process	View	N/A

3.2 Custom Program/Transaction Codes

Custom Program	Authorization Grp	Custom T-code	Authorization Object used in the authorization check statement
Manual Mass	Front Office & Back Office	ZMASS_CORR	

3.3 Custom Table/Transaction Codes

Custom Table	Authorization Grp Assigned	Custom T-code for the Table	Table Access (display/update)	RICEFW Reference ID

3.4 Data Criticality and Cybersecurity Baseline Risks

Specify Data Classification /Special Handling or Regulatory Requirement <i>What is the classification of Data? Does it trigger any special regulations?</i> <i>Please select the classification / Sensitivity of the Data. This will help us Assess the Risk associated and remediation measures if any.</i>	<Select all that apply> ☒ PII - Personal Identifiable Information / Privacy Law ☐ CEII - Critical Energy Infrastructure Information ☐ FERC SOC (Standards of Conduct) ☐ NERC CIP Confidential ☐ Sarbanes-Oxley (SOX) financial reporting data ☐ SCE utility data accessible by affiliate companies (CPUC) ☐ PCI - Payment Card Industry Compliance ☒ Customer Information Service Request (CISR, CISR-DRP) ☐ Other <u><Please Specify></u> ☒ Internal ☒ Public ☒ Confidential
Please identify which business Group/Role will require access to the data and/or solution: <i>Please select the list of Busines Groups will have access to this Data / Process. This will help us Determine the Impact and Risk Spread. Will ensure efficient Risk mitigation measures.</i>	<Select all that apply> ☐ SCE Customer, Res./Comm. Customer; ☒ SCE OU, Business Function Organization Name: CCC, BCD, RSO, CP&S, T&D ☐ Vendor ☐ External business partner(s) & SaaS providers ☐ External on-shore contractors ☐ External off-shore contractors ☐ SCE Affiliate Company Employees ☐ SCE Employees, specify if they have Marketing Function responsibilities (e.g., ES&M) ☒ SCE contract workers ☐ Regulatory Agencies ☐ Others <u><Please Specify></u>
How many of the SCE Customer, Employee, Vendors will use or affected by the Business Process? <i>To identify the Impact if services are adversely affected.</i>	100 - 1,000
How much Information/data would be processed, received or tramitted by the Business Process? <i>The data volume that will be utilized by this process. Helps us in determining the Impact and criticality</i>	100 MB / GB 100 - 1,000 MB / GB 1,000 - 10,000 MB / GB 10,000+ MB / GB.....
Number of business transactions in average? <i>These are the number of transactions process by the application on average. The number of transactions help in understanding criticality and Impact.</i>	Millions
Additional Security Consideration:	Any Cybersecurity impact in addition to SAP system security: • Internet Facing Web Application? Yes/No, Details: • Internet Facing Application Programming Interface? • 3rd party Fedrated Authentication & Authorization, Single Sign On?

4 Technical Considerations

4.1 RICEF-W Assessment

All of the Forms, Reports, Interfaces, Conversion items, Extensions/Enhancements and Workflows (RICEF-W) that have been identified for this BPD are detailed in the tables below and will represent the totality of all RICEF-W items documented at the time of sign-off of this BPD. Any RICEF-W items that are confirmed via change control after this BPD receives final sign-off, will be managed within Southern California Edison's APSE environment and not within this document.

4.1.1 Reports

Report Name & Description (List Requirements met by this Report)	Complexity	Reference ID
A report to provide list of correspondence that saved as draft	Medium	R-CIM-CS-11-03 List of correspondence saved as draft
A report to track the various outbound correspondence based on quantity and creator (eg agent/IVR/SCE.COM etc)	Medium	R-CIM-CS-11-6 Outbound correspondence based on quantity and creator
Ability for the user to report on Active and historical outbound correspondence communication	Medium	R-CIM-CS-11-9 List of communications based on Campaign status

4.1.2 Interfaces

Interface Name & Description (List Requirements met by this Interface)	Complexity	Reference ID
Client Letter interface	Medium	I-CIM-CS-11- Client Letter Interface
Interface to Varoli	Medium	I-CIM-CS-11- CR&B to Varoli
Event Tracking/Participation-Universal (DR Programs)-USER-Ability to receive contract/service account participation dispatch details (create, modify, delete) in real time using an API.	Medium	I-CIM-CS-11 - Passing Notification from S/4HANA to Nuance
Event Tracking/Participation-Universal (DR Programs)-USER-Ability to receive dispatch information (create, modify, delete) in real time using an API		
Ability to capture and store documents sent to customer or received from customer via postal mail (thru a document scanning application) (ie. PDF, MS Word, Excel etc)	Medium	I-CIM-CS-11- Interface to xECM to archive Notification

4.1.3 Conversion

Conversion Name & Description (List Requirements met by this Conversion)	Complexity	Reference ID
N/A		

4.1.4 Extension/Enhancements

Extension Name & Description (List Requirements met by this Extension)	Complexity	Reference ID
Ability to show all correspondence (inbound and outbound) as an Activity / BP Contact. Communication channels example include: IVR, live agent, email, notification (e.g. demand response or outage), marketing info, outage info, late payment notices, face to face interaction The system shall enable a user to easily view a copy of all outbound communications sent to a BP, user, date/time sent, type of communication, method (email, SMS, voice, U.S. mail) and contact device used	Medium	E-CIM-CS-0911 Auto IR creation for Inbound & Outbound Correspondence/Communication ** Update this RICEFW to Tier 1 ** This is documented in CIM-CS-09
To merge the XML files into one XML file and send to OpenText for processing	Medium	E-CIM-CS-11 Creating automatic outbound correspondence
Ability for authorized user to generate Mass correspondence & communication using a worksheet containing target customers	Medium	E-CIM-CS-11-2 Creating Mass correspondence
Ability for user to overwrite (one time change) system defaulted email address when user composing a manual correspondence Ability for user to overwrite (one time change) system defaulted mailing address when user is composing a manual correspondence Ability for user to overwrite (one time change) system defaulted mobile number when user is composing a manual correspondence Note: These are standard OpenText features. No enhancement is needed.	Medium	E-CIM-CS-11 Overwrite correspondence contact information
Ability for system to default BP primary email address when user has selected email as the communication channel for the manual correspondence. Ability for system to default BP primary mobile number when user has selected SMS as the communication channel for the manual correspondence. Ability for system to default BP standard mailing address when user has selected US Mail as the communication channel for the manual correspondence. Ability to add new outbound correspondence (proactive & triggered notification) that is configurable by the authorized user Ability for system to capture a reference code in the outbound correspondence	Medium	E-CIM-CS-11 Passing SAP data to Outbound Correspondence Tool
Ability to flag a physical service address (premise address) as unable to accept US mail	Medium	E-CIM-CS-11-4 Flag service address as invalid
Ability for system to use the Standard mailing address if the Contract Account or Premise address is flagged as unable to accept US mail or needs special handling System to obtain the customer valid contact information such as mailing address, mobile number, email id based on customer preferred communication channel. This will be a common program that all Forms RICEFW will be using.	Medium	E-CIM-CS-11 Determine correspondence address

Extension Name & Description (List Requirements met by this Extension)	Complexity	Reference ID
The system shall automatically send communication to the customer, when an event is triggered for CARE/FERA	Medium	E-CIM-CS-11-7 CARE/FERA event to send outbound communication
The system shall enable a user to easily view a copy of all outbound communications sent to a BP, user, date/time sent, type of communication, method (email, SMS, voice, U.S. mail) and contact device used	Medium	E-CIM-CS-11 Auto creation of IR for Outbound correspondence ** This Tier 2 RICEFW to change to Tier 1
Ability for system to generate a reference code for outbound correspondence printed by 3rd party vendor	Medium	E-CIM-PP-11-1 Auto generate reference code
A program to check for black out window and customer preferred communication channel that updated in Customer Reference The system shall be configurable to send outage information to multiple internal recipients such as districts, BCD and others (similar to CCC process today).	Medium	E-CIM-CS-11 Checking on Customer Preference ** New Tier 1 RICEFW # 2052

4.1.5 Forms

Form Name & Description (List Requirements met by this Form)	Complexity	Reference ID
N/A		

4.1.6 Workflows

Workflow Name & Description (List Requirements met by this Workflow)	Complexity	Reference ID
N/A		

4.2 IDEX Considerations

N/A

4.3 Production System Cut-over Considerations

Legacy Bill Statements that are stored in OpenText will under go conversion. The metadata for legacy Bill Statement image is Contract number (Service Account). Metadata for legacy Bill Statement image will be mapped to new SAP Contract number. This will be done using enhancement [C-UB-BI-09 - Bill image PDF migrated to OpenText](#).

4.6 Other Considerations

N/A

5 Change Management

5.1 Change Impacts

Change Element Short Description	Change Impact Category	Audience Group(s)	Impact	Business Effort
Currently, generating and mailing out customer letters is a manual process. In SAP, the outbound correspondence process will be automated. Operational Impact: Benefit...Reduction in the manual work effort required to create and send out the appropriate letters Customer Impact: N/A	Benefit/Improvement; Process;Technology (483)	CS-CSOD-CCC All;CS-BCD-All;CS-CP&S-All;CS-CSOD-RSO All	Medium	Medium
In SAP, users will be able to send letter of credit/residency via the customers' preferred communication channel (e.g. email). Currently agents can only send letters of credit and residency through US Postal mail. SAP provides more flexibility based on the customer's request and allows them to receive it faster than postal mail.	Process;Job Roles;Benefit/Improvement (273)	CS-CSOD-CCC All;CS-CSOD-Consumer Affairs	Low	Low
SAP allows for front office users the ability to send the non-cash security and guarantor letters via OpenText. Currently an email is sent to RSO Credit to generate and mail out these letters. There will be no hand off needed to send out the letter.	Job Roles;Process;Benefit/Improvement;Staffing Levels (274)	CS-CSOD-CCC All;CS-CSOD-RSO-Credit;CS-BCD-All;CS-CSOD-Consumer Affairs	Low	Low
CCC users will have the ability send the CARE cover letter to the customer for recertification. Currently users send a request for recertification to PSO to process the letter. The change will reduce handoffs and create efficiencies resulting in first call resolution.	Benefit/Improvement; Process (370)	CS-CSOD-CCC All;CS-CSOD-Consumer Affairs	Low	Low
Customer Contact Center (CCC) As a process efficiency, the CCC will have the ability to send out the CVD letter regarding the deceased customer. Today, the CCC sends an email to RSO CVD once they receive a call regarding a deceased customer. RSO mails the customer a letter of confirmation. The new process would not require the hand off to RSO to complete the request.	Benefit/Improvement; Job Roles;Process;Staffing Levels (487)	CS-CSOD-CCC All;CS-CSOD-RSO-Credit;CS-CSOD-Consumer Affairs	Low	Low

Change Element Short Description	Change Impact Category	Audience Group(s)	Impact	Business Effort
Front office users will have visibility to all correspondence (pending solution regarding visibility to Sales Force correspondence) that was provided to the customer in all channel types in one view. This functionality provides the users more detailed information to provide the customer when they have questions about documents that we send to them. BCD has access to certain marketing campaigns today in legacy CRM but not all. The CCC does not have access to any correspondence sent to the customer in CWO. They rely on Portal, and email communications	Benefit/Improvement; Decision Making; Process (490)	CS-BCD-All;CS-CP&S-All;CS-CSOD-All	High	High
Pending Requirement - As a process efficiency, outbound communications should have a standard header and footer templates which includes appropriate links based on correspondence and channel type. Currently BCD and CP and S will create marketing campaigns that may have different looks depending on the strategy. SAP provides us the ability to create the template that can be used by whole company	Culture Shift; Benefit/Improvement (491)	CS-BCD-All; CS-CP&S-All	Medium	Medium
In the new system the back office will enter undeliverable mail flag. Agents can use FOP to view connection object indicator that mail is undeliverable and then in FO update mailing address based on BP call.	Process;Decision Making (959)	CS-CSOD-CCC All;CS-BCD-All;CS-CSOD-RSO All	Low	Low
Currently, agents use specific Outlook mailbox address to send generic mail. In the future, agents will send information to a Business Partner using a pre-defined template on a topic that will have a generic sender name/email. This is a benefit.	Process;Decision Making;Benefit/Improvement (960)	CS-CSOD-CCC All;CS-BCD-All;CS-CSOD-RSO All	Low	Low
SAP correspondence management will be able to manage the manual, automatic and mass manual outbound correspondence. An outbound correspondence can be created manually by a user (single or mass) or automatically by the system.	Benefit/Improvement; Process;Technology (1050)	CS-BCD-All;CS-CSOD-CCC All;CS-CSOD-Consumer Affairs;CS-CSOD-RSO All	Medium	Medium

Commented [DT19]: Should this be removed?

Change Element Short Description	Change Impact Category	Audience Group(s)	Impact	Business Effort
The system will allow emails and phone numbers to be deleted manually by the user and automatically by the system and log the reason for the deletion (eg bad device, blocked etc) due to failures to all impacted BP's. This functionality is currently not available in the current system. Users can manually remove them based on the customer request but there is no log or automated deletion of phone numbers and emails. Operational Impact: This process will allow users can discuss with customers appropriate changes to their contact information and provide the information to the customer if they call.	Improvement;Decision Making;Process (1090)	CS-BCD-All;CS-CSOD-CCC All;CS-CSOD-Consumer Affairs;CS-CSOD-RSO All	Medium	Medium
The system will have the ability to store customer responses to SMS, email or voice responses. It will include date and time stamp of response as well as the content of the response. This is new functionality and there is nothing comparable today. Front office users will have visibility to any customer responses so that they can respond to any customer inquiries regarding the communication and know what the customer may have responded to.	Improvement;Process; Decision Making;Technology (1091)	CS-BCD-All;CS-CSOD-CCC All;CS-CSOD-Consumer Affairs;CS-CSOD-RSO All	Medium	Medium
Pending solution - Emails sent out via Sales Force will be stored automatically in Open Text. Currently emails sent are not stored in centralized depository for users to see. This process will allow front end users to view email correspondences sent out via marketing team. A BP contact will be created once these emails are stored in Open Text. Depending on the solution, the process may be a manual upload in Open Text. Operational Impact: This would be a new task for the marketing team in CP&S if a manual upload is required. Also depending on the size of the marketing audience, it may be a system strain on the uploading of the document. Customer impact: Indirect impact - Front end users have the ability to view the emails and can discuss with the customer instead of looking for a copy of the email or having the customer read the email to the agent.	Improvement;Job Roles (Neutral);Culture Shift;Process;Staffing Levels (1080)	CS-BCD-All;CS-CP&S-All;CS-CSOD-CCC All;CS-CSOD-Consumer Affairs	Medium	Medium

Change Element Short Description	Change Impact Category	Audience Group(s)	Impact	Business Effort
Manual outbound correspondence will be available to front and back office users. Front office users will access Open Text through a Mashup transaction launcher. Manual correspondence is generated upon BP request or after a user executes a transaction. Examples include Paid in Full letter, Guarantor declined etc. Currently most users generate letter through client letter functionality.	Process;Technology (1081)	CS-BCD-All;CS-CSOD-CCC All;CS-CSOD-RSO All;CS-CSOD-Consumer Affairs	Medium	Medium
Within Open Text, after the user selects the correspondence to send to the customer, the user will need to select the communication channel. The user can select the preferred communication channel but also has the option to override the default channel for a one time update. The override option will not update the BP preferred communication channel. This is a one time selection based on the customers' needs. Currently users do not have many options for different correspondence types. Most communications are sent via letters or voice options. There are certain programs that have options to SMS as well but is not available to all correspondence. Operational impact: It is an added step to determine what communication channel the customer is requesting increasing processing/handle times. If the BP contact information is marked "Do Not Use", an error message will be shown so that the user can discuss with the customer and select a different address/email/phone. Customer impact; Customer has multiple choices that can lead to customer satisfaction	Improvement;Culture Shift;Process;Technology (1084)	CS-BCD-All;CS-CSOD-CCC All;CS-CSOD-Consumer Affairs;CS-CSOD-RSO All	High	Medium

Below is a description of each:

Change Element Short Description: Describes the 'As-Is' scenario and what is changing.

Change Impact Category: Determined by asking the questions below.

1. **Staffing Levels** - Is the work effort increasing or decreasing (staffing levels), and how (e.g., task automation, new process/tasks)?
2. **Job Roles** - Will the responsibilities, authority, or required skills for a job or job roles change? Will people be reporting to new leaders? Will managers' responsibilities change?
3. **Compensation / Performance** - Will the changes have such an impact on roles of an individual that merits a change in how they are compensated or how their performance will be evaluated? What behaviors are rewarded and recognized?
4. **Organization Structure** - Is the ownership of the Process or Data changing (think departments, jobs, or roles, not individuals)?
5. **Decision Making** - Will any of the changes impact how decisions are made, by or between, business units / departments? Who makes them, how they determine the criteria for making a change?

6. **Culture Shift** - Will organizational value systems impact the way change happens or be impacted by the change? What are the underlying values of the organization that will directly influence the way change will be accepted and how much work will ultimately be required to ensure successful outcomes for the business?
 7. **Location / Facilities** - Will the change impact the physical location where they process is being implemented or require changes to the facilities to enable the process to be effective?
 8. **Process** - Any change to the current process (e.g. manual process becomes automatic, or vice versa)? Are there new processes being introduced or an old process being decommissioned? Is there a requirement to change an existing business rule or business policy? Will new business rule or policy needs to be introduced and enforced or complied to?
 9. **Regulatory/ Legal** - Are there any legal / regulatory requirements that might be impacted
 10. **Technology** - Are other applications impacted (e.g., going away, becoming read-only), or are there new requirements (e.g., new SW / HW, new version)
 11. **Benefit/Improvement** - Will there be an improvement or benefit to any of the stakeholders because of this change. (Be sure to include any pain points that are being alleviated)
 12. **Other** - Are there emotional implications stemming from any of these changes (think of buy-in issues or fears)
- Audience Group(s):** These are the affected departments, divisions etc...

Impact: The following were used to determine the impact:

Level	
HIGH	- BUSINESS OUTCOMES: Drives change to cost, efficiency, customers. - JOB: More than 40% of individual's job will change and / or additional skills are required with significant changes to Job Documents. Examples include: - Shift from manually intensive role to using new tools and systems - Employee is going to be redeployed - High level of "technical or functional" changes needed for a particular group - Significant changes to culture & attitudes to get job done - Big shifts in accountability or reporting (autonomy, responsibility, decision making, etc.) - RELATIONSHIPS: High level of "relational" changes for a particular group (e.g. reporting relationships, effective working relationships with customers, teams, and stakeholders etc.) - POLICIES/PROCEDURES: Processes, procedures, and/ or policies are not in place today and need to be defined. - REGULATORY REQUIREMENT: drive changes to the way we comply
Level	
MEDIUM	- BUSINESS OUTCOMES: Limited change to cost, efficiency, customers. - JOB: 20-40% of individual's job will change and / or additional skills are required with significant changes to Job Documents, Examples include: - Employee job title or function is modified, resulting in minor to moderate changes to roles and responsibilities. - There will be some changes to the culture & attitudes - Shift from moderate technology use to using new tools and systems - Moderate level of "technical or functional" changes needed for a particular group - Moderate shifts in accountability or reporting (autonomy, responsibility, decision making, etc.) - RELATIONSHIPS: Moderate level of "relational" changes for a particular group (e.g. reporting relationships) - POLICIES/PROCEDURES: Processes, procedures, and/or policies are inconsistent today and not defined or documented in many cases - REGULATORY REQUIREMENT: No impact.

Level	
	• BUSINESS OUTCOMES: No impact.
	• JOB: Less than 20% of individual's job will change and / or additional skills are required with significant changes to Job Documents. Examples include: • Employee job title or function is slightly modified with few, if any, changes to roles and responsibilities • There will be little change to the culture & attitudes • Shift from using some technology to new systems & tools • Light level of "technical or functional" changes needed for a particular group • Small shifts in accountability or reporting (autonomy, responsibility, decision making, etc.)
	• RELATIONSHIPS: No impact or light level of "relational" changes for a particular group (e.g. reporting relationships)
	• POLICIES/PROCEDURES: Processes, procedures, and/or policies are consistent, but not well documented, and will need to be documented/ Other minor changes to be made.
	• REGULATORY REQUIREMENT: No impact.

Business Effort: Initial assessment of the impact to the business High, Medium, Low

6 Requirements

7 Attachment



Outbound
Correspondence - Ma

Field Code Changed



Outbound
Correspondence - Aut

Field Code Changed