



PUBLIC
2026-01-28

Onboarding Guide for SAP Service Cloud Version 2

Content

- 1 Onboarding 3**
 - 1.1 Getting Started. 4
 - Purchasing Combinations. 4
 - Provisioning Environments. 5
 - Managing Operations. 8
 - 1.2 Getting Access. 21
 - SAP User IDs. 22
 - SAP for Me. 25
 - Creating Administrators. 26
 - 1.3 Getting Support. 27
 - Creating a Service Request. 27
 - 1.4 Diving into the Solution. 29

1 Onboarding

This guide introduces you to the solution, walks you through your first steps, and helps you find resources and support.

Getting Started



Start your journey with SAP resources.

- [Purchasing Combinations \[page 4\]](#)
- [Provisioning Environments \[page 5\]](#)
- [Provisioning Help \[page 7\]](#)

Getting Access



Get your access credentials and create users.

- [SAP User IDs \[page 22\]](#)
- [SAP for Me \[page 25\]](#)

Getting Support



Create a service request through SAP for Me for repetitive tasks with low-risk.

- [Creating a Service Request \[page 27\]](#)

Diving into the Solution



Make the most of your solution.

- [Diving into the Solution \[page 29\]](#)

1.1 Getting Started

Start your journey with SAP resources.

[Purchasing Combinations \[page 4\]](#)

Purchase your products with different combinations based on your requirements.

[Provisioning Environments \[page 5\]](#)

Set up the required environments using the service provided in the *SAP for Me* customer portal.

[Managing Operations \[page 8\]](#)

Learn about the operations in tenant lifecycle management.

1.1.1 Purchasing Combinations

Purchase your products with different combinations based on your requirements.

When you purchase the product, by default, you're entitled to both a production and a test tenant. It is recommended that you set up your test tenant at first. Once your changes are stable in the test tenant at an appropriate stage, then deploy your changes to the production tenant.

These are the different products (SKU) that you can purchase

- Production and Test tenants for SAP Service Cloud Version 2: 8012579
- Test tenants for SAP Sales and Service Cloud Version 2: 8012580

The following table gives you the details of purchasing the products with different combinations:

Purchasing Combinations	Description
SAP Service Cloud Version 2 Standalone	During this product purchase, you are entitled to both a production and a test tenant. You can also design the tenant landscape as needed.
SAP Service Cloud Version 2 and SAP Sales Cloud Version 2 in different tenants	Before this product purchase, you can discuss with the Account Executive and build the quote accordingly. These items must be on different entitlement sets. During this product purchase, you are entitled to a production tenant, and we recommend that you also purchase a test tenant. You can also design the tenant landscape as needed.
SAP Service Cloud Version 2 and SAP Sales Cloud Version 2 in the same tenant	If you have SAP Service Cloud Version 2 Standalone and the test tenant already, and purchase SAP Sales Cloud Version 2 as part of the same entitlement set, then the same production tenant updates the sales features automatically. To update the test tenant with the sales features, you must create an incident with the component CEC-HCS-PROV.
SAP Service Cloud Version 2 with Add-ons	When the contract with the Add-ons is activated, the relevant services are activated on the tenant.

1.1.2 Provisioning Environments

Set up the required environments using the service provided in the [SAP for Me](#) customer portal.

[SAP for Me](#) is the default solution for provisioning your solution. See your Service Description for further details about allocated environments.

1.1.2.1 Using SAP for Me to Provision Environments

[SAP for Me](#) provides personalized access, and a transparent view of your product portfolio, giving you control over your environments and their availability. Use it to view and provision the systems (environments) that you're entitled to access.

Prerequisites

You have an S-user ID.

Procedure

1. Go to [SAP for Me](#) .
2. Click [Sign in](#).
3. Enter your email address, S-user ID or login name, and click [Continue](#).
4. Enter your password.
5. Click [Log On](#).

If you forget your password, click [Forgot password](#) and enter your S-user ID into the [Forgot My Password](#) panel.

The [SAP for Me](#) portal opens.

6. Click [Me as Customer](#) in the side navigation.
7. Select the [Systems & Provisioning](#) dashboard from the submenu.

The [Systems & Provisioning](#) page opens, displaying a series of system overview cards.

8. Click the [Cloud Delivery](#) tab at the top of the page.

The Cloud Delivery page opens, displaying three cards, one of which is the [Products Available for Provisioning](#) card. This card contains all entitlements with the status "Open".

9. Locate the relevant entitlement (environment) by checking the [Product](#), [Entitlement Role](#) (environment type), and [Entitled Materials](#) columns.

Clicking any of the [Materials](#) entries opens details of the license materials, including the entitled quantity, order ID, and duration.

10. Click [Start provisioning](#) next to the entitlement (environment) that you want to provision.

If the [Start provisioning](#) button is inactive, see [Provisioning Help \[page 7\]](#) for hints on possible reasons.

11. Click [Submit](#) in the [Start New Provisioning Request](#) pop-up window.

- The status of the item in the card changes to [In Process](#).
- The request to provision is sent to CRM (Customer Relationship Management).
- In the [Provisioning Status](#) card, the requested provisioning status changes to [Provisioning triggered](#), and corresponding information in the [Triggered at](#) and [Triggered by](#) columns is updated.
- When provisioning is complete, the status changes to [Provided](#) and the provisioned entity's system number is displayed in the [Provisioned System](#) column. Note that you may need to refresh the browser page after a few minutes to get the updated status.
- The IT Contact mentioned in the Order gets the Handover Mail with the initial user credentials. This is valid for 90 days and can be used to set up the admin users in the tenant.

12. Click the [Provisioned System](#) number to access more detailed information about the provisioned environment (system).

In both cards, you can search by **Product** and **Entitlement Role**. In the [Provisioning Status](#) card, you can also search by system number or filter by status.

1.1.2.2 Provisioning Help

Learn more about the provisioning process, how to identify and resolve issues, and where to get additional help.

Accessing SAP for Me

[SAP for Me](#) lets you view and provision the environments that you're entitled to use. Note that in [SAP for Me](#), environments are referred to as **systems** and the systems that you're entitled to are referred to as **entitlements**. You need an S-user ID to log in to [SAP for Me](#) and view your entitlements.

As [SAP for Me](#) introduces capabilities that leverage new data types, new authorizations have been introduced to the existing S-user framework. These authorizations can be granted to any S-user by super administrators or, in some cases, by cloud administrators.

For the process of provisioning systems, you need the **Edit Cloud Data CLOUEDIT** authorization assigned to your S-user ID.

Who gets the authorization automatically?

- **Cloud administrators**: for installations that they're cloud administrators for
- **Company super administrators**: for customer numbers that they're super administrators for
- **CCoE super administrators**: on the CCoE level
- An **IT contact person** named in the order, if they are not one of the above.

Entitlement Roles

Entitlement roles in [SAP for Me](#) describe the category of a system, in other words, the type of your solution environment that you're entitled to provision.

Term	Purpose
Testing Tenant	Testing or Pre-Production Environment
Productive	Operating live sites

Entitlement Materials

Entitlement materials are the licensed materials that will be installed on the system, and hence the items that appear on the bill of material content. Clicking an entitled materials entry in [SAP for Me](#) displays details of the material, quantity, order ID, and the start and end date of the entitlement contract.

Actions and Statuses

The following actions appear in the *Products available for Provisioning* card of *SAP for Me*, alongside the various entitlements:

- **Start Provisioning:** when enabled, means you can trigger provisioning for this entitlement. If this button isn't enabled, it could mean:
 - You aren't entitled to provision. Check your user-ID permissions.
 - The contract start date hasn't been reached yet.
 - The sequence check hasn't passed, indicating that a prerequisite system needs to be provisioned first.
- **In process:** indicates that the call-off flag has been removed for the entitlement, but the status has not yet changed from *Open* to *Provisioning Triggered*. This indicates that CRM (Customer Relations Management) is still processing the entitlement. If the status remains *In Process* after five minutes, an error may have occurred on the CRM side. Please then raise a support ticket with the subject IMAS_FULFILLMENT.

In the *Provisioning Status* card, all entitlements have either the status *Provisioning Triggered* or *Provided*.

Further Assistance

- To check on planned and unplanned downtimes of your cloud system, use the [Cloud Availability Center](#) .
- To subscribe to cloud system availability notifications, go to [Cloud Availability Notifications](#) .
- If you experience technical issues, such as problems logging in, report the incident in the [SAP ONE launchpad](#)  using the component CEC - CRM.

1.1.3 Managing Operations

Learn about the operations in tenant lifecycle management.

- **New Customer**
The operations work on service requests (incidents come from the order) that are created by the responsible teams. These service requests specify the details of the tenant, such as the location (data center), number of user licenses, contract start date, and so on.
According to the incident details mentioned in the service request, the operations team moves forward to create a new tenant for the customer.
- **Existing Customer**
You can contact the operations team either by contacting support or creating an incident.
According to the incident details mentioned in the service request, the operations team moves forward to create a new tenant for the customer.

Roles and Responsibilities of Operations Team

- Tenant is created and is ready to be handed over to you on trigger from *SAP for Me*.
- Handover emails containing relevant information (data user, password, URL) are sent to your IT contact at the time of order placement.

- If you request a re-trigger of handover e-mail, the operations team sends it to the updated IT contact.

Note that handover e-mail and other communications are sent to IT contact only. So, customers must maintain and update IT contact regularly.

ⓘ Note

The operations, such as requesting a new tenant, refreshing a tenant, restoring a tenant, decommissioning a tenant, and data backup and recovery services, are applicable for customer tenants only and not for partner tenants.

Update IT Contact Information

If you're a new customer, reach out to customer support and get the contact IT updated before sending out the handover e-mail.

Login credentials will NOT be sent to any other e-mail address than maintained in contact IT.

Monitor Service Requests

Service requests can be monitored by you via [SAP for Me](#).

1.1.3.1 Requesting a New Tenant

Learn more about the process of requesting a new tenant.

Every customer is eligible for a production tenant. It's recommended that new customers purchase a test tenant. Once the implementation in the test tenant reaches the stage in the project lifecycle where you can request a production tenant.

As an S user, you can request tenants using [SAP for Me](#).

Tenant Options

You can request a tenant in [SAP for Me](#) by navigating to [Systems & Provisioning](#). Select the relevant product and then click [Start Provisioning](#).

Choose any of the following tenant options, based on your requirements:

- Request New Initial Tenant

ⓘ Note

A new URL is generated every time you request for a new tenant.

- Copy of Source Tenant
 - [Complete Copy of Source Tenant](#): In this scenario, complete data (including configuration that is part of settings, master and transactional data, and users) is copied. The user credentials for logging in to the newly-created tenant be the same as that of the source tenant. Therefore, initial user credentials aren't included as part of the handover email in this scenario.

Note

The timeline entries aren't copied.

- **Copy of Configuration:** In this scenario, configuration settings that are part of the [Settings](#) screen are copied. Also, the configurations that aren't tenant-dependent are copied but the users aren't copied. Once the copy of configuration is complete, a handover email containing the initial user credentials (username and password) are sent for accessing the tenant.

The source tenant must match the order of the target tenant, and the customer must have an open order item for the tenant.

1.1.3.1.1 Supported Settings for Copy of Configuration

Lists all the settings that are supported for Copy of Configuration.

Setting	Type	Whether Copied?	Additional Information
Company			
	Organizational Structure	No	
	Employees	No	
	Distribution Channels	Yes	
	Divisions	Yes	
Users and Control			
	Users	No	
	Business Roles	Yes	
	Identity Provider Configuration	No	
	Security Policies	Yes	
	Settings	No	
System Preferences			
	Appearance and Behavior	No	
	Currency	Yes	
	Language	Yes	
	Timezone	No	
	Country/Region	Yes	
	Fiscal Period	Yes	
	Exchange Rate	Yes	
	Content Security Policy	No	
	Home Page	No	
Data Administration			

Setting	Type	Whether Copied?	Additional Information
	Attachment Types	Yes	
	Attachment Types Assignment	Yes	
	MIME Types for Attachments	Yes	
	Attachment Configuration	Yes	
	Note Types	Yes	
	Note Types Assignment	Yes	
Data Import and Export			
	Import and Export Data	Not Applicable	
	ID Mapping	No	
Data Protection & Privacy			
	Data Disclosure	No	
	Data Depersonalization	No	
	Depersonalization Logs	No	
	Read Access Logs	No	
	Retention Rule for Employees	Yes	
	Automated Transaction Removal	Yes	
	Automated Business Partner Removal	No	
	Business Partner: End of Purpose Runs	No	
Logs and Changes			
	Audit Logs	No	
	Changes	No	
	Deletions	No	
Analytics			
	Design Stories	No	
	SSO Configuration for SAP Analytics Cloud	No	
	SAC User Replication Failures	No	
Integration			
	Message Monitoring	No	
	Event Monitoring	No	
	Communication Systems	No	
	Communication Configuration	No	

Setting	Type	Whether Copied?	Additional Information
	Inbound Configuration	No	
	Outbound Configuration	No	
	Value Mapping	Yes	
	External ID Mapping	No	
	Groupware	No	
	External Link	No	
	Standard Events	No	
	Standard Events Monitoring	No	
Computer Telephony Integration			
	CTI Configuration	No	
Communication & Information Exchange			
	Microsoft Teams Integration	No	
	LinkedIn Sales Navigator	No	
Global Search			
	Filter Configuration	No	
	Search Admin Settings	No	
Output Management			
	Maintain Form Template	Yes	
	Maintain Main Template	Yes	
	Select Form Template	Partially Copied	Entities are copied but rules have to be rebuilt
Machine Learning			
	Intelligent Service	No	
	Generative AI	No	
	Intent Data Configuration	No	
	Business Interaction Intelligence	No	
	CX AI Toolkit	No	
Library			
	File Type Filter Configuration	Yes	
Mobile Administration			
	General	No	
	Home Page	No	
	Opportunity	No	

Setting	Type	Whether Copied?	Additional Information
	Appointment	No	
	Lead	No	
	Account	No	
	Contact	No	
	Sales Quote	No	
	Visit	No	
Business Flow			
	Autoflow	No	
	Approval	No	
	Feedback	No	
Extensibility			
	Extensibility Administration		
	Custom Fields	Yes	
	Field Attributes	Yes	
	Dynamic Properties	Yes	
	Validations	No	Validations are copied as inactive, must be rebuilt.
	Determinations	Partial	Determinations are copied as inactive; open and save to activate it.
	External Hooks	No	
	Assignment Rules	No	
	Page Layouts	Yes	
	Custom Logic Administration	No	
	Code List Restrictions	Yes	Validation must be performed in the target tenant.
	Mashup Authoring	Yes	Validation must be performed in the target tenant.
	Custom Services	Yes	Communication systems aren't copied during tenant copy. Communication system must be manually created and configured for back-end connection in the Custom Service's host configuration dialog.
	Language Adaptation	No	
Customers			
	ABC Classifications	Yes	

Setting	Type	Whether Copied?	Additional Information
	Payment Terms	Yes	
	Customer Groups	Yes	
	Delivery Block Reasons	Yes	
	Billing Block Reasons	Yes	
	Order Block Reasons	Yes	
	Price Lists	Yes	
	Price Groups	Yes	
	Delivery Priorities	Yes	
	Incoterms	Yes	
	Roles	Yes	
	Nielsen IDs	Yes	
Contacts			
	Departments	Yes	
	Functions	Yes	
	VIP Contacts	Yes	
Business Partners			
	Industries	Yes	
	Number Range	Yes	
	Marital Status	Yes	
	Academic Titles	Yes	
	Titles	Yes	
	Legal Forms	Yes	
	Relationships	Yes	
	Identification Types	Yes	
	Name Prefixes	Yes	
	Account Hierarchy Types	Yes	
Products			
	Product Type	Yes	
	Units of Measure	Yes	
	Sales Status Schema	Yes	
	Number Range for Products	No	
	Product Groups	No	
	GTIN	No	
	Number Range for Competitor Products	No	

Setting	Type	Whether Copied?	Additional Information
Product List			
	Categories	Yes	
Registered Products			
	Registered Product category	Yes	
	Custom Party Type	Yes	
Installed Bases			
	Custom Party Type	Yes	
Functional Locations			
	Custom Party Type	Yes	
Product Installation Points			
	Custom Party Type	Yes	
Party Processing			
	Party Roles	Yes	
Pricing			
	Pricing Configuration	Yes	
Cases			
	Case Types	Yes	
	Status Dictionary Entries	Yes	
	Status Schemas	Yes	
	Party Schema	Yes	
	Priorities	Yes	
	Service Levels	No	
	Service Level Determinations	No	
	Case Routing to Employee	No	
	Case Routing to Team	No	
	Source Settings	Yes	
	Form Determinations	Not Applicable	
	Case Auto Creation Monitoring	No	
Surveys			
	Survey Categories	Yes	
	Question Categories	Yes	
	Answer Categories	Yes	
Emails			
	MTA Configuration	No	

Setting	Type	Whether Copied?	Additional Information
	MTA Provider Configuration	No	
	Channels	No	
	Templates	No	
	Inbound Monitoring	No	
	Outbound Monitoring	No	
Agent Desktop			
	General Settings	No	
	Live Interaction Widget Settings	No	
	Timeline Settings	Yes	
Timeline			
	Timeline Configuration	Yes	
Customer Insights			
	Custom Key Metrics	No	
	Highlights	Yes	
	Timeline Filters	Yes	
	Integration	No	
	Custom Highlights	No	
Tasks			
	General Settings	Yes	
	Categories	Yes	
Appointments			
	General	Yes	
	Categories	Yes	
	Number Range	Yes	
Calendar			
	Card Colors	Yes	
	Working Day Calendars	Yes	
	Holiday Calendars	Yes	
Phone Calls			
	Call Results	Yes	
Leads			
	Status	Yes	
	Sources	Yes	
	Qualifications	Yes	

Setting	Type	Whether Copied?	Additional Information
	Reason for Status	No	
	Party Schema	Yes	
	Lead Routing to Employee	No	
	General Settings	Yes	
Opportunities			
	General Settings	Yes	
	Document Type	Yes	
	Sources	Yes	
	Party Schema	Yes	
	Sales Cycle	Yes	
	Categories	Yes	
	Reason for Status	Yes	
	Forecast Category	Yes	
	Contact Role	Yes	
	Status	Yes	
	Number Range	No	
	Opportunity Routing to Employee	No	
Sales Quotes			
	Item Types	Yes	
	Reasons for Progress	Yes	
	Party Schema	Yes	
	Number Range	No	
Sales Orders			
	Item Types	Yes	
	Party Schema	Yes	
	Number Range	No	
	Document Types	Yes	
	Reasons for Orders	Yes	
	Reasons for Rejection	Yes	
Call Lists Planning			
	Call Lists Category Definition	Yes	
Pipeline Management and Forecasting			
	General Settings	Unsure	

Setting	Type	Whether Copied?	Additional Information
	Forecast Tracker	Yes	
	Pipeline Flow	No	
Relationship Intelligence Administration			
	Server Connection	No	
	Internal Domains	No	
	Allowlist/Blocklist	No	
	Invisibility	No	
	Relationship Intelligence Metrics	No	
Visits			
	Visit Types	Yes	
	General	Yes	
Service Catalogs			
	Catalog Definition	No	
Knowledge Base			
	Provider Settings	No	
Service Order			
	Service Order Types	No	
	Priorities	Yes	
	User Status	No	
	Reason for Rejection	No	
	Item Status	No	
	Item Categories	Yes	
	Party Schema	No	
Service Quotes			
	Service Quotation Types	No	
	Item Categories	No	
	Rejection Reasons	No	

1.1.3.2 Restoring a Tenant

Restore your tenant by creating a restore point.

Create Restore Point

A restore point is a full copy of a tenant. It's a snapshot of the tenant's data at a specific point in time. Before performing data migration processes or other necessary actions in an existing tenant, it can be requested as a fallback tenant.

Note

- Any critical activity in the source tenant must be avoided while the restore point creation is in progress. This step is required to provide a consistent recovery.
- The retention period of a restore point is, by default, 14 days. After the retention period, the restore point is deleted.
- Restore points are inactive tenants, so you can't log on to one.
- You can request restore points for both test and production tenants.

To create a service ticket for creating restore points, see [Creating a Service Request \[page 27\]](#).

Reset to Restore Point

You can restore the tenant to the created restore point, anytime within the 14 days time frame. You can request for restoring the tenant by raising an incident to the component **CEC-CRM-CO-OPS**.

Note

- Restore is possible only for the restore points created in advance.
- Multiple restore points can't be created. There can only be one active restore point.
- Once the reset to restore point is done, the tenant URL remains the same.

1.1.3.3 Decommissioning a Tenant

For tenant decommission, raise an incident to CEC-CRM-CO-OPS with the necessary tenant details.

1.1.3.4 Customer Data Backup and Recovery Services

Describes data backup and recovery services available for the customers.

SAP provides data backup and recovery services to protect customer data in SAP Sales and Service Cloud Version 2. It's important that customers feel safe and confident about the protection of critical data and processes. This backup includes data processed through business interfaces (such as B2B integrations), which are covered by the same backup and recovery procedures. SAP assures quick access to restored data with minimal loss in the event of an incident. This is achieved through compliance procedures, stringent execution of internal controls, and independent audits (for example, ISO and SOC certifications).

→ Remember

- SAP performs system-level backups only.
- Individual tenant restores (for a specific customer tenant, configuration, or enhancements) aren't supported.
- Customers can't request or initiate a tenant restore in case of accidental or malicious data loss.

Backup

- *Continuous Protection*: Backups run continuously to ensure data is safeguarded.
- *Automated Backups*: The backup process is fully automated.
- *Secure Storage*: Industry-leading cloud storage solutions are used, with data encrypted in transit and at rest.
- *Point-in-Time Recovery (System Level)*: The solution supports point-in-time recovery, allowing database restoration to specific moments within the last day. Transaction logs are kept for 24 hours after the snapshot for precise recovery.
- *Scheduled Snapshots*: Beyond the current day, your data is protected by automated daily snapshots, providing reliable restore points across the backup retention window.
- *Efficient Recovery*: In case of severe system corruption or disaster, SAP can recover systems quickly.
- *Data Integrity*: Backups and restored data undergo regular testing.
- *Location*: Backups are stored across multiple availability zones within the region.

Recovery

Scope of Restoration:

- System-level restoration is supported.
- Tenant-level restoration isn't supported (no restoration of an individual customer tenant, configurations, or customer-specific extensions).

📘 Note

- Backup and recovery services are available only for production and test tenants.
- Partner development tenants are excluded from backup and recovery services.

The databases can be recovered using data cloud backups. SAP restores backed-up data with approval, if a system malfunction occurs.

The following are the possible failure scenarios:

- *Failure of an availability zone*- No major impact on the application, remaining zones handle the processing.
- *Complete region failure*- but if at least one availability zone isn't destroyed, it can be recovered. Once the hyperscaler restores the availability zone, SAP's restore operations can begin.
- *Complete region failure*- all availability zones are destroyed (currently Cross Region Backup copies aren't available)

Nothing left to restore from – worst case scenario.

Service Level Agreement

The following Service Level Agreements are available:

Recovery Criteria	Details
Retention time	Up to 14 days
Restore Time Objective	Best Effort
Recovery Point Objective	5 Minutes
Quality of DB restored	DB tested for consistency

Frequently Asked Questions

1. Question: Can I restore my tenant myself?
Answer: No, tenant-level restorations are not supported.
2. Question: Can SAP restore my tenant individually if I lose data?
Answer: No, only system-wide restores are possible.
3. Question: Does this backup include B2B interface data?
Answer: Yes, data processed through supported business interfaces is included in system-level backups.
4. Question: Which certifications does SAP have for backup and recovery?
Answer: SAP is audited for compliance under ISO and SOC certifications.

1.2 Getting Access

Get your access credentials and create users in SAP Service Cloud Version 2 .

[SAP User IDs \[page 22\]](#)

Get your login and set up your team members' logins to access SAP products (SAP for Me, Built-In Support, and SAP ONE Support Launchpad) services, support, and resources.

[SAP for Me \[page 25\]](#)

Set up your access in [SAP for Me](#) where you can get support, report issues, and consult known issues.

[Creating Administrators \[page 26\]](#)

As an initial user, you must create an administrator, who further creates more users, and roles in your system.

1.2.1 SAP User IDs

Get your login and set up your team members' logins to access SAP products (SAP for Me, Built-In Support, and SAP ONE Support Launchpad) services, support, and resources.

An SAP user ID is a login that allows you to log on to and navigate seamlessly between SAP sites. Different authorizations can be associated with an SAP user ID. To learn more, see [Users](#) .

If you're a new SAP customer or partner, a designated person within your company becomes the first user and has super administrator or security manager permissions. They're responsible for setting up the other users and their permissions.

User IDs can have various formats depending on the user type.

- Customer users: Customer user IDs begin with an *S*. You can access resources intended for customers with these user IDs.
- Partner users: Partner user IDs can begin with an *S* or a *P*, depending on how they were created. Partner user IDs created on SAP Partner Edge begin with a *P*. You can access resources intended for partners with these user IDs.
- Public users: Public user IDs begin with a *P*. You can't access resources intended for customers or partners with these user IDs.

Related Information

[Provisioning Environments \[page 5\]](#)

Set up the required environments using the service provided in the [SAP for Me](#) customer portal.

1.2.1.1 Creating User IDs for Your Team

SAP creates the first user for your company. The first user is then responsible for all user management, including assignment and removal of authorizations to other users. The platform that you use to create and administer your users varies depending on whether you are a customer or partner.

1.2.1.1.1 Customers

If you are an SAP customer, you can use [SAP ONE Support Launchpad](#) to create users for your company.

Prerequisites

You have the super administrator role. For more information, see [Administrator concept](#) .

Procedure

1. Log on to [Launchpad](#) and scroll down to ► [System Operations and Maintenance](#) ► [Support User Management](#).
2. Click [Request User](#) in the bottom-right corner.
3. Fill in the required fields of the [Request User](#) screen and click [Submit](#).

Results

Once a user logs on to the [SAP ONE Support Launchpad](#) for the first time, the user's login data disappears from the [Requested Users](#) list.

1.2.1.1.2 Partners

If you're an SAP partner, you can use SAP Partner Edge to create users and set up self-registration for your company.

Prerequisites

You've partner security manager permission assigned to your S-user ID. As partner security manager you can:

- create, delete, and manage users for your company
- review self-registration requests (if you enabled the self-registration option)
- assign system permissions
- control user access to SAP systems and tools

Procedure

1. Log on to [SAP Partner Edge Launchpad](#) and scroll down to ► [My Partnership](#) ► [Manage My Users](#).
2. Click [Create User](#) in the top-right corner.
3. Fill in the required fields of the [Request User](#) screen and click [Save](#).

Results

The newly created user is shown on the [All Users](#) tab with an indicator that the S-user will generate soon.

Related Information

[Contact & User Management](#) 

1.2.1.2 Obtaining an SAP User ID

The process for obtaining an SAP user ID varies depending on whether you are a customer or partner.

1.2.1.2.1 Customers

If you are a customer, your company's super administrator requests the S-user ID for you.

Procedure

Contact the super administrator for your company.

If you do not know who the super administrator of your company is, please call the [Customer Interaction Center \(CIC\)](#) . They will tell you who your super administrator is.

1.2.1.2.2 Partners

If you are a partner, you may obtain an S-user ID or P-user ID depending on how the user ID is created.

Procedure

Request your S-user ID using one of the following methods.

- Contact your company's security manager.
- Self-register at [Partner Portal](#) .
This option is only available if self-registration is set up on SAP Partner Edge for your company. If you do not know whether the self-registration option is available to you, contact your company's security manager.

If you do not know who your company's security manager is, send an email to channelprograms@sap.com requesting this information and indicating your company's name, address, and partner number.

1.2.1.3 Resetting Your SAP User ID Password

If you forget the password associated with your SAP customer or partner user ID, you can reset it.

Procedure

1. Click the [Forgot password](#) link on an SAP login page or go to [SAP ID Service](#).
2. In the [E-Mail, ID, or Login Name](#) field, enter your customer ID (S-user ID) or partner ID (S-user ID or PartnerEdge P-user ID) and click the [Send](#) button.

Do not enter your email address as you may have multiple user IDs associated with your email address. Only your customer or partner ID provide you with access to the documentation.

An email with a reset password link is sent to the email address linked to your user ID. If you do not receive this email:

- Make sure that you used the correct user ID to reset your password (customer ID or partner ID).
- Contact the super administrator or security manager of your company to make sure that your login is active.

Related Information

[SAP User IDs \[page 22\]](#)

Get your login and set up your team members' logins to access SAP products (SAP for Me, Built-In Support, and SAP ONE Support Launchpad) services, support, and resources.

[Users and Authentication](#)

1.2.2 SAP for Me

Set up your access in [SAP for Me](#) where you can get support, report issues, and consult known issues.

[SAP for Me](#) provides access to task-driven support resources in an intuitive interface. By using customizable role profiles, it displays the applications and insights relevant to you.

Super administrators create SAP user IDs, or S-user IDs, for each person in the organization who needs access to report incidents or request services using the [SAP Support Portal](#). For more details, see [User Administrators](#).

When the super administrator for your company sets up an S-user ID for you and assigns the appropriate authorizations, you receive access to the [SAP Support Portal](#) and [SAP for Me](#).

Note

If you do not have an S-user ID, contact your super administrator. For assistance identifying your super administrator, contact the [Customer Interaction Center](#).

For more information about the process for accessing SAP Support tools, see [Data, Processes and Communication Flow in SAP Support Portal](#) .

Related Information

[SAP for Me Online Help](#) .

1.2.2.1 Authorizing Users to Create and View Support Requests

To allow users to create and view incidents and make requests in [SAP Support Portal](#) and, provide authorization for their SAP user IDs.

To authorize users to use SAP Support tools, you must be a super administrator for your company. Additionally, SAP User IDs, or S-User IDs, must exist for the accounts you authorize.

Assign the following authorizations to each S-user that needs access to SAP Support tools:

- Report an Incident
- Display Incidents
- Display All Incidents
- Send Incidents to SAP
- Close Incidents

For information about assigning authorizations to S-users, see [User Management](#) .

1.2.3 Creating Administrators

As an initial user, you must create an administrator, who further creates more users, and roles in your system.

Context

The initial user must create an administrator before performing other tasks. The initial user is locked after 90 days, so creating an administrator is an important step that your initial user must perform.

Follow the links provided in Related Information section for detailed steps.

Procedure

1. Log in to your system with the initial user credentials.
2. Create an Employee.
3. Create an User for the Employee. You'll receive an email with login credentials for your new user.
4. Create a Business Role. Set this role as the administrator by using the [Admin](#) switch.
5. Assign the User to the Business Role.
6. Log out of the system, and log in to the system with your newly created Administrator credentials. Using this administrator login credentials, you can further create more administrators, users, and roles in your system.

Related Information

[Create Employees](#)

[Create Business Users and Assign Business Roles](#)

[Create Business Roles and Assign Business Users](#)

1.3 Getting Support

Learn who to contact and which channels to use when you encounter a problem.

[Creating a Service Request \[page 27\]](#)

Create a service request through [SAP for Me](#) for repetitive tasks with low-risk. These requests are not for unexpected service delays or disruptions..

1.3.1 Creating a Service Request

Create a service request through [SAP for Me](#) for repetitive tasks with low-risk. These requests are not for unexpected service delays or disruptions..

Prerequisites

You have an S-user ID.

You should also have the following authorizations to directly access the Service Catalog:

- Create Billable Service Requests (SRV_BIL_AD)
- Create Service Requests (SRV_CREA)

- Display Service Requests (SRV_REQ)

Contact your company's administrator to request one of the authorizations. For more information, refer to [Users and Contacts](#) in the *SAP for Me* application.

Context

There are two possible ways to create a service request. Certain authorizations allow you to directly access the service catalog, which facilitates the creation process. In the catalog, you can immediately create a request using a predefined category. Without the authorizations, you can only access the catalog through the *SAP for Me* application.

Procedure

1. Go to [Service Catalog](#).
2. If you can't access the [Service Catalog](#), go to [SAP for Me](#) and perform the following steps:
 1. Select [Sign In](#).
 2. Enter your email address, S-user ID, or login name, and select [Continue](#).
 3. Enter your password and select [Log On](#).
If you forget your password, select [Forgot password](#) and reset by entering your S-user ID into the [Forgot My Password](#) panel.
The *SAP for Me* portal opens.
 4. Under [Dashboards](#), select [Services & Support](#).
 5. Choose [New Service Request](#).
3. On the [Service Request Management](#) portal, select the [Catalog](#) as *CRM and Customer Experience*.
4. Under [Categories](#), select [CX Sales & Service Cloud](#).
5. Choose a service based on your requirement:
 - [CX Sales - GROW Integration](#)
 - [CX Sales and Service - Tenant Services](#)
 - CX Sales and Service - Tenant Refresh
 - CX Sales and Service - Tenant Backup
6. Fill out the form according to the instructions.
7. Select [Submit](#).

Related Information

[Restoring a Tenant \[page 18\]](#)

Restore your tenant by creating a restore point.

1.4 Diving into the Solution

Make the most of your solution by learning about its features.

Feature Explorer



Explore a comprehensive catalog of features and functions.

[Feature Scope Description](#)

Set Up Guide



Learn about the main concepts, configuring the Workbench, and building your first applications.

[Set Up Guide](#)

SAP Help Portal



Browse the SAP Help Portal - your one-stop shop for all information and latest news about your solution.

[SAP Help Portal](#)

Important Disclaimers and Legal Information

Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.

About the icons:

- Links with the icon  : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
 - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
 - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon  : You are leaving the documentation for that particular SAP product or service and are entering an SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.

The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

Bias-Free Language

SAP supports a culture of diversity and inclusion. Whenever possible, we use unbiased language in our documentation to refer to people of all cultures, ethnicities, genders, and abilities.

© 2026 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see <https://www.sap.com/about/legal/trademark.html> for additional trademark information and notices.

