

✕

The Party Schema shows all the party roles assigned to a selected transaction and allows you to edit or assign custom party roles. Each transaction comes with a default party schema and its assigned party roles, but you can customize it by adding custom party roles and activating it or deactivating the roles you don't need.

Party Roles Assignment: Standard party roles (for example, Bill-to Party, Ship-to Party, Contact Person and so on) are already assigned to the schema. You can also add custom roles or deactivate existing roles which are not needed. Assigned Active party roles determines which parties are involved in the transaction like organizational unit, territory, account, etc.

Mandatory: You can mark the assigned role as mandatory or optional. This means that mandatory roles must be involved in the transaction.

Unique: You can also allow multiple parties to share the same role (for example, several contacts on one transaction document) or enforce that only one party can fill the role.

Determination Steps: Use the Action button next to a role to view its determination steps. There is a sequence of determination steps and the system tries to find the party based on sequence; if it doesn't find a match, it moves to the next step, and so on, until the relevant party is determined for that role. You can activate or deactivate individual steps to control the determination.

Show Less

Party Schemas (1)

SERVICE_ORDER

Service Order

Schema ID

SERVICE_ORDER

Description

Service Order

Party Role Assignments (11)

Changes

Active	Party Role	Determination Context	Mandatory	Un	Actions
	1001 - Account	Party			
	591 - Account Contact	Party			
	1005 - Ship-To	Party			

Add Security Policies

All (6)

Policy ID	Policy Name	Description
S_BUSINESS_USER	S_BUSINESS_USER	Default Password Policy for Business Users
S_BUSINESS_USER_WITHOUT_PASSWORD	S_BUSINESS_USER_WITHOUT_PASSWORD	Default Password Policy for Business Users with Single Si
S_TEST_USER	S_TEST_USER	Default Password Policy for Test Users
S_TECHNICAL_USER	S_TECHNICAL_USER	Default Password Policy for Technical Users
S_TECHNICAL_USER_WITHOUT_PASSWORD	S_TECHNICAL_USER_WITHOUT_PASSWORD	Default Password Policy for Technical Users without Login
Z_DEMO_USER	Z_DEMO_USER	Default Password Policy for Demo Users

SAP

Sales and Service Cloud

Search All

JS

Home

System Settings

System Settings | Users and Control
Users

User
John Smith-0001

Business User Details

John Smith-0001

DetailsAssigned Business Roles

Assigned Business Roles (4)

Role ID

Name

Status

Action

246	SERVICE_MAN_TRAINING	ACTIVE	
86	ADMIN	ACTIVE	
236	ACC_MANAGER	ACTIVE	
241	ADMIN_TRAINING	ACTIVE	

< 1 >

Role Creation

my1002604.de1.demo.crm.cloud.sap

SAP

Sales and Service Cloud

Search All

JS

Home

System Settings

System Settings | Users and Control
Roles

Role
Create New Role

General Information

Business Role Name

Enter a role name

Business Role ID

Auto-generated

Description

Enter a description

Status

DRAFT

Admin

Manage SKUs

Select SKUs.

Add

Manage SKUs

Search

+

Trash

Select SKUs.

Add

Business Services

Add SKUs to enable adding Business Services

Add

Save

Save and Activate

Cancel

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Users and Control Roles

Role Create New Role

Manage SKUs

Search

+

Trash

Select SKUs.

☐	SKU Name	Description
☐	8014321	SAP Sales Cloud Version 2
☒	8012579	SAP Service Cloud Version 2

AddCancel

Save

Save and Activate

Cancel

Business Services (8)						Q	+
Business Service ID	Name	Read Access	Write Access	Restriction Rule	Action		
sap.crm.service.builtinSupportService	builtinSupportService	Unrestricted	Unrestricted	Unassigned			
sap.crm.service.dataImpexService	dataImpexService	Unrestricted	Unrestricted	Unassigned			
sap.crm.service.favoriteService	favoriteService	Unrestricted	Unrestricted	Unassigned			
sap.crm.service.homepageService	homepageService	Unrestricted	Unrestricted	Unassigned			
sap.crm.service.i18nService	i18nService	Unrestricted	Unrestricted	Unassigned			
Showing 1-8						<	1 >

App List (17)				Q	All Apps	Enable all admin apps	Enable all apps
Business Service ID	App Name	App Description	Enable App				
sap.crm.service.builtinSupportService	sap.crm.builtinsupportservice.uiapp.builtinSupportAdminUi	sap.crm.builtinsupportservice.uiapp.builtinSupportAdminUi					
sap.crm.service.builtinSupportService	sap.crm.builtinsupportservice.uiapp.builtinSupportUi	sap.crm.builtinsupportservice.uiapp.builtinSupportUi					
sap.crm.service.dataImpexService	sap.crm.dataimpexservice.uiapp.dataImpex	sap.crm.dataimpexservice.uiapp.dataImpex					
sap.crm.service.homepageService	sap.crm.homepageservice.uiapp.homepage	sap.crm.homepageservice.uiapp.homepage					
Showing 1-15				<	1	2	>
				Save	Save and Activate	Cancel	

SAP Sales and Service Cloud

Search All

HomeSystem SettingsSystem Settings | Users and Control RolesRole Create New Role

1 All non-admin apps have been enabled as the corresponding business role is a non-admin role.

Showing 1-1

Business Services (8)

Business Service ID	Name	Read Access	Write Access
sap.crm.service.builtinSupportService	builtinSupportService	Unrestricted	Unrestricted
sap.crm.service.dataImpexService	dataImpexService	Unrestricted	Unrestricted
sap.crm.service.favoriteService	favoriteService	Unrestricted	Unrestricted
sap.crm.service.homepageService	homepageService	Unrestricted	Unrestricted
sap.crm.service.i18nService	i18nService	Unrestricted	Unrestricted

Add Business Services (144)

Select All

TestService
customer.ssc.service.TestService

accountHierarchyService
sap.crm.md.service.accountHierarchyService

accountService
sap.crm.md.service.accountService

addressService
sap.crm.md.service.addressService

adminService
sap.crm.service.adminService

agentDeskService
sap.crm.service.agentDeskService

agentInboxService
sap.crm.service.agentInboxService

alertsService
sap.crm.service.alertsService

analyticsBusinessUserStoriesService

AddCancel

Q Search



Company

Organizational Structure
Plant
Employees
Distribution Channels
Divisions
[Show Less](#)



Users and Control

Users
Roles
Identity Provider
Configuration
Security Policies
Settings
[Show Less](#)



System Preferences

Appearance and Behavior
Language, Region, and
Currency
Content Security Policy
Home Page
Feature Activation Hub
WalkMe
[Show Less](#)



Change Project

Administration
Change Project

Q Search



Data Administration

Attachment and Link Types
Attachment and Link Types
Assignment
MIME Types for Attachments
Attachment Configuration
Document Analytics
Note Types
Note Types Assignment
Note Templates
[Show Less](#)



Data Import and Export

Import and Export Data
ID Mapping



Data Protection & Privacy

Data Disclosure
Data Depersonalization
Depersonalization Logs
Read Access Logs
Retention Rule for Employees [✦](#)
Automated Transaction
Removal
Retention Rule for Logs
Automated Business Partner
Removal
Business Partner: End of
Purpose Runs
[Show Less](#)



Logs and Changes

Audit Logs
Changes
Deletions

Q Search



Analytics

Design Stories
SSO Configuration for SAP
Analytics Cloud
SAC User Replication Failures



Integration

Message Monitoring
Event Monitoring
Communication Systems
Communication Configurations
Inbound Configurations
Outbound Configurations
Value Mapping
External ID Mapping
Groupware
External Link
Standard Events
Standard Events Monitoring
Extension Mapping
Inbound Custom Events
Communication System Determination



CTI

CTI Configuration



Communication & Information

Microsoft Teams Integration
LinkedIn Sales Navigator

Q Search



Global Search

Filter Configuration
Search Admin



Output Management

Maintain Form Template
Maintain Main Template
Select Form Template



AI Configuration

Intelligent Service
Generative AI
Intent Data Configuration
Business Interaction Intelligence
CX AI ToolKit
Joule
[Show Less](#)



Duplicate Check

Check Configuration



Business Alerts

Alert Types
Alert Groups



Library

File Type Filter Configuration



Mobile Administration

Tenant
General
Home Page
Opportunity
[+15 More](#)



Business Flow

Autoflow
Approval
Feedback

Q Search



Extensibility

Extensibility Administration
Assignment Rules
Page Layouts
Custom Logic Administration
Custom Code Lists
Code List Restrictions
Mashup Authoring
Custom Services
Work Center Sequence
Language Adaptation

[Show Less](#)



Customers

ABC Classifications
Payment Terms
Customer Groups
Delivery Block Reasons
Billing Block Reasons [✦](#)
Order Block Reasons
Price Lists
Price Groups
Delivery Priorities
Incoterms
Roles
Nielsen IDs
[Show Less](#)



Contacts

Departments
Functions
VIP Contacts



Territories

Account Routing to Territory
Number Range

Q Search



Business Partners

Industries
Number Range
Marital Status
Academic Titles
Titles
Legal Forms
Relationships
Identification Types
Name Prefixes
Account Hierarchy Types
[Show Less](#)



Products

Product Type
Units of Measure
Sales Status Schema
Number Range for Products
Product Groups
GTIN
Number Range for Competitor Products
Billing Cycle
[Show Less](#)



Product List

Categories



Registered Products

Categories
Custom Party Roles
Number Range

Installed Bases

Custom Party Roles
Number Range



Functional Locations

Custom Party Roles
Number Range



Product Installation Points

Custom Party Roles
Number Range



Party Processing

Party Roles



Pricing

Pricing Configuration



Cases

Case Types
Status Dictionary Entries
Status Schemas
Party Schema
[+11 More](#)



Surveys

Survey Categories
Question Categories
Answer Categories



Sales Contracts

General
Number Range
Item Types
Document Types
Party Schema
Reasons for Rejection [✦](#)
[Show Less](#)

Q Search



Subscription Contracts

Item Categories
Party Schema



Emails

MTA Configuration
MTA Provider Configuration
Channels
Templates
Inbound Monitoring
Outbound Monitoring
[Show Less](#)



Agent Desktop

General
Live Interaction Widgets
Timeline
Caller Identification
Configuration



Timeline

Timeline Configuration

Q Search



Service Catalogs

Catalog Definition



Knowledge Base

Providers



Business Document

Business Documents
Business Document
Integration
Document Extraction



Forms

Forms
Form Categories
Form Integration



Customer Insights

Custom Key Metrics
Highlights
Timeline Filters
Integration
[+2 More](#)



Tasks

General
Categories
Party Schema
Number Range



Appointments

General
Categories
Number Range
Party Schema



Calendar

Card Colors
Working Day Calendars
Holiday Calendars
Holidays



Phone Calls

Call Results
Number Range



In-Person Interaction

In-Person Interaction Types



Leads

Status
Sources
Qualifications
Categories
Reasons for Status
Party Schema
Lead Routing to Employee
Lead Routing to Team
General
Number Range
[Show Less](#)



Opportunities

General
Document Type
Sources
Party Schema
Sales Cycle
Categories
Reason for Status
Forecast Category
Contact Role
Status
Number Range
Opportunity Routing to
Employee
External Quote
[Show Less](#)



Q Search



Sales Quotes

General
Document Types
Item Types
Reasons for Progress
Party Schema
Number Range
[Show Less](#)



Sales Orders

General
Number Range
Document Types
Item Types
Party Schema
Reasons for Orders
Reasons for Rejection
[Show Less](#)



Call Lists Planning

Call Lists Category Definition



Pipeline Management and Forecasting

General
Forecast Tracker
Pipeline Flow



Target Plans

General



Relationship Intelligence Advertising

Server Configuration
Relationship Intelligence
Metrics



Visits

Visit Types
Visit Rules
General
Party Schema
Number Range
[Show Less](#)



Service Order

Service Order Types
Priorities
User Status
Reason for Rejection
Item Status
Item Categories
Party Schema
[Show Less](#)



Service Quotes

Service Quote Types
Item Categories
Rejection Reasons
Party Schema



Customer Returns

Return Order Types
Return Order Reasons
Return Order Item Reasons
Cancellation Reasons
Party Schema
[Show Less](#)



Account Plan

SWOT Strength
SWOT Weakness
SWOT Opportunity
SWOT Threat
Business Figures
Wallet Category
Contact Role
Party Schema
Action Plan Stage
Action Plan Type
[Show Less](#)

Company



Company

Organizational Structure

Plant

Employees

Distribution Channels

Divisions

Show Less

SAP Sales and Service Cloud

Search All

HomeSystem SettingsSystem Settings | CasesCase TypesSystem Settings | CompanyOrganizational Structure

All Organizational UnitsFunctionsEmployeesManagers

Organizational Units (23) | Sorted By Name

Name	Organizational Unit ID	Valid From	Valid To	Parent Unit ID	Parent Unit Name	Actions
Best Bikes	BB-0002	Apr 20, 2026	Unlimited			 
Best Bikes	BBSRV-0002	Apr 20, 2026	Unlimited			 
Best Run Business	2000	Nov 15, 2022	Unlimited	1000	Best Run Holding	 
Best Run Discrete	4000	Dec 19, 2022	Unlimited	1000	Best Run Holding	 
Best Run Holding	1000	Nov 15, 2022	Unlimited			 
Best Run Manufacturing	3000	Nov 24, 2022	Unlimited	1000	Best Run Holding	 
BRD Market Unit	4100	Dec 19, 2022	Unlimited	4000	Best Run Discrete	 
BRD Sales Unit 1	4110	Dec 19, 2022	Unlimited	4100	BRD Market Unit	 
BRD Sales Unit 2	4120	Dec 19, 2022	Unlimited	4100	BRD Market Unit	 

Showing 1 - 23

Create Organizational Unit



Organizational Unit ID *

Name

Valid From *

Valid To *

Parent Unit

Street

City

Save

Save and Open

Cancel

Create Organizational Unit



Select Country/Region



Sales



Sales Organization



Service



Service Organization



Company



Manager



Save

Save and Open

Cancel


 All Organizational Units

Functions

Employees

Managers

Organizational Units (23) | Sorted

Name

Best Bikes

Best Bikes

Best Run Business

Best Run Discrete

Best Run Holding

Best Run Manufacturing

BRD Market Unit



☐ Company

☐ Sales

☐ Sales Group

☐ Sales Office

☐ Sales Organization

☐ Service

☐ Service Organization


 Clear All

Valid From

Apr 20, 2026

Apr 20, 2026

Nov 15, 2022

Dec 19, 2022

Nov 15, 2022

Nov 24, 2022

Dec 19, 2022

3000

4100

Organizational Unit

Best Bikes

BB-0002

Valid From

Apr 20, 2026

Valid To

Unlimited

Changed By

John Smith-0002

Name

Best Bikes

Parent Unit Name

—

Parent Unit ID

—

Company

Sales

Sales Organization

Service

Service Organization

Manager

JS

James Smith

Currency

—

General

Functions

Employees

Sales Data Restriction

External IDs for Integration

Changes

Parent Unit (0)

Parent Unit (0)

No items to show

Addresses (1)

Valid From	Valid To	Name	Address	Phone	Fax	Mobile	Email	Actions
Apr 20, 2026	Unlimited	Best Bikes						

Organizational Unit

Best Bikes

BB-0002

Valid From

Apr 20, 2026

Valid To

Unlimited

Changed By

John Smith-0002

General

Functions

Employees

Sales Data Restriction

External IDs for Integration

Changes

Functions (1)

Valid From	Valid To	Company	Sales	Sales Group	Sales Office	Sales Organization	Service	Ser	Actions
Apr 20, 2026	Unlimited	☒	☒	☐	☐	☐	☒	☐	

All Plants


Status

Plants (0) | Sorted By

Active

Blocked

Name	ID	Company	Status	Address	Actions
No Data					



Business Services are the primary configuration elements of a business role. They represent the specific functional areas, system capabilities, and objects (such as Accounts, Cases, or Registered Products) that users assigned to that role are authorized to access and process.

When an administrator configures a business role, they act as building blocks to define the user's tasks. Here is how they function during role creation:

- **Granting Capability (Business Service IDs):** Each service has a unique Business Service ID. When you add a specific service to a role, you authorize the user to perform actions related to that service. For example, assigning the *sap.crm.service.caseService* grants the user the ability to view, create, and process cases.
- **Controlling Access:** By default, adding a business service to a role grants unrestricted read and write access to that service's data. However, the business service configuration allows administrators to apply specific read and write **Restriction Rules** (such as restricting a user to only viewing cases assigned to their specific "Service Organization").
- **Mandatory vs. Default Services:** When a new role is created, the system automatically assigns certain foundational services. Services like "Search" and

"Language, Region, and Currency" are **mandatory business services** that cannot be removed or disabled. Other standard services (like the Home Page or Service Catalog) are added by default but can be removed if they are not needed.

- **Linking to the UI (App List):** Every business service is associated with one or more user interface applications. Once you assign a business service to a role, its corresponding apps appear in the role's "App List," where you can switch them on or off to dictate what appears in the user's navigation menu.

Business Service ID / App List

1. sap.crm.service.builtinSupportService
 - a. sap.crm.builtinsupportservice.uiapp.builtinSupportAdminUi
 - b. sap.crm.builtinsupportservice.uiapp.builtinSupportUi
2. sap.crm.service.dataImpexService
 - a. sap.crm.dataimpexservice.uiapp.dataimpex
3. sap.crm.service.favoriteService
 - a. Favorite
4. sap.crm.service.homepageService
 - a. sap.crm.homepageservice.uiapp.homepage
 - b. sap.crm.homepageservice.uiapp.homepageadmin
5. sap.crm.service.i18nService
 - a. sap.crm.i18nservice.uiapp.i18nAdmin
 - b. sap.crm.i18nservice.uiapp.i18napp
6. sap.crm.md.service.organizationalUnitService
 - a. Distribution Channel
 - b. Division
 - c. Organizational Unit
7. sap.crm.service.searchService
 - a. sap.crm.searchservice.uiapp.searchAdmin
 - b. sap.crm.searchservice.uiapp.searchUi
8. sap.crm.service.serviceCategoryService
 - a. sap.crm.servicecategoryservice.uiapp.serviceCatalogAdmin
 - b. sap.crm.servicecategoryservice.uiapp.serviceCatalogClassification
 - c. sap.crm.servicecategoryservice.uiapp.serviceCatalogSelection
 - d. sap.crm.servicecategoryservice.uiapp.serviceCategoryPath

General Information

Business Role Name *

Enter a role name

Business Role ID *

Auto-generated

Description

Enter a description

Status

DRAFT

Admin

Manage SKUs (1)

Q

+

☐ SKU Name	Description	Action
☐ 8012579	SAP Service Cloud Version 2	

Save

Save and Activate

Cancel

Apps:-



Search



Home



Calendar



Team Calendar



Task Manager



Accounts



Account Hierarchy



Contacts



Competitors



Partners



Partner Contacts



Competitor Products



Individual Customers



Agent Desktop



Service Orders

Search



Service Quotes



Customer Returns



Cases



Leads



Guided Selling



Sales Quotes



Sales Contracts



Subscription Contracts



Playbooks



Pipeline Manager



Pipeline Flow



Target Plans



Forecast Tracker



Trend Analytics

System

Organiz

ame



Search



My Network



Digital Selling Workspace



Activity Manager



Visits



Emails



Phone Calls



Messaging



Chat



Target Groups



Sales Campaigns



Call Lists



Cadences



Groupware User Settings



Activity Plan



Search



Activity Assignment Rule



Surveys



Question Bank



Products



Product Lists



Registered Products



Functional Locations



Product Installation Points



Installed Bases



Warranties



Library



Engagement Maps



Analytical Stories



Sales Orders



Search



Analytical Stories



Sales Orders



Topic Analyzer



Prices



Self-Service



Territories



Time Logs



In-Person Interactions



Letter Interactions



Account Plan



Customer Goal Catalog



Service Contracts



Agent Inbox



Survey KPIs

Configure Identity Provider is an administrative action used to enable **Single Sign-On (SSO)** for your system. An identity provider (IdP) is an entity that manages user identity information and provides authentication services to trusted service providers. Because every user type must authenticate to access the system, configuring an IdP for SSO is highly recommended to establish basic security and protect accounts.

To configure an identity provider and enable SSO for a tenant, administrators must connect the IdP to the system by completing the following core steps:

1. **Download System Metadata:** Download the tenant's metadata XML file from your system's settings.
2. **Configure Metadata in the IdP:** Upload this system metadata XML file into your chosen identity provider (such as SAP Cloud Identity Services or an external IdP) to configure it.
3. **Download IdP Metadata:** Once configured, download the new metadata file directly from your identity provider.
4. **Create a Trusted IdP in the System:** Navigate back to the system settings (*All Settings > Users and Control > Configure IdP*) to create the trusted identity provider by uploading the configured IdP metadata XML file. Once uploaded, you can activate the configuration and set it as your default IdP.

Security Policies


A security policy is a set of rules that defines password complexity and password validity within the system. For example, it dictates requirements like including numerical digits or defining how often a user is required to change their password after a certain period of time.

Because different work areas or departments within a company may have varying security requirements, administrators can define multiple security policies to manage and assign the appropriate security levels across the organization.

When configuring a security policy, administrators can define the following features:

- **System password-related features:** General rules such as enabling password login or setting a specific policy as the default for all users.
- **System password complexity-related features:** Rules defining the exact composition of a valid password, including the minimum number of total characters, lowercase alphabets, uppercase alphabets, digits, and special characters.
- **System password validity-related features:** Time and attempt-based rules, which include the allowed number of incorrect password attempts before an account is locked, the maximum number of days a password remains valid, the minimum waiting time required before changing a password, and the number of previous passwords stored in history to prevent reuse.

Security Policies			
All Policies (6)		  	
Policy ID	Policy Name	Description	Default
S_BUSINESS_USER	S_BUSINESS_USER	Default Password Policy for Business Users	
S_BUSINESS_USER_WITHOUT_PASSWORD	S_BUSINESS_USER_WITHOUT_PASSWORD	Default Password Policy for Business Users with Single Sign-...	
S_TEST_USER	S_TEST_USER	Default Password Policy for Test Users	
S_TECHNICAL_USER	S_TECHNICAL_USER	Default Password Policy for Technical Users	
S_TECHNICAL_USER_WITHOUT_PASSWORD	S_TECHNICAL_USER_WITHOUT_PASSWORD	Default Password Policy for Technical Users without Login E...	
Z_DEMO_USER	Z_DEMO_USER	Default Password Policy for Demo Users	




Cross-Site Request Forgery (CSRF) is a web-security vulnerability that allows an attacker to trick users into performing actions they did not intend to perform. These attacks exploit the trust that a web application has in an authenticated user.


To prevent these attacks, administrators can configure CSRF settings for third-party integrations. You can access these settings by navigating to **All Settings > Users and Control > Settings > Cross-Site Request Forgery Settings**.

There are three protection modes you can select from a dropdown menu:

- **Strict (Default):** This mode disables cookies from being sent to all third-party websites. Cookies are only sent if the domain is exactly the same as the path for which the cookie was set. *Note: By default, Strict mode is enabled for third-party integrations.*
- **Lax:** This mode allows cookies to be sent for top-level navigation only.
- **None:** This mode disables the SameSite-based protection completely, allowing the integrated website to use its own independent CSRF protection mechanisms.



System Preferences



Appearance and Behaviour

Appearance Branding Behavior

Select Default Theme

Choose a default theme for all users. If a user has already selected a theme in User Preferences, it will remain unchanged.



Light



Dark

Light

The Light theme provides a bright and clean visual experience by enhancing the readability, particularly in bright light environments.

Save

Cancel

Appearance and Behaviour


Appearance Branding Behavior

Logo

To add a custom logo to the Shell Bar, upload the image and then adjust its size and position to fit within the suitable cropping area.

Restore to Default Settings

Shell Bar Sign-In Page



Currently displaying the default SAP logo.



Sign-In Image

Restore to Default Settings

☒ Default ☐ Custom

We provide a set of five different rotating images for the sign-in page. You can preview how they look:

Save

Cancel

Appearance and Behaviour

Appearance Branding Behavior

Auto Sign Out

Set the time to automatically sign out all idle users after a defined period of inactivity.

Inactive users are automatically signed out after:

60

Business Role

Set the time to automatically sign out idle users assigned to specific roles after a defined period of inactivity.



No business role configurations found

Looks like you haven't configured any business roles

Save

Cancel

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | System Preferences
Appearance and Behavior

Appearance and Behaviour

Appearance Branding Behavior

Auto Sign Out

Set the time to automatically sign out all idle users after a defined period of inactivity.

Inactive users are automatically signed out after:

60

15 minutes

30 minutes

45 minutes

1 hour

2 hours

6 hours



No business role configurations found

Looks like you haven't configured any business roles

Save

Cancel

Language, Region, and Currency

Currency Language Time Zone Country/Region Fiscal Period Exchange Rate

Currencies (206)

Code	Description	Decimal Places	Active
XUA	ADB Unit of Account	0	☐
AFN	Afghan Afghani	2	☐
DZD	Algerian Dinar	2	☐
ARS	Argentine Peso	2	☐
AMD	Armenian Dram	2	☐
AWG	Aruban Guilder	2	☐
AUD	Australian Dollar	2	☒
AZN	Azerbaijan Manat	2	☐

Home System Settings System Settings | System Preferences Content Security Policy

Content Security Policy - Settings

Reset All

Script Source

Unsafe Eval

Unsafe Inline

Blob

Data

+

'self'

*.csm-salescloud.com

*.cloud.sap

*.api.here.com

*.ondemand.com

*.qualtrics.com

*.hereapi.com

Style Source

Unsafe Eval

Unsafe Inline

Blob

Data

+

Appearance and Behaviour

Appearance Branding Behavior

Auto Sign Out

Set the time to automatically sign out all idle users after a defined period of inactivity.

Inactive users are automatically signed out after:

60

Business Role

Set the time to automatically sign out idle users assigned to specific roles after a defined period of inactivity.



No business role configurations found

Looks like you haven't configured any business roles

Save

Cancel

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | System Preferences
Home Page

Home Page


Background Image

Mobile Relevant Cards

Greeting Card

☒ Default ☐ Custom

Choose a default background image that suits your home page.



Save

Restore to Default

Cancel

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | System Preferences
Home Page

Home Page

Background Image

Mobile Relevant Cards

Greeting Card

Weather

Show

1

Turn on the API Key Editing switch to edit the weather API.

To display the weather on your greeting card, get the API key from your AccuWeather subscription and ensure location is granted in your browser settings.

API Key Editing

API Key *

Enter API key from AccuWeather

Show Temperature In

Fahrenheit

Celsius

Save

Cancel

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | System Preferences
Feature Activation Hub

Feature Activation Hub

Definition

These new product features and improvements may impact your processes and workflows. Review information about major changes to the product interface and enable features in your tenant before they are activated by default.

Available Date

Service

Help Portal

Changes (24)

Available Date	Activation Date	Feature	Service	Activate	Activated By	Action
Apr 9, 2026	Jul 31, 2026	Repositioned Open Help Button	Shell	☐		?
Apr 9, 2026	Jul 31, 2026	Previous Tab Restoration on Close	Shell	☐		?
Apr 8, 2026	Jul 31, 2026	Channel Configuration for Approval Email Notifications	Approval	☒	SAP_SYST	?
Apr 8, 2026	Jul 31, 2026	Guided Selling Product Detail UI Enhancement	Guided Selling	☐		?
Apr 8, 2026	Jul 31, 2026	Enhancements to Change Project	Change Project	☐		?

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | System PreferencesWalkMe

WalkMe

Activate WalkMe ⓘ

☒

Content Type

☒ SAP-Provided ☐ Custom Content

By default your employees can see either content provided by SAP or content managed by your organization. If you want to see both, import the SAP-provided content into your WalkMe system. After importing, you manage a copy of the SAP-provided content and you can enhance it to match your organization's processes and workflows.

Save

Cancel



Change Project

Administration

Change Project

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Change Project Administration

1 Define the target system for the current landscape to start initial load.

Administration

System Settings

System URL	System Type	Landscape
my1000000.de1.test.crm.cloud.sap	Not Applicable	Default
my1000002.de1.test.crm.cloud.sap	Not Applicable	Default
my1000003.de1.test.crm.cloud.sap	Not Applicable	Default

SaveCancel

Registered ServicesChanges

Service	Initial Load System	Initial Load Status	Started On	User	Action
CTI Widget	UNKNOWN	NOT STARTED	-	-	Start Initial Load
Extensibility	UNKNOWN	NOT STARTED	-	-	Start Initial Load
Mobile	UNKNOWN	NOT STARTED	-	-	Start Initial Load



Data Administration

Attachment and Link Types

Attachment and Link Types
Assignment

MIME Types for Attachments

Attachment Configuration

Document Analytics

Note Types

Note Types Assignment

Note Templates

[Show Less](#)

Home

System Settings

System Settings | Data Administration
Note Types

Note TypesChangesDeletions

All Note Types (45)

+

Note Type	Description	Actions
S018	External Info from Customer	
S019	Competitor Note	
S016	Business Strategy	
S017	External Info	
S058	Internal	
S014	Market Insights	
S059	External	
S015	Competitive Landscape	
S060	Internal	

< 1 of 3 >

Business Services

Case

Sales Order

Appointment

Task

Visit

Account

Service Order

Individual Customer

Contact

Product

Competitor Product

Phone Call

Chat

Case

Assigned Note Types (2)Changes

+

Note Type	Description	Enabled	Internal	Updatable By	Actions
S001	Description			All	
S000	Default			Self	

Notes Template

Templates

Q

▼

+

New

Template Name*

Case Creation

General Information

^

Template Type*

Response Template

▼

Object Type*

Case

▼

Channel Type*

Note

▼

Description

Case Creation

+

↺

Viewer

Documents

Placeholder

Business Restrictions

Changes

Organizational Units (1)

Q+

Display ID

Name

Action

MODEL UILITY BO

Back Office

X

Save

Cancel



Data Import and Export

Import and Export Data

ID Mapping

SAP Sales and Service Cloud

Search All

Home System Settings System Settings | Data Import and Export Import and Export Data

Import and Export Data

My Tasks Task Type File Type Created On Status Entity

Tasks (0)

Task	Task Type	Entity	File Type	Status	Total	Success
------	-----------	--------	-----------	--------	-------	---------

No Data

Showing 1-0

Download Template

General

Entity *

Entity

Account

Account Engagement

Account Hierarchy

Appointment

Call Lists

Call Participant

Case

Chat

Download Template Cancel

SAP Sales and Service Cloud

Search All

Home System Settings System Settings | Data Import and Export Import and Export Data

Import and Export Data

My Tasks Task Type File Type Created On Status Entity

Tasks (0)

Task	Task Type	File Type	Status	Total	Successes	Errors	Created On	Created By
------	-----------	-----------	--------	-------	-----------	--------	------------	------------

No Data

Showing 1-0

1

Clear All

Export

Import Create

Import Update

Import Delete

Simulate Import Create

Simulate Import Update

Download Template Import Export

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | Data Import and Export
ID Mapping

Configuration

ID Mapping

As an administrator, once you activate ID mapping for an entity, the external keys used in the "Import + Create" mode file for that entity are retained and can be reused instead of Technical IDs, to make subsequent updates using the "Import + Update" mode.

Entity Name	Enable ID Mapping
Account	☐
Competitor	☐
Competitor Product	☐
Contact	☐
Employee	☐
Individual Customer	☐
Organizational Unit	☐
Product	☐

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | Data Import and Export
ID Mapping

Configuration

ID Mapping

You can maintain external keys against the Technical IDs or UUIDs of existing records (by using a template file containing common "Technical ID" and "External key" columns for all entities), if no external keys were maintained previously. Example: Records imported with the "Import and Export Data" feature before activation of ID mapping, or from other sources.

My Tasks

Task Type

Created On

Status

Entity

Tasks (0)

Download Template

Import

Export

Task	Task Type	Entity	File Type	Status	Total	Successes	Errors	Created On	Created By
No Data									

Showing 1-0



Data Protection & Privacy

Data Disclosure

Data Depersonalization

Depersonalization Logs

Read Access Logs

Retention Rule for Employees 

Automated Transaction

Removal

Retention Rule for Logs


Automated Business Partner

Removal


Business Partner: End of

Purpose Runs

[Show Less](#)



Data Depersonalization





Analytics

Design Stories

SSO Configuration for SAP

Analytics Cloud

SAC User Replication Failures

Design Stories

In SAP Service Cloud Version 2, **Design Stories** is a feature that allows administrators to create and design analytical stories using the embedded SAP Analytics Cloud (SAC) interface. A story is a presentation-style document that uses charts, visualizations, text, images, and pictograms to describe your business data.

Prerequisites

Before you can design stories, your business role must be assigned the `sap.crm.service.analyticsBusinessUserStoriesService` business service and the corresponding `sap.crm.analyticsbusinessuserstorieservice.uiapp.anaStoryBusinessUser` application.

How to Create and Design a Story

1. Log in to the system as an administrator.
2. Navigate to your user profile in the top-right corner and select **System Settings > All Settings > Analytics > Design Stories**. *(Note: A popup will appear to log you into SAC, so ensure your web browser allows pop-ups).*
3. Click **New** to create a new story, which will load the SAC Query Designer.
4. In the right pane under **Available Data**, select an analytical model (such as the Analytical Model of Case) and drag and drop it into the query designer.

5. Click the table icon to select the specific fields you want to include from the data source. *Tip: If you want to create a widget showing a count, it is recommended to use the **Counter** field rather than the Count field.*
6. Once you are satisfied with your preview, click **Finish** and name your new SAC model. The system will then open the story designer where you can add and arrange your charts and tables.
7. Select **Enable Optimized View mode**, click the Save icon, and enter a name and description for your new story.

Managing and Assigning Stories

Once a story is created, it appears on the Design Stories page, where you can **Edit** or **Delete** it.

To make the story visible to your users, you must assign it to them:

- Select the story on the Design Stories page and click the **Assign/Unassign Roles** button.
- Search for and select the relevant business roles, then click **Save**.
- Users assigned to those business roles will now be able to view and interact with the story by navigating to the **Analytical Stories** view in their left navigation menu.
(Note: You can only assign roles for one story at a time).

Integration



Integration

Message Monitoring

Event Monitoring

Communication Systems

Communication

Configurations

Inbound Configurations

Outbound Configurations

Value Mapping

External ID Mapping

Groupware

External Link

Standard Events

Standard Events Monitoring

Extension Mapping

Inbound Custom Events

Communication System

Determination

Message Monitoring

Inbound

Outbound

All

Status

Message Entity

Updated On

Creation Date and Time

All Messages (0)

Selected 0

Q

↺

↻

Retry

⌛

Cancel

🔗

☐	Message Entity Name	Message ID	Status	Message Request Status	Message Entity Namespace	Creation Date and Time	
--------------------------	---------------------	------------	--------	------------------------	--------------------------	------------------------	--

Q

No Data

Event Monitoring

Inbound

Outbound

All

Status

Communication Systems

Created On

Changed On

Inbound Events (0)

Q

↺

☐	Event ID	Event Name	Subject	Communication System	Status	Published At	Created On	Updated On
--------------------------	----------	------------	---------	----------------------	--------	--------------	------------	------------

Q

No Data

Communication Systems

Status

Authentication Type

Basic

Client SSL Certificate

OAuth 2.0 Client Credentials

OAuth 2.0 SAML Bearer Assertion

OAuth 2.0 Token Exchange

None

ID	Description	Outbound Hostname	Status	Actions
sap_cloud_crm	communication system	—	ACTIVE	

Showing 1-1

1

Deleted Communication Systems (0)

ID	Description	Outbound Hostname	Status	Remaining Days	Actions
----	-------------	-------------------	--------	----------------	---------

Home

System Settings

Design Stories

Create Communication Con...

Create Communication Configuration

Name *

Enter Name

Communication System

Select Communication Systems

Value Mapping Group

Select Value Mapping Group

Asynchronous Inbound Configurations (0)

No Asynchronous Inbound Configuration

Asynchronous Inbound Configurations can be added here

Search and Add

Synchronous Inbound Configurations (0)

Save

Save and Activate

Cancel

11:15 AM

Synchronous Inbound Configurations (0)



No Synchronous Inbound Configuration
Synchronous Inbound Configurations can be added here

[Q+ Search and Add](#)

Asynchronous Outbound Configurations (0)



No Asynchronous Outbound Configuration
Asynchronous outbound configurations can be added here

HTTP Data (0)



No HTTP data outbound configuration
HTTP data outbound configurations can be added here

[Q+ Search and Add](#)

Scheduled Asynchronous Outbound Configurations (0)



No scheduled asynchronous outbound configuration
Scheduled asynchronous outbound configurations can be added here

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Analytics
Design Stories

System Settings | Integration
Inbound Configurations

JS

Inbound Configurations

All Message Data

Inbound Configurations (156)

Description	Full Name of Source Entity	API
Confirm Return Order Creation from External System	sap.crm.returnorderservice.entity.returnOrderConfirmationMessageIn	/sap
Replicate Contract from SAP ERP	sap.crm.salescontractservice.entity.contractS4ReplicationMessageIn	/sap
Replicate Sales Quote from SAP S/4HANA	sap.crm.salesquoteservice.entity.salesQuoteS4ReplicationMessageIn	/sap
Replicate Pricing Conditions from SAP ERP	sap.crm.pricingmasterdataservice.entity.pricingConditionERPReplicationMessageIn	/sap
Replicate Department from SAP CRM	sap.crm.md.integrationmetadataservice.entity.departmentS4ReplicationMessageIn	/sap
Replicate Unit of Measure from SAP S/4HANA	sap.crm.md.integrationmetadataservice.entity.unitOfMeasureReplicationMessageIn	/sap
Replicate Sales Quote from SAP CPQ (In-Development)	sap.crm.salesquoteservice.entity.salesQuoteS4ReplicationMessageIn	/sap
Replicate Delivery Priority from SAP CRM	sap.crm.md.integrationmetadataservice.entity.deliveryPriorityS4ReplicationMessageIn	/sap

Showing 1-30

1

2

3

4

5

6

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Analytics
Design Stories

System Settings | Integration
Inbound Configurations

JS

Inbound Configurations

All Message Data

Inbound Configurations (156)

Description	Full Name of Source Entity	API
Replicate Sales Order from SAP S/4HANA	sap.crm.salesorderservice.entity.salesOrderS4ReplicationMessageIn	/sap
Replicate Sales Order from SAP S/4HANA Cloud Public Edition	sap.crm.salesorderservice.entity.salesOrderS4ReplicationMessageIn	/sap
Confirm Business Partner Relationship Replication from SAP S/4HANA	sap.crm.md.integrationmetadataservice.entity.businessPartnerRelationshipS4ConfirmationMessageIn	/sap
Reject Follow-Up SalesOrder Creation from SAP S/4HANA	sap.crm.salesquoteservice.entity.salesQuoteExternalSalesOrderErrorConfirmationMessageIn	/sap
Confirm Follow-Up Sales Order Creation from SAP S/4HANA	sap.crm.salesquoteservice.entity.salesQuoteExternalSalesOrderConfirmationMessageIn	/sap
Confirm Functional Location Replication from SAP S/4HANA	sap.crm.functionallocationservice.entity.functionalLocationS4ConfirmationMessageIn	/sap
Delete Sales Order Reference from SAP S/4HANA	sap.crm.salesorderservice.entity.salesOrderReferenceDeletionRequestMessageIn	/sap
Replicate Subscription Contract from SAP S/4HANA	sap.crm.subscriptioncontractservice.entity.subscriptionContractS4ReplicationMessageIn	/sap

Showing 1-30

1

2

3

4

5

6

Inbound Configurations

All Message Data

Inbound Configurations (156)

Description	Full Name of Source Entity	API
Replicate Employee from SAP S/4HANA Cloud Public Edition	sap.crm.md.integrationmetadataservice.entity.employeeS4CloudReplicationMessageIn	/sap/
Replicate Invoicing Blocking Reason from SAP CRM	sap.crm.md.integrationmetadataservice.entity.invoicingBlockingReasonS4ReplicationMessageIn	/sap/
Replicate Order Blocking Reason from SAP CRM	sap.crm.md.integrationmetadataservice.entity.orderBlockingReasonS4ReplicationMessageIn	/sap/
Replicate Division from SAP CRM	sap.crm.md.integrationmetadataservice.entity.divisionS4ReplicationMessageIn	/sap/
Replicate Customer Material Information from SAP S/4HANA	sap.crm.md.integrationmetadataservice.entity.customerPartNumberS4ReplicationMessageIn	/sap/
Replicate Service Order from External System	sap.crm.serviceorderservice.entity.serviceOrderReplicationMessageIn	/sap/
Confirm Service Order Creation from External System	sap.crm.serviceorderservice.entity.serviceOrderConfirmationMessageIn	/sap/
Replicate Organizational Unit Assignment of Employee from SAP S/4HANA	sap.crm.md.integrationmetadataservice.entity.employeeOrgAssignmentS4ReplicationMessageIn	/sap/

Showing 1-30

< 1 2 3 4 5 6 >

Inbound Configurations

All Message Data

Inbound Configurations (156)

Description	Full Name of Source Entity	API Pa
Confirm Service Order Creation from External System	sap.crm.serviceorderservice.entity.serviceOrderConfirmationMessageIn	/sap/c4
Replicate Organizational Unit Assignment of Employee from SAP S/4HANA	sap.crm.md.integrationmetadataservice.entity.employeeOrgAssignmentS4ReplicationMessageIn	/sap/c4
Replicate Business Partner Identification Type from SAP CRM	sap.crm.md.integrationmetadataservice.entity.businessPartnerIdentificationTypeS4ReplicationMessageIn	/sap/c4
Confirm Follow-Up Sales Order Creation from External System	sap.crm.serviceorderservice.entity.serviceOrderExternalSalesOrderConfirmationMessageIn	/sap/c4
Replicate Sales Group from SAP S/4HANA	sap.crm.md.integrationmetadataservice.entity.salesGroupS4ReplicationMessageIn	/sap/c4
Replicate Registered Product from SAP S/4HANA	sap.crm.registeredproductservice.entity.registeredProductS4ReplicationMessageIn	/sap/c4
Replicate Sales Office from SAP S/4HANA	sap.crm.md.integrationmetadataservice.entity.salesOfficeS4ReplicationMessageIn	/sap/c4
Replicate Sales Organization from SAP S/4HANA	sap.crm.md.integrationmetadataservice.entity.salesOrganizationS4ReplicationMessageIn	/sap/c4

Showing 1-30

< 1 2 3 4 5 6 >

Inbound Configurations

All Message Data ▾

Inbound Configurations (156)



Description	Full Name of Source Entity
Receive custom events from external systems - NOT RELEASED	sap.crm.eventbridgeservice.entity.customInboundEvent
Replicate Product Type from SAP CRM	sap.crm.md.integrationmetadataservice.entity.productTypeS4ReplicationMessageIn
Replicate Customer Material Information from SAP ERP	sap.crm.md.integrationmetadataservice.entity.customerPartNumberS4ReplicationMessageIn
Replicate Company from SAP S/4HANA	sap.crm.md.integrationmetadataservice.entity.companyS4ReplicationMessageIn
Replicate Academic Title from SAP CRM	sap.crm.md.integrationmetadataservice.entity.academicTitleS4ReplicationMessageIn
Confirm Follow-Up Quote Creation from SAP ERP	sap.crm.opportunityservice.entity.opportunityExternalQuoteConfirmationMessageIn
Replicate Return Order from External System	sap.crm.returnorderservice.entity.returnOrderReplicationMessageIn
Replicate Sales Area from SAP S/4HANA	sap.crm.md.integrationmetadataservice.entity.salesAreaS4ReplicationMessageIn

Showing 31-60

< 1 2 3 4 5 6 >

Inbound Configurations

All Message Data ▾

Inbound Configurations (156)



Description	Full Name of Source Entity
Replicate Price Specification Customer Group from SAP CRM	sap.crm.md.integrationmetadataservice.entity.priceSpecificationCustomerGroupS4ReplicationMessageIn
Replicate Currency Exchange Rate from SAP S/4HANA	sap.crm.integrationcontentservice.entity.exchangeRateS4ReplicationMessageIn
Replicate Contract Call Off from SAP ERP	sap.crm.salescontractservice.entity.contractS4ReplicationCallOffMessageIn
Replicate Customer ABC Classification from SAP ERP	sap.crm.md.integrationmetadataservice.entity.customerABCClassificationS4ReplicationMessageIn
Confirm Business Partner Replication from SAP ERP	sap.crm.md.integrationmetadataservice.entity.businessPartnerS4ConfirmationMessageIn
Replicate Distribution Channel from SAP CRM	sap.crm.md.integrationmetadataservice.entity.distributionChannelS4ReplicationMessageIn
Replicate Business Partner Relationship Key Mapping from SAP MDG	sap.crm.md.integrationmetadataservice.entity.businessPartnerRelationshipKeyMappingS4ReplicationMessageIn
Replicate Business Partner from SAP Master Data Integration - NOT RELEASE	sap.crm.md.integrationmetadataservice.entity.businessPartnerMdlReplicationMessageIn

Showing 31-60

< 1 2 3 4 5 6 >

Inbound Configurations

All Message Data ▾

Inbound Configurations (156)



Description	Full Name of Source Entity
Replicate Contract Call Off from SAP S/4HANA	sap.crm.salescontractservice.entity.contractS4ReplicationCallOffMessageIn
Reject Follow-Up SalesOrder Creation from SAP ERP	sap.crm.salesquoteservice.entity.salesQuoteExternalSalesOrderErrorConfirmationMessageIn
Replicate Marital Status from SAP CRM	sap.crm.md.integrationmetadataservice.entity.maritalStatusS4ReplicationMessageIn
Reject Follow-Up Quote Creation from SAP S/4HANA	sap.crm.opportunityservice.entity.opportunityExternalQuoteErrorConfirmationMessageIn
Replicate Sales Quote from SAP ERP	sap.crm.salesquoteservice.entity.salesQuoteS4ReplicationMessageIn
Replicate Distribution Channel from SAP S/4HANA	sap.crm.md.integrationmetadataservice.entity.distributionChannelS4ReplicationMessageIn
Replicate Industrial Sector from SAP CRM	sap.crm.md.integrationmetadataservice.entity.industrialSectorS4ReplicationMessageIn
Replicate Delivery Blocking Reason from SAP CRM	sap.crm.md.integrationmetadataservice.entity.deliveryBlockingReasonS4ReplicationMessageIn

Showing 31-60

< 1 2 3 4 5 6 >

Outbound Configurations

All Synchronous Message Data ▾

Outbound Configurations (6)



Description	Name of Target Message Entity	API Path of Target Message Entity	Full Name of Source Entity
Get Currencies from S/4HANA	sap.crm.formservice.entity.formDataSource	/http/esm/dataSource	sap.crm.formservice.entity.form
Post Financial Document to S/4HANA	sap.crm.formservice.entity.formPosting	/http/supplierInvoiceRequestByKey	sap.crm.formservice.entity.form
Get Supplier Invoice Document from S/4HANA	sap.crm.esmfinanceservice.entity.supplierInvoice	/http/supplierInvoice	sap.crm.esmfinanceservice.entity
Get Payment Advice Document from S/4HANA	sap.crm.esmfinanceservice.entity.paymentAdvice	/http/paymentAdvice	sap.crm.esmfinanceservice.entity
Get Supplier Invoice Details Document from S/4HANA	sap.crm.esmfinanceservice.entity.supplierInvoiceDetails	/http/supplierInvoiceRequestByKey	sap.crm.esmfinanceservice.entity
Post Payment Advice Document to S/4HANA	sap.crm.esmfinanceservice.entity.paymentAdviceCreate	/http/paymentAdviceCreate	sap.crm.esmfinanceservice.entity

Showing 1-6

< 1 >

Key Features of Value Mapping:

- **Centralized Maintenance:** Value mappings can be maintained centrally in the SAP Cloud Integration Web UI and reused across multiple integration flows (iFlows) and message mappings. They can also be configured directly in SAP Service Cloud Version 2 under the Integration settings.
- **Mapping Groups:** SAP provides a read-only, default mapping group (e.g., *Integration with SAP S/4HANA*) for common integration scenarios like party roles and partner number types. If you need to customize value mappings or create deviations, you must create a new mapping group and assign the default group as its parent.
- **Rules for Missing Mappings:** Administrators can define how the system should behave if a specific code mapping is missing:
 - **Pass-Through:** The system accepts the available internal or external value for integration and does not generate an error message.
 - **Raise Error:** The system strictly requires an explicit code mapping and will display an error message if one is not found.

Example Use Case: A common scenario requiring value mapping is the mapping of ABC/Customer Classifications between SAP Sales and Service Cloud and SAP ERP. The identifier in SAP ERP allows values up to two characters long (e.g., "07"), whereas SAP Service Cloud limits the field to one character (e.g., "A"). Because the standard code list mapping cannot handle this discrepancy without throwing an error, a value mapping must be used in SAP Cloud Integration to successfully translate the codes.

From a Utilities perspective in SAP Service Cloud Version 2, mapping data and code lists between your system and SAP S/4HANA involves a few specific utilities-focused tools and integration methods:

1. Utilities Code List Mapping Report To ensure the systems share the same code values (such as meter reading reasons), administrators can update code lists by importing a standard Excel file from SAP S/4HANA. You can export these codes directly from SAP S/4HANA using the specific utility report **ISU_C4C_V2_CODE_LIST_MAPPING**. (*Note: For meter reading reasons, this report supports only codes 02, 09, and 10 by default. If your business requires additional codes, enhancements must be implemented for them to work*).

2. Mapping Custom Fields (BAdI Implementation) If you create custom extension fields for Utilities technical master data (such as Premises or Connection Objects) and need to map them for data replication, you must implement the specific Business Add-In (BAdI) method **isu_c4c_v2_tech_objs_repl** to map the custom fields appropriately in SAP S/4HANA.

3. Integration Flow (iFlow) Standard Mapping & Custom Exits During data replication through SAP Cloud Integration, standard mapping is applied automatically by the default integration flows. However, if you have unique mapping requirements, the Utilities integration flows are designed with specific "custom exit" parameters (such as *Custom Exit* for asynchronous data, or *Request/Response Exit* for synchronous data).

- If you set the parameter to **true**, the system saves the source payload and routes it to your local integration flow, allowing you to apply custom mapping extensions without altering the standard SAP codebase.
- If set to **false**, the default route is taken and standard mapping is applied.

Create Mapping Definitions

Mapping Definitions

Mapping Group	Description	Parent Mapping Group
Integration with SAP S/4H	Default value mapping group for inte...	Integration with SAP S/4HANA
Value Name	Local Context	Rule for Missing Mapping
Service Order Type		Raise Error

Save **Cancel**

External ID Mapping

External ID Mapping (0)

SearchReset

Mapping Of *

Select

ID

Enter value

Name

Enter value

External ID

Enter value

Communication System ID

Select

ID	Name	External ID	Communication System ID	Default
----	------	-------------	-------------------------	---------

SAP Sales and Service Cloud

Search All

HomeSystem SettingsSystem Settings | AnalyticsDesign StoriesSystem Settings | IntegrationExternal ID Mapping

External ID Mapping (0)

SearchReset

Mapping Of *

Select

ID

Enter value

Name

Enter value

External ID

Enter value

Communication System ID

Select

Product

Product Group

Organizational Unit

Plant

Account

Competitor

Contact

Employee

Individual Customer

Supplier

Functional Location

Registered Product

ID	Name	External ID	Communication System ID	Default
----	------	-------------	-------------------------	---------

HomeSystem SettingsSystem Settings | AnalyticsDesign StoriesSystem Settings | IntegrationExternal ID Mapping

External ID Mapping (0)

SearchReset

Mapping Of *

Individual Customer (Business Partner ID)

ID

Enter value

Name

Enter value

External ID

Enter value

Communication System ID

sap_cloud_crm_my10

ID	Name	External ID	Communication System ID	Default
----	------	-------------	-------------------------	---------

Action

- ### Pass-Through

Action



Standard Events (56)

Standard Events (56)

Event Type	Enabled
sap.ssc.accounthierarchyService.accountHierarchyCreated.v1	☒
sap.ssc.accounthierarchyService.accountHierarchyDeleted.v1	☒
sap.ssc.accounthierarchyService.accountHierarchyUpdated.v1	☒
sap.ssc.accountsService.accountCreated.v1	☒
sap.ssc.accountsService.accountUpdated.v1	☒
sap.ssc.appointmentService.appointmentCreated.v1	☒
sap.ssc.appointmentService.appointmentDeleted.v1	☒
sap.ssc.appointmentService.appointmentUpdated.v1	☒
sap.ssc.campaignService.campaignCreated.v1	☒
sap.ssc.campaignService.campaignDeleted.v1	☒

Standard Events (56)

Event Type	Enabled
sap.ssc.campaignService.campaignUpdated.v1	☒
sap.ssc.caseService.caseCreated.v1	☒
sap.ssc.caseService.caseUpdated.v1	☒
sap.ssc.chatService.chatInteractionCreated.v1	☒
sap.ssc.chatService.chatInteractionDeleted.v1	☒
sap.ssc.chatService.chatInteractionDepersonalized.v1	☒
sap.ssc.chatService.chatInteractionUpdated.v1	☒
sap.ssc.competitorService.competitorCreated.v1	☒
sap.ssc.competitorService.competitorUpdated.v1	☒
sap.ssc.contactpersonService.contactPersonCreated.v1	☒

Standard Events (56)

Event Type	Enabled
sap.ssc.contactpersonservice.contactPersonUpdated.v1	☐
sap.ssc.emailservice.emailCreated.v1	☐
sap.ssc.emailservice.emailDeleted.v1	☐
sap.ssc.emailservice.emailUpdated.v1	☐
sap.ssc.employeeservice.employeeCreated.v1	☐
sap.ssc.employeeservice.employeeDepersonalized.v1	☐
sap.ssc.employeeservice.employeeUpdated.v1	☐
sap.ssc.individualcustomerservice.individualCustomerCreated.v1	☐
sap.ssc.individualcustomerservice.individualCustomerDepersonalized.v1	☐
sap.ssc.individualcustomerservice.individualCustomerUpdated.v1	☐

Standard Events (56)

Event Type	Enabled
sap.ssc.leadservice.leadCreated.v1	☐
sap.ssc.leadservice.leadDeleted.v1	☐
sap.ssc.leadservice.leadDepersonalized.v1	☐
sap.ssc.leadservice.leadUpdated.v1	☐
sap.ssc.opportunityservice.opportunityCreated.v1	☐
sap.ssc.opportunityservice.opportunityDeleted.v1	☐
sap.ssc.opportunityservice.opportunityUpdated.v1	☐
sap.ssc.organizationalunitservice.organizationalUnitCreated.v1	☐
sap.ssc.organizationalunitservice.organizationalUnitUpdated.v1	☐
sap.ssc.personinteractionservice.personInteractionCreated.v1	☐

Standard Events (56)

Event Type	Enabled
sap.ssc.personinteractionservice.personInteractionDeleted.v1	☒
sap.ssc.personinteractionservice.personInteractionUpdated.v1	☒
sap.ssc.phoneservice.phoneCallCreated.v1	☒
sap.ssc.phoneservice.phoneCallDeleted.v1	☒
sap.ssc.phoneservice.phoneCallDepersonalized.v1	☒
sap.ssc.phoneservice.phoneCallUpdated.v1	☒
sap.ssc.productservice.productCreated.v1	☒
sap.ssc.productservice.productUpdated.v1	☒
sap.ssc.registeredproductservice.registeredProductCreated.v1	☒
sap.ssc.registeredproductservice.registeredProductUpdated.v1	☒

Standard Events (56)

Event Type	Enabled
sap.ssc.phoneservice.phoneCallUpdated.v1	☒
sap.ssc.productservice.productCreated.v1	☒
sap.ssc.productservice.productUpdated.v1	☒
sap.ssc.registeredproductservice.registeredProductCreated.v1	☒
sap.ssc.registeredproductservice.registeredProductUpdated.v1	☒
sap.ssc.saleterritoryservice.territoryCreated.v1	☒
sap.ssc.saleterritoryservice.territoryUpdated.v1	☒
sap.ssc.taskService.taskCreated.v1	☒
sap.ssc.taskService.taskDeleted.v1	☒
sap.ssc.taskService.taskUpdated.v1	☒

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | Analytics
Design Stories

System Settings | Integration
Standard Events Monitoring

All

Status

All Events (0)

Resend

ID	Event	Entity Name	Retry Count	Status	Event Time	Execution Time
----	-------	-------------	-------------	--------	------------	----------------

11:34 AM

CTI Configuration

CTI Configuration

Changes

Communication Provider (2)

SINCH

SINCH

Live Interaction Widget Settings

Provider Details

Provider Name *

Provider ID *

Provider URL *

Enable Outbound Telephony

Customer Identification Settings ⓘ

Call Attached Data (CAD)

Channels

Save

Cancel

CTI Configuration

Changes

Communication Provider (3)

SINCH

SINCH

New

1 General Information

2 Channel

Provider Details

Provider Name *

Provider ID *

Provider URL *

Enable Outbound Telephony

Customer Identification Settings ⓘ

Call Attached Data (CAD)

None

Next

Cancel

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Analytics
Design Stories

System Settings | CTI
CTI Configuration

CTI Configuration

Changes

Communication Provider (2)

SINCH

SINCH

SINCH

SINCH_CC365

Provider

http://mand.com/?cnsURL=myXXXXXXX.de1.demo.crm.cloud.sap

Phone

Chat

WhatsApp

Facebook

Twitter

SMS

Facebook Messenger

Instagram

Select...

Call A

Non

Chan

ID



Active

Identify Customer By

Save

Cancel

Communication System Determination



SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | Analytics
Design Stories

Create Determination Rule

Create Rule

Description *

Enter description

Type

Message

Outbound Configurations

Confirm Service Order to External System

Business Entity

Service Order

Multicast

Yes

Match All of the following

function

Select or enter property

Select or enter operator

Select or enter a value

Communication System

Clear All

All Communication Systems

Add communication systems to the receiver determination rule

Communication System

All Communication Systems

Save

Save and Close

Cancel

Match Any of the following

function

Select or enter property

Select or enter operator

Select or enter a value

Communication System

Clear All

All Communication Systems

Name	ID	Status	Actions
All Communication Systems	—	—	×

Condition Group 2

Match All of the following

function

Select or enter property

Select or enter operator

Select or enter a value

Save

Save and Close

Cancel



Communication & Informati...

Microsoft Teams Integration

LinkedIn Sales Navigator

Microsoft Teams Integration

General Settings

Control access to Microsoft Teams features based on the user's domain.

Validate Domain for Access



Share Workspace and Collaboration Room

Share entities with team members in a dedicated Microsoft Teams channel or virtual room.

Share Workspace



Create Teams



Collaboration Room



Permission Type

Application permissions ▾

Synchronize Microsoft Teams Postings



NOT CONSENTED

[Provide Consent *](#)

Teams Meeting

Use Microsoft Teams collaboration while creating activities for efficient communication and coordination.

Teams Meeting

☒

Sync Customer Information Notes

☐

NOT CONSENTED

Provide Consent *

Permission Type

Application permissions

Outbound Call

Use Microsoft Teams to make your outbound calls.

Outbound Call

☒

* You must be a Microsoft administrator to provide consent.

Home

My Recent Settings

Design Stories

LinkedIn Sales Navigator

LinkedIn Sales Navigator

Enable LinkedIn Sales Navigator to integrate LinkedIn with other applications.

☒ LinkedIn Sales Navigator

Save

AI Configuration



AI Configuration

Intelligent Service

Generative AI

Intent Data Configuration

**Business Interaction
Intelligence**

CX AI ToolKit

Joule

[Show Less](#)

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | AI Configuration
Intelligent Service

ML Scenarios

(Deprecated) Business Entity ...Business Text IntelligenceCase CategorizationCase SummarizationCase Topic AnalyzerCase Type Determination

Search

+

Name	Status	Training Progress	Last Updated	Created On	Updated By	Created By	Actions
------	--------	-------------------	--------------	------------	------------	------------	---------

SAP Sales and Service Cloud

Search All

HomeSystem SettingsSystem Settings | AI ConfigurationIntelligent Service

ML Scenarios

(Deprecated) Business Entity ...

Business Text Intelligence

Case Categorization

Case Summarization

Name	Status	Training Progress	Last Updated	Created On
------	--------	-------------------	--------------	------------

Create Model

Define Model

Name

Test

Scenario

Business Text Intelligence

Save and Train

Save

Cancel

ML Scenarios

(Deprecated) Business Entity ...

Business Text Intelligence

Case Categorization

Case Summarization

Case Topic Analyzer

Case Type Determination

Generate Readiness

Name	Status	Training Progress	Last Updated	Created On	Updated By	Created By	Actions
------	--------	-------------------	--------------	------------	------------	------------	---------

Home

System Settings

System Settings | AI Configuration
Intelligent Service

Search All

JS

ML Scenarios

(Deprecated) Business Entity ...

Business Text Intelligence

Case Categorization

Case Summarization

Name	Status	Training Progress	Last Updated	Created On
------	--------	-------------------	--------------	------------

Create Model

Define Model

Name

BPEM Cases

Scenario

Case Categorization

Standard Attributes

Level 1

Level 2

Level 3

Level 4

Save

Cancel

Home

System Settings

System Settings | AI Configuration
Intelligent Service

ML Scenarios

(Deprecated) Business Entity ...

Business Text Intelligence

Case Categorization

Case Summarization

Case Topic Analyzer

Case Type Determination

Lead Score

Name

Status

Training Progress

Last Updated

Created On

Updated By

Created By

Actions

SAP

Sales and Service Cloud

Search All

Q

🔔

🔖

🗨️

🔗

📧

🎧

JS

☰

Home

System Settings

System Settings | AI Configuration
Intelligent Service

ML Scenarios

< Business Entity ...

Business Text Intelligence

Case Categorization

Case Summarization

Case Topic A

Name	Status	Training Progress	Last Updated	Created On
------	--------	-------------------	--------------	------------

Create Model

Define Model

Name

BPEM Total

Scenario

Case Summarization

Save and Train

Save

Cancel

SAP

Sales and Service Cloud

Search All

Q

🔔

🔖

🗨️

🔗

📧

🎧

JS

☰

Home

System Settings

System Settings | AI Configuration
Intelligent Service

ML Scenarios

< Text Intelligence

Case Categorization

Case Summarization

Case Topic Analyzer

Case Type Determination

Lead Score

Machine Translation

>

Name	Status	Training Progress	Last Updated	Created On	Updated By	Created By	Actions
------	--------	-------------------	--------------	------------	------------	------------	---------

ML Scenarios

< Categorization Case Summarization Case Topic Analyzer Case Type Determination Lead Score Machine Translation NLP Classification >

Q +

Name	Status	Training Progress	Last Updated	Created On	Updated By	Created By	Actions
------	--------	-------------------	--------------	------------	------------	------------	---------

SAP Sales and Service Cloud

Search All

JS

Home

System Settings


System Settings | AI Configuration
Intelligent Service

ML Scenarios


< Case Type Determination Lead Score Machine Translation NLP Classification Opportunity Score Product Recommendation Profanity Check >



Q +

Name	Status	Training Progress	Last Updated	Created On	Updated By	Created By	Actions
Test	TRAINING IN ...	0%	Apr 21, 2026	Apr 21, 2026	John Smith-0008	John Smith-0008	



Generative AI Scenarios





SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | AI Configuration
Generative AI

Account Synopsis

Business Information Extracti...

Case Summary

Duplicate Check

Email Drafter

Lead Booster

Registered Product Sum

Activate Case Summary

Case Summary Automation

Update Case Summary

Interaction

Resolution

Configure

Test Console

Input Fields

Name	Include	Updated On	Updated by
Description	☒	Apr 19, 2026	
External Notes	☐	Apr 19, 2026	
Email Interaction	☒	Apr 19, 2026	

Save

Cancel

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | AI Configuration
Generative AI

Account Synopsis

Business Information Extracti...

Case Summary

Duplicate Check

Email Drafter

Lead Booster

Registered Product Sum

Activate Case Summary

Case Summary Automation

Update Case Summary

Interaction

Resolution

Configure

Test Console

Input Fields

Name	Include	Updated On	Updated by
External Notes	☐	Apr 19, 2026	
Internal Notes	☐	Apr 19, 2026	
Description	☒	Apr 19, 2026	
Email Interaction	☒	Apr 19, 2026	

Save

Cancel

Generative AI Scenarios

< Synopsis Business Information Extracti... Case Summary Duplicate Check Email Drafter Lead Booster Registered Product Summary >

Account Contact Individual Customer Lead

Activate Account

Configure Test Console

Account: Duplicate Check Fields

Add Fields

Name	Include	Updated On	Type	Actions
Full Name	☒	Apr 10, 2026	Standard	
Email	☒	Apr 10, 2026	Standard	
Normalized Phone	☒	Apr 10, 2026	Standard	
Website	☒	Apr 10, 2026	Standard	

Save

Cancel

SAP Sales and Service Cloud

Search All

Home System Settings System Settings | AI Configuration Generative AI

Generative AI Scenarios

< Synopsis Business Information Extracti... Case Summary Duplicate Check Email Drafter Lead Booster Registered Product Summary >

Account Contact Individual Customer Lead

Activate Contact

Configure Test Console

Contact: Duplicate Check Fields

Add Fields

Name	Include	Updated On	Type	Actions
Name	☒	Apr 10, 2026	Standard	
Department Code	☒	Apr 10, 2026	Standard	
Function Code	☐	Apr 10, 2026	Standard	
Phone	☒	Apr 10, 2026	Standard	

Save

Cancel

Generative AI Scenarios

< Synopsis Business Information Extracti... Case Summary Duplicate Check Email Drafter Lead Booster Registered Product Summary >

Account Contact Individual Customer Lead

Activate Individual Customer ⓘ

Configure Test Console

Individual Customer: Duplicate Check Fields

Add Fields

Name ⓘ	Include	Updated On ⓘ	Type	Actions
Name		Apr 10, 2026	Standard	
Role		Apr 10, 2026	Standard	
Email		Apr 10, 2026	Standard	
Normalized Phone		Apr 10, 2026	Standard	

Save

Cancel

Generative AI Scenarios

< Synopsis Business Information Extracti... Case Summary Duplicate Check Email Drafter Lead Booster Registered Product Summary >

Account Contact Individual Customer Lead

Activate Lead ⓘ

Configure Test Console

Lead: Duplicate Check Fields

Add Fields

Name ⓘ	Include	Updated On ⓘ	Type	Actions
Name		Apr 10, 2026	Standard	
Individual Customer		Apr 10, 2026	Standard	
Account		Apr 10, 2026	Standard	
Industry Code		Apr 10, 2026	Standard	

Save

Cancel

Generative AI Scenarios

[Business Information Extracti...](#) [Case Summary](#) [Duplicate Check](#) [Email Drafter](#) [Lead Booster](#) [Registered Product Summary](#) [Sales Order Su](#)

☐ Activate Email Drafter ⓘ

[Configure](#) [Test Console](#)

Entities (6)

Appointments

Case

Lead

Opportunity

Sales Order

☐

☒

☐

☐

☐

Available Prompts (1)

Prompt	Include	Assigned Role	Action
Compose meeting minutes	☐		✎ 🗑

Save

Cancel

Generative AI Scenarios

[Business Information Extracti...](#) [Case Summary](#) [Duplicate Check](#) [Email Drafter](#) [Lead Booster](#) [Registered Product Summary](#) [Sales Order Summary](#) [Survey](#)

☐ Activate Lead Booster ⓘ

Business Objectives (7)

Challenges

Challenges and pain points of the company

Benefits

Top 5 benefits of the products

Alignment with Customer Goals

Relevance of products to customers' goals and needs

Competitive Advantage Maximization

Products and their features for leveraging the competitive advantage of the company

About the Company

Company Profile And History

Customization and Scalability

☒

☒

☒

☒

☒

☒

☒

☒

Generative AI Scenarios

[Case Summary](#) [Duplicate Check](#) [Email Drafter](#) [Lead Booster](#) [Registered Product Summary](#) [Sales Order Summary](#) [Survey Trend Summary](#)

Activate Registered Product Summary

Name	Include	Updated On	Updated by
Registered Product Overview		May 25, 2025	CC Connie Whitley
Related Case Insight		May 25, 2025	CC Connie Whitley

Generative AI Scenarios

[Case Summary](#) [Duplicate Check](#) [Email Drafter](#) [Lead Booster](#) [Registered Product Summary](#) [Sales Order Summary](#) [Survey Trend Summary](#)

Activate Sales Order Summary

Name	Include	Updated On	Updated by
Order Fulfillment Summary		Apr 21, 2026	JS John Smith-0008

Generative AI Scenarios

[Case Summary](#) [Duplicate Check](#) [Email Drafter](#) [Lead Booster](#) [Registered Product Summary](#) [Sales Order Summary](#) [Survey Trend Summary](#)

Activate Survey Trend Summary

Name	Include	Updated On	Updated by
Survey Summary		24/05/2025	S SAP_SYSTEM01
Survey Recommendations		24/05/2025	S SAP_SYSTEM01
Survey Differences		24/05/2025	S SAP_SYSTEM01

Account Synopsis

Business Information Extracti...

Case Summary

Duplicate Check

Email Drafter

Lead Booster

Registered Product Summ >

Activate Business Information Extraction ⓘ

Scenarios

Elements

Classes

Elements (6)

Q

+

Name ↕	Active	Type	Created by	Created On	Updated	Action
Product ID	☐	Standard	JS John Smith-0008	Apr 21, 2026	JS Johi	
Product Name	☐	Standard	JS John Smith-0008	Apr 21, 2026	JS Johi	
Quantity	☐	Standard	JS John Smith-0008	Apr 21, 2026	JS Johi	
Quantity Unit	☐	Standard	JS John Smith-0008	Apr 21, 2026	JS Johi	
Requested Date	☐	Standard	JS John Smith-0008	Apr 21, 2026	JS Johi	
Serial ID	☐	Standard	JS John Smith-0008	Apr 21, 2026	JS Johi	

Save

Cancel

Intent Data Configuration

Bombora Configuration

⌵ Credentials must not be empty ⌵

Bombora Configuration

1 Key Registration

API Key

Enter base64 encoded credentials

Ⓜ

2 Topic Selection

Save

Cancel

Business Interaction Intelligence

Business Interaction Intelligence

Appointments Visit

Pre-Meeting Brief

Post-Meeting Brief

☒ Activate

Capabilities

Name	Model Status	Enable
Transaction Object Updates	ACTIVE	☒
Past Interaction Insights	-	☐
Account Insight	-	☐
Critical Cases	ACTIVE	☒
Pending Recommended Actions	-	☐

Save

Cancel

Business Interaction Intelligence

Appointments Visit

Pre-Meeting Brief

Post-Meeting Brief

☒ Activate

Capabilities

Name	Model Status	Enable
Summarization	ACTIVE	☒
NLP Classification	-	☐
Business Text Intelligence	-	☐
Business Entity Recognition	-	☐

Save

Cancel

Business Interaction Intelligence

Appointments Visit

Pre-Visit Brief

Post Visit Summary

☐ Activate

Capabilities

Name	Model Status	Enable
Interaction Object Summary	ACTIVE	☐
Past Survey Analysis	-	☐
Notes Summary	ACTIVE	☐
Task Summary	ACTIVE	☐

Save

Cancel

Business Interaction Intelligence

Appointments Visit

Pre-Visit Brief

Post Visit Summary

☒ Activate

Capabilities

Name	Model Status	Enable
Interaction Object Summary	ACTIVE	☐
Survey Analysis	-	☐
Notes Summary	ACTIVE	☐
Task Summary	ACTIVE	☐

Save

Cancel

AI Configuration

Business Interaction Intelligence

Appointments

Visit

Pre-Visit Brief

Post Visit Summary

Activate

Capabilities

Name	Model Status	Enable
Interaction Object Summary	ACTIVE	
Past Survey Analysis	-	
Notes Summary	ACTIVE	
Task Summary	ACTIVE	

Save

Cancel

AI Configuration

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | AI Configuration

CX AI Toolkit

CX AI Toolkit

AI Configuration

This is a technical ID generated and provided by the CX AI Toolkit product,which provides the necessary tenant context to the CX AI Toolkit.

Organization ID

Enter Organization ID provided by CX AI Toolkit

Save

Cancel

Joule Configuration

Joule

Joule Configuration

☐ Joule Enablement ⓘ

Save

Cancel



Duplicate Check

Check Configuration

Field Configuration

Accounts Individual Customers Contacts Leads

☒ Activate duplicate check

☐ Generative AI-based duplicate check enabled. Open settings [↗](#)

Updated On
Apr 10, 2026

Updated By


Configure

Test Console

Account: Duplicate Check Fields

[Add Fields](#)

Name	Include	Minimum Match %	Weighting	Updated On	Data Format	Data Type
Full Name	☒	30	1	Apr 10, 2026	STRING	STRING
Role	☒			Apr 10, 2026	CODE	STRING
Industry	☒			Apr 10, 2026	CODE	STRING
Email	☒	30	1	Apr 10, 2026	EMAIL	STRING

Save

Cancel

Field Configuration

Accounts Individual Customers Contacts Leads

☒ Activate duplicate check

☐ Generative AI-based duplicate check enabled. Open settings [↗](#)

Updated On
Apr 21, 2026

Updated By
 JS John Smith-0008

Configure

Test Console

Account: Duplicate Check Fields

[Add Fields](#)

Name	Include	Minimum Match %	Weighting	Updated On	Data Format	Data Type
Full Name	☒	30	1	Apr 10, 2026	STRING	STRING
Role	☒			Apr 10, 2026	CODE	STRING
Industry	☒			Apr 10, 2026	CODE	STRING
Email	☒	30	1	Apr 10, 2026	EMAIL	STRING

Save

Cancel

Normalized Phone		30	1	Apr 10, 2026	STRING	STRING
Website		30	1	Apr 10, 2026	URI	STRING
Country/Region				Apr 10, 2026	CODE	STRING
Postal Code		30	1	Apr 10, 2026	STRING	STRING
House Number		30	1	Apr 10, 2026	STRING	STRING
City		30	1	Apr 10, 2026	STRING	STRING
Street		30	1	Apr 10, 2026	STRING	STRING
State				Apr 10, 2026	CODE	STRING
Address		30	1	Apr 10, 2026	STRING	STRING
Default External Business Partner ID		100	1	Apr 10, 2026	TOKEN	STRING
Default External Customer ID		100	1	Apr 10, 2026	TOKEN	STRING

Field Configuration

Accounts

Individual Customers

Contacts

Leads

Activate duplicate

☐ Generative AI-based

Updated On

Apr 21, 2026

Configure

Test

Account: Duplicate

Name	Include	Minimum Match %	Weighting	Updated On	Data Format	Data Type
Full Name		30	1	Apr 10, 2026	STRING	STRING
Role				Apr 10, 2026	CODE	STRING
Industry				Apr 10, 2026	CODE	STRING
Email		30	1	Apr 10, 2026	EMAIL	STRING

Configurable Account Fields

Name	Data Type	Data Format	Type	Actions
ABC Classification Code	STRING	CODE	Standard	
Nielsen ID Code	STRING	CODE	Standard	
D-U-N-S	STRING	STRING	Standard	

Add Fields

Save

Cancel

Field Configuration

Accounts Individual Customers Contacts Leads

☑️ Activate duplicate check

☐ Generative AI-based duplicate check enabled. Open settings [🔗](#)

Updated On

Apr 10, 2026

Updated By



Configure

Test Console

Individual Customer: Duplicate Check Fields

[Add Fields](#)

Name	Include	Minimum Match %	Weighting	Updated On	Type	Data Format	Data
Name	☑️	30	1	Apr 10, 2026	Standard	STRING	STF
Role	☑️			Apr 10, 2026	Standard	CODE	STF
Email	☑️	30	1	Apr 10, 2026	Standard	EMAIL	STF
Normalized Phone	☑️	30	1	Apr 10, 2026	Standard	STRING	STF

Save

Cancel

Normalized Mobile	☑️	30	1	Apr 10, 2026	Standard	STRING	STF
Website	☑️	30	1	Apr 10, 2026	Standard	URI	STF
Country/Region	☑️			Apr 10, 2026	Standard	CODE	STF
Postal Code	☑️	30	1	Apr 10, 2026	Standard	STRING	STF
House Number	☑️	30	1	Apr 10, 2026	Standard	STRING	STF
City	☑️	30	1	Apr 10, 2026	Standard	STRING	STF
Street	☑️	30	1	Apr 10, 2026	Standard	STRING	STF
State	☑️			Apr 10, 2026	Standard	CODE	STF
Address	☑️	30	1	Apr 10, 2026	Standard	STRING	STF
Language Code	☑️			Apr 10, 2026	Standard	CODE	STF
Default External Business Partner ID	☑️	100	1	Apr 10, 2026	Standard	TOKEN	STF
Default External Customer ID	☑️	100	1	Apr 10, 2026	Standard	TOKEN	STF

Save

Cancel

Field Configuration

AccountsIndividual CustomersContactsLeads

Activate duplicate check

Generative AI-based duplicate check enabled. Open settings

Updated On

Apr 10, 2026

ConfigureTest Console

Individual Customer Fields

Name	Type	Data Format	Data Type	Actions
ABC Classification Code	Standard	CODE	STRING	+
Date of Birth	Standard	DATE	DATETIME	+

Name

Include

Minimum Match %

Weighting

Updated On

Type

Data Format

Name

30

1

Apr 10, 2026

Standard

STRING

Field Configuration

AccountsIndividual CustomersContactsLeads

Activate duplicate check

Generative AI-based duplicate check enabled. Open settings

Updated On

Apr 10, 2026

ConfigureTest Console

Updated By

JS

Contact: Duplicate Check Fields

Add Fields

Name	Include	Minimum Match %	Weighting	Updated On	Type	Data Format	Category
Name		30	1	Apr 10, 2026	Standard	STRING	S
Department Code				Apr 10, 2026	Standard	CODE	S
Function Code				Apr 10, 2026	Standard	CODE	S
Phone		30	1	Apr 10, 2026	Standard	PHONE	S

SAP

Sales and Service Cloud

Search All

Home

System Settings

Generative AI

System Settings | Duplicate Check Configuration

1 Enter a valid Individual Customer ID.

Apr 10, 2026

JS

Configure

Test Console

Contact: Duplicate Check Fields

Add Fields

Field	Include	Maximum Length	Weighting	Updated On	Type	Data Format	
Name	☒	30	1	Apr 10, 2026	Standard	STRING	S
Department Code	☒			Apr 10, 2026	Standard	CODE	S
Function Code	☐			Apr 10, 2026	Standard	CODE	S
Phone	☒	30	1	Apr 10, 2026	Standard	PHONE	S
Mobile	☒	30	1	Apr 10, 2026	Standard	PHONE	S
Email	☒	30	1	Apr 10, 2026	Standard	EMAIL	S
Default External Business Partner ID	☒	100	1	Apr 10, 2026	Standard	TOKEN	S
Default External Contact ID	☒	100	1	Apr 10, 2026	Standard	TOKEN	S

Apr 10, 2026

JS

Configure

Test Console

Contact: Duplicate Check Fields

Add Fields

Field	Include	Maximum Length	Weighting	Updated On	Type	Data Format	
Name	☒	30	1	Apr 10, 2026	Standard	STRING	S
Department Code	☒			Apr 10, 2026	Standard	CODE	S
Function Code	☐			Apr 10, 2026	Standard	CODE	S
Phone	☒	30	1	Apr 10, 2026	Standard	PHONE	S
Mobile	☒	30	1	Apr 10, 2026	Standard	PHONE	S
Email	☒	30	1	Apr 10, 2026	Standard	EMAIL	S
Default External Business Partner ID	☒	100	1	Apr 10, 2026	Standard	TOKEN	S
Default External Contact ID	☒	100	1	Apr 10, 2026	Standard	TOKEN	S

Configurable Contact Fields

Name	Type	Data Format	Data Type	Actions
Account ID	Standard	ALPHANUMERIC	STRING	Add



Business Alerts

Alert Types

Alert Groups

Business Alerts

Sales and Service Cloud

▽

Search All

Q

🔔

🔗

📞

🔧

💬

🎧

JS

⌵

🏠 Home

⚙️ System Settings

⚙️ System Settings | Business Alerts
Alert Types

Alert Types

All Entities ▾

All Entities

Account

Contact

Individual Customer

Entity ⚙️

Alert Group ⚙️

Active

Created By ⚙️

Created On ⚙️

Updated By ⚙️

Updated On

Actions

<

1

>

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | Business Alerts

Alert Types

Create Alert Type

Alert Type

Name *

Name

Alert Group *

Entity *

Account

Lifecycle *

Event

Alert Type Rule

Alert Type Message *

Placeholder...

Recipients Roles

Role ID	Name	Status	Actions
---------	------	--------	---------

Save

Cancel

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | Business Alerts

Alert Groups

Alert Groups

All Alert Groups

Code	Description	Color Band	Created By	Created On	Updated By	Updated On	Actions
1	Test	Red	—	—	—	—	✓✕

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Business Alerts

Create Alert Type

Entity *

Account

Lifecycle *

Event

Alert Type Rule

Alert Type Message *

Test

Recipients Roles

Role ID	Name	Status

Q

88 • Sales Manager Role

SERVICE_MAN_TRAINING

2... • Business Role for hands on exercises related to SAP Servi...

+

ADMIN_EXTERNAL

101 • Admin role for external admins

+

CSR Agent Role 1

2... • This Role Will Perform Move-in, Move-out, Transfers and per...

✓

SAP_ROLE_HR

211 • HR Representative Role

+

BEST_BIKES_SERV_EMP_2

+

Save

Cancel

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Business Alerts

Create Alert Type

Alert Type

Name *

Test

Alert Group *

Test

Entity *

Account

Lifecycle *

Event

Alert Type Rule

Alert Type Message *

Test

Recipients Roles

Role ID	Name	Status	Actions
257	CSR Agent Role 1	ACTIVE	

Q

Q

Save

Cancel

3:14 PM



Global Search

Filter Configuration

Search Admin

my1002604.de1.demo.crm.cloud.sap

SAP Sales and Service Cloud Search All

Home System Settings System Settings | Global Search Filter Configuration

Entities

- Opportunities**
sap.crm.opportunityservice.entity.o...
- Individual Customers**
sap.crm.md.individualcustomerser...
- Accounts**
sap.crm.md.accounts.service.entity....
- Visits**
sap.crm.visitservice.entity.visit
- Cases**
sap.crm.caseservice.entity.case
- Registered Products**
sap.crm.registeredproductservice.e...
- Installed Bases**
sap.crm.installedbaseservice.entity...
- Installation Points**
sap.crm.installationpointservice.en...
- Tasks**
sap.crm.taskservice.entity.task


Filter Settings

Individual Customers Save Reset Cancel

sap.crm.md.individualcustomerservice.entity.individualCustomer

Add

Customer ID	
Role	
Name	
Main Address / Country/Region Code	
Main Address / City	
Status Code	



Output Management



Output Management

Maintain Form Template

Maintain Main Template

Select Form Template

Home

System Settings

System Settings | Output Management

Maintain Form Template

Maintain Form Template

AllCountry/RegionLanguageMain template in useVariant Status

Templates	Description	Country/Region	Created By
☐ Appointment			
☐ SAP-Appointment-PreDeliveredTemplate			
Czech	PreDeliveredAppointmentTem...	SA	SAP_SYSTEM
Hungarian	PreDeliveredAppointmentTem...	SA	SAP_SYSTEM
Slovak	PreDeliveredAppointmentTem...	SA	SAP_SYSTEM
	PreDeliveredAppointmentTem...	SA	SAP_SYSTEM
Dutch	PreDeliveredAppointmentTem...	SA	SAP_SYSTEM
Chinese Traditional	PreDeliveredAppointmentTem...	SA	SAP_SYSTEM
English	PreDeliveredAppointmentTem...	SA	SAP_SYSTEM

Create New Form Template

Template Group *

12 - Appointment2886 - Case64 - Lead72 - Opportunity185 - Registered Product3045 - Return Order2004 - Sales Contract2059 - Sales Order

Variant Description

Upload Template

Drop files here or browse files

Save & Publish

Save

Cancel

Home

System Settings

System Settings | Output Management

Maintain Main Template

Create Main Template View

Create Main Template View

Design Main Template

HeaderFooter

Logo

Upload Logo

Drop files here or browse files

Logo Scale

100%

Logo Alignment

Header Divider

Switch On Header Divider

Title

Preview

DyQYGCHfWgzf0... 1 / 1 65%

1

Save

Save and Close

Cancel



Library

File Type Filter Configuration

File Type Filter Categories

Audio		
PDF		
Documents		
Folders		
Video		
Spreadsheets		
Others		
Presentations		
Images		

Create File Type Filter Category

Title *

File Type Details (0)



No file types found

Search for file type	
jpg	
htm	
zip	
tht	
jsp	
one	

Mobile Administration



Mobile Administration

Tenant

General

Home Page

Opportunity

Appointment

Lead

Account

Contact

Sales Quote

Visit

Sales Order

Case

Task

Registered Product

Individual Customer

Competitor

Account

Contact

Sales Quote

Visit

Sales Order

Case

Task

Registered Product

Individual Customer

Competitor

Subscription Contract

Document

Product

Phone Call

[Show Less](#)

Native Features

Branding

Joule Configuration

Mashups

Enable Push Notifications

Enable approval push notifications to stay updated with important alerts, reminders, and updates from the app in real time.



Bring Your Own Geocode (BYOG)

Enabling this option without geocodes may lead to throttling issues.



Native Features

Branding


Joule Configuration

Mashups

Logo



[Restore to Default Settings](#)

Images for the Mobile Shell Bar must be no larger than 24 × 192 px and must not exceed 100 KB in file size.

[Shell Bar](#) [Sign-in Page](#)

Currently displaying the default SAP logo.

[Save](#)[Cancel](#)



Home

System Settings

System Settings | Mobile Administration
General

Work Center

Extended Native Features

Specify your navigation options. The first three items appear on the tab bar, the others are available under "More".

Navigation Options

Items			
Home			
Search			
Guided Selling			
Leads			
Task Manager			
Calendar			
Phone Calls			

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Mobile Administration
General

Work Center

Extended Native Features

Specify your navigation options. The first three items appear on the tab bar, the others are available under "More".

Navigation Options

Items			
Home			
Search			
Guided Selling			
Leads			
Task Manager			
Calendar			
Phone Calls			

New Custom Work Center

Mashup Selector *

Select Mashup

Name *

Enter Name

Icon *

Select Icon

Adaptor

Basket

Bed

Chalkboard

Example

Flush

Fridge

Goalseek

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | Mobile Administration
General

Accounts

Contacts

Sales Quotes

Appointments

Visits

Favorites

Analytical Stories

Registered Products

Individual Customers

Cases

Sales Orders

Competitors

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | Mobile Administration
General

Work Center

Extended Native Features

Downloads

Enabling downloads lets you access selected data without an internet connection. However, offline data may not reflect real-time updates. Changes made offline are synced once the device reconnects. Review critical actions after syncing to avoid discrepancies.

Enable Downloads

Select the entities below to enable downloads and access important data without an internet connection.

Account

Visit

Sales Order

Phone Call

Sales Contract

Lead

Opportunity

Sales Quote

Individual Customer

Competitor



Contact

Appointment

Product

Subscription Contract

Task



SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | Mobile Administration
Appointment

Mobile Administration

Tenant

General

Home Page

Opportunity

Appointment

Lead

Account

Contact

Sales Quote

Visit

Sales Order

Case

Task

Registered Product

Individual Customer

Competitor

Subscription Contract Document

Product

Phone Call

Header

List

Create

Tabs

Actions

Define the fields to be displayed in the expanded header details of Appointment..

Display Fields

General

Location

Account Details

Organizational Details

Location

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | Mobile Administration
Appointment

Mobile Administration

Tenant

General

Home Page

Opportunity

Appointment

Lead

Account

Contact

Sales Quote

Visit

Sales Order

Case

Task

Registered Product

Individual Customer

Competitor

Subscription Contract Document

Product

Phone Call

Header

List

Create

Tabs

Actions

Define the fields to be displayed in the expanded header details of Appointment..

Display Fields

General

Location

Account Details

Organizational Details

Account // Account Name

Account // Account ID

Account // Account Postal Code

Primary Contact // Primary Contact Name

Phone Numbers

SAP

Sales and Service Cloud

Search All

JS

Home

System Settings

System Settings | Mobile AdministrationAppointment

Mobile Administration

Tenant

General

Home Page

Opportunity

Appointment

Lead

Account

Contact

Sales Quote

Visit

Sales Order

Case

Task

Registered Product

Individual Customer

Competitor

Subscription Contract Document

Product

Phone Call

HeaderListCreateTabsActions

Define the fields to be displayed in the expanded header details of Appointment..

Display Fields

GeneralLocationAccount DetailsOrganizational Details

Owner // Owner Name

Organizer // Organizer Name

Sales Organization // Sales Organization ID

Sales Organization // Sales Organization Name

Distribution Channel // Distribution Channel Description

Division // Division Description

SAP

Sales and Service Cloud

Search All

JS

Home

System Settings

System Settings | Mobile AdministrationAppointment

Mobile Administration

Tenant

General

Home Page

Opportunity

Appointment

Lead

Account

Contact

Sales Quote

Visit

Sales Order

Case

Task

Registered Product

Individual Customer

Competitor

Subscription Contract Document

Product

HeaderListCreateTabsActions

Define the fields to be displayed on cards in the list view of Appointments.

Manage Card Fields

Card Fields	Current Field	Action
Field 1	Subject	
Field 2	Account Name	
Field 3	Start Date	
Field 4	End Date	
Field 5	Status Code	
Field 6	Category	
Field 7	Priority ID	

Home

System Settings

System Settings | Mobile Administration
Appointment

Mobile Administration

Tenant

General

Home Page

Opportunity

Appointment

Lead

Account

Contact

Sales Quote

Visit

Sales Order

Case

Task

Registered Product

Individual Customer

Competitor

Subscription Contract Document

Product

Phone Call

Field 5	Status Code
Field 6	Category
Field 7	Priority ID

Manage Quick Filters

Quick Filter Name	Visibility
Account	☒
Start Date	☒
Status Code	☒
Organizer	☒
Owner	☒
Category	☒
Individual Customer Name	☒

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Mobile Administration
Appointment

Mobile Administration

Tenant

General

Home Page

Opportunity

Appointment

Lead

Account

Contact

Sales Quote

Visit

Sales Order

Case

Task

Registered Product

Individual Customer

Competitor

Subscription Contract Document

Product

Phone Call

HeaderListCreateTabsActions

Define the fields to be displayed while creating Appointment.

Sections

☒ Invitees☒ Attachments☒ Notes

Appointment Details

Field Name	Field ID	Visibility	Action
Subject	subject	☒	X
Category	category	☒	X
Teams Meeting	isTeamsMeeting	☒	X
Account	account.id	☒	X

⋮	Subject	subject	☒	×
⋮	Category	category	☒	×
⋮	Teams Meeting	isTeamsMeeting	☒	×
⋮	Account	account.id	☒	×
⋮	Primary Contact	primaryContact.id	☒	×
⋮	Start Date	startDateTime	☒	×
⋮	End Date	endDateTime	☒	×
⋮	All Day	isAllDay	☒	×
⋮	Priority ID	priority	☒	×
⋮	Location	location	☒	×
⋮	Status Code	status	☒	×
⋮	Organizer	organizer.id	☒	×
⋮	Owner	owner.id	☒	×

Sales and Service Cloud

Search All

Home
System Settings
System Settings | Mobile Administration

Mobile Administration

- Tenant
- General
- Home Page
- Opportunity
- Appointment
- Lead
- Account
- Contact
- Sales Quote
- Visit
- Sales Order
- Case
- Task
- Registered Product
- Individual Customer
- Competitor
- Subscription Contract Document
- Product
- Phone Call

Add Fields

☐ Groupware ID
☐ Appointment Type
☐ Parent Appointment Technical ID
☐ Individual Customer Technical ID
☐ Private
☐ Territory Technical ID
☐ Sales Organization Technical ID
☐ Required

Recurrence
☐ Recurrence Start Date

Add Cancel

HeaderListCreateTabsActions

Sections

Define the tabs for Appointment Detail View.

Tab Name	Action
Account Timeline	
Appointment Insights	
Appointment Invitees	
Notes	
Attachments	
Related Entities	
Territories	
Other Parties	

HeaderListCreateActions

Header Actions

Define the actions in the Header area of Appointment Detail View.

Items

Edit	
Status	
Download	
Add to Favorites	
Delete	

Create Actions

Define Create actions for Appointment Detail View.

Items

 Create Appointment	 
 Create Task	 
 Create Lead	 
 Create Sales Quote	 
 Create Sales Order	 
 Create Opportunity	 
 Create Visit	 

Tab Actions

Define Tab actions for Appointment Detail View.

Items

Notes // Add Note	 
Notes // Edit Note	 
Notes // Delete Note	 
Attendees // Add Attendee	 
Attendees // Mark Attendee as Optional	 
Attendees // Remove Attendee	 
Attachments // Add Attachment	 
Attachments // Download Attachment	 
Attachments // Delete Attachment	 
Territories // Add Territory	 

Add Fields



 Search 

- ☐ Technical ID
- ☐ Account ID
- ☐ Prospect
- ☐ Role ⓘ
- ☐ Role ⓘ
- ☐ ABC Classification
- ☐ Nielsen ID Code
- ☐ Nielsen ID
- ☐ Status
- ☐ Natural Person

Add

Cancel

Business Flow



Business Flow

Autoflow

Approval

Feedback

SAP Sales and Service Cloud

Search All



JS



Home

System Settings

System Settings | Mobile Administration Account

System Settings | Business Flow Autoflow

Autoflow

Custom Rules (1)

Business Entity

Status

Scheduled

Custom Rules (1)

Display ID

Description

Business Entity

Status

Scheduled

Created By

Created On

Actions

167

Check country

Case

Active

No

John Smith-0001

4/20/2026, 1:38:19 PM



Showing 1 - 1

<

1

>

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Mobile Administration Account

System Settings | Business Flow Autoflow

Autoflow

SAP Rules (165)

Business Entity

SAP Rules (165)

Description

Business Entity

Created By

Created On

Updated By

Updated On

Account Plan Owner Changed	Account Plan	SAP	4/9/2026, 9:10:38 PM	SAP	4/9/2026, 9:10:38 PM
Account Plan Note Added	Account Plan	SAP	4/9/2026, 9:10:38 PM	SAP	4/9/2026, 9:10:38 PM
Case Create For Lead	Case	SAP	4/9/2026, 9:10:37 PM	SAP	4/9/2026, 9:10:37 PM
Account Plan Note Changed	Account Plan	SAP	4/9/2026, 9:10:37 PM	SAP	4/9/2026, 9:10:37 PM
Case Create	Case	SAP	4/9/2026, 9:10:37 PM	SAP	4/9/2026, 9:10:37 PM
Account Plan Status Changed	Account Plan	SAP	4/9/2026, 9:10:37 PM	SAP	4/9/2026, 9:10:37 PM
Case Create For Sales Quote	Case	SAP	4/9/2026, 9:10:37 PM	SAP	4/9/2026, 9:10:37 PM

Showing 1 - 30

1


2

3

4

5

6



SAP Rules (165)Business Entity

Custom RulesSAP Rules

SAP Rules (165)

Q

↺

⋮

Description	Business Entity	Created By	Created On	Updated By	Updated On
Account Plan Owner Changed	Account Plan	SAP	4/9/2026, 9:10:38 PM	SAP	4/9/2026, 9:10:38 PM
Account Plan Note Added	Account Plan	SAP	4/9/2026, 9:10:38 PM	SAP	4/9/2026, 9:10:38 PM
Case Create For Lead	Case	SAP	4/9/2026, 9:10:37 PM	SAP	4/9/2026, 9:10:37 PM
Account Plan Note Changed	Account Plan	SAP	4/9/2026, 9:10:37 PM	SAP	4/9/2026, 9:10:37 PM
Case Create	Case	SAP	4/9/2026, 9:10:37 PM	SAP	4/9/2026, 9:10:37 PM
Account Plan Status Changed	Account Plan	SAP	4/9/2026, 9:10:37 PM	SAP	4/9/2026, 9:10:37 PM
Case Create For Sales Quote	Case	SAP	4/9/2026, 9:10:37 PM	SAP	4/9/2026, 9:10:37 PM

Showing 1 - 30<123456>

HomeSystem SettingsSystem Settings | Mobile AdministrationAccountSystem Settings | Business FlowAutoflow

Autoflow

SAP Rules (165)Business Entity

Clear All

☐ Account

☐ Competitor

☐ Contact

☐ Employee

☐ Individual Customer

SAP Rules (165)

Q

↺

⋮

Description	Business Entity	Created By	Created On	Updated By	Updated On
Processor Changed.		SAP	9/1/2025, 6:57:03 AM	SAP	9/1/2025, 6:57:03 AM
Outbound email cre		SAP	8/5/2025, 3:12:57 AM	SAP	8/5/2025, 3:12:57 AM
Inbound email created for account	Email	SAP	8/5/2025, 3:12:57 AM	SAP	8/5/2025, 3:12:57 AM
Inbound email created for lead	Email	SAP	8/5/2025, 3:12:57 AM	SAP	8/5/2025, 3:12:57 AM
Outbound email linked to SalesQuote	Email	SAP	8/5/2025, 3:12:57 AM	SAP	8/5/2025, 3:12:57 AM
Inbound email created for opportunity	Email	SAP	8/5/2025, 3:12:57 AM	SAP	8/5/2025, 3:12:57 AM
Outbound email created for Sales Order	Email	SAP	8/5/2025, 3:12:57 AM	SAP	8/5/2025, 3:12:57 AM

Showing 1 - 30<123456>

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Mobile Administration
Account

Autoflow Rules
New Rule Configuration

Enter The Autoflow Description

Individual Customer

Event Types

Billing Block Code (blockingReasons/invoicingBloc)

Equal to

Value

90 - Default invoice block reason for ret

OR

Role (customerRole)

Contains

Value

BUP002 - Prospect

+ OR Condition

Summary: Billing Block Code Equal to '90 - Default invoice block reason for returns' || Role Contains ' BUP002 - Prospect'

Send Email

Send Event Notification

Send Info Notification

Save

Cancel

Home

System Settings

System Settings | Mobile Administration
Account

System Settings | Business Flow
Approval

Business Flow

Autoflow

Approval

Feedback

Approval

Business Entity

Clear All

Case

Opportunity

Sales Order

Sales Quote

Process (0)

Process Name

Business Entity

Created By

Created On

Upda

Upda

Delete

No Data

Home

System Settings

System Settings | Mobile Administration
Account

Approval Process
New Approval Configuration

Process Name: *

Case Closer

Business Entity: *

Case

Run All Steps

Language:

English

Task Subject *

Test

Task Description *

Test

Email Notifications

Select Email Channel

Select Email Channels

Approval Request Template

Approval Response Template

Continue

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Mobile Administration
Account

Approval Process
New Approval Configuration

Run All Steps

Language:

English

Task Subject *

Test

Task Description *

Test

Step 1 : Enter a description

Select field

Equal to

Value

+ OR Condition

Summary:

Save

Cancel

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Mobile Administration Account

Feedback Flow Create Feedback Flow

Business Entity *
Case

Description *
Teast

Email Template

Subject

✎

▼

✎

Email Templates

✎

▼

✉

Sender Name & Email

🔍

▼

👤

Role Based Recipients

🔍

▼

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Mobile Administration Account

Feedback Flow Create Feedback Flow

Business Entity *
Case

Description *
Test

Email Template

Subject

✎

▲

✎

Email Templates

✎

▲

✉

Sender Name & Email

🔍

▲

👤

Role Based Recipients

🔍

▲

Case Closer

✕

✎

No Data

▲

✉

No Data

🔍

▲

👤

No Data

🔍

▲

Save

Extensibility



Extensibility

Extensibility Administration

Assignment Rules

Page Layouts

Custom Logic Administration

Custom Code Lists

Code List Restrictions

Mashup Authoring

Custom Services

Work Center Sequence

Language Adaptation

[Show Less](#)

Business Entities

☐ Extensible

- ☐ Account Hierarchy Service
- ☐ Account Service
- ☐ Appointment Service
- ☐ Call List Participant Service
- ☐ Call List Service
- ☐ Campaign Service
- ☐ Case Service
- ☐ Chat Service
- ☐ Competitor Product Service
- ☐ Competitor Service
- ☐ Contact Person Service
- ☐ Email Service

Custom Fields **Field Attributes**

Technical Name	Label	Field Type	Field Format	Multi Value	Max Field Length	Actions
----------------	-------	------------	--------------	-------------	------------------	---------



No Results

Looks like there are no extension fields available.

Q Search Extensibility Admin

Business Entities

☐ Extendable

Account Hierarchy Service

Account Service

Account

Account Address

Account Domain

Account External Id

Account Has Contact Person

Appointment Service

Call List Participant Service

Call List Service

Campaign Service

Case Service

Chat Service

Account ⓘ

Custom Fields

Field Attributes

Field Query Properties

Dynamic Properties

Validations

Determinations ⓘ

➤

LIMITS:150 CONSUMPTION:0/150

Q

↺

+

Technical Name	Label	Field Type	Field Format	Multi Value	Max Field Length	Actions
? No Results Looks like there are no extension fields available. Account						

Q Search Extensibility Admin

Business Entities

☐ Extendable

Account Hierarchy Service

Account Service

Account

Account Address

Account Domain

Account External Id

Account Has Contact Person

Appointment Service

Call List Participant Service

Call List Service

Campaign Service

Case Service

Chat Service

Account ⓘ

Attributes

Field Query Properties

Dynamic Properties

Validations

Determinations

External Hooks

Logs

Validations (0) | Sorted By Name

Q

↺

Create ⓘ

Name ⓘ	Description ⓘ	Sync Status	Message Type ⓘ	Created By ⓘ	Created On	Actions
? No Data Looks like you haven't added any validation rules yet + Create						

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Extensibility
Extensibility Administration

New Validation

Entity

Account

Name *

Enter name

Description

Enter description

Show Inactive Codelist

Collapse All

Trigger the rules if the following

conditions are met

Condition Block 1

Select function

Select or enter the field

Equals

Value

Enter target value

+ or

Message Block 1

Action

Choose an action

Save

Close

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Extensibility
Extensibility Administration

New Validation

Account

Enter name

Enter description

Collapse All

Trigger the rules if the following

conditions are met

Condition Block 1

Select function

conditions are met

conditions are NOT met

Equals

Value

Enter target value

+ or

Message Block 1

Action

Choose an action

Save

Close

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Extensibility
Extensibility Administration

New Validation

Account

Enter name

Enter description

Collapse All

Trigger the rules if the following

conditions are met

Condition Block 1

Select function

Select or enter the field

Equals

Value

Enter target value

X

+

+ or

Message Block 1

Action

Choose an action

Show Error

Show Warning

Save

Close

Home

System Settings

System Settings | Extensibility
Extensibility Administration

New Determination

Entity

Account

Name *

Enter name

Event *

Choose an event

Description

Enter description

Show Inactive Codelist

Collapse All

Clear All

Condition Block 1

Select function

Select or enter the field

Equals

Value

Enter target value

X

+

+ Or

Summary

You can view the summary of conditions here.

Save

Close

SAP Sales and Service Cloud

Search All

HomeSystem SettingsSystem Settings | ExtensibilityExtensibility AdministrationNew Determination

3 Collapse All

Clear All

Condition Block 1

Select function

Select or enter the field

Equals

Value

Enter target value

+ Or

Summary

You can view the summary of conditions here.

Assignment Block 1

=+−⋅/()||&&Functions

{Entity Field} = 0.5 * {Entity Field1}

SaveClose

SAP Sales and Service Cloud

Search All

HomeSystem SettingsSystem Settings | ExtensibilityExtensibility AdministrationNew Determination

5 Collapse All

Clear All

Condition Block 1

Select function

Select or enter the f

Value

Enter target value

+ Or

Summary

You can view the summary of conditions here.

Assignment Block 1

=+−⋅/()||&&Functions

{Entity Field} = 0.5 * {Entity Field1}

SaveClose

SCONCATENATE()

SCOUNT()

SCURRENT_DATE_TIME()

SCURRENT_DATE_IN_UTC()

SSUM()

SLENGTH()

SLOGGED_IN_EMPLOYEE_ID()

Home

System Settings

System Settings | Extensibility
Extensibility Administration

Search Extensibility Admin

Business Entities

Extendable

Account Hierarchy Service

Account Service

Account

Account Address

Account Domain

Account External Id

Account Has Contact Person

Appointment Service

Call List Participant Service

Call List Service

Campaign Service

Case Service

Chat Service

Account

tributes

Field Query Properties

Dynamic Properties

External Hooks (0)

Name	Description	Event	API Path
No Data Looks like you haven't added any external hooks.			

Create External Hook

Create External Hook

Name

Enter a name

Description

Enter description

Event

Select an event.

Service Full Name

sap.crm.md.service.accountService

API Path

Enter API path

HTTP Method

POST

Communication System

Select Communication Systems

Save

Cancel

Assignment Rules

Assignment Rule Name

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Extensibility
Assignment Rules

New Rule

Assignment Rule Name

Test

Assignment Rule Description

Enter a description

Match All of the following

function

Select or enter property

Select or enter operator

Select or enter a value

X

function

Email Address (email)

Email Type (emails/type)

Email (emails/value)

Primary (emails/primary)

User Name (userName)

Status (status)

Given Name (givenName)

Family Name (familyName)

Full Name (displayName)

Select or enter operator

Select or enter a value

X

+

New Condition Group



Save

Close

Page Layouts

The screenshot displays the SAP Sales and Service Cloud interface for configuring Page Layouts. The top navigation bar includes the SAP logo, 'Sales and Service Cloud', a search bar with 'Search All', and various utility icons. The breadcrumb trail shows 'Home' > 'System Settings' > 'System Settings | Extensibility' > 'Page Layouts'. The main content area is titled 'Page Layouts (1 / 25)' and contains a single entry named 'Test'. An 'Assign Rules' dialog box is open on the right, featuring a close button (X), a title 'Assign Rules', and a sub-header 'Test'. Inside the dialog, a light blue information banner states 'You can add up to 10 assignment rules.' Below this is a search bar and a large empty rectangular area for rule assignment. At the bottom right of the dialog are 'Save' and 'Cancel' buttons.

Custom Logic Administration



Mashup Authoring

Mashup Authoring

 All Mashups ▾ Created By ▾ Changed By ▾

☒ Active ☐ Inactive

[Auto-Loaded URLs](#)

Q Search		↑↓	+	↺
S4 Transaction Search Preview	CM5006			
S4 Transaction AgentDesk	CM5003			
B2B Appointment Offering	CM5008			
Exchange Order B2C	CM5001			
ServiceOrder - AG	CM5002			
ServiceOrder - S4HANA	CM5007			

Mashup Details

[Duplicate](#)

General Information

Mashup Name *	Mashup Type	Status	Retain State ⓘ
S4 Transaction Agent...	HTML Mashup		

[Show More](#)

Input Parameters

URL *
<https://sap-build-apps-p0bavm73.workzone.cfapps.eu10.hana.ondemand.com/ag9352.ag9352-1.0.1/page.Page1.html>

Parameters and Value Binding

Parameter Name	Constant	Mandatory	Multi Value	System Parameter
urlAccountID	(No Constant added)			(No System Parameter added)

SAP

Sales and Service Cloud

Search All

Home

System Settings

System Settings | Extensibility
Mashup Authoring

Mashup Authoring

All MashupsCreated ByChanged ByActiveInactiveAuto-Loaded URLs

S4 Transaction Search Preview
CM5006

S4 Transaction AgentDesk
CM5003

B2B Appointment Offering
CM5008

Exchange Order B2C
CM5001

ServiceOrder - AG
CM5002

ServiceOrder - S4HANA
CM5007

HTML Mashup

URL Mashup

Analytics Mashup

Mashup Details

DuplicateEditShare

General Information

Mashup Name *Mashup TypeStatusRetain State ⓘ

S4 Transaction Agent...HTML MashupActiveInactive ⓘ

Show More

Input Parameters

URL *

https://sap-build-apps-p0bavm73.workzone.cfapps.eu10.hana.ondemand.com/ag9352.ag9352-1.0.1/page.Page1.html

Parameters and Value Binding

Parameter Name	Constant	Mandatory	Multi Value	System Parameter
rsAccountID	/bin Constant arbfarf	Active	Active	/bin Custom Parameter arbfarf

Mashup Authoring

All MashupsCreated ByChanged ByActiveInactiveAuto-Loaded URLs

S4 Transaction Search Preview
CM5006

S4 Transaction AgentDesk
CM5003

B2B Appointment Offering
CM5008

Exchange Order B2C
CM5001

ServiceOrder - AG
CM5002

ServiceOrder - S4HANA
CM5007

Create Mashup

Share

General Information

Mashup Name *Mashup TypeStatusRetain State ⓘ

HTML MashupActiveInactive ⓘ

Show More

Input Parameters

URL *

Extract Parameters

SaveCancel

SAP

Sales and Service Cloud

Search All

JS

Home

System Settings

System Settings | Extensibility
Custom Services

Custom Services (1)

Search + Show Limit Refresh

Service Name	Description	Status	Type	Actions
Test		ACTIVATED	Mashup Based	

SAP

Sales and Service Cloud

Search All

JS

Home

System Settings

System Settings | Extensibility
Custom Services

Custom Services (1)

Search + Show Limit Refresh

Service Name	Description	Status	Type	Actions
Test		ACTIVATED	Mashup Based	

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Extensibility
Custom Services

Create a Service

Service Details

Service Title *

Enter a title

Service Name

Description

Enter a description

Home

System Settings

System Settings | Extensibility
Custom Services

Create a Service

Service Details

Service Title *

Enter a title

Service Name

Description

Enter a description

Upload JSON File ⓘ

CAP File Conversion [↓](#)

Drop files here or [browse files](#)

Confirm

Cancel

Default Work Center

Home

Work Center Sequence

Q Search

⋮ Home STANDARD

⋮ Calendar STANDARD

⋮ Team Calendar STANDARD

⋮ Task Manager STANDARD

⋮ Accounts STANDARD

⋮ Account Hierarchy STANDARD

⋮ Contacts STANDARD

⋮ Competitors STANDARD

Confirm

⋮ Individual Customers STANDARD

⋮ Agent Desktop STANDARD

⋮ Service Orders STANDARD

⋮ Service Quotes STANDARD

⋮ Customer Returns STANDARD

⋮ Cases STANDARD

⋮ Leads STANDARD

⋮ Guided Selling STANDARD

⋮ Sales Quotes STANDARD

⋮ Sales Contracts STANDARD

⋮ Subscription Contracts STANDARD

Confirm

My Network STANDARD

Digital Selling Workspace STANDARD

Activity Manager STANDARD

Visits STANDARD

Emails STANDARD

Phone Calls STANDARD

Messaging STANDARD

Chat STANDARD

Target Groups STANDARD

Sales Campaigns STANDARD

Call Lists STANDARD

Confirm

SAP Sales and Service Cloud

Search All

JS

Home

System Settings

System Settings | Extensibility
Language Adaptation

Language Adaptation

Application *

Source Language *

Target Language *

Select an Application

Account - sap.crm.md.service.accountService

Account Engagement - sap.crm.service.accountEngagementService

Account Hierarchy - sap.crm.md.service.accountHierarchyService

Account Plan - sap.crm.md.service.keyAccountPlanService

Account Visit Plan - sap.crm.service.accountVisitPlanService

Activity Assignment Rules - sap.crm.service.activityAssignmentRuleService

Activity Manager - sap.crm.service.activityManagementService

Activity Plan - sap.crm.service.activityPlanService

Next

Customers



Customers

ABC Classifications

Payment Terms

Customer Groups

Delivery Block Reasons

Billing Block Reasons

Order Block Reasons

Price Lists

Price Groups

Delivery Priorities

Incoterms

Roles

Nielsen IDs

[Show Less](#)

[Home](#)

[System Settings](#)

[System Settings | Customers](#)
[ABC Classifications](#)

[ABC Classifications](#)

[Changes](#)

[Deletions](#)

ABC Classifications (3)

[Q](#) [+](#) [Translate](#)

Code	Description	Actions
		✓ ✗
A	Account A	✗
B	Account B	✗
C	Account C	✗

Payment Terms

Changes

Deletions

Payment Terms (25)

Q + Translate

Code	Description	Actions
1001	Payable immediately due net	
1002	20 days net	
1003	30 days net	
1004	45 days net	
1005	60 days net	
1006	10 days 5% cash discount, 30 days net	
1007	10 days 3% cash discount, 30 days net	
1008	10 days 2% cash discount, 30 days net	
1009	10 days 5% cash discount, 20 days net	

1 - 20 (25)

< 1 2 >

Payment Terms

Changes

Deletions

Payment Terms (25)

Q + Translate

Code	Description	Actions
1001	Payable immediately due net	
1002	20 days net	
1003	30 days net	
1004	45 days net	
1005	60 days net	
1006	10 days 5% cash discount, 30 days net	
1007	10 days 3% cash discount, 30 days net	
1008	10 days 2% cash discount, 30 days net	

1 - 20 (25)

< 1 2 >

Customer Groups Changes Deletions

Customer Groups (8)

   Translate

Code 	Description 	Actions
01	Industrial customer	
02	Trading company	
03	Development partner	
04	Wholly-owned subsidiary	
05	Part-owned subsidiary	
06	Public sector	
07	Private customer	
08	Customer incomplete	

1 - 8 (8)

< **1** >

Delivery Block Reasons Changes Deletions

Delivery Block Reasons (5)

   Translate

Code 	Description 	Actions
01	Credit limit	
02	Political reason	
03	Bottleneck product	
04	Down payment required	
91	Customer request	

Billing Block Reasons

Changes

Deletions

Billing Block Reasons (4)



Translate

Code	Description	Actions
01	Calculation missing	
02	Confirmation still open	
03	Pricing incomplete	
90	Default invoice block reason for returns	

Order Block Reasons

Changes

Deletions

Order Block Reasons (5)



Translate

Code	Description	Actions
01	Customer fraud	
02	Business policy	
03	Escalation	
04	Problem customer	
05	Always prospect	

Price Lists

Changes

Deletions

Price Lists (2)



Translate

Code	Description	Actions
S1	Price List 1	
S2	Price List 2	

Price Groups Changes Deletions

Price Groups (2)

   Translate

Code 	Description 	Actions
C1	Regular Buyer	
C2	Occasional Buyer	

Delivery Priorities Changes Deletions

Delivery Priorities (4)

   Translate

Code 	Description 	Actions
1	Immediate	
2	Urgent	
3	Normal	
7	Low	

Incoterms Changes Deletions

Incoterms (16)

   Translate

Code 	Description 	Required Location	Actions
CFR	Cost and freight		
CIF	Cost, insurance and freight		
CIP	Carriage and insurance paid to		
CPT	Carriage paid to		
DAF	Delivered at frontier		
DAP	Delivered at place		
DAT	Delivered at terminal		
DDP	Delivered duty paid		
DDU	Delivered duty unpaid		

Roles Changes Deletions

You can configure a prospect role by enabling the Prospect switch. If the Prospect switch is disabled, you define a customer role. You must specify a default customer and a default prospect role. You can also change the description of the roles defined by SAP. The original...

Show More

Roles (2)

Q + Translate

Code	Description	Prospect	Default	Actions
BUP002	Prospect	☒	☒	
CRM000	Customer	☐	☒	

<

Roles Changes Deletions

You can configure a prospect role by enabling the Prospect switch. If the Prospect switch is disabled, you define a customer role. You must specify a default customer and a default prospect role. You can also change the description of the roles defined by SAP. The original descriptions are Prospect for role code BUP002 and Customer for role code CRM000.

Show Less

Roles (2)

Q + Translate

Code	Description	Prospect	Default	Actions
		☐	☐	☒ ☐
BUP002	Prospect	☒	☒	
CRM000	Customer	☐	☒	

[Nielsen IDs](#)
[Changes](#)
[Deletions](#)

Nielsen IDs (2)



 Translate

Code 	Description 	Actions
01	Region 1	
02	Region 2	

Contacts



Contacts

Departments

Functions

VIP Contacts

Departments

Changes

Deletions

Departments (24)

Translate

Code	Description	Actions
0001	Purchasing Department	
0002	Sales Department	
0003	Administration Department	
0004	Production Department	
0005	QA Department	
0006	Secretary's Office	
0007	Financial Department	
0008	Legal Department	
0009	Human Resources Department	

1 - 20 (24)

1

2

Contacts[Departments](#)[Functions](#)[VIP Contacts](#)**Functions**[Changes](#)[Deletions](#)**Functions (28)**[Q](#) [+](#) [-](#) [Translate](#)

Code	Description	Actions
0001	Executive Board	🗑
0002	Purchasing Manager	🗑
0003	Sales Manager	🗑
0004	Head of Personnel	🗑
0005	Quality Officer	🗑
0006	Production Manager	🗑
0007	Personal Assistant	🗑
0008	IT Manager	🗑
0009	Financial Account Manager	🗑

1 - 20 (28)

[<](#) [1](#) [2](#) [>](#)**Contacts**[Departments](#)[Functions](#)[VIP Contacts](#)**VIP Contacts**[Changes](#)[Deletions](#)**VIP Contacts (3)**[Q](#) [+](#) [-](#) [Translate](#)

Code	Description	Actions
A	Managing Director	🗑
B	Executive Board	🗑
C	CEO/President	🗑

Territories



Territories

Account Routing to Territory

Number Range

SAP Sales and Service Cloud

Search All

Home

System Settings

System Settings | Territories

Account Routing to Territory



Rules : Account Routing to Territory

Changed On : 4/21/26, 5:31 PM

JS John Smith-0008

OPEN

Activate

Save Active Version

View Versions

Rules (0)

+

↺

Show Description

Import from Excel

Adapt Columns

Filter

More

Sequence	Role	Owner Technical ID	ABC Classification Code	Main Address/Country/Region Code	Main Address/State/State C	Action
1	*	*	*	*	*	✓ ✕



Rules : Account Routing to Territory

ACTIVE

Changed On : 4/21/26, 5:32 PM

JS John Smith-0008

Activate

Save Active Version

View Versions

Rules (1)



Show Description



Import from Excel



Adapt Columns



Sequence	customerRole	ownerId	customerABCClassification	defaultAddress/country	defaultAddress/region/region	Action
2	*	*	*	*	*	
1	*	*	*	*	*	



Territories

Account Routing to Territory

Number Range

Number ranges determine the number of a new document or a data record. Use number ranges to configure the system to automatically generate document numbers while creating a new document. Note that increasing the upper limit of an existing number range could cause an overlap with numbers previously created. An error may occur if the auto-generated numbers collide with those previously created.

Number Ranges (1)

Range ID	Description	From	To	Number Range Status	Actions
01	Territory	0	999999	0	



Business Partners



Business Partners

- Industries
- Number Range
- Marital Status
- Academic Titles
- Titles
- Legal Forms
- Relationships
- Identification Types
- Name Prefixes
- Account Hierarchy Types

Show Less

IndustriesChangesDeletions

Industries (26)

Search icon

+

Translate

Code	Description	Actions
10	Automotive	
11	Agriculture, forestry, fishing, and hunting	
12	Hi-Tech	
13	Telecommunication	
14	Banking	
15	Oil and Gas	
21	Mining	
22	Utilities	
23	Construction	

Business Partners

- Industries
- Number Range
- Marital Status
- Academic Titles
- Titles
- Legal Forms
- Relationships
- Identification Types
- Name Prefixes
- Account Hierarchy Types

Number ranges determine the number of a new document or a data record. Use number ranges to configure the system to automatically generate document numbers while creating a new document. Note that increasing the upper limit of an existing number range could cause an overlap with numbers previously created. An error may occur if the auto-generated numbers collide with those previously created.

Number Ranges (2)

Range ID	Description	From	To	N	Actions
01	Business Partner	999999	99999999	1	✓ ✗
02	Business Partner/Employee	8000000000	8999999999	8	✓ ✗

Business Partners

- Industries
- Number Range
- Marital Status
- Academic Titles
- Titles
- Legal Forms
- Relationships
- Identification Types
- Name Prefixes
- Account Hierarchy Types

Marital Status Changes Deletions

Marital Status (6)

[Q](#) [+](#) [-](#) Translate

Code	Description	Actions
1	Single	✗
2	Married	✗
3	Widowed	✗
4	Divorced	✗
5	Separated	✗
6	Domestic Partnership	✗

Business Partners

Industries

Number Range

Marital Status

Academic Titles

Titles

Legal Forms

Relationships

Identification Types

Name Prefixes

Account Hierarchy Types

Academic Titles

Changes

Deletions

Academic Titles (6)

Q

+

Code	Description	Placed Before Name	Actions
0001	Dr.	☒	
0002	Prof.	☒	
0003	Prof. Dr.	☒	
0004	B.A.	☐	
0005	MBA	☐	
0006	Ph.D.	☐	

Business Partners

Industries

Number Range

Marital Status

Academic Titles

Titles

Legal Forms

Relationships

Identification Types

Name Prefixes

Account Hierarchy Types

Titles

Changes

Deletions

Titles (2)

Q

+

☐ Translate

Code	Description	Related Gender Code	Actions
0001	Ms.	Female	
0002	Mr.	Male	

Business Partners

Industries

Number Range

Marital Status

Academic Titles

Titles

Legal Forms

Relationships

Identification Types

Name Prefixes

Account Hierarchy Types

Relationships (22)

Q

+

Code	Description	Directed	Account Team	Sales A	Actions
AT1223	Forecast Team Member	☒	☒	☐	
AT146	Agent – Service	☒	☒	☐	
AT211	Account Team Member	☒	☒	☐	
AT213	Partner Contact	☒	☒	☐	
AT43	Service Technician	☒	☒	☐	

ⓧ

You can define your own business partner relationships according to your business needs. Enter a code and the name of the relationship along with a description for both directions of the relationship under business partner 1 and business partner 2. Choose whether the business partner is a person or an organization, and select the business partner roles that are permitted for each of the business partners in the relationship.

Show Less

Business Partners

- Industries
- Number Range
- Marital Status
- Academic Titles
- Titles
- Legal Forms
- Relationships
- Identification Types
- Name Prefixes
- Account Hierarchy Types

Identification Types Changes Deletions

Identification Types (3)

🔍 + 🌐 Translate

Code	Description	For Persons	For Organizations	Single ID	Actions
BUP001	Dun & Bradstreet number	☐	☒	☒	
BUP005	Global Location Number	☐	☒	☒	
BUP006	Standard carrier alpha code	☐	☒	☒	

Account Hierarchy Usage Type (2)

🔍 + 🌐 Translate

Code	Description	Allow Sales Area Data	Default	Actions
A	Standard Hierarchy	☐	☒	
R	Reporting Hierarchy	☐	☐	

Products



Products

Product Type

Units of Measure

Sales Status Schema

Number Range for Products

Product Groups

GTIN

Number Range for
Competitor Products

Billing Cycle

Show Less

Product Types

Changes

Deletions

Define product types to categorize products effectively. Each product can be assigned a specific product type to ensure accurate classification. While some product types are pre-delivered, you also have the flexibility to create custom product types. By assigning a specific usage type, you can designate a product type as a service product type, allowing you to categorize service products and other specialized product categories accordingly. This categorization helps in organizing and managing products efficiently.

Show Less

Product Types (9)

Search + Translate

Code	Description	Product Usage	Visible	Actions
BUND	Bundle Product	Product	☒	
FERT	Finished Product	Product	☒	
HAWA	Trading Goods	Product	☒	
MAT	Material	Product	☒	
SBPD	Subscription Billing Product	Subscription	☒	

1 - 9 (9)

Products

Product Type

Units of Measure

Sales Status Schema

Number Range for Products

Product Groups

GTIN

Number Range for Competitor Products

Billing Cycle

Units of MeasureChangesDeletions

✕

For any new physical Unit of Measure (UoM) created, it must reference to a UoM shipped by SAP. This new UoM can be utilized internally but is not intended for electronic transactions between distinct businesses (B2B Communication), unless it's a commonly shared UoM between the business partners. UoMs shipped by SAP comply with UNICEF standards and can be used for B2B Communication.

The offset value is employed to convert quantities between the Reference UoM and the new physical UoM. This value is utilized in specific cases, for instance, when converting Centigrade to Fahrenheit. The conversion formula is as follows: (Quantity in Reference UoM * (Numerator / Denominator)) + Offset = converted quantity.

Example: To convert 100 degrees Centigrade to Fahrenheit, setting an offset of 32, a numerator of 9, and a denominator of 5, the formula would appear as (100 * (9/5)) + 32 = 212 degrees Fahrenheit.

The symbol denotes the UoM. Most physical UoM symbols hold international recognition, such as kg for kilogram and lb for pound.

Deletion of UoMs shipped by SAP is not permitted.

Show Less

Units of Measure (27)🔍+🌐 Translate

Code	Description	UoM Symbol	Decimals	Physical UoM	Actions
5B	Batch	batch		☐	

Home

System Settings

System Settings | ProductsSales Status Schema

Products

Product Type

Units of Measure

Sales Status Schema

Number Range for Products

Product Groups

GTIN

Number Range for Competitor Products

Billing Cycle

All Sales Status CodesChangesDeletions

✕

Create sales status for each product status of a product. Only one default sales status is allowed for a product status. Use the Visible switch to control which sales status you want to be available under the Sales tab of a Product details screen. When you create or update a sales statu...

Show More

All Sales Status Codes (4)🔍+🌐 Translate

Code	Description	Status	Default	Visible	Actions
1	In Preparation	IN PREPARATION	☒	☒	
2	Active	ACTIVE	☒	☒	
3	Blocked	BLOCKED	☒	☒	
4	Obsolete	OBSOLETE	☒	☒	

Products[Product Type](#)[Units of Measure](#)[Sales Status Schema](#)[Number Range for Products](#)[Product Groups](#)[GTIN](#)[Number Range for Competitor Products](#)[Billing Cycle](#)

Number ranges determine the number of a new document or a data record. Use number ranges to configure the system to automatically generate document numbers while creating a new document. Note that increasing the upper limit of an existing number range could cause an overlap with numbers previously created. An error may occur if the auto-generated numbers collide with those previously created.

Number Ranges (1)

Range ID	Description	From	To	Number Range Stat	Actions
01	Product	10000000	199999999	10000000	✓ ✕

Products[Product Type](#)[Units of Measure](#)[Sales Status Schema](#)[Number Range for Products](#)[Product Groups](#)[GTIN](#)[Number Range for Competitor Products](#)[Billing Cycle](#)**Product Groups (4)**[Q](#) [+](#) [↺](#)

Name 	ID 	External ID 	Actions	
Bike	4-XXX		+	🗑
 Products	1		⊕ +	🗑
Product Category 1-1	1-1		+	🗑
Product Category 1-2	1-2		+	🗑
Product Category 1-3	1-3		+	🗑
Services	3		+	🗑
Spare Parts	2		+	🗑

Billing Cycle

 $\langle \begin{pmatrix} 1 \end{pmatrix} \rangle$

Product List



Product List

Categories



SAP Sales and Service Cloud

Home

System Settings

System Settings | Product List Categories

Search All





Code	Description	Action
01	Promotional	
02	Seasonal	



Case Management