

INDOOR GARDEN SERVICE MANAGEMENT (IGSM)

ServiceNow Project Documentation

Custom Scoped Application

ServiceNow Studio

Project Documentation – Instance Evidence

NAME : R.Sri Hari Priya

ROLL NO: 23481A54E6

COLLEGE: Seshadri Rao Gudlavalleru Engineering College


This document describes the configuration and working structure of the Indoor Garden Service Management (IGSM) application. The content below is intentionally written in original wording while retaining the same section headings used in the reference document. Instance screenshots can be inserted at the marked locations to provide visual evidence of the completed configuration.

1. Application Overview

Indoor Garden Service Management (IGSM) is a custom scoped application created in ServiceNow to organize indoor gardening service requests in a structured manner. The application brings request intake, task processing, approval, notifications, service-level monitoring, and access control into one development scope.

The application is organized through ServiceNow Studio, where the major components are maintained together. These components include custom tables, a Garden record producer, Flow Designer automation, Business Rules, Catalog Client Script, SLAs, roles, and Access Control Lists.

The scoped design keeps the project components grouped under the IGSM application and supports a controlled development approach. The configuration is intended to provide a consistent process from submitting a gardening request through approval and task completion.



The screenshot displays the ServiceNow Studio interface for the 'Indoor Garden Service Management' application. The left sidebar shows a navigation tree with categories like Automation, Data, Security, and User Interface. The main area shows the application details, including the app type (Custom), scope (x_2056493_indoor_0), date created (2026-09-03 14:29:13), and sys_id (e93370628303c310fc64a270cead338). Below this, a table lists the files in the application, categorized by type (Data, User Interface, Automation).

Name	Type	Updated	Updated by	Created by
Data				
Indoor Gardening Request Task	Table	2026-09-04 05:5...	System Administrator	System Administrator
Indoor Gardening Request 2	Table	2026-09-03 09:1...	System Administrator	System Administrator
Indoor Gardening Request	Table	2026-09-03 07:3...	System Administrator	System Administrator
User Interface				
Garden record producer	Record Producer	2026-09-05 08:1...	System Administrator	System Administrator
Garden Record Producer	Record Producer	2026-09-03 08:1...	System Administrator	System Administrator
Indoor Gardening Service Request	Catalog Item	2026-09-03 08:0...	System Administrator	System Administrator
Automation				

2. Indoor Gardening Request Table

The IGSM solution uses request-related tables to store and process information submitted by users. The original Indoor Gardening Request table represents the request information collected from the gardening service process.

To support ServiceNow task-based capabilities and SLA processing, an Indoor Gardening Request Task table was also created as a Task-extended table. Because it inherits from Task, it can use task fields and task-oriented functionality required for service management.

The task table contains project-specific information such as Requester, Garden Type, Plant Type, and Description, while inherited Task fields support lifecycle management such as State, Assignment, and Priority. This structure provides a suitable foundation for workflow execution and SLA tracking.

dev220097.service-now.com/now/nav/ui/classic/params/target/sys_db_object.do%3Fsys_id%3Db99529b6830b4710fc64a270ceaad305%26sysparm_record_target%3Dsys_db_object%26sys...

servicenow All Favorites History Workspaces **Table - Indoor Gardening Request Task** Application scope: Indoor Garden Service M... Update set: Default [Indoor Garden Service...]

Table Indoor Gardening Request Task **Delete** **Update** **Delete All Records**

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More info](#)

* Label Indoor Gardening Request Task Application Indoor Garden Service Management

* Name x_2056493_indoor_0_indoor_gardening_requ Remote Table

Extends table Task Is Data Interface

Columns Controls Application Access

Table Columns for text Search 1 to 20 of 75 New

Dictionary Entries

Column label	Type	Reference	Max length	Default value	Display
Closed by	Reference	User	32		false
Follow up	Date/Time	(empty)	40		false
Domain	Domain ID	(empty)	32	global	false
Created by	String	(empty)	40		false
Service	Reference	Service	32		false
Watch list	List	User	4,000		false
SLA due	Due Date	(empty)	40		false
Updates	Integer	(empty)	40		false

dev220097.service-now.com/now/nav/ui/classic/params/target/x_2056493_indoor_0_indoor_gardening_request_task_list.do%3Fsysparm_userpref_module%3D6956613a830b4710fc64a27...

servicenow All Favorites History Workspaces **Indoor Gardening Request Tasks** Application scope: Indoor Garden Service M... Update set: Default [Indoor Garden Service...]

Indoor Gardening Request Tasks Number Search Actions on selected rows... New

All

Number	Priority	State	Assigned to	Short description	Task type
TASK0020555	(4)	New	(empty)	tyest	Indoor Gardening Request Task
TASK0020556	(4)	New	(empty)	Gestingggggggg	Indoor Gardening Request Task
TASK0020557	(4)	New	(empty)	testttttt	Indoor Gardening Request Task
TASK0020561	(4)	New	(empty)	Test	Indoor Gardening Request Task
TASK0020565		New	(empty)	doneee	Indoor Gardening Request Task
TASK0020589	Wait upto 2 days	New	(empty)	helloo	Indoor Gardening Request Task
TASK0020590	(4)	New	(empty)	heeyy	Indoor Gardening Request Task
TASK0020591	(4)	New	(empty)	Testing	Indoor Gardening Request Task
TASK0020594	Wait upto 2 days	New	(empty)	Testing 1	Indoor Gardening Request Task
TASK0020595	Wait upto 2 days	New	(empty)	lgsm	Indoor Gardening Request Task
TASK0020596	Urgency	New	(empty)		Indoor Gardening Request Task
TASK0020597	Wait upto 2 days	New	(empty)		Indoor Gardening Request Task
TASK0020598	Wait upto 2 days	New	(empty)	letterrr	Indoor Gardening Request Task
TASK0020599	Low	New	(empty)	servicenow	Indoor Gardening Request Task

3. Record Producer Configuration

The Garden record producer provides the main request-entry mechanism for the IGSM application. It gives users a guided form instead of requiring them to work directly with backend table records.

The producer is configured with gardening-service questions that collect the information needed to process a request. Typical inputs include the requested name, location, plant type, service type, preferred date, priority, and description.

The producer is maintained as part of the IGSM user-interface configuration. Once the user submits the form, the configured producer and field mappings pass the entered information into the request-management process.

Record Producer - Garden record producer

Build and modify items faster with the improved Catalog Builder.

Name: Garden record producer
 * Table name: Indoor Gardening Request Task [x_2056...]
 State: -- None --
 Checked out: -- None --
 Owner: System Administrator

Application: Indoor Garden Service Management
 Active: ☒

What it will contain: Accessibility | Generated Record Data | Portal Settings

Catalogs: > Service Catalog
 Category:
 View:

Copy Try It Update Edit in Catalog Builder Delete

Related Links
[Item Diagnostic](#)
[Show VA render type](#)
[Run Point Scan](#)
[\[SN Utils\] Versions \(58\)](#)

Variables (7) | Variable Sets | Catalog UI Policies | Catalog Client Scripts (1) | Available For | Not Available For | Categories | Catalogs (1) | Catalog Data Lookup Definitions | Related Articles | Related Catalog Items

Assigned Topics

Order Search

Catalog item = Garden record producer

Question	Field	Type	Order
What is the requested name ?		Reference	100
Where is the location ?		Single Line Text	200
What is the plant type	plant_type	Multiple Choice	300
What service type you need ?		Multiple Choice	400
Preferred Date		Date/Time	500
Priority	priority	Multiple Choice	600
Description	description	Multi Line Text	700



1 to 7 of 7

4. Service Portal Request Form

The Garden record producer is made available through the Service Portal so that a requester can submit a service request through a simple web form. This provides a user-facing entry point while keeping the underlying ServiceNow configuration separate from the portal experience.

The form captures the main details required by the gardening service process, including plant information, service requirements, preferred date, priority, and description. The priority choices are customized for the project as Urgency, Wait upto 2 days, and Low, with Wait upto 2 days intended as the default selection.

After submission, the request information becomes available to the backend process for approval, assignment, SLA handling, and completion. This creates a clear connection between the portal experience and the service-management workflow.




5. IGSM Request Automation Workflow

The New Request Workflow is implemented using Flow Designer to automate the lifecycle of a newly created gardening request. The flow starts when the configured Indoor Gardening Request record is created.

The workflow includes an approval activity followed by decision logic. When approval is granted, the flow updates the request and sends the appropriate notification. A separate rejection path handles requests that are not approved, allowing the record to be updated and a rejection notification to be issued.

This automation reduces the need for manual follow-up and establishes a repeatable sequence for request processing. The flow also provides a clear basis for demonstrating approval handling and notification behavior during end-to-end testing.



Business Rule

The IGSM Business Rule provides server-side processing for request or task records when the configured database operation takes place. Server-side logic is useful for enforcing behavior consistently even when records are created or updated from different interfaces.

The project uses Business Rule configuration to support the required default-priority behavior. The intended project default is priority value 2, representing Wait upto 2 days, rather than the standard Task priority meaning of 2 - High.

The final configuration should be verified against the project-specific priority choices on the IGSM Task table. This ensures that the default behavior shown in the backend is consistent with the values presented to users through the request process.

dev220097.service-now.com/now/nav/ui/classic/params/target/sys_script.do%3Fsys_id%3Dcebc65b6834b4710fc64a270ceaad3e3%26sysparm_record_target%3Dsys_script%26sysparm_re...

servicenow All Favorites History Workspaces Business Rule - Indoor garden Application scope: Indoor Garden Service M... Update set: Default [Indoor Garden Service...]

Business Rule Indoor garden Update Delete

A business rule is a server-side script that runs when a record is displayed, inserted, deleted, or when a table is queried. Use business rules to automatically change values in form fields when the specified conditions are met. [More Info](#)

Name Indoor garden Application Indoor Garden Service Management

Table Indoor Gardening Request Task [x_2056...] Active ☒ Advanced ☒

When to run Actions Advanced

Condition <>

Script <> Turn on ECMAScript 2021 (ES12) mode

```

1 (function executeRule(current, previous /*null when async*/) {
2
3     // Add your code here
4     if(!current.priority){
5         current.priority=2;
6     }
7 })(current, previous);

```

Completion SLA

A Task SLA record can therefore be associated with the individual task and its stage can be used as evidence that the response timer has started completed. The IGSM Completion SLA measures the time required to finish an assigned gardening task. It complements the response target by covering the later part of the service lifecycle. The completion target is configured for 2 days using the selected working schedule. The timer begins when the task reaches Assigned and ends when the task reaches Completed. Together, the response and completion SLAs provide two measurable checkpoints: timely assignment of a new request and timely completion of an assigned service task. Their progress can be reviewed through the Task SLAs related list on the task record.

dev220097.service-now.com/now/nav/ui/classic/params/target/contract_sla.do%3Fsys_id%3D3fcb536834b4710fc64a270ceaad3d0%26sysparm_record_target%3Dcontract_sla%26syspar...

servicenow All Favorites History Workspaces SLA Definition - IGSM Completion SLA Application scope: Indoor Garden Service M... Update set: Default [Indoor Garden Service...]

SLA Definition IGSM Completion SLA Update Delete

An SLA starting now will breach on 2026-09-15 11:00:00 (Actual elapsed time: 9 Days 3 Hours 27 Minutes)

Name IGSM Completion SLA Application Indoor Garden Service Management

Type SLA Duration type User specified duration

Target Resolution * Duration Days 2 Hours 00 00 00

Table Indoor Gardening Request Task [x_2056...] Schedule source SLA definition

Flow Default SLA flow * Schedule 8-5 weekdays excluding holidays

Enable logging ☐ Timezone source The caller's time zone

Active ☒

Start condition Pause condition Stop condition Reset condition

The conditions under which the new SLA will be attached and canceled

Start condition Add Filter Condition Add OR Clause

State is Assigned AND OR

Retroactive start ☐

When to cancel Cancel conditions are met

Catalog Client Script

The Garden Client Script is a Catalog Client Script associated with the Garden record producer. It is configured as an onChange script so that the form can respond immediately when the Priority variable is changed. The script controls the mandatory state of the Description field according to the selected priority. When the configured high-urgency value is selected, Description is made mandatory; for other selections, the field can remain optional.

The screenshot shows the ServiceNow interface for configuring a Catalog Client Script. The browser address bar shows a URL with a long ID. The page title is 'Catalog Client Scripts - Garden Client Script'. A notification banner at the top states: 'New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.'

The configuration form includes the following fields:

- Name:** Garden Client Script
- Applies to:** A Catalog Item
- Active:** ☒
- UI Type:** All
- Application:** Indoor Garden Service Management
- Type:** onChange
- Catalog item:** Garden record producer
- Variable name:** priority
- Applies on a Catalog Item view:** ☒
- Applies on Target Record:** ☒

The script editor contains the following code:

```
1 function onChange(control, oldValue, newValue, isLoading) {
2   if (isLoading || newValue == '') {
3     return;
4   }
5   if (newValue == '1') {
6     g_form.setMandatory('description', true);
7   }
8   else {
9     g_form.setMandatory('description', false);
10  }
11  //Type appropriate comment here, and begin script below
12 }
```

At the bottom of the form are 'Update' and 'Delete' buttons.

ACL Security

Access Control Lists are used in IGSM to control who can access and modify the gardening task data. The security design uses the project roles Requester, Technician, and Manager so that access can be aligned with the responsibilities of each user type.

A table-level ACL is configured for the Indoor Gardening Request Task table with the relevant IGSM roles. Additional ACL rules can control operations such as read, create, write, and delete according to the security requirements of the application.

The security configuration helps prevent unauthorized operations while allowing legitimate project users to perform their assigned activities. ACL verification should be included in testing so that the configured roles are demonstrated against the intended operations.

The screenshot displays the ServiceNow Access Controls interface. The top navigation bar includes 'All', 'Favorites', 'History', 'Workspaces', and 'Admin'. The 'Access Controls' tab is active, showing a table of records. The table has columns: Name, Decision Type, Operation, Type, Active, Updated by, and Updated. The records are filtered by 'Updated' and show a list of 49,048 records. The table is sorted by 'Updated' in descending order. The first few rows show records with 'Allow If' decision type and various operations like 'read', 'delete', 'write', 'create', and 'read'.

Name	Decision Type	Operation	Type	Active	Updated by	Updated
x_2056493_indoor_0_indoor_gardening_requ...	Allow If	read	record	true	admin	2026-09-05 07:27:51
x_2056493_indoor_0_indoor_gardening_requ...	Allow If	read	record	true	admin	2026-09-04 05:51:04
x_2056493_indoor_0_indoor_gardening_requ...	Allow If	delete	record	true	admin	2026-09-04 05:51:04
x_2056493_indoor_0_indoor_gardening_requ...	Allow If	write	record	true	admin	2026-09-04 05:51:04
x_2056493_indoor_0_indoor_gardening_requ...	Allow If	create	record	true	admin	2026-09-04 05:51:04
x_2056493_indoor_0_indoor_gardening_requ...	Allow If	read	record	true	admin	2026-09-03 08:53:06
x_2056493_indoor_0_indoor_gardening_request	Allow If	create	record	true	admin	2026-09-03 08:53:06
x_2056493_indoor_0_indoor_gardening_request	Allow If	create	record	true	admin	2026-09-03 08:53:06
x_2056493_indoor_0_indoor_gardening_request	Allow If	delete	record	true	admin	2026-09-03 08:53:06
x_2056493_indoor_0_indoor_gardening_requ...	Allow If	create	record	true	admin	2026-09-03 08:53:06
x_2056493_indoor_0_indoor_gardening_requ...	Allow If	write	record	true	admin	2026-09-03 08:53:06
x_2056493_indoor_0_indoor_gardening_request	Allow If	write	record	true	admin	2026-09-03 08:53:06
x_2056493_indoor_0_indoor_gardening_requ...	Allow If	read	record	true	admin	2026-09-03 08:53:06
x_2056493_indoor_0_indoor_gardening_request	Allow If	read	record	true	admin	2026-09-03 08:53:06
x_2056493_indoor_0_indoor_gardening_request	Allow If	read	record	true	admin	2026-09-03 08:53:05
x_2056493_indoor_0_indoor_gardening_requ...	Allow If	read	record	true	admin	2026-09-03 08:53:03
x_2056493_indoor_0_indoor_gardening_requ...	Allow If	create	record	true	admin	2026-09-03 08:53:03

Project Configuration Summary

The IGSM application combines a user-facing Service Portal request form with backend task management, workflow automation, SLA monitoring, client-side validation, server-side rules, and role-based security. The configuration is designed to provide a complete service-request lifecycle, beginning with request submission and continuing through approval, assignment, SLA measurement, and completion.

For the final project submission, the marked screenshot locations should be replaced with clear images from the user's own ServiceNow instance. Each image should show the relevant application, configuration, record, workflow, SLA, or security evidence described under its heading.

Screenshot Replacement Checklist

- Application Overview – IGSM application in ServiceNow Studio
- Indoor Gardening Request / Indoor Gardening Request Task – table configuration
- Important task fields
- Garden record producer configuration
- Service Portal request form
- Submitted request/task record
- Business Rule configuration and logic
- IGSM Response SLA configuration
- IGSM Completion SLA configuration
- Task SLAs related list and SLA stages
- Garden Client Script configuration and script
- Portal behavior for the priority/description validation
- ACL list and role-based ACL configurations