```
In [1]: import re
        from sklearn.datasets import load digits
        from sklearn.model selection import train test split
        import numpy as np
        import matplotlib.pyplot as plt
        import seaborn as sns
        from sklearn import metrics
        %matplotlib inline
        digits = load digits()
In [2]: print("Image Data shape", digits.data.shape)
        print("Label Data shape", digits.target.shape)
        Image Data shape (1797, 64)
        Label Data shape (1797,)
In [3]: plt.figure(figsize = (20,4))
        for index,(image,Label) in enumerate(zip(digits.data[1:7],digits.target[1:7])):
         plt.subplot(1,7,index+1)
         plt.imshow(np.reshape(image,(8,8)),cmap=plt.cm.pink)
         plt.title('Training:%i\n'%Label,fontsize=15)
               Training:1
                                   Training:2
                                                       Training:3
                                                                           Training:4
                                                                                               Training:5
                                                                                                                   Training:6
```

In [5]: from sklearn.model_selection import train_test_split
 x_train,x_test,y_train,y_test = train_test_split(digits.data,digits.target,test_size=0.30,random_state=2)

localhost:8888/notebooks/digits.ipynb

```
print(x_train.shape)
 In [6]:
         (1257, 64)
 In [7]: print(y test.shape)
         (540,)
 In [8]:
         print(x_test.shape)
         (540, 64)
 In [9]: print(y_train.shape)
         (1257,)
In [10]: from sklearn.linear model import LogisticRegression
         LogisticRegr = LogisticRegression(max iter=10000)
         LogisticRegr.fit(x train,y train)
Out[10]:
                   LogisticRegression
          LogisticRegression(max_iter=10000)
In [11]: LogisticRegression(max_iter=10000)
Out[11]:
                   LogisticRegression
          LogisticRegression(max_iter=10000)
```

localhost:8888/notebooks/digits.ipynb

```
In [12]: print(LogisticRegr.predict(x test))
         [4 0 9 1 8 7 1 5 1 6 6 7 6 1 5 5 8 6 2 7 4 6 4 1 5 2 9 5 4 6 5 6 3 4 0 9 9
          8 4 6 8 8 5 7 9 8 9 6 1 7 0 1 9 7 3 3 1 8 8 8 9 8 5 8 4 9 3 5 8 4 3 1 3 8
          7 3 3 0 8 7 2 8 5 3 8 7 6 4 6 2 2 0 1 1 5 3 5 7 1 8 2 2 6 4 6 7 3 7 3 9 4
          7 0 3 5 4 5 0 3 9 2 7 3 2 0 8 1 9 2 1 5 1 0 3 4 3 0 8 3 2 2 7 3 1 6 7 2 8
          3 1 1 6 4 8 2 1 8 4 1 3 1 1 9 5 4 8 7 4 8 9 5 7 6 9 4 0 4 0 0 9 0 6 5 8 8
          3 7 9 2 0 8 2 7 3 0 2 1 9 2 7 0 6 9 3 1 1 3 5 2 5 5 2 1 2 9 4 6 5 5 5 9 7
          1 5 9 6 3 7 1 7 5 1 7 2 7 5 5 4 8 6 6 2 8 7 3 7 8 0 9 5 7 4 3 4 1 0 3 3 5
          4 1 3 1 2 5 1 4 0 3 1 5 5 7 4 0 1 0 9 5 5 5 4 0 1 8 6 2 1 1 1 7 9 6 7 9 7
          0 4 9 6 9 2 7 2 1 0 8 2 8 6 5 7 8 4 5 7 8 6 4 2 6 9 3 0 0 8 0 6 6 7 1 4 5
          6 9 7 2 8 5 1 2 4 1 8 8 7 6 0 8 0 6 1 5 7 8 0 4 1 4 5 9 2 2 3 9 1 3 9 3 2
          8 0 6 5 6 2 5 2 3 2 6 1 0 7 6 0 6 2 7 0 3 2 4 2 3 6 9 7 7 0 3 5 4 1 2 2 1
          2 7 7 0 4 9 8 5 6 1 6 5 2 0 8 2 4 3 3 2 9 3 8 9 9 5 9 0 3 4 7 9 8 5 7 5 0
          5 3 5 0 2 7 3 0 4 3 6 6 1 9 6 3 4 6 4 6 7 2 7 6 3 0 3 0 1 3 6 1 0 4 3 8 4
          3 3 4 8 6 9 6 3 3 0 5 7 8 9 1 5 3 2 5 1 7 6 0 6 9 5 2 4 4 7 2 0 5 6 2 0 8
          4 4 4 7 1 0 4 1 9 2 1 3 0 5 3 9 8 2 6 0 0 4]
In [13]: | score = LogisticRegr.score(x test,y test)
         print(score)
         0.9537037037037037
In [14]:
 In [ ]:
```

localhost:888/notebooks/digits.ipynb