```
In [1]: import numpy as np
import pandas as pd
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.tree import DecisionTreeClassifier
```

In [2]: df=pd.read\_csv(r"C:\Users\LENOVO\Downloads\loan1.csv")
 df

## Out[2]:

	Home Owner	Marital Status	Annual Income	Defaulted Borrower
0	Yes	Single	125	No
1	No	Married	100	No
2	No	Single	70	No
3	Yes	Married	120	No
4	No	Divorced	95	Yes
5	No	Married	60	No
6	Yes	Divorced	220	No
7	No	Single	85	Yes
8	No	Married	75	No
9	No	Single	90	Yes

6/13/23, 10:41 AM loan - Jupyter Notebook

```
In [3]: df.info()
        <class 'pandas.core.frame.DataFrame'>
        RangeIndex: 10 entries, 0 to 9
        Data columns (total 4 columns):
                                Non-Null Count Dtype
             Column
             _____
                                                obiect
             Home Owner
                                10 non-null
            Marital Status
                            10 non-null
                                                object
         2 Annual Income
                                10 non-null
                                                int64
         3 Defaulted Borrower 10 non-null
                                                object
        dtypes: int64(1), object(3)
        memory usage: 452.0+ bytes
In [4]: df['Marital Status'].value_counts()
        df['Annual Income'].value counts()
Out[4]: Annual Income
        125
               1
        100
               1
        70
               1
        120
               1
        95
               1
        60
               1
        220
               1
        85
               1
        75
               1
               1
        90
        Name: count, dtype: int64
```

6/13/23, 10:41 AM loan - Jupyter Notebook

```
In [5]: convert={"Home Owner":{"Yes":1,"No":0}}
    df=df.replace(convert)
    df
```

## Out[5]:

	Home Owner	Marital Status	Annual Income	Defaulted Borrower
0	1	Single	125	No
1	0	Married	100	No
2	0	Single	70	No
3	1	Married	120	No
4	0	Divorced	95	Yes
5	0	Married	60	No
6	1	Divorced	220	No
7	0	Single	85	Yes
8	0	Married	75	No
9	0	Single	90	Yes

```
In [6]: convert={"Marital Status":{"Single":1,"Married":2,"Divorced":3}}
    df=df.replace(convert)
    df
```

## Out[6]:

	Home Owner	Marital Status	Annual Income	Defaulted Borrower
0	1	1	125	No
1	0	2	100	No
2	0	1	70	No
3	1	2	120	No
4	0	3	95	Yes
5	0	2	60	No
6	1	3	220	No
7	0	1	85	Yes
8	0	2	75	No
9	0	1	90	Yes

```
In [8]: (x_train,x_test,y_train,y_test)=train_test_split(all_inputs,all_classes,test_size=0.3)
```

```
In [9]: df=DecisionTreeClassifier(random_state=0)
```

6/13/23, 10:41 AM loan - Jupyter Notebook