


You are the network controller.

A stadium surge is approaching. Choose before you see the result.



A Keep static

B React after overload

C Steer predictively

Vote now. We reveal the matched result at minute 72.

One causal loop—from observed pressure to later evidence

02 · SYSTEM STORY



Participant workspace

Produces a WorkshopDecision record. It has no presenter credentials and cannot publish policy.

Authoritative presenter runtime

Translates one team recommendation into controlled dashboard inputs and records the causal run.

Demand is what arrived—not only what the network managed to carry

03 · TRAFFIC → SIMULATE




OFFERED	attempted session demand
CARRIED	successfully transported
OVERLOAD	above service envelope
LOSS	offered but not carried

If you train demand on carried throughput during constraint, the label hides the demand you most need to predict.

Forecast from closed history; choose how much uncertainty to carry

04 · FORECAST



SOURCE WINDOW ENDS HERE

TARGET STARTS HERE

p50

central estimate · less reserve

p90

conservative · more headroom

No guarantee

unannounced surge may miss both

A useful recommendation is still rejected unless it is safe to publish

05 · CERTIFY / OPTIMIZE

**CAUSAL**

features stop before target

**ELIGIBLE**

group + locality path exist

**HEALTHY**

unavailable UPFs get no weight

**NORMALIZED**

finite [0,1] · sum exactly 1

**CAPACITY**

UL · DL · session envelope

**ANCHORED**

new sessions only

INVALID / UNSAFE

Reject recommendation · preserve last safe/static policy

VALID

Publish weights for sessions arriving after activation

The frozen campaign clears the demo gate—and keeps tail risk visible

06 · REVEAL + COMPARE

MEAN-PAIR UL

+10.52%

95% CI 4.81–16.93%

WEIGHTED UL

+2.84%

severity-weighted total

MATCHED PAIRS

30

static vs frozen MPC

WORST PAIR

−23.50%

fault-heavy regression

AGGREGATE GAIN / WORST PAIR		
Demand surge	+10.42%	worst +2.57%
Scheduled fault	+19.01%	worst -23.50%
Unannounced outage	+0.71%	worst -9.84%
Mixed stress	+1.92%	worst -8.28%


Say this

Reduced modeled exposure for future sessions.

Not overload prevented.
Not production ready.

The next step is a bounded C-DOT advisory pilot—not autonomous control

07 · C-DOT CO-DESIGN + CLOSE



RECOMMENDED PILOT SEQUENCE

map telemetry → calibrate capacity → advisory replay → shadow recommendations → bounded new-session pilot

We would deploy this in advisory mode only after _____.