12A,C.B. Road(East),R.S.Puram Coimbatore-641002
Ph:0422-2556628,4354242

Web : http://www.microlabindia.com E-mail: microlabcbe@microlabindia.com

MC-2297

Microbiological Laboratory

MICROBES SINCE 1977

Take a Lab Tour

Unit of Mani Microbiological Laboratory Private Limited.,

Customer Information	Physician Information	Sample Information
Billid : AE00003734	Ref. by Dr.: SELF	**Printed Date :** 18/12/2025 22:03
Name : Mr/Ms *ANITHA M*		**Sample Date :** 18/12/2025 15:18
Age & Sex 39Y / Female **DOB :** 05/12/1986		Sample Collected at Micro_Jothipuram
82 BALAJI GARDEN PRESS COLONY CBE		
Reg No : AE0000747		**Final Test Report** Page 1 of 1

Spec.type	Test Name	Results	Previous Results (Date)	units	Reference Ranges/Methods	Verified by	Verified date & Time	Test QR Code
BIOCHEMISTRY								
SERUM	**C Reactive Protein (CRP)**	**5.9**		**mg/L**	Less than 8.0 mg/L Nephelometric- Method	Dr.U.	18/12/2025:20:55	

It aids in evaluation of stress, Trauma, Infection, Inflammation, Surgery and associated diseases.

results related only to the item tested. If any test name ends with # - denotes the particular test not accredited by NABL

End of the Report

For further details about the tests, visit **www.labtestsonline.org** or scan **Test QR Code**

SMS message sent on 18/12/2025 19:49

"One of the biggest drawback of hi-tech automation is the occurence of random errors that no one can really control. in spite of stringent qc programs, such errors are unavoidable (probability 1:1,00,000) if the results do not correlate clinically, please contact us." **"CONSULT DOCTOR FOR INTERPRETATION OF LAB REPORT". "LAB RESULTS TO BE INTERPRETED ONLY BY THE MEDICAL PROFESSIONALS. THIS IS ONLY A LABORATORY TECHNICAL REPORT AND NOT A MEDICAL/FITNESS CERTIFICATE".**

SINCE 1977 48 Years of Service

Dr.U.Devaki PhD
Senior Biochemist
(Proficiency 36 Years)

Sirajunnissa M M.Sc.,
HOD-Biochemist
(Proficiency 40 Years)

M. Mani M.Sc., (Medical Microbiology)
Chief of Laboratory Service
Proficiency - 48yrs

COLLEGE OF AMERICAN PATHOLOGISTS
CAP Survey Participant

All investigations have their Limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the specimen received by the laboratory. Isolated Laboratory investigations never confirm the final diagnosis of the disease. They only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations. Report may vary depend on technology. Value of two technologies are not comparable.

12A,C.B. Road(East),R.S.Puram Coimbatore-641002
Ph:0422-2556628,4354242

Web : http://www.microlabindia.com E-mail: microlabcbe@microlabindia.com

Microbiological Laboratory

MICROBES SINCE 1977

Take a Lab Tour

Unit of Mani Microbiological Laboratory Private Limited.,

Customer Information	Physician Information	Sample Information
Billid : AE00003734 **Name : Mr/Ms** *ANITHA M* **Age & Sex** 39Y / Female **DOB :** 05/12/1986 82 BALAJI GARDEN PRESS COLONY CBE **Reg No :** AE0000747	Ref. by Dr.: SELF	**Printed Date :** 18/12/2025 22:03 **Sample Date :** 18/12/2025 15:18 Sample Collected at Micro_Jothipuram **Final Test Report**

Spec.type	Test Name	Results	Previous Results (Date)	units	Reference Ranges/Methods	Verified by	Verified date & Time	Test QR Code
CLINICAL PATHOLOGY								
CIT-Blood	E S R (westergren) 1 hr reading	10		mm	<50 yrs < 20mm/hr 50-85yrs< 30mm/hr >85yrs < 42mm/hr Manual-Westergren method	Dayal	18/12/2025:20:32	
Test done on Citrated whole Blood								
HAEMOGRAM - COMPLETE								
EDTA Blood	TOTAL LEUCOCYTE (WBC)	4170		cells/uL	4000-10000 Women (Adult) Flourescence Flowcytometry Method	Dayal	18/12/2025:20:32	
Ref. Ranges for Childrens : (Birth 10000-26000, 0-3 days 7000-23000, 4-7 days 6000-22000, 8-14 days 6000-22000, 15day-1 mon 5000-19000, 2mon-3mon 5000-15000, 4-6 mons 6000-18000, 7mons-1 yr 6000-16000, 2-6 yrs 5000-15000, 7-12 yrs 5000-13000, Reference:Dacie and Lewis,)								
EDTA Blood	TOTAL RBC COUNT	4.17		million/uL	3.8-4.8 Women (Adult) Hydro Dynamic Focusing Method	Dayal	18/12/2025:20:32	
Ref. Ranges for Childrens : (Birth 5.0-7.0, 0-3 days 4.0-6.6, 4-7 days 3.9-6.3, 8-14 days 3.6-6.2, 15day-1 mon 3.0-5.4, 2mon-3mon 3.1-4.3, 4-6 mons 4.1-5.3, 7mons-1 yr 3.9-5.1, 2-6 yrs 4.0-5.2, 7-12 yrs 4.0-5.2)								
EDTA Blood	HAEMOGLOBIN	11.1		g/dl	12.0-15.0 Women (Adult) SLS Haemoglobin Method	Dayal	18/12/2025:20:32	
Ref. Ranges for Childrens : (Birth 14.0-22.0, 0-3 days 15-21, 4-7 days 17.1-17.9, 8-14 days 16.1-16.9, 15day-1 mon 11.5-16.5, 2mon-3mon 9.4-13.0, 4-6 mons 11.1-14.1, 7mons-1 yr 11.1-14.1, 2-6 yrs 11.0-14.0, 7-12 yrs 11.5-15.5								

SINCE 1977 48 Years of Service

M. Mani M.Sc., (Medical Microbiology)
Chief of Laboratory Service
Proficiency - 48yrs

COLLEGE OF AMERICAN PATHOLOGISTS
CAP Survey Participant

All investigations have their Limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the specimen received by the laboratory. Isolated Laboratory investigations never confirm the final diagnosis of the disease. They only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations. Report may vary depend on technology. Value of two technologies are not comparable.

12A,C.B. Road(East),R.S.Puram Coimbatore-641002
Ph:0422-2556628,4354242

Web : http://www.microlabindia.com E-mail: microlabcbe@microlabindia.com

Microbiological Laboratory

MICROBES SINCE 1977

Take a Lab Tour

Unit of Mani Microbiological Laboratory Private Limited.,

Billid : AE00003734 Mr/Ms. ANITHA M 39Y / Female

82 BALAJI GARDEN PRESS COLONY CBE

Ref. by Dr.: SELF

Spec.type	Test Name	Results	Previous Results (Date)	units	Reference Ranges/Methods	Verified by	Verified date & Time	Test QR Code
EDTA Blood	P C V	36.4		%	36-46 Women (Adult) Pulse Height Detection (Impedence Method)	Dayal	18/12/2025:20:32	
Ref. Ranges for Childrens : (BIRTH 45-75, 0-3 days 45-67, 4-7 days 42-66, 8-14 days 49-53, 15day-1 mon 33-53, 2mon-3mon 28-42, 4-6 mons 30-40, 7mons-1 yr 30-38, 2-6 yrs 34-40, 7-12 yrs 35-45)								
EDTA Blood	MCV	87.3		fl	83-101 Women (Adult) Calculated Method	Dayal	18/12/2025:20:32	
Ref. Ranges for Childrens : (Birth 100-120, 0-3 days 92-118, 4-7 days 88-126, 8-14 days 86-124, 15days-1 mon 92-116, 2mon-3mon 87-103, 4-6 mons 68-84, 7mons-1 yr 72-84, 2-6 yrs 75-87, 7-12 yrs 77-95)								
EDTA Blood	MCH	26.6		pg	27.0-32.0 Women (Adult) Calculated	Dayal	18/12/2025:20:32	
Ref. Ranges for Childrens : (Birth 31-37, 0-3 days 31-37, 4-7 days 31-37, 8-14 days 31-37, 15days-1 mon 30-36, 2mon-3mon 27-33, 4-6 mons 24-30, 7mons-1 yr 25-29, 2-6 yrs 24-30, 7-12 yrs 25-33)								
EDTA Blood	MCHC	30.5		gm/dL	31.5-34.5 Women (Adult) Calculated	Dayal	18/12/2025:20:32	
Ref. Ranges for Childrens : (Birth 30-36, 0-3 days 29-37, 4-7 days 28-38, 8-14 days 28-38, 15days-1 mon 29-37, 2mon-3mon 28.5-35.5, 4-6 mons 30-36, 7mons-1 yr 32-36, 2-6 yrs 31-37, 7-12 yrs 31-37)								
EDTA Blood	PLATELETS COUNT	256000		cells/uL	150000-410000 Women (Adult) (Hydro Dynamic Focusing Method)	Dayal	18/12/2025:20:32	
Ref. Ranges for Childrens : (Birth 100000-450000, 0-3 days 210000-500000, 4-7 days 160000-500000, 8-14 days 170000-500000, 15day-1 mon 200000-500000, 2mon-3mon 210000-650000, 4-6 mons 200000-550000, 7mons-1 yr 200000-550000, 2-6 yrs 200000-490000, 7-12 yrs 170000-450000								
EDTA Blood	RDW CV	13.1		%	11.6-14.0 (Calculated Method)	Dayal	18/12/2025:20:32	

SINCE 1977 48 Years of Service

M. Mani M.Sc., (Medical Microbiology)
Chief of Laboratory Service
Proficiency - 48yrs

COLLEGE OF AMERICAN PATHOLOGISTS
CAP Survey Participant

All investigations have their Limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the specimen received by the laboratory. Isolated Laboratory investigations never confirm the final diagnosis of the disease. They only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations. Report may vary depend on technology. Value of two technologies are not comparable.

12A,C.B. Road(East),R.S.Puram Coimbatore-641002
Ph:0422-2556628,4354242

Web : http://www.microlabindia.com E-mail: microlabcbe@microlabindia.com

Microbiological Laboratory

MICROBES SINCE 1977

Take a Lab Tour

Unit of Mani Microbiological Laboratory Private Limited.,

Billid : AE00003734 Mr/Ms. ANITHA M 39Y / Female

82 BALAJI GARDEN PRESS COLONY CBE

Ref. by Dr.: SELF

Spec.type	Test Name	Results	Previous Results (Date)	units	Reference Ranges/Methods	Verified by	Verified date & Time	Test QR Code
EDTA Blood	MPV	10.8		fL	6.0 - 10.0 (Calculated Method)	Dayal	18/12/2025:20:32	
EDTA Blood	POLYMORPHS	46.6		%	40-80 Flourescence Flowcytometry Method	Dayal	18/12/2025:20:32	
EDTA Blood	LYMPHOCYTES	48.2		%	20-40 Flourescence Flowcytometry Method	Dayal	18/12/2025:20:32	
EDTA Blood	MONOCYTES	3.6		%	2.0-10.0 Flourescence Flowcytometry Method	Dayal	18/12/2025:20:32	
EDTA Blood	EOSINOPHIL	1.4		%	1.0-6.0 Flourescence Flowcytometry Method	Dayal	18/12/2025:20:32	
EDTA Blood	BASOPHILS	0.2		%	<1-2 Flourescence Flowcytometry Method	Dayal	18/12/2025:20:32	
BLOOD	NRBC	0.0		%	Fluroscence Flow Cytometry Method	Dayal	18/12/2025:20:32	
EDTA Blood	Absolute Neutrophil count	1940		cells/uL	2000 - 7000 Calculated Method	Dayal	18/12/2025:20:32	
EDTA Blood	Absolute Lymphocyte Count	2010		cells/uL	1000 - 3000 Calculated Method	Dayal	18/12/2025:20:32	

SINCE 1977 48 Years of Service

M. Mani M.Sc., (Medical Microbiology)
Chief of Laboratory Service
Proficiency - 48yrs

COLLEGE OF AMERICAN PATHOLOGISTS
CAP Survey Participant

All investigations have their Limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the specimen received by the laboratory. Isolated Laboratory investigations never confirm the final diagnosis of the disease. They only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations. Report may vary depend on technology. Value of two technologies are not comparable.

12A,C.B. Road(East),R.S.Puram Coimbatore-641002
Ph:0422-2556628,4354242

Web : http://www.microlabindia.com E-mail: microlabcbe@microlabindia.com

Microbiological Laboratory

MICROBES SINCE 1977

Take a Lab Tour

Unit of Mani Microbiological Laboratory Private Limited.,

Billid : AE00003734 Mr/Ms. ANITHA M 39Y / Female

82 BALAJI GARDEN PRESS COLONY CBE

Ref. by Dr.: SELF

Spec.type	Test Name	Results	Previous Results (Date)	units	Reference Ranges/Methods	Verified by	Verified date & Time	Test QR Code
EDTA Blood	Absolute Monocyte Count	150		cells/uL	200 - 1000 Calculated Method	Dayal	18/12/2025:20:32	
EDTA Blood	Absolute Eosinophil Count	60		cells/uL	20-500 Calculated Method	Dayal	18/12/2025:20:32	
EDTA Blood	Absolute Basophil Count	10		cells/uL	20 - 100 Calculated Method	Dayal	18/12/2025:20:32	

SINCE 1977 48 Years of Service

M. Mani M.Sc., (Medical Microbiology)
Chief of Laboratory Service
Proficiency - 48yrs

COLLEGE OF AMERICAN PATHOLOGISTS
CAP Survey Participant

All investigations have their Limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the specimen received by the laboratory. Isolated Laboratory investigations never confirm the final diagnosis of the disease. They only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations. Report may vary depend on technology. Value of two technologies are not comparable.

12A,C.B. Road(East),R.S.Puram Coimbatore-641002
Ph:0422-2556628,4354242

Web : http://www.microlabindia.com E-mail: microlabcbe@microlabindia.com

Microbiological Laboratory

MICROBES SINCE 1977

Take a Lab Tour

Unit of Mani Microbiological Laboratory Private Limited.,

Billid : AE00003734 Mr/Ms. ANITHA M 39Y / Female

82 BALAJI GARDEN PRESS COLONY CBE

Ref. by Dr.: SELF

Spec.type	Test Name	Results	Previous Results (Date)	units	Reference Ranges/Methods	Verified by	Verified date & Time	Test QR Code
BIOCHEMISTRY								
BILIRUBIN (TOTAL-DIR-INDIR)								
SERUM	BILIRUBIN TOTAL	0.70		mg/dl	W.E.F:09/08/2021 Cord Blood : <2.0, 0-1 days: 1.4-8.7, 1-2 days: 3.4-11.5, 3- 5 days: 1.5-12.0, >5days-60yrs:0.3-1.2, 60-90yrs:0.2-1.1, >90yrs:0.2-0.9, Diazotized sulfanilic Acid Method; Tietz-Clinical guide-4th Edition Pg.No172	Autov	18/12/2025:20:16	
SERUM	BILIRUBIN DIRECT	0.21		mg/dl	W.E.F:09/08/2021, Adult upto 0.2(Diazotized sulfanilic Acid- End point method) Tietz-Clinical guide-4th Edition Pg.No174	Dr.U.	18/12/2025:20:22	
SERUM	BILIRUBIN INDIRECT	0.49		mg/dl	less than 1.1	Dr.U.	18/12/2025:20:22	
HbA1c								
BLOOD	HbA1c (Glycosylated Hb)	5.4		%	>8.0 : Action Suggested, <7.0 : Goal: <6.0 : Non-Diabetic level. Automated HPLC method. Ref:Kit insert	Dr.U.	18/12/2025:19:51	
BLOOD	Mean Plasma Glucose by DCCT (over the past 60-90 days)	115		mg/dl	DCCT formula : (35.6xHbA1c%)-77.3	Dr.U.	18/12/2025:19:51	

Dr.U.Devaki PhD
Senior Biochemist
(Proficiency 36 Years)

Sirajunnissa M M.Sc.,
HOD-Biochemist
(Proficiency 40 Years)

M. Mani M.Sc., (Medical Microbiology)
Chief of Laboratory Service
Proficiency - 48yrs

SINCE 1977 48 Years of Service

CAP Survey Participant

All investigations have their Limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the specimen received by the laboratory. Isolated Laboratory investigations never confirm the final diagnosis of the disease. They only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations. Report may vary depend on technology. Value of two technologies are not comparable.

12A,C.B. Road(East),R.S.Puram Coimbatore-641002
Ph:0422-2556628,4354242

Web : http://www.microlabindia.com E-mail: microlabcbe@microlabindia.com

Microbiological Laboratory

MICROBES SINCE 1977

Take a Lab Tour

Unit of Mani Microbiological Laboratory Private Limited.,

Billid : AE00003734 Mr/Ms. ANITHA M 39Y / Female

82 BALAJI GARDEN PRESS COLONY CBE

Ref. by Dr.: SELF

Spec.type	Test Name	Results	Previous Results (Date)	units	Reference Ranges/Methods	Verified by	Verified date & Time	Test QR Code
BLOOD	**Mean Plasma Glucose by ADAG (over the past 60-90 days)**	**108**		**mg/dl**	ADAG formula : (28.7xHbA1c%)-46.7	Dr.U.	18/12/2025:19:51	

End of the Report

results related only to the item tested. If any test name ends with # - denotes the particular test not accredited by NABL

SMS message sent on 18/12/2025 19:49

For further details about the tests, visit **www.labtestsonline.org** or scan **Test QR Code**

"One of the biggest drawback of hi-tech automation is the occurence of random errors that no one can really control. in spite of stringent qc programs, such errors are unavoidable (probability 1:1,00,000) if the results do not correlate clinically, please contact us." **"CONSULT DOCTOR FOR INTERPRETATION OF LAB REPORT". "LAB RESULTS TO BE INTERPRETED ONLY BY THE MEDICAL PROFESSIONALS. THIS IS ONLY A LABORATORY TECHNICAL REPORT AND NOT A MEDICAL/FITNESS CERTIFICATE".**

SINCE 1977 48 Years of Service

Dr.U.Devaki PhD
Senior Biochemist
(Proficiency 36 Years)

Sirajunnissa M M.Sc.,
HOD-Biochemist
(Proficiency 40 Years)

M. Mani M.Sc., (Medical Microbiology)
Chief of Laboratory Service
Proficiency - 48yrs

COLLEGE OF AMERICAN PATHOLOGISTS
CAP Survey Participant

All investigations have their Limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the specimen received by the laboratory. Isolated Laboratory investigations never confirm the final diagnosis of the disease. They only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations. Report may vary depend on technology. Value of two technologies are not comparable.