ESS SENTINEL 2.0

Batch report

2026-09-29T09:25:30.281302+00:00

Source: Synthetic reference dataset

Batch: batch-732c43b47f014f6e

Model: ESS-2026-09-29T050332-ebf09b1e

Screening stage: 24h

Decision-support prototype. Synthetic results are not real-world qualification evidence. Final disposition requires qualified engineering review.

Component disposition



Dispositions

Status	Components
NORMAL	1164
WATCH	578
CRITICAL	155
HIGH RISK	103

Lots

lot id	records	flagged
LOT-000	300	68
LOT-001	300	65
LOT-002	300	68
LOT-003	300	80
LOT-004	300	73
LOT-005	300	79
LOT-006	300	82

lot id	records	flagged
LOT-007	300	66
LOT-008	300	67
LOT-009	300	66
LOT-010	300	66
LOT-011	300	82
LOT-012	300	71
LOT-013	300	63
LOT-014	300	63
LOT-015	300	73
LOT-016	300	70
LOT-017	300	75
LOT-018	300	84
LOT-019	300	73

Methodology and limitations

Robust peer statistics, early-feature Isolation Forest and lot-disjoint regression support transparent review rules. Scores are not failure probabilities. Calibration intervals are approximate under lot dependence. Synthetic evidence is not production validation. Review states do not alter engineering measurements or decisions.