ESS SENTINEL 2.0

Quality report

2026-09-29T09:25:30.507190+00:00

Source: Synthetic reference dataset

Batch: batch-732c43b47f014f6e

Model: ESS-2026-09-29T050332-ebf09b1e

Screening stage: 24h

Decision-support prototype. Synthetic results are not real-world qualification evidence. Final disposition requires qualified engineering review.

Quality findings

severity	row	component id	field	issue	remediation
WARNING	Unavailable		dataset	value_0h: 156 extreme robust outliers retained for screening.	Review the evidence before proceeding.
WARNING	Unavailable		dataset	value_24h: 216 extreme robust outliers retained for screening.	Review the evidence before proceeding.
WARNING	Unavailable		dataset	value_96h: 824 extreme robust outliers retained for screening.	Review the evidence before proceeding.
WARNING	Unavailable		dataset	value_168h: 909 extreme robust outliers retained for screening.	Review the evidence before proceeding.
INFO	Unavailable		dataset	Target/label columns excluded from prediction inputs: defect_label, defect_type, true _future_value, value_168h	Review the evidence before proceeding.

Methodology and limitations

Robust peer statistics, early-feature Isolation Forest and lot-disjoint regression support transparent review rules. Scores are not failure probabilities. Calibration intervals are approximate under lot dependence. Synthetic evidence is not production validation. Review states do not alter engineering measurements or decisions.