


# SCREENSHOTS

## 1.TABLE CREATED



Output				
Action Output				
#	Time	Action	Message	Duration / Fetch
1	19:13:23	USE FoodOrder	0 row(s) affected	0.000 sec
2	19:13:23	CREATE TABLE Restaurants ( RestaurantID INT PRIMARY KEY AUTO_INCREMENT, Name VARCHAR(100) N...	0 row(s) affected	0.031 sec
3	19:13:23	CREATE TABLE MenuItem ( ItemID INT PRIMARY KEY AUTO_INCREMENT, RestaurantID INT, Name VARC...	0 row(s) affected	0.031 sec
4	19:13:24	CREATE TABLE Customers ( CustomerID INT PRIMARY KEY AUTO_INCREMENT, Name VARCHAR(50) NOT ...	0 row(s) affected	0.031 sec
5	19:13:24	CREATE TABLE Orders ( OrderID INT PRIMARY KEY AUTO_INCREMENT, CustomerID INT, RestaurantID INT, ...	0 row(s) affected	0.047 sec
6	19:13:24	CREATE TABLE OrderItems ( OrderItemID INT PRIMARY KEY AUTO_INCREMENT, OrderID INT, ItemID INT, Q...	0 row(s) affected	0.063 sec

## 2.SAMPLE INSERTION DATA

MySQL Workbench interface showing SQL execution results for the 'foodOrderOnline' database. The 'Schemas' pane on the left shows the 'orderitems' table selected. The SQL editor contains a script with multiple INSERT statements. The 'Output' pane at the bottom shows the execution results of these statements.

SQL Script:

```
1 USE foodOrderOnline;
2 INSERT INTO Restaurants (Name, Description, Location, ContactNumber, Email, OpeningHours,
3 VALUES
4 ('Spicy Garden', 'Authentic Indian Cuisine', 'Hyderabad', '9876543210', 'spicy@garden.com',
5 ('Pizza World', 'Delicious Italian Pizzas', 'Mumbai', '9123456789', 'contact@pizzaworld.com',
6 ('Burger House', 'Best Burgers in Town', 'Delhi', '9988776655', 'hello@burgerhouse.com',
7 ('Vegan Delight', '100% Plant-Based Meals', 'Bangalore', '9001122334', 'info@vegandelight.com',
8 ('Tandoori Flames', 'Tandoori Specials & Kebabs', 'Chennai', '9345678901', 'support@tandoori.com');
9 INSERT INTO MenuItems (RestaurantID, Name, Description, Price, Category, IsVegetarian)
10 VALUES
11 (1, 'Paneer Butter Masala', 'Creamy cottage cheese curry', 220.00, 'Main Course', TRUE),
12 (1, 'Chicken Biryani', 'Spicy Hyderabadi biryani', 250.00, 'Main Course', FALSE),
13 (2, 'Margherita Pizza', 'Classic cheese pizza', 180.00, 'Pizza', TRUE),
14 (3, 'Double Patty Burger', 'Beef burger with double patties', 200.00, 'Burgers', FALSE),
15 (4, 'Vegan Bowl', 'Quinoa, tofu and veggies', 210.00, 'Healthy', TRUE);
16 INSERT INTO Customers (FullName, Email, PhoneNumber, AddressLine1, AddressLine2, City, State, PostalCode)
17 VALUES
18 ('Aman Verma', 'aman@example.com', '9898989898', '123 Street A', 'Near Market', 'Delhi',
19 ('Sneha Rao', 'sneha@example.com', '9777788888', '456 Avenue B', NULL, 'Mumbai', 'Maharashtra',
20 ('Karthik Reddy', 'karthik@example.com', '9666677777', '789 Road C', 'Apt 101', 'Hyderabad',
21 ('Nisha Sharma', 'nisha@verma.com', '9555566666', '321 Colony D', 'NH 1', 'Bangalore');
```

Output:

#	Time	Action	Message	Duration / Fetch
1	11:38:07	USE foodOrderOnline	0 row(s) affected	0.000 sec
2	11:42:57	INSERT INTO Restaurants (Name, Description, Location, ContactNumber, Email, OpeningHours, Rating) VALUE...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
3	11:43:31	INSERT INTO MenuItems (RestaurantID, Name, Description, Price, Category, IsVegetarian) VALUES (1, Paneer ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
4	11:43:31	INSERT INTO Customers (FullName, Email, PhoneNumber, AddressLine1, AddressLine2, City, State, PostalCode) ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
5	11:44:17	INSERT INTO Orders (CustomerID, RestaurantID, EstimatedDeliveryTime, DeliveryMethod, Status, PaymentMethod) ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
6	11:44:56	INSERT INTO OrderItems (OrderID, ItemID, Quantity, ItemPrice, SpecialRequest, IsReplacementAllowed, UpdatedAt) ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec

MySQL Workbench interface showing SQL execution results for the 'foodOrderOnline' database. The 'Schemas' pane on the left shows the 'restaurants' table selected. The SQL editor contains a script with multiple INSERT statements. The 'Output' pane at the bottom shows the execution results of these statements.

SQL Script:

```
1 USE foodOrderOnline;
2 INSERT INTO Restaurants (Name, Description, Location, ContactNumber, Email, OpeningHours, R
3 VALUES
4 ('Spicy Garden', 'Authentic Indian Cuisine', 'Hyderabad', '9876543210', 'spicy@garden.com',
5 ('Pizza World', 'Delicious Italian Pizzas', 'Mumbai', '9123456789', 'contact@pizzaworld.com',
6 ('Burger House', 'Best Burgers in Town', 'Delhi', '9988776655', 'hello@burgerhouse.com',
7 ('Vegan Delight', '100% Plant-Based Meals', 'Bangalore', '9001122334', 'info@vegandelight.c
8 ('Tandoori Flames', 'Tandoori Specials & Kebabs', 'Chennai', '9345678901', 'support@tandoori
9
```

Output:

#	Time	Action	Message	Duration / Fetch
1	11:38:07	USE foodOrderOnline	0 row(s) affected	0.000 sec
2	11:42:07	INSERT INTO Restaurants (Name, Description, Location, ContactNumber, Email, OpeningHours, Rating) VALUE...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec

MySQL Workbench

Local instance MySQL92 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

foodorderonline

Tables

customers

menuitems

Columns

ItemID

RestaurantID

Name

Description

Price

Category

IsVegetarian

Availability

CreatedAt

UpdatedAt

Administration Schemas

Information

Table: menuitems

Columns:

ItemID int AI PK

RestaurantID int

Name varchar(128)

Description text

Price decimal(10,2)

Category varchar(50)

IsVegetarian tinyint(1)

Availability tinyint(1)

CreatedAt datetime

UpdatedAt datetime

Object Info Session

SRIBALA HACKATHON 3.0 rev...

SQL File 2'

Limit to 1000 rows

```
1 USE foodOrderOnline;
2 INSERT INTO Restaurants (Name, Description, Location, ContactNumber, Email, OpeningHours, Rating) VALUES
3 ('Spicy Garden', 'Authentic Indian Cuisine', 'Hyderabad', '9876543210', 'spicy@garden.com',
4 ('Pizza World', 'Delicious Italian Pizzas', 'Mumbai', '9123456789', 'contact@pizzaworld.com',
5 ('Burger House', 'Best Burgers in Town', 'Delhi', '9988776655', 'hello@burgerhouse.com',
6 ('Vegan Delight', '100% Plant-Based Meals', 'Bangalore', '9801122334', 'info@vegandelight.com',
7 ('Tandoori Flames', 'Tandoori Specials & Kebabs', 'Chennai', '9345678901', 'support@tandoori.com');
8 INSERT INTO MenuItems (RestaurantID, Name, Description, Price, Category, IsVegetarian)
9 VALUES
10 (1, 'Paneer Butter Masala', 'Creamy cottage cheese curry', 220.00, 'Main Course', TRUE),
11 (1, 'Chicken Biryani', 'Spicy Hyderabadi biryani', 250.00, 'Main Course', FALSE),
12 (2, 'Margherita Pizza', 'Classic cheese pizza', 180.00, 'Pizza', TRUE),
13 (3, 'Double Patty Burger', 'Beef burger with double patties', 200.00, 'Burgers', FALSE),
14 (4, 'Vegan Bowl', 'Quinoa, tofu and veggies', 210.00, 'Healthy', TRUE);
15
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	11:38:07	USE foodOrderOnline	0 row(s) affected	0.000 sec
2	11:42:07	INSERT INTO Restaurants (Name, Description, Location, ContactNumber, Email, OpeningHours, Rating) VALUES	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
3	11:42:59	INSERT INTO MenuItems (RestaurantID, Name, Description, Price, Category, IsVegetarian) VALUES (1, Paneer ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec

32°C Mostly sunny

Search

ENG IN

11:43 06-04-2025

MySQL Workbench

Local instance MySQL92 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

foodorderonline

Tables

customers

menuitems

Columns

CustomerID

FullName

Email

PhoneNumber

AddressLine1

AddressLine2

City

State

PostalCode

CreatedAt

UpdatedAt

Administration Schemas

Information

Table: customers

Columns:

CustomerID int AI PK

FullName varchar(128)

Email varchar(128)

PhoneNumber varchar(20)

AddressLine1 varchar(128)

AddressLine2 varchar(128)

City varchar(50)

State varchar(50)

PostalCode varchar(10)

CreatedAt datetime

UpdatedAt datetime

Object Info Session

SRIBALA HACKATHON 3.0 rev...

SQL File 2'

Limit to 1000 rows

```
4 ('Spicy Garden', 'Authentic Indian Cuisine', 'Hyderabad', '9876543210', 'spicy@garden.com',
5 ('Pizza World', 'Delicious Italian Pizzas', 'Mumbai', '9123456789', 'contact@pizzaworld.com',
6 ('Burger House', 'Best Burgers in Town', 'Delhi', '9988776655', 'hello@burgerhouse.com',
7 ('Vegan Delight', '100% Plant-Based Meals', 'Bangalore', '9801122334', 'info@vegandelight.com',
8 ('Tandoori Flames', 'Tandoori Specials & Kebabs', 'Chennai', '9345678901', 'support@tandoori.com');
9 INSERT INTO MenuItems (RestaurantID, Name, Description, Price, Category, IsVegetarian)
10 VALUES
11 (1, 'Paneer Butter Masala', 'Creamy cottage cheese curry', 220.00, 'Main Course', TRUE),
12 (1, 'Chicken Biryani', 'Spicy Hyderabadi biryani', 250.00, 'Main Course', FALSE),
13 (2, 'Margherita Pizza', 'Classic cheese pizza', 180.00, 'Pizza', TRUE),
14 (3, 'Double Patty Burger', 'Beef burger with double patties', 200.00, 'Burgers', FALSE),
15 (4, 'Vegan Bowl', 'Quinoa, tofu and veggies', 210.00, 'Healthy', TRUE);
16 INSERT INTO Customers (FullName, Email, PhoneNumber, AddressLine1, AddressLine2, City, State, PostalCode)
17 VALUES
18 ('Aman Verma', 'aman@example.com', '9898989898', '123 Street A', 'Near Market', 'Delhi',
19 ('Sneha Rao', 'sneha@example.com', '9777788888', '456 Avenue B', NULL, 'Mumbai', 'Maharashtra',
20 ('Karthik Reddy', 'karthik@example.com', '9666677777', '789 Road C', 'Apt 101', 'Hyderabad',
21 ('Neha Sharma', 'neha@example.com', '9555566666', '321 Colony D', NULL, 'Bangalore', 'Karnataka',
22 ('Ravi Kumar', 'ravi@example.com', '9444455555', '654 Lane E', 'Opp School', 'Chennai',
23
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	11:38:07	USE foodOrderOnline	0 row(s) affected	0.000 sec
2	11:42:07	INSERT INTO Restaurants (Name, Description, Location, ContactNumber, Email, OpeningHours, Rating) VALUES	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
3	11:42:59	INSERT INTO MenuItems (RestaurantID, Name, Description, Price, Category, IsVegetarian) VALUES (1, Paneer ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
4	11:43:31	INSERT INTO Customers (FullName, Email, PhoneNumber, AddressLine1, AddressLine2, City, State, PostalCode) ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec

32°C Mostly sunny

Search

ENG IN

11:43 06-04-2025

MySQL Workbench

Local instance MySQL92 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SRIBALA HACKATHON 3.0 rev...

SQL File 2

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Table: customers

Columns:

CustomerID int AI PK  
FullName varchar(11)  
Email varchar(21)  
PhoneNumber varchar(21)  
AddressLine1 varchar(11)  
AddressLine2 varchar(11)  
City varchar(5)  
State varchar(5)  
PostalCode varchar(11)  
CreatedAt datetime  
UpdatedAt datetime

Object Info Session

32°C Mostly sunny

Search

11:44 06-04-2025

```
11 (1, 'Paneer Butter Masala', 'Creamy cottage cheese curry', 220.00, 'Main Course', TRUE),
12 (1, 'Execute the statement under the keyboard cursor jyani', 250.00, 'Main Course', FALSE),
13 (2, 'Margherita Pizza', 'Classic cheese pizza', 180.00, 'Pizza', TRUE),
14 (3, 'Double Patty Burger', 'Beef burger with double patties', 200.00, 'Burgers', FALSE),
15 (4, 'Vegan Bowl', 'Quinoa, tofu and veggies', 210.00, 'Healthy', TRUE);
16 INSERT INTO Customers (FullName, Email, PhoneNumber, AddressLine1, AddressLine2, City, State, PostalCode, CreatedAt, UpdatedAt)
17 VALUES
18 ('Aman Verma', 'aman@example.com', '9898989898', '123 Street A', 'Near Market', 'Delhi',
19 ('Sneha Rao', 'sneha@example.com', '9777788888', '456 Avenue B', NULL, 'Mumbai', 'Maharashtra',
20 ('Karthik Reddy', 'karthik@example.com', '9666677777', '789 Road C', 'Apt 101', 'Hyderabad',
21 ('Neha Sharma', 'neha@example.com', '9555566666', '321 Colony D', NULL, 'Bangalore', 'Karnataka',
22 ('Ravi Kumar', 'ravi@example.com', '9444455555', '654 Lane E', 'Opp School', 'Chennai', 'Tamil Nadu');
23 INSERT INTO Orders (CustomerID, RestaurantID, EstimatedDeliveryTime, DeliveryMethod, Status, PaymentMethod)
24 VALUES
25 (1, 1, NOW() + INTERVAL 45 MINUTE, 'Delivery', 'Preparing', 'UPI', 470.00, 47.00, 30.00,
26 (2, 2, NOW() + INTERVAL 30 MINUTE, 'Pickup', 'Confirmed', 'Card', 180.00, 18.00, 0.00, 15.00,
27 (3, 3, NOW() + INTERVAL 50 MINUTE, 'Delivery', 'Pending', 'Cash', 200.00, 20.00, 20.00, 10.00,
28 (4, 4, NOW() + INTERVAL 25 MINUTE, 'Pickup', 'Ready', 'Wallet', 210.00, 21.00, 0.00, 231.00,
29 (5, 5, NOW() + INTERVAL 60 MINUTE, 'Delivery', 'Out for Delivery', 'Card', 250.00, 25.00, 0.00, 0.00);
```

#	Time	Action	Message	Duration / Fetch
1	11:38:07	USE foodOrderOnline	0 row(s) affected	0.000 sec
2	11:42:07	INSERT INTO Restaurants (Name, Description, Location, ContactNumber, Email, OpeningHours, Rating) VALUE...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
3	11:42:59	INSERT INTO MenuItems (RestaurantID, Name, Description, Price, Category, IsVegetarian) VALUES (1, 'Paneer ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
4	11:43:31	INSERT INTO Customers (FullName, Email, PhoneNumber, AddressLine1, AddressLine2, City, State, PostalCode) ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
5	11:44:17	INSERT INTO Orders (CustomerID, RestaurantID, EstimatedDeliveryTime, DeliveryMethod, Status, PaymentMeth...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec

MySQL Workbench

Local instance MySQL92 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SRIBALA HACKATHON 3.0 rev...

SQL File 2

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Table: orderItems

Columns:

OrderItemID int AI PK  
OrderID int AI FK  
ItemID int AI FK  
Quantity int  
ItemPrice decimal(10,2)  
TotalPrice decimal(10,2)  
SpecialRequest varchar(255)  
IsReplacementAllowed boolean  
CreatedAt datetime  
UpdatedAt datetime

Object Info Session

32°C Mostly sunny

Search

11:44 06-04-2025

```
18 ('Aman Verma', 'aman@example.com', '9898989898', '123 Street A', 'Near Market', 'Delhi',
19 ('Sneha Rao', 'sneha@example.com', '9777788888', '456 Avenue B', NULL, 'Mumbai', 'Maharashtra',
20 ('Karthik Reddy', 'karthik@example.com', '9666677777', '789 Road C', 'Apt 101', 'Hyderabad',
21 ('Neha Sharma', 'neha@example.com', '9555566666', '321 Colony D', NULL, 'Bangalore', 'Karnataka',
22 ('Ravi Kumar', 'ravi@example.com', '9444455555', '654 Lane E', 'Opp School', 'Chennai', 'Tamil Nadu');
23 INSERT INTO Orders (CustomerID, RestaurantID, EstimatedDeliveryTime, DeliveryMethod, Status, PaymentMethod)
24 VALUES
25 (1, 1, NOW() + INTERVAL 45 MINUTE, 'Delivery', 'Preparing', 'UPI', 470.00, 47.00, 30.00,
26 (2, 2, NOW() + INTERVAL 30 MINUTE, 'Pickup', 'Confirmed', 'Card', 180.00, 18.00, 0.00, 15.00,
27 (3, 3, NOW() + INTERVAL 50 MINUTE, 'Delivery', 'Pending', 'Cash', 200.00, 20.00, 20.00, 10.00,
28 (4, 4, NOW() + INTERVAL 25 MINUTE, 'Pickup', 'Ready', 'Wallet', 210.00, 21.00, 0.00, 231.00,
29 (5, 5, NOW() + INTERVAL 60 MINUTE, 'Delivery', 'Out for Delivery', 'Card', 250.00, 25.00, 0.00, 0.00);
30 INSERT INTO OrderItems (OrderID, ItemID, Quantity, ItemPrice, SpecialRequest, IsReplacementAllowed)
31 VALUES
32 (1, 1, 220.00, 'Extra gravy', FALSE),
33 (1, 2, 250.00, 'Less spicy', TRUE),
34 (2, 3, 180.00, NULL, FALSE),
35 (3, 4, 200.00, 'No mayo', TRUE),
36 (4, 5, 210.00, 'No tofu', FALSE);
37
```

#	Time	Action	Message	Duration / Fetch
1	11:38:07	USE foodOrderOnline	0 row(s) affected	0.000 sec
2	11:42:07	INSERT INTO Restaurants (Name, Description, Location, ContactNumber, Email, OpeningHours, Rating) VALUE...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.031 sec
3	11:42:59	INSERT INTO MenuItems (RestaurantID, Name, Description, Price, Category, IsVegetarian) VALUES (1, 'Paneer ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
4	11:43:31	INSERT INTO Customers (FullName, Email, PhoneNumber, AddressLine1, AddressLine2, City, State, PostalCode) ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
5	11:44:17	INSERT INTO Orders (CustomerID, RestaurantID, EstimatedDeliveryTime, DeliveryMethod, Status, PaymentMeth...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
6	11:44:56	INSERT INTO OrderItems (OrderID, ItemID, Quantity, ItemPrice, SpecialRequest, IsReplacementAllowed) VALUE...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec



### 3.RETRIEVAL OUERIES

MySQL Workbench

Local instance MySQL52 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

foodorderonline

Tables

customers

Columns

Indexes

Foreign Keys

Triggers

menuitems

Columns

ItemID

RestaurantID

Name

Description

Price

Category

IsVegetarian

Availability

CreatedAt

Administration Schemas

Information

Schema: foodorderonline

SRIBALA HACKATHON 3.0 rev...

SRIBALA HACKATHON 3.0 rev...

SQL File 5

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
12 o.EstimatedDeliveryTime
13 FROM Orders o
14 JOIN Customers c ON o.CustomerID = c.CustomerID
15 JOIN Restaurants r ON o.RestaurantID = r.RestaurantID
16 WHERE o.Status = 'Pending'
17 ORDER BY o.OrderDate DESC;
```

Result Grid

OrderID	OrderDate	Status	TotalAmount	CustomerName	PhoneNumber	RestaurantName	Location
3	2025-04-06 11:44:17	Pending	240.00	Karthik Reddy	9666677777	Burger House	Delhi

Result 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	11:44:17	INSERT INTO Orders (CustomerID, RestaurantID, EstimatedDeliveryTime, DeliveryMethod, Status, PaymentM...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
6	11:44:56	INSERT INTO OrderItems (OrderID, ItemID, Quantity, ItemPrice, SpecialRequest, IsReplacementAllowed) VAL...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
7	12:07:33	USE foodOrderOnline	0 row(s) affected	0.000 sec
8	12:11:16	SELECT OrderID, CustomerID, RestaurantID, OrderDate, Status, TotalAmount FROM Orders ...	1 row(s) returned	0.000 sec / 0.000 sec
9	12:15:28	USE foodOrderOnline	0 row(s) affected	0.000 sec
10	12:16:03	SELECT o.OrderID, o.OrderDate, o.Status, o.TotalAmount, c.FullName AS CustomerName, c.P...	1 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

34°C Mostly sunny

Search

ENG IN

12:16 06-04-2025

MySQL Workbench

Local instance MySQL52 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

foodorderonline

Tables

customers

Columns

Indexes

Foreign Keys

Triggers

menuitems

Columns

ItemID

RestaurantID

Name

Description

Price

Category

IsVegetarian

Availability

CreatedAt

Administration Schemas

Information

Schema: foodorderonline

SRIBALA HACKATHON 3.0 rev...

SRIBALA HACKATHON 3.0 rev...

SQL File 4

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
5 RestaurantID,
6 OrderDate,
7 Status,
8 TotalAmount
9 FROM Orders
10 WHERE Status = 'Pending';
```

Result Grid

OrderID	CustomerID	RestaurantID	OrderDate	Status	TotalAmount
3	3	3	2025-04-06 11:44:17	Pending	240.00

Orders 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	11:42:59	INSERT INTO MenuItems (RestaurantID, Name, Description, Price, Category, IsVegetarian) VALUES (1, Pame...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
4	11:43:31	INSERT INTO Customers (FullName, Email, PhoneNumber, AddressLine1, AddressLine2, City, State, PostalCo...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
5	11:44:17	INSERT INTO Orders (CustomerID, RestaurantID, EstimatedDeliveryTime, DeliveryMethod, Status, PaymentM...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
6	11:44:56	INSERT INTO OrderItems (OrderID, ItemID, Quantity, ItemPrice, SpecialRequest, IsReplacementAllowed) VAL...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.015 sec
7	12:07:33	USE foodOrderOnline	0 row(s) affected	0.000 sec
8	12:11:16	SELECT OrderID, CustomerID, RestaurantID, OrderDate, Status, TotalAmount FROM Orders ...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Finance headline The market has...

Search

ENG IN

12:12 06-04-2025

MySQL Workbench

Local instance MySQL52 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

IBALA HACKATHON 3.0 rev... SRIBALA HACKATHON 3.0 rev... SRIBALA HACKATHON 3.0 rev... SQL File 6

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

8 o.TotalAmount

9 FROM Orders o

10 JOIN Customers c ON o.CustomerID = c.CustomerID

11 JOIN Restaurants r ON o.RestaurantID = r.RestaurantID

12 WHERE o.Status = 'Pending'

13 AND DATE(o.OrderDate) = CURDATE();

14

Result Grid

OrderID	Customer	Restaurant	OrderDate	EstimatedDeliveryTime	TotalAmount
3	Karthik Reddy	Burger House	2025-04-06 11:44:17	2025-04-06 12:34:17	240.00

Administration Schemas

Information

Schema: foodorderonline

Object Info Session

34°C Mostly sunny

Search

ENG IN

12:18 06-04-2025

MySQL Workbench

Local instance MySQL52 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

IBALA HACKATHON 3.0 rev... SRIBALA HACKATHON 3.0 rev... SRIBALA HACKATHON 3.0 rev... SQL File 7

Limit to 1000 rows

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

1 USE foodOrderOnline;

2 SELECT

3 o.OrderID,

4 o.OrderDate,

5 o.EstimatedDeliveryTime,

6 o.Status,

7 o.TotalAmount,

8 o.PaymentMethod,

9 o.DeliveryMethod,

10 o.Notes,

11 c.FullName AS CustomerName,

12 c.PhoneNumber,

13 c.City,

14 r.Name AS RestaurantName,

15 r.Location AS RestaurantLocation

16 FROM Orders o

17 JOIN Customers c ON o.CustomerID = c.CustomerID

18 JOIN Restaurants r ON o.RestaurantID = r.RestaurantID

19 WHERE o.Status = 'Pending'

20 ORDER BY o.OrderDate DESC;

21

Context Help Snippets

MySQL Workbench

Local instance MySQL92 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

IBALA HACKATHON 3.0 rev... SRIBALA HACKATHON 3.0 rev... SRIBALA HACKATHON 3.0 rev... SQL File 7...

SCHEMAS

Filter objects

foodorderonline

Tables

customers

Columns

Indexes

Foreign Keys

Triggers

menuItems

Columns

ItemID

RestaurantID

Name

Description

Price

Category

IsVegetarian

Availability

CreatedAt

Administration Schemas

Information

Schema: foodorderonline

Result Grid

Filter Rows: Exports: Wrap Cell Content: Result Grid

OrderID OrderDate EstimatedDeliveryTime Status TotalAmount PaymentMethod DeliveryMethod

3 2025-04-06 11:44:17 2025-04-06 12:34:17 Pending 240.00 Cash Delivery

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 1 x Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	12:11:16	SELECT OrderID, CustomerID, RestaurantID, OrderDate, Status, TotalAmount FROM Orders	1 row(s) returned	0.000 sec / 0.000 sec
9	12:15:28	USE foodOrderOnline	0 row(s) affected	0.000 sec
10	12:16:03	SELECT o.OrderID, o.OrderDate, o.Status, o.TotalAmount, c.FullName AS CustomerName, c.P...	1 row(s) returned	0.016 sec / 0.000 sec
11	12:18:00	USE foodOrderOnline	0 row(s) affected	0.000 sec
12	12:18:20	SELECT o.OrderID, c.FullName AS Customer, r.Name AS Restaurant, o.OrderDate, o.EstimatedD...	1 row(s) returned	0.016 sec / 0.000 sec
13	12:22:04	SELECT o.OrderID, o.OrderDate, o.EstimatedDeliveryTime, o.Status, o.TotalAmount, o.Payme...	1 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

34°C Mostly sunny

Search

ENG IN 12:22 06-04-2025

## 4.SELECT THE TABLE OF DATA

MySQL Workbench

Local instance MySQL92 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SRIBALA HACKATHON 3.0 rev...

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Performance Schema Setup

Administration Schemas

Information

No object selected

SQL File 7...

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	07:25:57	CREATE DATABASE OnlineFoodOrdering	Error Code: 1007. Can't create database 'onlinefoodordering'; database exists	0.000 sec
2	07:26:33	CREATE DATABASE foodOrderOnline	1 row(s) affected	0.032 sec

Object Info Session

26°C Partly sunny

Search

ENG IN 07:27 06-04-2025

MySQL Workbench

Local instance MySQL82 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

foodorderonline

- customers
- menuitems
- orderitems
- orders
- restaurants
- Views
- Stored Procedures
- Functions

sakila

sys

Administration Schemas

Information

No object selected

Object Info Session

Limit to 1000 rows

```
1 USE foodOrderOnline;
2 SELECT * FROM restaurants;
3
```

Result Grid

RestaurantID	Name	Description	Location	ContactNumber	Email
1	Spicy Garden	Authentic Indian Cuisine	Hyderabad	9876543210	spicy@garden.com
2	Pizza World	Delicious Italian Pizzas	Mumbai	9123456780	contact@pizzaworld.com
3	Burger House	Best Burgers in Town	Delhi	9988776655	hello@burgerhouse.com
4	Vegan Delight	100% Plant-Based Meals	Bangalore	9001122334	info@vegandelight.com
5	Tandoori Flames	Tandoori Specials & Kebabs	Chennai	9345678901	support@tandooriflames.com

restaurants 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	12:37:34	SELECT * FROM restaurants LIMIT 0, 1000	5 row(s) returned	0.015 sec / 0.000 sec

Heavy rain Today

Search

ENG IN

12:37 06-04-2025

MySQL Workbench

Local instance MySQL82 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

foodorderonline

- customers
- menuitems
- orderitems
- orders
- restaurants
- Views
- Stored Procedures
- Functions

sakila

sys

Administration Schemas

Information

No object selected

Object Info Session

Limit to 1000 rows

```
1 USE foodOrderOnline;
2 SELECT * FROM customers;
```

Result Grid

CustomerID	FullName	Email	PhoneNumber	AddressLine1	AddressLine2	City	State
1	Aman Verma	aman@example.com	9898989898	123 Street A	Near Market	Delhi	Delhi
2	Sneha Rao	sneha@example.com	9777788888	456 Avenue B		Mumbai	Maharashtra
3	Karthik Reddy	karthik@example.com	9666677777	789 Road C	Apt 101	Hyderabad	Telangana
4	Neha Sharma	neha@example.com	9555566666	321 Colony D		Bangalore	Karnataka
5	Ravi Kumar	ravi@example.com	9444455555	654 Lane E	Opp School	Chennai	Tamil Nadu

customers 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	12:37:34	SELECT * FROM restaurants LIMIT 0, 1000	5 row(s) returned	0.015 sec / 0.000 sec
2	12:39:35	SELECT * FROM customers LIMIT 0, 1000	5 row(s) returned	0.016 sec / 0.000 sec

MyDell

Hot weather Now

Search

ENG IN

12:39 06-04-2025



MySQL Workbench

Local instance MySQL82 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

foodorderonline

Tables

customers

menutems

orderitems

orders

restaurants

Views

Stored Procedures

Functions

sakila

sys

Administration Schemas

Information

No object selected

Object Info Session

BALA HACKATHON 3.0 rev... SRIBALA HACKATHON 3.0 rev... SRIBALA HACKATHON 3.0 rev... SRIBALA HACKATHON 3.0 rev...

1 USE foodOrderOnline;

2 SELECT \* FROM orderitems;

Limit to 1000 rows

Result Grid

OrderItemID	OrderID	ItemID	Quantity	ItemPrice	TotalPrice	SpecialRequest	IsReplacementAllowed	CreateTime
1	1	1	1	220.00	220.00	Extra gravy	0	2025-04-06 11:44:17
2	1	2	1	250.00	250.00	Less spicy	1	2025-04-06 11:44:17
3	2	3	1	180.00	180.00		0	2025-04-06 11:44:17
4	3	4	1	200.00	200.00	No mayo	1	2025-04-06 11:44:17
5	4	5	1	210.00	210.00	No tofu	0	2025-04-06 11:44:17

orderitems 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	12:37:34	SELECT * FROM restaurants LIMIT 0, 1000	5 row(s) returned	0.015 sec / 0.000 sec
2	12:39:35	SELECT * FROM customers LIMIT 0, 1000	5 row(s) returned	0.016 sec / 0.000 sec
3	12:41:02	SELECT * FROM menutems LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
4	12:42:42	SELECT * FROM orderitems LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Feels hotter Now

Search

ENG IN

12:42 06-04-2025

MySQL Workbench

Local instance MySQL82 - W...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

foodorderonline

Tables

customers

menutems

orderitems

orders

restaurants

Views

Stored Procedures

Functions

sakila

sys

Administration Schemas

Information

No object selected

Object Info Session

0 rev... SRIBALA HACKATHON 3.0 rev... SRIBALA HACKATHON 3.0 rev... SRIBALA HACKATHON 3.0 rev...

1 USE foodOrderOnline;

2 SELECT \* FROM orders;

Limit to 1000 rows

Result Grid

OrderID	CustomerID	RestaurantID	OrderDate	EstimatedDeliveryTime	DeliveryMethod	Status
1	1	1	2025-04-06 11:44:17	2025-04-06 12:29:17	Delivery	Preparing
2	2	2	2025-04-06 11:44:17	2025-04-06 12:14:17	Pickup	Confirmed
3	3	3	2025-04-06 11:44:17	2025-04-06 12:34:17	Delivery	Pending
4	4	4	2025-04-06 11:44:17	2025-04-06 12:09:17	Pickup	Ready
5	5	5	2025-04-06 11:44:17	2025-04-06 12:44:17	Delivery	Out for Delivery

orders 2 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	12:37:34	SELECT * FROM restaurants LIMIT 0, 1000	5 row(s) returned	0.015 sec / 0.000 sec
2	12:39:35	SELECT * FROM customers LIMIT 0, 1000	5 row(s) returned	0.016 sec / 0.000 sec
3	12:41:02	SELECT * FROM menutems LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
4	12:42:42	SELECT * FROM orderitems LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
5	12:43:40	SELECT * FROM orders LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
6	12:46:50	SELECT * FROM orders LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

34°C Mostly sunny

Search

ENG IN

12:47 06-04-2025

orders 2 x

ApplyRevertContext HelpSnippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	12:37:34	SELECT * FROM restaurants LIMIT 0, 1000	5 row(s) returned	0.015 sec / 0.000 sec
✓ 2	12:39:35	SELECT * FROM customers LIMIT 0, 1000	5 row(s) returned	0.016 sec / 0.000 sec
✓ 3	12:41:02	SELECT * FROM menuitems LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 4	12:42:42	SELECT * FROM orderitems LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 5	12:43:40	SELECT * FROM orderitems LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
✓ 6	12:46:50	SELECT * FROM orders LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec