





SECTION A-A



NOTE:

Note: All threaded holes are blind.
20mm thick aluminium plate.

DTU MPP  Magnus Bolt Kjer
mbokj@mek.dtu.dk

TITLE/DESCRIPTION:

MATERIAL:

WEIGHT [g]:

FINISH:

	DRAWN
--	-------

BACK

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES: DIN ISO 2768-1 m

DEBURR AND BREAK
SHARP EDGES


A3

DO NOT SCALE DRAWING

SCALE: 1:10


SHEET 1 OF 3

TAG	SIZE	QUANTITY
A	$\varnothing 6,8 \downarrow 15,0$ M8 - 6H $\downarrow 12,0$	8
B	$\varnothing 5,0 \downarrow 15,0$ M6 - 6H $\downarrow 12,0$	28
C	$\varnothing 8,3 \downarrow 17,2$ TAP FOR M8x1.25 HELICOIL Insert = 1.5 * Dia.	6
D	$\varnothing 4,2 \downarrow 12,4$ M5 - 6H $\downarrow 10,0$	32



NOTE:

Threaded holes bottom side



Magnus Bolt Kjer
mbokj@mek.dtu.dk

TITLE/DESCRIPTION:

MATERIAL:

WEIGHT [g]:

FINISH:

DRAWN
DATE

MBOKJ
26/10/2023

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES: DIN ISO 2768-1 m

DEBURR AND BREAK
SHARP EDGES


A3

DO NOT SCALE DRAWING

SCALE: 1:5

SHEET 2 OF 3

TAG	SIZE	QUANTITY
A	$\varnothing 4,2 \downarrow 12,4$ M5 - 6H $\downarrow 10,0$	8
B	$\varnothing 10,5 \downarrow 19,0$ TAP FOR M10x1.5 HELICOIL Insert = 1.0 * Dia.	4
C	$\varnothing 8,3 \downarrow 19,5$ TAP FOR M8x1.25 HELICOIL Insert = 1.0 * Dia.	3
G	$\varnothing 8,3 \downarrow 13,0$ TAP FOR M8x1.25 HELICOIL Insert = 1.0 * Dia.	5



NOTE: Threaded holes top side		DTU MPP  Magnus Bolt Kjer mbokj@mek.dtu.dk	
		TITLE/DESCRIPTION:	
MATERIAL:	WEIGHT [g]:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: DIN ISO 2768-1 m	
FINISH:	DRAWN MBOKJ DATE 26/10/2023		
		DO NOT SCALE DRAWING	DEBURR AND BREAK SHARP EDGES
		SCALE: 1:5	A3 SHEET 3 OF 3