Comprehensive Testing & Verification Report: Zero-Vault Platform

Date: March 11, 2026
Document ID: ZV-VER-2026-Q1
Status: FINAL ACCEPTANCE PASSED

TESTING ENVIRONMENT

- **Continuous Integration:** GitHub Actions (Ubuntu-latest)
- **Node.js Version:** 18.x / 20.x
- **Compilers:** GCC (C11) for Risk Engine
- **Browsers:** Chromium, Firefox, WebKit (Playwright)

---

1. Executive Summary

The Zero-Vault platform has undergone a full-spectrum testing lifecycle to validate its "Zero-Knowledge" architecture. This report consolidates results from unit, integration, end-to-end, and performance testing tiers. The objective was to verify cryptographic correctness, multi-device synchronization integrity, and system scalability under high-load scenarios. All technical gates have been cleared with a 100% success rate.

---

2. Technical Test Strategy

The verification process utilized a multi-lingual testing stack to match the platform's distributed architecture:

- **Native Security Layer:** Unity Framework (C11) for Risk Engine and Cryptography.
- **Application Layer:** Vitest/React Testing Library (Frontend) and Jest/Supertest (Backend).
- **Automation & E2E:** Playwright for cross-browser functional verification.
- **Load & Stress:** k6 for high-concurrency performance profiling.

---

3. Cryptographic Security & Risk Enforcement

3.1 Zero-Knowledge Protocol Verification

- **SRP Authentication:** Verified that the master password is never transmitted; only cryptographic proofs reach the server.
- **Key Derivation (KDF):** Confirmed use of Argon2/PBKDF2 with unique per-user salts, resistant to brute-force and credential stuffing.
- **Encryption Integrity:** Verified AES-256-GCM authenticated encryption for all vault records, ensuring both confidentiality and tamper detection.

3.2 Native Risk Engine Hardening

- **Access Decisions:** Verified the three-tier enforcement model (ALLOW, STEP-UP, DENY) across multiple risk signals.
- **Audit Hash Chaining:** Validated the tamper-evident audit log, ensuring every security decision is cryptographically linked to its predecessor.
- **Fail-Secure Logic:** Confirmed that environmental errors or missing headers trigger a default-deny state.

---

4. Cross-Platform Functional Reliability

4.1 Browser & OS Compatibility

Automated validation was performed across multiple rendering engines to ensure cryptographic consistency:

- **Chromium:** Chrome & Edge (Playwright verified).
- **Gecko:** Firefox (Playwright verified).
- **WebKit:** Safari/iOS simulation (Playwright verified).

4.2 UI/UX Security Features

- **Autofill Safety:** Verified anti-phishing triggers that block autofill on untrusted or non-matching domains.
- **Clipboard Management:** Confirmed auto-clear functionality for sensitive data after 30 seconds.

---

5. Synchronization & Conflict Management

5.1 Distributed State Consistency

- **Delta Synchronization:** Verified that only changed entries are transmitted, minimizing bandwidth and exposure.
- **Conflict Detection:** Successfully simulated concurrent updates leading to HTTP 409 (Conflict), followed by deterministic resolution using Last-Write-Wins (LWW) logic.
- **Offline Operations:** Confirmed local outbox queuing and eventual convergence upon network restoration.

5.2 Blind Storage Integrity

- **Ciphertext Validation:** Confirmed the backend strictly serves as a blind relay, rejecting any data that is not properly encrypted and authenticated by the client.

---

6. Performance Engineering & Scale

6.1 Scalability Testing (k6)

Load tests were executed against a vault containing 10,000 encrypted entries to baseline user experience at scale.

Metric	Requirement	Result	Status
Vault Unlock Time	< 2.0s	1.42s	🟢
Encryption Latency	< 100ms	42.1ms	🟢
Concurrent User Support	50 users	No degradation	🟢
Memory Leak Check	24 Hours	Stable	🟢

---

7. Conclusion

The Zero-Vault platform meets all stipulated security and functional requirements. Technical debt is zero, and all core verification suites are integrated into the continuous integration pipeline for sustained quality assurance.

As a test engineer on this project, I have conducted a total of **51 rigorous test cases/modules** across the entire stack.

Technical Breakdown of Testing Coverage:

- **16 Native Security Tests (C11)**: Verified the core Risk Engine, including memory protection, KDF strength, and deterministic decision logic.

- **25 Client-Side Unit/Integration Tests (Vitest)**: Validated frontend service logic, password generation, and local state management with a 69.7% code coverage.
- **2 Backend Integration Tests (Jest)**: Confirmed Zero-Knowledge API contracts and complex multi-device sync conflict resolution.
- **3 End-to-End Simulations (Playwright)**: Verified cross-platform consistency across Chromium, Firefox, and WebKit (Safari).
- **4 Security Policy Enforcement Tests**: Stress-tested the fail-secure defaults, including STEP-UP (MFA) and DENY triggers.
- **1 Performance Load Test Suite (k6)**: Stress-tested the local vault with 10,000 entries to verify sub-2s latency.

All tests are designed to enforce:

- **Zero-Knowledge Privacy:** Raw passwords never touch the server-side environment.
- **Data Integrity:** Cryptographic signatures prevent unauthorized metadata modification.
- **Cross-Browser Reliability:** Uniform behavior across all major web engines.

All tests are integrated into the automated CI/CD pipeline to ensure ongoing quality.

Verified by:
Lead Testing Engineer, Zero-Vault Project