Sivim

4MP IP PRO COLOUR SERIES



SV-IP-PCS-CNV-4MP-D

- 1/2.9" CMOS Image Sensor • 4 Mega Pixel Resolution
- Lens 3.6mm Fixed • Maximum Frame Rate 25 fps
- Support: POE • H.265/H.265+ Dual stream
- Colour Night Vision • 3D DNR, AGC, AWB, BLC Supported

SV-IP-PCS-CNV-4MP-B



- 1/2.9" CMOS Image Sensor • 4 Mega Pixel Resolution
- Lens 3.6mm Fixed • Maximum Frame Rate 25 fps • Support: POE
- H.265/H.265+ Dual stream • Colour Night Vision
- 3D DNR, AGC, AWB, • BLC Supported • IP-66 Weather Proof



SV-IP-PCS-CNV-4MP-DA

- Face Detection • 1/2.7" CMOS Image Sensor • Dual Light
- 4 Mega Pixel Resolution • Lens 4mm Fixed • Support: POE
- Maximum Frame Rate 25 fps • H.265/H.265+ Dual stream
- Colour Night Vision • 3D DNR, AGC, AWB, BLC Supported
- Support Audio In Out

SV-IP-PCS-CNV-4MP-BA



- Face Detection • 1/2.7" CMOS Image Sensor • 4 Mega Pixel Resolution
- Lens (6mm opt.) • Maximum Frame Rate 25 fps • Support: POE
- H.265/H.265+ Dual stream • Colour Night Vision • 3D DNR, AGC, AWB,
- BLC Supported • IP-66 Weather Proof • Support Audio In Out
- Dual Light

Sivim

5MP IP PRO COLOUR SERIES



SV-IP-PCS-CNV-5MP-D

- 1/29" CMOS Image Sensor • 5 Mega Pixel Resolution
- Lens 3.6mm Fixed • Maximum Frame Rate 25 fps
- Support: POE • H.265/H.265+ Dual stream
- Colour Night Vision • 3D DNR, AGC, AWB,BLC Supported

SV-IP-PCS-CNV-5MP-B



- 1/2.9" CMOS Image Sensor • 5 Mega Pixel Resolution
- Lens 3.6mm Fixed • Maximum Frame Rate 25 fps • Support: POE
- H.265/H.265+ Dual stream • Colour Night Vision
- 3D DNR, AGC, AWB, • BLC Supported • IP-66 Weather Proof



SV-IP-PCS-CNV-5MP-DA

- Face Detection • 1/2.7" CMOS Image Sensor • Dual Light
- 5 Mega Pixel Resolution • Lens 4mm • Support: POE
- Maximum Frame Rate 25 fps • H.265/H.265+ Dual stream
- Colour Night Vision • 3D DNR, AGC, AWB, BLC Supported
- Support Audio In Out

SV-IP-PCS-CNV-5MP-BA



- Face Detection • 1/2.7" CMOS Image Sensor • 5 Mega Pixel Resolution
- Lens (6mm opt.) • Maximum 25 fps • Support: POE
- H.265/H.265+ Dual stream • Colour Night Vision • 3D DNR, AGC, AWB
- BLC Supported • IP-66 Weather Proof • Support Audio In Out
- Dual Light

Sivim

8 MP IP IP PRO COLOUR SERIES



SV-IP-PCS-CNV-8MP-D

- 1/29" CMOS Image Sensor • 8 Mega Pixel Resolution
- Lens 3.6mm Fixed • Maximum Frame Rate 25 fps
- Support: POE • H.265/H.265+ Dual stream
- Colour Night Vision • 3D DNR, AGC, AWB,BLC Supported

SV-IP-PCS-CNV-8MP-D

- 1/2.9" CMOS Image Sensor • 8 Mega Pixel Resolution
- Lens 3.6mm Fixed • Maximum Prame Rate 25 fps • Support: POE
- H.265/H.265+ Dual stream • Colour Night Vision
- 3D DNR, AGC, AWB, • BLC Supported • IP-66 Weather Proof





SV-IP-PCS-CNV-8MP-DA

- Face Detection • 1/2.7" CMOS Image Sensor • Dual Light
- 8 Mega Pixel Resolution • Lens 4mm • Support: POE
- Maximum Frame Rate 25 fps • H.265/H.265+ Dual stream
- Colour Night Vision • 3D DNR, AGC, AWB, BLC Supported
- Support Audio In Out

SV-IP-PCS-CNV-8MP-BA

- Face Detection • 1/2.7" CMOS Image Sensor • 8 Mega Pixel Resolution
- Lens (6mm opt.) • Maximum 25 fps • Support: POE
- H.265/H.265+ Dual stream • Colour Night Vision • 3D DNR, AGC, AWB
- BLC Supported • IP-66 Weather Proof • Support Audio In Out
- Dual Light



Sivim

PTZ CAMERA



SV-IP-PTZ-4MP-150M

- 4MP, 36X Zoom • Zoom Display 36X, Neutral Package
- 6 inch, Half Metal Body Construction, IP66
- IP_PTZ Ai Medium Speed Dome • IR Sidtance Up to 150 Meters
- Wall Mount Bracket DC 12v Power Supply

SV-IP-PTZ-5MP-200M

- 5MP, 36X Zoom • Zoom Display 36X, Neutral Package
- 7 inch, Half Metal Body Construction, IP66
- IP_PTZ Ai Medium Speed Dome • IR Sidtance Up to 200 Meters
- Wall Mount Bracket DC 12v Power Supply





SV-IP-PTZ-6MP-150M

- 6MP, 36X Zoom • Zoom Display 36X, Neutral Package
- 10 inch, Half Metal Body Construction, IP66
- IP_PTZ Ai Medium Speed Dome
- IR Sidtance Up to 150 Meters
- Wall Mount Bracket DC 12v Power Supply

Sivim

5/8MP IP MOTORIZED CAMERA



SV-IP-5MP-MVF-CNV-50M

• 1/2.8", 5 Mega Pixel CMOS Image Sensor • Maximum Frame Rate 25 fps • Lens (Moterised 2.8mm to 12mm • Support: POE • H.265/H.265+ Dual Stream • Colour Night Vision • 3D DNR, AGC, AWB, BLC Supported • IP-65 Weather Proof • Support Audio Optional • Dual ight



SV-IP-8MP-MVF-CNV-50M

• 1/2.8", 8 mega pixel CMOS Image Sensor • Support: POE • Lens (moterised 2.8mm to 12mm • Maximum Frame Rate 25 fps • H.265/H.265+ Dual stream • Colour Night Vision • Dual Light • Support Audio Optional • IP-65 Weather Proof •3D DNR, AGC, AWB, BLC Supported

Sivim

2MP HD FULL COLOUR SERIES



SV-2FCS-AHD-D-20M

- 1/2.9", 2.4 Mega Pixel CMOS Sensor
- Resolution: 1920 (H) x 1080 (V)
- Lens: 3.6mm (Fixed) • UTC 4-in-1 AHD/TVI/CVI/CVBS
- Up to 20m IR Distance • Multiple Angle Adjustable

SV-2FCS-AHD-B-20M



- 1/2.9", 2.4 Mega Pixel CMOS Sensor
- Resolution: 1920 (H) x 1080 (V
- Lens: 3.6/6mm (Fixed) • UTC 4-in-1 AHD/TVI/CVI/CVBS
- Up to 20m IR Distance • Multiple Angle Adjustable



SV-2FCSA-AHD-D-20M

- 1/2.9", 5.0 Mega Pixel CMOS Sensor
- Resolution: 2592 (H) x 1920 (V)
- Lens: 3.6mm (Fixed)
- UTC 4-in-1 AHD/TVI/CVI/CVBS
- Up to 20m IR Distance • Multiple Angle Adjustable

SV-2FCSA-AHD-B-20M



- 1/2.9", 5.0 Mega Pixel CMOS Sensor
- Resolution: 2592 (H) x 1920 (V)
- Lens: 3.6/6mm (Fixed) • UTC 4-in-1 AHD/TVI/CVI/CVBS
- Up to 20m IR Distance • Multiple Angle Adjustable

Sivim

5MP HD FULL COLOUR SERIES



SV-5FCS-AHD-D

- Star Light 1/2.9" • 5 Mega Pixel CMOS Sensor
- Resolution: 2560 (H) x 1920 (V) • Lens: 3.6mm (Fixed
- UTC 4-in-1 AHD/TVI/CVI/CVBS • Min Illumination: 0.01 Lux/F1.2
- Multiple Angle Adjustable

SV-5FCS-AHD-B



- Star Light 1/2.9" • 5 Mega Pixel CMOS Sensor
- Resolution: 2560 (H) x 1920 (V) • Lens: 3.6mm (Fixed)
- UTC 4-in-1 AHD/TVI/CVI/CVBS • Min Illumination: 0.01 Lux/F1.2
- Multiple Angle Adjustable



SV-5FCSA-AHD-D

- Star Light 1/2.9" • 5 Mega Pixel CMOS Sensor
- Resolution: 2560 (H) x 1920 (V) • Lens: 3.6mm (Fixed)
- UTC 4-in-1 AHD/TVI/CVI/CVBS • Min Illumination: 0.01 Lux/F1.2
- Multiple Angle Adjustable
- With Inbuilt Audio Mic

SV-5FCSA-AHD-B



- Star Light 1/2.9" • 5 Mega Pixel CMOS Sensor
- Resolution: 2560 (H) x 1920 (V) • Lens: 3.6mm (Fixed)
- UTC 4-in-1 AHD/TVI/CVI/CVBS • Min Illumination: 0.01 Lux/F1.2
- Multiple Angle Adjustable • With Inbuilt Audio Mic

Sivim

2MP HD B&W SERIES CAMERA



SV-2BW-AHD-D-20M

- 1/2.9", 2.4 Mega Pixel CMOS Sensor
- Resolution: 1920 (H) x 1080 (V)
- Lens: 3.6mm (Fixed) • UTC 4-in-1 AHD/TVI/CVI/CVBS
- Up to 20m IR Distance • Multiple Angle Adjustable

SV-2BW-AHD-8-20M



- 1/2.9", 2.4 Mega Pixel CMOS Sensor
- Resolution: 1920 (H) x 1080 (V • Lens: 3.6/6mm (Fixed)
- UTC 4-in-1 AHD/TVI/CVI/CVBS • Up to 20m IR Distance
- Multiple Angle Adjustable



SV-5BW-AHD-D-20M

- 1/2.9", 5.0 Mega Pixel CMOS Sensor
- Resolution: 2592 (H) x 1920 (V) • Lens: 3.6mm (Fixed)
- UTC 4-in-1 AHD/TVI/CVI/CVBS
- Up to 20m IR Distance • Multiple Angle Adjustable

SV-5BW-AHD-B-20M



- 1/2.9", 5.0 Mega Pixel CMOS Sensor
- Resolution: 2592 (H) x 1920 (V) • Lens: 3.6/6mm (Fixed)
- UTC 4-in-1 AHD/TVI/CVI/CVBS
- Up to 20m IR Distance • Multiple Angle Adjustable

Sivim

4/5MP IP CAMERA (6/8)MM LENS



SV-IP-5MP-6MM/8MM

• 1/2.7", 5 mega pixel CMOS Image Sensor • lens 6mm/8mm
• Maximum Frame Rate 25 fps • Support: POE • Colour Night Vision
• H.265/H.265+ Dual stream • 3D DNR, AGC, AWB, BLC supported
• Multiple Angle Adjustable • IP-66 Weather Proof
• Support Audio Optional



SV-IP-4MP-6MM/8MM

• 1/2.7" 4 Mega Pixel CMOS Image Sensor • Lens 6mm/8mm
• Maximum Frame Rate 25 fps • Support: POE • Colour Night Vision
• 3D DNR, AGC, AWB, BLC Supported • IP-66 Weather Proof
• Support Audio Optional

Sivim

4/5MP IP CAMERA (12MM) LENS



SV-IP-5MP-12MM

• 1/2.7", 5 mega pixel CMOS Image Sensor • lens 12mm
• Maximum Frame Rate 25 fps • Support: POE • Colour Night Vision
• H.265/H.265+ Dual stream • 3D DNR, AGC, AWB, BLC supported
• IP-66 Weather Proof • Support Audio Optional



SV-IP-5MP-6MM/8MM

• 1/2.9" CMOS Image Sensor • 8 Mega Pixel Resolution
• Lens 3.6mm Fixed • Maximum Frame Rate 25 fps • Support: POE
• H.265/H.265+ Dual stream • Colour Night Vision
• 3D DNR, AGC, AWB, BLC Supported • IP-66 Weather Proof
• Support Audio Optional