# CareConnect: An Offline-First Digital Platform for Community Health Workers

**K. L. Sridharachari, Gabburi Navya, Thunga Hasini**
20231CSE0167 20231CSE0016 20231CSE0030
School of Computer Science and Engineering, Presidency University, Bengaluru, India
Under the supervision of Dr. Chandrashekar M, Professor

## Abstract

Community health workers support routine healthcare activities such as maintaining patient details, coordinating household visits, tracking medicine and vaccination reminders, and helping community members access general health information. Paper records and separate tools can make these activities difficult to organize, especially when workers operate in areas with unreliable internet access. CareConnect is an Android-based Community Health Worker Assistance Platform designed to bring these workflows into one mobile application. Its proposed feature set includes digital patient registration and records, local/offline data handling, cloud synchronization through Firebase, priority-based follow-up, reminders, reports, patient field mapping, an AI-assisted health-information chatbot, and English/Kannada language and voice interaction. The system is organized into presentation, business-logic, data/service, and device/network layers. The project is reported as approximately 80% complete at the Review-3stage. The current work includes the main application interface and several core modules; full integration and end-to-end testing of synchronization, mapping, and voice-related features remain in progress. This paper describes the problem, architecture, workflows, implementation status, planned evaluation, and limitations. CareConnect is intended to assist with information organization and follow-up, not to replace qualified medical judgment.

Index Terms—Community health workers, Android, offline-first applications, Room database, Firebase, patient management, reminders, field mapping, regional language support, digital health.

## I. INTRODUCTION

Community health workers are an important link between local communities and healthcare services. Their day-to-day activities may include recording patient information, checking whether a follow-up is due, supporting vaccination schedules, noting medicine-related reminders, and visiting households. These activities require information to be available at the right time and in a form that is easy to understand while working outside a clinic or office.

When information is stored in notebooks, paper files, or separate applications, workers may need to search across multiple sources to understand a patient's recent activity or next follow-up date. This creates additional work and can make it harder to maintain a consistent view of pending tasks. Network access is another practical concern: a mobile application that depends on a continuous internet connection may become difficult to use during field visits. CareConnect addresses these needs through a unified Android application. The project combines patient management with an offline-first approach, follow-up prioritization, reminders, mapping, reports, and general health-information access. Its design also considers English and Kannada language support and voice interaction, with the aim of making the application more accessible in local community settings.

The main contribution of the project is the integration of these field-oriented functions into one proposed workflow. The project documentation describes the design and current development progress; it does not claim a completed clinical study or provide measured improvements in patient outcomes.

## II. PROBLEM STATEMENT AND MOTIVATION

Community health workers may be responsible for multiple patients and households while tracking visits, medicines, vaccination dates, and follow-up activities. Paper-based records or scattered digital sources can make it difficult to retrieve information quickly and identify which activity should be handled first. In locations with weak or intermittent connectivity, a network-dependent system can also interrupt record entry.

The problem addressed by CareConnect is the absence of a single, field-ready workflow that combines structured patient information with offline access and organized follow-up. The system is intended to reduce the need to switch between separate tools and to make key information easier to access during community visits. It supports workers' administrative and informational tasks; it is not designed to diagnose illness or prescribe treatment.

## III. PROJECT OBJECTIVES

Develop an Android application that provides a central entry point for community health worker activities.
Provide digital patient registration, patient lists, patient details, and structured health-record access.
Support local/offline data entry and a synchronization workflow with Firebase when connectivity returns.
Organize patient follow-up into understandable categories such as High Priority, Due Today, and Upcoming.
Provide medicine and vaccination reminders to support scheduled preventive-care and follow-up tasks.
Include field-map functionality for viewing patient or household locations when suitable location data is available.
Provide an AI-assisted feature for general health information and include English/Kannada language and voice-related support.
Evaluate the main workflows, including offline access, synchronization, reminders, priority rules, and module integration.

## IV. RELATED WORKANDRESEARCHGAP

### A. Digitalsupportforcommunityhealthworkers

Digital health initiatives commonly use mobile applications to collect information, maintain structured records, support reminders, and improve access to information. Guidance on integrating community health workers into health systems provides a policy and service-delivery context for tools that support their routine responsibilities. The relevance to CareConnect is the need to design around real field workflows rather than treating the application as a general-purpose data-entry tool.

### B. Offline-first mobile applications

Offline-first design allows selected operations to continue on a device when the network is unavailable. Local storage can keep records accessible during field work, while a later synchronization process can transfer changes to a cloud service. CareConnect identifies Room as the local database and Firebase Firestore as the cloud data service. The project still requires complete integration testing to establish how synchronization behaves under interrupted connectivity and conflicting updates.

### C. Reminders, maps, and language access

Reminders and categorized follow-up lists can help workers review tasks according to timing and urgency. Map-based views can provide a geographic overview of households when usable location data is available. Language and voice features can reduce some interaction barriers, although their practical usefulness depends on language coverage, speech-recognition quality, device conditions, and the design of the user interface.

### D. AI-assisted health information

A chatbot can provide aconvenient interface for general health-information queries. However, generated answers may be incomplete or unsuitable for an individual case. For this reason, the CareConnect chatbot is positioned as an assistive information feature rather than a diagnostic or treatment system. Any real-world deployment would require clear safety messaging and a careful review of how sensitive information is handled.

### E. Research gap

The project materials identify a practical integration gap: patient records, offline operation, priority follow-up, reminders, field mapping, AI-assisted information, and regional-language support are intended to be available in one mobile platform. The supplied project documents do not include a quantitative comparison against other applications or experimental results showing improved health outcomes. The contribution should therefore be understood as a system design and developing prototype rather than a validated clinical intervention.

## V. PROPOSED SYSTEM AND ARCHITECTURE

CareConnect is organizedintofour conceptual layers. This separation helps distinguish the user interface from workflow rules, data services, and device/network capabilities. The architecture is a high-level description of the project design; individual services and features may still be under integration.

| Layer | Components / responsibilities | Purpose |
|---|---|---|
| Presentation | Login, dashboard, patient registration, patient list/details, health records, reports, chatbot, profile and settings. | Provides the worker-facing mobile interface. |
| Business logic | Patient workflows, priority categories, reminder and follow-up actions, scheduling and navigation between modules. | Coordinates the main tasks and applies application rules. |
| Data / service | Room local database, Firebase Authentication, Firebase Firestore, AI chatbot API. | Supports local records, user access, cloud storage and information access. |
| Device / network | Android phone or emulator, notification services, map/GIS functions, speech functions, network and related capabilities. | Connects the application to device features and external services. |

### A. High-level data flow

Health worker→ Android application → Room local storage and Firebase services → patient management, priority follow-up, reminders, reports, field map, and chatbot.

For offline work, patient information is intended to be saved locally first. When connectivity returns, the synchronization process should transfer eligible changes to Firebase. The design must also provide understandable feedback if synchronization fails or is delayed.

### B. Main application screens

The project documentation identifies login/authentication, dashboard, patient registration, patient list, patient details, digital health records, AI chatbot, medicine reminders, vaccination reminders, reports, profile/settings, and field map as core screens or functions. The dashboard acts as the main navigation point, while patient-list and patient-detail views provide access to individual records.

## VI. METHODOLOGY AND MODULE DESIGN

### A. Authentication and access

Thew orker beginsatthe loginscreen.Firebase Authentication is identified in the project technology stack as the service for authentication. Access control is important because the application deals with patient-related information. Before deployment, the application should be checked to ensure that signed-out users cannot access protected records and that account errors are communicated clearly.

### B. Patient registration and records

The patient-management workflow allows a worker to register a patient or open an existing patient record. The patient list provides a way to locate records, and the detail view presents the selected patient's information. Digital records are intended to reduce reliance on separate paper files and to keep information organized in one application. The project documentation identifies patient management and the related screens as part of the current implementation.

### C. Offline storage and synchronization

Offline-first operation is a central design requirement. The intended workflow writes patient data to the Room database so that the worker can continue selected record operations without an active network connection. When internet access returns, local changes are intended to synchronize with Firebase Firestore. This design reduces dependence on continuous connectivity, but reliable operation requires testing for interrupted connections, repeated synchronization attempts, duplicate updates, and conflicts between local and cloud versions.

Workflow: patient data entry → Room local storage → continued offline use → connectivity restored → synchronization with Firebase → confirmation or error handling.

### D. Priority-based follow-up

The priority module groups patients into categories such as High Priority, Due Today, and Upcoming. The purpose is to help workers review tasks in a more structured order. The application should apply the same rule consistently whenever a record is added or its follow-up date changes. Testing should include overdue, due-today, future-dated, and missing-date cases so that the list does not silently misclassify patients.

Workflow: patient and follow-up information → priority rules → categorized task list → worker reviews the next action.

### E. Medicine and vaccination reminders

Reminder functions are intended to support medicine-related schedules and vaccination follow-ups. Android notification services are identified in the project stack for this purpose. A complete implementation should check that reminders are scheduled for the intended date and time, remain understandable, and do not create repeated or stale notifications after a schedule is edited. The supplied documents do not provide measured reminder-delivery accuracy.

### F. Field map and household location

The field-map module is intended to display patients or households geographically so that workers can understand the distribution of visits. Its usefulness depends on whether location data has been entered and whether the mapping service is available. Location access should be requested only when needed, and the interface should handle missing coordinates without preventing access to the rest of a patient record.

### G. Reports and settings

Reports provide a summarized view of the application's stored information, while profile and settings screens support basic application configuration. These screens are listed among the current application modules. Final validation should confirm that reports reflect the stored records and that changes made through settings are retained as expected.

### H. AI chatbot and language/voice support

Thec hatbot is intended to provide accessto general health information through an AI service. It should not present generated content as a diagnosis, prescription, or substitute for a qualified professional. English and Kannada support and voice-related interaction are included in the project requirements. Speech features may be affected by background noise, pronunciation, device permissions, and network availability; therefore, manual text entry should remain available where possible.

## VII. IMPLEMENTATION STATUS AT REVIEW-3

Theteam reports approximately 80% overall completion at the Review-3 stage. This percentage is a project progress estimate supplied in the project context, not a result calculated from a formal code-size or test-coverage measurement. The status below distinguishes reported current work from the integration and validation still required.

| Area | Reported current status | Remaining work |
|---|---|---|
| Interface and navigation | Main Android interface and core screens are reported as developed, including dashboard, patient-management views, reports and settings. | Review navigation consistency, error states and final interface integration. |
| Patient records | Patient-management and local/offline-mode work are reported as implemented; Room is listed in the project stack. | Verify create, view, update and persistence behavior across app restarts and offline sessions. |
| Priority follow-up | Priority follow-up module and outputs are reported as available. | Test High Priority, Due Today, Upcoming, overdue and missing-date cases. |
| Firebase | Firebase Authentication and Firestore are part of the intended technology stack; synchronization is still being integrated/tested. | Complete sign-in and cloud synchronization including interrupted network conditions. |
| Reminders and reports | Reminder, report and settings modules/screens are included in the current application. | Validate scheduling, notification behavior, report accuracy and changes to existing records. |
| Map, language and voice | The relevant modules/screens are included in the project scope. | Complete integration and verify location, speech and language behavior on target devices. |
| Chatbot | AI-assisted general health-information access is part of the planned application. | Verify API integration, failure handling, safety messages and limits on medical claims. |

Testing status: the project report describes core modules as tested, while full synchronization, mapping, language/voice behavior and overall integration remain under testing. The available material does not include numerical test results, response-time measurements, usability scores, or a completed end-to-end evaluation. These should not be reported as completed until evidence is collected.

## VIII. TESTING AND EVALUATION PLAN

The next testing stage should examine each module separately and then verify the complete workflow from authentication through patient follow-up. The following matrix is a proposed evaluation plan, not a claim that every test has already been completed.

| Testarea | Testscenario | Expected result |
|---|---|---|
| Authentication | Sign in with valid and invalid account details; sign out and reopen the app. | Valid users reach the dashboard; invalid access is rejected; protected screens are not available after sign-out. |
| Patient records | Create a patient, open the detail view, edit the record and restart the application. | The record is displayed consistently and saved changes remain available. |
| Offline mode | Disable connectivity and add or update a patient record. | Supported record operations remain available locally without requiring an active connection. |
| Synchronization | Restore connectivity after offline edits and check the cloud record. | Eligible local changes reach Firebase; failures are surfaced and can be retried. |
| Priority rules | Use records with overdue, due-today, future and missing follow-up dates. | Each record appears in the category defined by the application rules. |
| Reminders | Create, edit and cancel medicine or vaccination reminders. | Notifications follow the saved schedule and do not remain stale after edits or cancellation. |
| Field map | Open the map with valid, missing and unavailable location data. | Available locations are represented; missing data or service failure is handled clearly. |
| Language and voice | Test English/Kannada options and speech input under different noise conditions. | Available language controls behave consistently and users can recover from recognition errors. |
| Chatbot | Ask general health questions and test an unavailable API response. | The feature provides general information, displays failures clearly and does not claim to replace professional care. |
| Reports and settings | Compare a report with saved sample records and modify settings. | Report values match the source records and settings changes are retained. |

For each test, the team should record the device/emulator used, setup, steps, expected result, observed result, pass/fail status, and a screenshot or log where appropriate. This will provide evidence for the final project review and make it easier to identify defects before final integration.

## IX. SECURITY, PRIVACY, AND RESPONSIBLE USE

Patient information should be treated as sensitive data. Firebase Authentication is identified in the architecture, but authentication alone does not establish that all data is protected. Before real-world use, the team should review access permissions, database rules, secure network communication, local-device exposure, session handling, backup behavior, and the minimum information required for each feature. Patient details should not be exposed in logs or screenshots used in public presentations.

The application should make clear that the chatbot provides general information and may be wrong or incomplete. It should not independently diagnose a condition or prescribe medication. Users should be directed to qualified healthcare professionals for personal medical decisions or urgent concerns. These safeguards are particularly important because the platform is designed for use in community healthcare settings.

Location information can reveal household or patient whereabouts. Map-related permissions and stored coordinates should therefore be limited to the intended purpose, and the interface should avoid displaying personal details unnecessarily. The project documentation

describes the intended components; a full privacy and security audit has not been reported.

## X. ALIGNMENT WITH SDG 3

CareConnect is aligned conceptually with Sustainable Development Goal 3: Good Health and Well-being. Digital patient records can support more organized information management; reminders can help workers review scheduled preventive-care activities; priority lists can make pending follow-ups more visible; and general health-information access may help workers respond to common information needs. Offline-first design is relevant to field settings where network access is not always available. These are intended contributions of the design, not measured evidence of improved health outcomes.

## XI. LIMITATIONS

The reported 80% completion level is an overall team estimate; the supplied documents do not define a formal progress metric.

Full integration and end-to-end testing of cloud synchronization, mapping, and language/voice features remain in progress.

Offline synchronization needs careful handling of interrupted connections, duplicate operations, and conflicting updates.

Priority categories depend on the rules implemented by the team and require tests for edge cases.

Mapping depends on valid location information, device permissions, and availability of the mapping service.

Speech recognition may be affected by noise, accent, device capabilities, permissions, and network conditions.

AI-generated health information can be incomplete or unsuitable for a particular person and must not replace professional care.

The project materials do not report quantitative usability, performance, reliability, or clinical evaluation results.

## XII. FUTURE WORK

The immediate priority is to finish integrating the modules and test the full user journey. The team should complete and verify Firebase synchronization, including error handling when the network is interrupted. The priority rules and reminder schedules should be tested against defined examples. Mapping and voice/language functions should be checked on the Android devices intended for demonstration.

Further improvements may include clearer synchronization status, conflict-resolution rules, more configurable follow-up categories, improved reporting, additional regional languages, visit-planning support, and more accessible voice workflows. The chatbot could be improved through stronger safety messaging and carefully reviewed information sources. Before any deployment with real patient data, privacy controls, access rules, data retention, and security behavior should be reviewed and documented.

## XIII. TEAM CONTRIBUTIONS

The project documents identify the three team members below. The following responsibility summary reflects the working division recorded in the current Review-3 draft and should be checked by the team so that it accurately represents each student's actual contribution.

| Team member | Registration number | Contribution summary |
|---|---|---|
| K. L. Sridharachari | 20231CSE0167 | Android application structure and overall Java/XML development; coordination of major modules and participation in testing. |
| Gabburi Navya | 20231CSE0016 | Patient registration and digital patient-record workflow; local storage/offline handling, patient-management interface, testing and documentation. |
| Thunga Hasini | 20231CSE0030 | Reminder and follow-up workflow; contribution to chatbot, map, language/voice features, testing, documentation and integration. |

## XIV. CONCLUSION

CareConnect is a Community Health Worker Assistance Platform designed to organize patient information and routine follow-up activities through one Android application. Its feature set brings together patient registration and records, offline-first data handling, Firebase-based cloud services, priority follow-up, reminders, reports, field mapping, AI-assisted general health information, and English/Kannada language and voice-related support.

At the Review-3 stage, the team reports approximately 80% completion. The main interface and several core modules are reported as developed, while cloud synchronization, mapping, voice/language behavior, and full-system testing require additional work. The next phase should focus on integration, systematic test evidence, reliability, and privacy safeguards. CareConnect is intended to support the organization of community healthcare activities while leaving diagnosis and treatment decisions to qualified healthcare professionals.

## REFERENCES


[1] World Health Organization, "Integrating Community Health Workers into Health Systems: A Step-by-Step Policy Implementation Guide," Geneva, Switzerland: World Health Organization, 2025.

[2] World Health Organization, "Accelerating the uptake of digital solutions by the health and care workforce in the WHO European Region," WHO Regional Office for Europe, Sep. 2025.

[3] World Health Organization, "Primary health care," World Health Organization, Dec. 2025.

[4] World Health Organization, "Digital health," World Health Organization, 2025–2026.

[5] Google, "Gemini API using Firebase AI Logic," Firebase Documentation, 2026.

[6] Google, "Reference documentation for the Firebase AI Logic SDKs," Firebase Documentation, 2026.

[7] Google, "Get started with the Gemini API using the Firebase AI Logic SDKs," Firebase Documentation, 2026.

[8] Google, "Firebase Authentication," Firebase Documentation, 2026.

[9] Google, "Maps SDK for Android – Release Notes," Google Developers, Jan. 2026.

[10] CareConnect project documentation, "Community Health Worker Assistance Platform: System Architecture, Expected Application Output and Gantt Chart," Review-1 project material, Presidency University.

[11] CareConnect project documentation, "CareConnect: An Offline-First Digital Platform for Community Health Workers," mini-project paper and Review-3 progress material, Presidency University, 2026.

## APPENDIX A — KEY WORKFLOWS

| Workflow | Sequence |
|---|---|
| Offline + synchronization | Patient data entry → Room local storage → offline work → connectivity restored → Firebase synchronization. |
| Priority follow-up | Patient/follow-up data → priority rules → High Priority / Due Today / Upcoming → worker action. |
| Reminder | Medicine or vaccination schedule → reminder setup → Android notification → worker reviews the task. |
| Field map | Available patient/household location → map view → geographic overview for field planning. |
| Language and voice | English/Kannada selection → voice input where available → speech recognition → worker reviews the recognized content. |

## APPENDIX B — SOFTWARE AND HARDWARE REQUIREMENTS

The project materials identifyAndroid, Java and XML, Room database, Firebase Authentication, Firebase Firestore, an AI chatbot API, Android notification services, GIS/field-map functionality, speech-to-text or voice interaction, and English/Kannada language support as software components. The listed hardware requirements are a laptop or computer for development and an Android smartphone or emulator for application testing.