



LABORATORY REPORT

 Name
 : Mr. Harvesh Modh
 Registration on
 : 03-Sep-2022 09:27

 Lab ID
 : 092221500083 Ref. ld :
 Collected on
 : 03-Sep-2022 08:33

 Sex/Age
 : Male
 / 37 Years
 Approved on
 : 03-Sep-2022 10:03

Ref. By : Sample Type : EDTA Blood

Location : Patient Source :

Complete Blood Count

Test Hemoglobin	Colorimetric	Result 15.8	Uni t g/dL		Biologica 13.0 - 16.5		terval
RBC Count	Electrical impedance	5.12	milli	on/cmm	4.5 - 5.5		
Hematocrit	Calculated	46.1	%		40 - 49		
MCV	Derived	89.9	fL		83 - 101		
МСН	Calculated	30.9	pg		27.1 - 32.	5	
MCHC	Calculated	34.4	g/dL	-	32.5 - 36.	7	
RDW CV	Calculated	12.60	%		11.6 - 14		
Total WBC and Diffe	rential count						
WBC Count	Electrical impedance	4470	/cmr	m	4000 - 100	000	
Differential Count					Absolute	Count	
Neutrophils	Microscopic	54	%	40 - 80	2414	/cmm	2000 - 6700
Lymphocytes	Microscopic	39	%	20 - 40	1743	/cmm	1100 - 3300
Eosinophils	Microscopic	02	%	1 - 6	89	/cmm	00 - 400
Monocytes	Microscopic	05	%	2 - 10	224	/cmm	200 - 700
Basophils	Microscopic	00	%	0 - 2	0	/cmm	0 - 100
Platelet Count	Electrical impedance	183000	/cmr	m	150000 - 4	410000	

7.5 - 10.3

Peripheral Smear Examination

MPV

RBC Morphology Normochromic Normocytic

WBC Morphology WBCs Series Shows Normal Morphology

8.9

Platelets Morphology Platelets are adequate with normal morphology.

fL

Parasites Malarial parasite is not detected.

Dr. Vishal Patel
M.D. Pathology

Referred Test

Page 1 of 3 06-Feb-2023 18:01

Report Status: Final This is an Electronically Authenticated Report. Printed on:





LABORATORY REPORT

 Name
 : Mr. Harvesh Modh
 Registration on : 03-Sep-2022 09:27

 Lab ID
 : 092221500083 Ref. ld : Collected on : 03-Sep-2022 08:33

 Sex/Age
 : Male / 37 Years
 Approved on : 03-Sep-2022 11:21

Ref. By : Sample Type : Serum

Location : Patient Source :

Biochemistry

Test	Result	Unit	Biological Ref. Interval
SGPT	H 77.8	U/L	00 - 45
C - Reactive Protein (CRP)	H 41.8	mg/L	0 - 5

Note:

CRP is an acute phase reactant which is used in inflammatory disorders for monitoring course and effect of therapy. It is most useful as an indicator of activity in Rheumatoid arthritis, Rheumatic fever, tissue injury or necrosis and infections. As compared to ESR, CRP shows an earlier rise in inflammatory disorders which begins in 4-6 hrs, the intensity of the rise being higher than ESR and the recovery being earlier than ESR.

Dr. Vishal Patel
M.D. Pathology

Referred Test

Report Status: Final

Page 2 of 3 06-Feb-2023 18:01

This is an Electronically Authenticated Report. Printed on:





LABORATORY REPORT

Registration on : 03-Sep-2022 09:27 Name Mr. Harvesh Modh Lab ID 092221500083 Ref. ld: : 03-Sep-2022 08:33 Collected on : 03-Sep-2022 10:57 Sex/Age Male / 37 Years Approved on

Ref. By Sample Type : Urine

Location Patient Source

Urine Routine Examination

Test	Result	Unit	Biological Ref. Interval
Physical Examination			
Volume	20	ml	
Colour	Pale Yellow		
Transparency	Clear		
Chemical Examination (Dip Stick N	<u>lethod)</u>		
рН	6.0		4.6 - 8.0
Specific Gravity	1.020		1.005 - 1.030
Urine Glucose	Absent		Negative
Urine Protein	Absent		Absent
Bilirubin	Absent		Negative
Urine Ketone	Absent		Negative
Nitrite	Negative		Negative
Microscopic Examination			
Pus Cells	2-4	/hpf	0 - 5
Red Cells	Nil	/hpf	0 - 2
Epithelial Cells	Occasional	/hpf	
Casts	Absent	/hpf	
Crystals	Absent	/hpf	
Amorphous Material	Absent		

Vishal Dr. Vishal Patel

M.D. Pathology # Referred Test

Page 3 of 3 06-Feb-2023 18:01

Report Status: Final This is an Electronically Authenticated Report.