Similarity of Triangles

Srihari S

College of Engineering - Guindy

May 25, 2020

Question

Exercise 8.1(Q no.51)

O is a point in the interior of $\triangle ABC$. D is a point on OA. If DE $\|$ OB and DF $\|$ OC. Show that EF $\|$ BC.

Codes and Figures

The python code for the figure is

./codes/similartriangle.py

The latex- tikz code is

./figs/constructionpic.tex

The above latex code can be compiled as standalone document

./figs/constructionpic_standalone.tex

.


AB
BC
CA
OA
OB
OC
DE
DF
EF
A
B
C
D
E
F
O
x
y
0
1
2
3
4
5
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0

(a) By Python



Figure: By Latex-tikz

Construction method

The values used for constructing the triangles in both Python and LaTeX-Tikz is given below:

Initial Input Values	
Parameter	**Value**
a	**5**
b	**6**
c	**4**

Table: To construct $\triangle ABC$

Finding the coordinates of various points of $\triangle ABC$:
From the information provided, let

$$B = \begin{pmatrix} 0 \\ 0 \end{pmatrix} \quad C = \begin{pmatrix} a \\ 0 \end{pmatrix} \quad A = \begin{pmatrix} p \\ q \end{pmatrix}$$

Given a point O, we need to determine whether it lies inside $\triangle ABC$.
A point O is said to lie inside $\triangle ABC$ if and only if all of the cross products $AB \times AO$, $BC \times BO$ and $CA \times CO$ are $\geqslant 0$.
Let the arbitrary interior point O be represented as $\begin{pmatrix} 2 \\ 1.5 \end{pmatrix}$.

Construction method

D is a point on line AO such that DE $\parallel$ OB and DF $\parallel$ OC.

Determination of points D,E and F:

As DE $\parallel$ OB, by basic proportionality theorem the points E and D, divide the lines AB and AO respectively in the same ratio.

Hence we choose points E and D such that

$$\frac{AE}{EB} = \frac{AD}{DO} \tag{1}$$

Similarly point F is chosen such that the points F and D, divide the lines AC and AO respectively in the same ratio such that

$$\frac{AF}{FC} = \frac{AD}{DO} \tag{2}$$

.

Derived Values	
Parameter	**Value**
p	**0.5**
q	**3.96**

Table: To construct $\triangle ABC$

Construction method

If the point D divides the line AO in the ratio x:y, the coordinates of D is given by section formula as:

$$\mathrm{D} = \frac{y\mathrm{A} + x\mathrm{O}}{x + y} \tag{3}$$

Similarly the coordinates of points E and F is given by

$$\mathrm{E} = \frac{y\mathrm{A} + x\mathrm{B}}{x + y} \tag{4}$$

$$\mathrm{F} = \frac{y\mathrm{A} + x\mathrm{C}}{x + y} \tag{5}$$

Let us assume the points divide the respective lines in the ratio 1:1. Then the coordinates of points D, E and F is

$$\mathrm{D} = \begin{pmatrix} 1.25 \\ 2.73 \end{pmatrix}$$

$$\mathrm{E} = \begin{pmatrix} 0.25 \\ 1.98 \end{pmatrix}$$

$$\mathrm{F} = \begin{pmatrix} 2.75 \\ 1.98 \end{pmatrix}$$

Solution

$\triangle EAD \sim \triangle BAO$ by AAA Similarity:
Since DE $\parallel$ OB,

1. $\angle DEA = \angle OBA$ $\{Alternate\ Interior\ Angles\}$
2. $\angle ADE = \angle AOB$ $\{Alternate\ Interior\ Angles\}$
3. $\angle EAD = \angle BAO$ $\{Common\ angle\}$

Therefore

$$\frac{AE}{AB} = \frac{AD}{AO} \tag{6}$$

Solution

Similarly $\triangle FDA \sim \triangle COA$ by AAA Similarity:
Since DF $\parallel$ OC,

1. $\angle DFA = \angle OCA \quad \{Alternate\ Interior\ Angles\}$
2. $\angle ADF = \angle AOC \quad \{Alternate\ Interior\ Angles\}$
3. $\angle FAD = \angle CAO \quad \{Common\ angle\}$

Therefore

$$\frac{\mathrm{AF}}{\mathrm{AC}} = \frac{\mathrm{AD}}{\mathrm{AO}} \tag{7}$$

Hence from the above we conclude,

$$\frac{\text{AF}}{\text{AC}} = \frac{\text{AE}}{\text{AB}} = \frac{\text{AD}}{\text{AO}} \tag{8}$$

As the ratio of the sides is the same, $\triangle$ ABC $\sim \triangle$ AEF, which means $\angle AFE = \angle ACB$ and $\angle AEF = \angle ABC$ as similar triangles have same angles. i.e.

$$\text{EF} \parallel \text{QR} \tag{9}$$

Hence Proved.