



Contract Accounting

Generated on: 2026-09-29 10:15:44 GMT+0000

SAP S/4HANA | 2025 FPS01 (Feb 2026)

Public

Original content: https://help.sap.com/docs/SAP_S4HANA_ON-PREMISE/9442486404b54071b4ebeab6a16628e7?locale=en-US&state=PRODUCTION&version=2025.001

Warning

This document has been generated from SAP Help Portal and is an incomplete version of the official SAP product documentation. The information included in custom documentation may not reflect the arrangement of topics in SAP Help Portal, and may be missing important aspects and/or correlations to other topics. For this reason, it is not for production use.

For more information, please visit <https://help.sap.com/docs/disclaimer>.

Dunning

You can create payment reminders or dunning letters and send them to your business partners, to alert them of overdue payables and to request payment.

You can print correspondence either using the **Correspondence** component or directly by using the application forms that you have defined in the **Print Workbench**.

In addition to the features of the standard delivery, you can realize industry-specific dunning activities.

i Note

Industry Component Utilities (IS-U)

You can dun budget billing requests as well as open items. The dunning run can create lock documents automatically (see [Disconnection/Reconnection of a Utility Installation](#)). You can postprocess the dunning-relevant data manually in the dunning proposal.

Industry Component Telecommunications (IS-T)

You can postprocess the dunning-relevant data manually in the dunning proposal. If receivables have reached a specific collection step, you can lock the contract account or the service for a business partner automatically in the dunning activities run (see [Lock Services Using SAP RM-CA and SAP CRM](#)).

Industry Component Insurance (FS-CD)

The following dunning procedure types are supported:

- **Individual Dunning Notices**

In an individual dunning notice, all items in a contract are considered independently of one another. This means that you can have several dunning procedures for one contract.

- **Collective Dunning**

In a collective dunning notice, all items in a contract are dunned with one dunning procedure.

- **Multi-Collective dunning**

Multiple collective dunning can, in contrast to collective dunning, contain several collective dunning notices for one business partner/insurance object relationship in parallel.

- **Contract Dunning**

In a contract dunning notice, only one current dunning procedure exists at any one point in time. This refers to the oldest item.

- **Account Dunning** All items due for dunning for a contract account are dunned on a cross-contract basis for account dunning.

The dunning procedures to be used are determined in the dunning proposal run and saved in the item.

Process Flow

To map and control the dunning processes that you require using the dunning program, you first have to define the specifications for the dunning parameters described in this section in Customizing. In Customizing for Contract Accounts Receivable and Payable, carry out the activities listed under **Business Transactions** in the section **Dunning**. See also the documentation for the activities, the individual fields, and the indicators.

Define the required dunning parameters manually in the master records of the contract accounts and/or in the document. To do this, use the **Create Contract Account** and **Change Contract Account** transactions (CAA1/CAA2), the **Manage Contract Accounts** app (F5474), or the **Post Document** and **Change Document** transactions (FPE1/FPE2).


In certain business transactions, the system can also enter dunning parameters in the contract account and/or document automatically. This enables you, for example, to default the dunning procedure when you are creating contract accounts. Using the BAPI BAPI_CTRACCONTRACTACCOUNT_CREA, you can determine dunning locks.

i Note

For the industry components Public Sector Contract Accounts Receivable and Payable and Utilities, in Customizing for Contract Accounts Receivable and Payable, you can define default values for dunning procedures and dunning locks that the system then enters in the document automatically during posting (see [Basic Functions > Postings and Documents > Document > Maintain Document Assignments > Maintain Transactions for Public Sector Contract Accounting > or Maintain Transactions for IS-U](#)).

In the industry component Insurance, you can also define the dunning parameters for the insurance object and determine whether the dunning parameters of the contract account or insurance object are to apply. The dunning parameters defined for the document override the parameters in the master data.

The dunning proposal run evaluates the parameters and derives the actions to be carried out.



Dunning Parameters

Dunning Procedure

The dunning procedure is the central control attribute for the dunning process flow and defines the procedure for situations where a business partner is in arrears. A dunning procedure consists of individual dunning levels.

You can assign dunning procedures to contract accounts, provider accounts, and/or individual open items.

At document item level, the dunning procedure overrides the dunning procedure defined at contract account level or provider contract level for this line item.

If a dunning procedure is not defined at document level, provider contract level, or contract account level, the document in question is not included in the dunning run.

The dunning proposal run determines whether an item is due for dunning by means of the dunning procedure.

i Note

In the **Insurance** industry-specific component, master data (insurance objects and/or contract accounts) are connected to a dunning procedure by means of dunning variants. You can assign a dunning procedure at document level.

Dunning Levels

Definition

Dunning levels control the dunning process flow and describe the individual processing steps of a dunning procedure. Both the individual items in a dunning notice and the dunning notice itself have a dunning level. Depending on the dunning procedure, a dunning notice can contain items with different dunning levels. The dunning level of the dunning notice is usually the highest dunning level for the items contained in the dunning notice.

Use

The dunning program assigns dunning levels to overdue items once a specific number of days in arrears has passed. The system calculates the days in arrears from the due date or the deferral date of the open items for dunning, whichever is the greatest. The point in time at which the dunning level is executed is controlled by the number of days in arrears and the dunning frequency.

The dunning program automatically assigns the next dunning level to dunned items. In the dunning history, you can also set the next dunning level for an item manually. The dunning levels are assigned to the dunning notice and the individual items in the dunning notice, but not to the contract account in question. Dunning levels are optional; you do not have to use them.

You maintain and configure dunning levels in the activity **Configure Dunning Procedure** . Using dunning level types that you define in the activity **Define Dunning Level Types** , you can assign a classification to the dunning levels.

You can use the new dunning level that an item in the dunning proposal run contains as a [grouping criterion](#) . This means that you can ensure that items in a dunning notice have the same dunning level.

Structure

In a dunning level you can define:

- Which dunning charges and interest you want to levy
- From which amount and after how many days in arrears overdue items reach the next dunning level
- Whether interest on arrears should be calculated for the dunned items

- That dunning groups are excluded from dunning if the open percentage portion of the items assigned is less than a specific limit percentage rate

Dunning Activities

Definition

Measure taken when a specific dunning level of a dunning procedure is reached.

Structure

You define dunning activities in the Customizing activity **Configure Dunning Activities** by specifying a function module with a predefined interface. For the dunning activity key, specify the name of the dunning activity, the activity type, and the name of the function module that executes the dunning activity. For activities that support the printing of Print Workbench forms, you have to define an application form.

i Note

Note that the function modules for dunning activities for correspondence dunning use a different interface than the function modules for dunning activities for dunning open items.

Then assign the dunning activities to the dunning levels of a dunning procedure in the activity **Configure Dunning Procedure**. You can assign a dunning activity to different dunning levels of different dunning procedures as well assigning different dunning activities to one dunning level.

When you execute the dunning activity run, the function modules defined for the activities for a dunning level are called up.

Dunning activities are industry-specific. However, you can also define installation-specific activities.

❖ Example

Possible dunning activities are:

- Creation of a dunning letter
- Creation of a note by a clerk
- Submission of items to a collection agency
- Termination of a contract
- Setting a lock
- Creation of [collection work items](#)
- [Disconnection of a Service](#)

Dunning Grouping

Use

You can use dunning groups to process items with the same attributes together (for example, to dun them together in one dunning notice).

Structure

The dunning grouping defines which attributes must agree for items to be dunned together. You can use all of the fields of the open item as grouping criteria (for example, business partner, contract account, currency, contract reference). You define these criteria in the Customizing activity [Define Dunning Grouping](#). For example, you can create a dunning grouping using the criteria [business partner](#), [currency](#), [company code](#), and [dunning recipient](#). If you do not use the currency for the dunning grouping, you can also dun items with different transaction currencies together. In this case, the balances and the comparison with the limit amounts are run in the local currency of the company code.

i Note

For [Insurance](#), you define the dunning grouping for the dunning variant in Customizing.

The dunning groups, which consist of the items belonging to the dunning groupings, are created in the dunning proposal run.

The system checks the days in arrears and the amount limits for each dunning grouping separately. A dunning group is only dunned if it contains at least one item that would trigger a dunning notice. For additional receivables such as interest and charges, in the [Rules for Additional Receivables](#) under [Business Transactions](#) > [Additional Receivables](#) in Customizing, you can define that these are not to trigger a dunning notice.

In event 0306, you can also realize a grouping by dunning levels. See the documentation of the sample function module FKK_SAMPLE_0306 and SAP note 403244.

For contract accounts with alternative dunning recipients, you have to enter the fields [Alternative Dunning Recipient](#) and [Address Number for Alternative Dunning Recipient](#) in all groupings.

If you carry out cross-contract account dunning, the field [Grouping for Dunning Notices](#) should exist in the grouping. The [company code group](#) is a grouping field implicitly; you do not have to specify it in the grouping.

If the grouping for dunning notices is not maintained in the contract account, the entries for the grouping SPACE apply. Make sure that you also have a dunning grouping SPACE.

Example

A business partner is in arrears with payments. The receivables due for dunning have different currencies. You want to send the business partner a dunning notice for each of these currencies. To do this, you have to define a dunning grouping in Customizing under [Business Transactions](#) > [Dunning](#) > [Define Dunning Grouping](#) and then assign the field WAERS to this as a grouping criterion. You then have to define the grouping in the contract account of the business partner.

Dunning Charges

Definition

The charges are calculated automatically based on a charges schedule defined in Customizing. In this schedule, you define the currency-specific and creditworthiness-specific charges scales.

To define a charges schedule, proceed as follows:

1. In the Customizing activity [Define Charge Types for Dunning](#) , define charges types.
2. In the Customizing activity [Configure Charges Schedule for Dunning Procedure](#) , define the required amount limits and rounding rules.
3. In the IMG activity [Configure Dunning Procedures](#) , assign the required charges schedules to the dunning levels.

With each charges schedule you can manage charges data for up to three charges types. For each combination of charges schedule and charges types, you can create charges lots that are amount-specific, currency-specific, and creditworthiness-specific. You can then use these to determine charges. You can also define a main and a subtransaction.

You can levy dunning charges as absolute amounts, or as percentages. Percentages are applied to the dunning balance. In the subtransaction, you can define whether additional receivables should be considered in this balance.

The dunning activity run posts the dunning charges defined in the charges schedule for each charges type of a dunning level automatically. From the main and subtransaction, each industry component can derive a statistics indicator that determines whether the charges are posted statistically or relevant to the general ledger.

The charges documents are created in the events 0360, 0361, and 0362. See the documentation for the sample function modules FKK_SAMPLE_0360, FKK_SAMPLE_0361, and FKK_SAMPLE_0362.

Dunning lock

Definition

Processing lock that causes items due for dunning to be restricted or not dunned by the dunning programs.

Use

You can lock individual items or entire contract accounts for dunning by specifying the relevant dunning lock reasons at the required level. You can also restrict the validity of a dunning lock to a specific period. If you set a dunning lock for a line item, only that item is excluded from the dunning run. A dunning lock at the business partner-contract account relationship level means that all items posted to this contract account are not dunned until the lock has expired or has been removed. If an item has a deferral date, it is not dunned until the deferral date has been exceeded.

You define dunning locks in the Customizing activity [Define Dunning Lock Reasons](#). If you designate a dunning lock as dunnable and assign it to an item:

- The item itself does not trigger a dunning notice; it can, however, be dunned with other items
- The item is included in the dunning balance, but is not used for the amount limit check
- The item does not change its dunning level.

This means that it remains at dunning level zero or retains its higher dunning level and is not included in the dunning level of the dunning notice.

i Note

Items or contract accounts that have an incoming payment method but no incoming payment lock are excluded from the dunning run. In this case, the system assumes that the item or contract account concerned is to be paid via the payment run.

If the contract account of a business partner has a payment lock, and the payment method is only in the item and not in the account, neither the payment program nor the dunning program take account of the item.

In the **Insurance** industry component, you can also set dunning locks at insurance object level for which the rules and restrictions described above apply.

i Note

If you use the industry component **Contract Accounts Receivable and Payable** or **Public Sector Contract Accounts Receivable and Payable**, you can use transaction FKKLM to create or change dunning locks centrally. The locks that have been set in this way are replicated in the relevant contract accounts and taken into account in the dunning run.

Using transaction FKKLS, you can display business partner locks centrally.

To be able to use the transactions, you need to set the **Use Business Partner Locks** indicator in Customizing for Contract Accounts Receivable and Payable under **Basic Functions > Postings and Documents > Basic Settings > Maintain Central Settings for Posting**.

Dunning in Alternative Currencies

Use

During dunning, you can handle documents as if they had been posted in a currency other than the local currency (for example, EUR). This means that when you print dunning letters, you can print the amounts in both the document currency and an alternative currency (for example, EUR).

Activities

To be able to dun receivables in a currency other than the document currency, you have to define the alternative payment currency required in Customizing. You do this in the Implementation Guide for **Contract Accounts Receivable and Payable** under **Business Transactions > Define Alternative Currencies**.

Calculation of Interest and Charges According to Fiscal Code

Use

To meet legal requirements of the public legal dunning procedure, you have to make special settings in Customizing and define specific events of the dunning program. The following contains instructions for dealing with the different problem issues.

Activities

System Requirements	Procedure
For each item, the system is to post a separate interest document item.	Include the fields OPUPW, OPUPK, and OPUPZ in the structure CI_FKKIV.
Interest is to be calculated on an monthly baseis for months started where the key date is in the calendar month.	In the Implementation Guide for Contract Accounts Receivable and Payable under Business Transactions Interest Calculation Item Interest Calculation Define Interest Calculation Rules , in the Interval field enter Month, under Monthly Interest Calculation enter Month Started/Key Date in Calendar Month, and for Scale Type , enter No Scaled Interest Rates.
Subitems are to be totaled before they are rounding according to the rounding rule in the interest conditions and then subjected to interest calculation.	In the interest key set the indicator Summarize Subitems before Interest Calculation .
Summarize documents that belong together	If you require further summarization of documents that belong together, by main/subtransaction for example, you can define a customer-specific function module for event 2085. This module can then summarize by fields of the structure FKK_INT_ITEM_CHOSEN in addition to OPBEL, OPUPW, OPUPK, and OPUPZ.You can use function module FKK_CONDENSE_2085 as a template.Event 2085 is only processed if the indicator Summarize Subitems before Interest Calculation is set.Register your installation-specific function module for event 2085 in the Implementation Guide for Contract Accounts Receivable and Payable under Program Enhancements Define Customer-Specific Function Modules .
Interest is to be calculated on cleared subitems if they were not cleared by the key date for the interest calculation	In the Implementation Guide for Contract Accounts Receivable and Payable , under Business Transactions Interest Calculation Item Interest Calculation Define Interest Key , set the indicator Consider All Subitems for Interest Calculation in the interest key.
The base date for the interest calculation is to be moved to the day after the next working day using the factory calendar (grace period rule)	Only for industry component Public Sector Contract Accounts Receivable and Payable In the Implementation Guide for Contract Accounts Receivable and Payable , under Program Enhancements Define Customer-Specific Function Modules , for event 2090 define function module FMCA_SAMPLE_2090 or use this function module as a template for an installation-specific module that you register using event 2090 (see documentation of function module).
The due date of the interest document item should be on the day after the due date of the item, moved to the next working day	In the standard, the due date of the interest document item is the current system date. You can change the due date of the interest document item in a customer-defined function module for event 0370 that first calls the standard module FKK_SAMPLE_0370. The example coding of the function module ZFKK_SAMPLE_0370 calculates the due date of the interest item from the due date of the item subjected to interest as follows: The due date is moved to the next day. If this is not a working day, using event 3030 (factory calendar), the system determines the

System Requirements	Procedure
	Enhancements > Define Customer-Specific Function Modules > .

System Requirements	Procedure
Up to a specific base amount, a minimum charge is to be levied. A percentage charge is to be calculated for the portion of the dunning amount that exceeds this base amount.	In the Implementation Guide for Contract Accounts Receivable and Payable , under Business Transactions > Dunning Notices > Configure Charges Schedule for Dunning Procedure > , in the column Offset Charge in the charges schedule, define an offset that you calculate according to the following formula: $\text{Offset} = \text{Minimum charge} - (\text{base amount} * \text{percentage}/100)$  The base amount is 50 EUR, minimum charge 5 EUR (= 1%) $\text{Offset} = 5 - 50 * 1/100 = 4.5$
Charges are to be restricted to a maximum when interest is posted.	Do not make an entry in the Maximum Charge field in the charges schedule since this charges restriction refers to the interest calculation (see Business Transactions > Dunning Notices > Configure Charges Schedule for Dunning Procedure >). Instead, set the indicator Interest before Charges in the dunning level (see Business Transactions > Dunning Notices > Configure Dunning Procedure >) and define the function module FKK_SPECIALCHARGE_0360 (or another customer-defined function module with other limit amounts) for event 0360.
A charges document is due with the oldest items	In the standard, the due date of the charges document is the current system date. You can change the due date of the charges document in a customer-defined function module for event 0360 that first calls the function module FKK_SAMPLE_0360 or (for charges restriction) FKK_SPECIALCHARGE_0360. The example coding in function module ZFKK_SAMPLE_0360 calls the module FKK_SPECIALCHARGE_0360 and transfers the due date of the oldest main receivable to the charges document as due date. Define the function module in the Implementation Guide for Contract Accounts Receivable and Payable under Program Enhancements > Define Customer-Specific Function Modules > .

System Requirements	Procedure
Interest is not to be calculated on penalty charges and charges	Define a rule for additional receivables where the indicator Subject to Interest is not set. To do this, in the Implementation Guide for Contract Accounts Receivable and Payable choose Business Transactions > Additional Receivables > Define Rules for Additional Receivables > .
Penalty charges and charges are to be dunned with the main receivables causing the charges and with the same dunning level	In the dunning procedure set the indicator Dun New Documents Immediately for the dunning level.
Penalty charges and charges should not contribute to the dunning balance	Do not set the indicator Consider for Calculation of Dunning Balance in the rule for additional receivables.

Once you have configured the dunning parameters described, the system can identify overdue receivables in the system and dun your business partners.

Prerequisites

To prevent you from dunning receivables that have already been paid, you should keep your postings as up-to-date as possible. This means that you should ensure that all payments received have been posted in the system and cleared with the receivables due (for example, using the [automatic clearing program](#) in the SAP Easy Access screen under [►►Periodic Processing►►For Contract Accounts►►Automatic Clearing►](#); transaction FPMA).

Process

In Contract Accounts Receivable and Payable, you dun receivables in a dunning run. Executing a dunning run involves two partial steps:

1. Dunning proposal run in the SAP Easy Access screen, under [►►Periodic Processing►►For Contract Accounts►►Dunning►►Dunning Proposal Run►](#) (transaction FPVA)
2. Dunning activity run in the SAP Easy Access screen, under [►►Periodic Processing►►For Contract Accounts►►Dunning►►Dunning Activity Run►](#) (transaction FPVB)

In the first step, the dunning proposal run determines:

- The contract accounts to be dunned, together with the items due for dunning
- The valid dunning procedure and the related dunning levels for the individual items
- The dunning groupings in which the items are to be summarized


To determine the dunning balance, the dunning proposal run adds the amounts of the items with the highest dunning level in a dunning grouping and compares this total with the amount limit for the applicable dunning level. If the amount limit is not reached, the program adds the total of the amounts for the items with the next lowest dunning level to the total and compares this total with the amount limit for this dunning level. The procedure continues until the amount limit for a dunning level is reached. Dunning takes place in the dunning level, for which the amount limit was reached.

i Note

Additional receivables that were posted as dunning charges or dunning interest can therefore be included in a dunning run as if they had the dunning level of the dunning notice in which they were created. Therefore, when you group according to dunning level, the receivables and additional receivables appear in the same group. To activate this function, in Customizing, set the [Dunning Level](#) indicator in the [Rule for Additional Receivables](#) (see Customizing for Contract Accounts Receivable and Payable under [►►Business Transactions►►Additional Receivables►►Rules for Additional Receivables►►](#)).

The program uses this information to create a dunning proposal structured by dunning groups. The result of the dunning proposal is processed further in the dunning activity run. In the second step, the dunning activity run first determines the dunning activities required depending on the dunning level of the items due for dunning and then performs these activities. You can specify the frequency in which you want to carry out dunning runs. Dunning proposal runs and dunning activity runs can be executed in parallel and therefore enable you to process large quantities of data.

The dunning proposal run proposes a reconciliation key for the documents posted during dunning. You can change this proposal manually. The dunning activity run only uses this reconciliation key if the run ID agrees with that of the dunning proposal run.



Dunning Proposal

Determination of Items Due for Dunning with Their Dunning Procedures and Dunning Levels

Consolidation of Items in Dunning Groupings

Specification of Issue Date of Dunning Notices

Determination of Dunning Activities Corresponding to the Dunning Levels



Execution of Dunning Activities

Interest Calculation on Items Due for Dunning

Calculation and Posting of Charges

Creation of Correspondence, Notes to Processing

Clerks, Entries in Telephone Lists

Release of Items to Collection Agencies

Deactivation of Installment Plans

Change of Creditworthiness

Setting of Print Date



Recording of Dunning Activities

Dunning Run

Result

In a dunning run, you have created, for example, printed material, clerk notes, charge postings, and interest postings. The system has updated the dunning history and the dunning activity history.

Dunning Proposal Run

Use

The dunning proposal run groups overdue items into dunning notices.

Prerequisites

You have defined dunning procedures in the master data of the contract accounts.

If applicable, you have defined the execution variants in Customizing for Contract Accounts Receivable and Payable under ► [Business Transactions](#) ► [Dunning](#) ► [Define Execution Variants for Dunning Proposal Run](#) and entered an installation-specific function module at event 0300 under ► [Program Enhancements](#) ► [Define Customer-Specific Function Modules](#) ►

[Master Data](#)).

i Note

In this way, you can, for example, create a selection for all business partners with an address in Chicago.

After saving the selection criteria, you have scheduled the selection and saved the result under **►►Periodic Processing► Technical Preparations► Create Preselections for Business Partner ►** (transaction FPSP) or **Define Preselection for Contract Accounts** (transaction FPSA).

Features

By specifying the selection criteria in the dunning proposal run, you control which items are dunned. By specifying a dunning procedure, you control the actions carried out during dunning (see [Dunning Procedures](#)).

A successfully completed dunning proposal run is therefore the prerequisite for executing dunning activities.

Activities

1. To do this, in the SAP menu, choose **►►Periodic Processing► For Contract Accounts► Dunning► Dunning Proposal Run ►** (transaction FPVA).
2. Enter a date and an ID that you can use to identify the run later.
3. On the **General Selections** tab, enter the parameters that the program should use to select the items to be dunned. Using the dynamic selections, you can select the fields of the item (table DFKKOP).

For selecting business partners or contract accounts, you can also use preselections for master data. Using these preselections, the system checks the specified master records against the interval limits of the mass activity, as if you had entered these as individual values for the business partner/contract account. In each interval, therefore, the system processes only those master records that are both within the interval limits and are part of the preselection.

To switch back and forth between direct selection and preselection, choose the pushbuttons  **Preselection (Switch to Preselection)** and  **Direct Selection (Switch to Direct Selection)** next to the input fields for the business partner and contract account.

By choosing the  **Detail** pushbutton, you can display the preselection that was entered.

4. On the **Dunning Parameters** tab, specify the following parameters required for the dunning notices:
 - Net due date of the items to be dunned (optional)
 - Date of issue of the dunning notices

As the date of issue, enter the date on which you plan to print the dunning notices. The system proposes the current date. Using the issue date, the system determines the days in arrears for the item due and the interval to the last dunning notice for the business partner.

Using execution variants, you can postprocess the dunning proposal on the basis of any company-specific criteria in event 300.

If you set the **Start Activity Run** indicator, when you start the dunning proposal run, the system automatically starts the dunning activity run as well.

Note that if you start the dunning activity run directly after the dunning proposal run, you can no longer postprocess dunning proposals.

5. Run the program. For more information, see [Functions for Scheduling Program Runs](#).

You can postprocess the dunning proposal. To do this, check the application log of the dunning proposal run. For example, you can exclude individual dunning notices from the dunning activity run by reversing the relevant dunning notices. Or you can remove dunning blocks that have been set in error.

After you have completed postprocessing, delete the relevant dunning proposal run in the menu under **Environment > Delete Dunning Proposal**. Then start a new dunning proposal run. You can start the dunning activity run directly afterwards by setting the **Trigger Activity Run** indicator, or you can start it manually in a separate step.

i Note

The dunning proposal run checks whether there is a dunning notice that has not been executed for a business partner in the system. If this is the case, the dunning proposal run does not create a new dunning notice and issues a warning in the application log.

The dunning proposal run considers dunning reductions that result from dispute cases in **SAP Dispute Management**, for example. The system distributes the dunning reductions to the dunning groups in event 0335 and reduces the dunning balance by this amount. SAP provides the sample function module FKK_SAMPLE_0335_DISPUTE for the deduction of amounts from dispute cases. Define the module as an installation-specific function module for event 0335.

Dunning Activity Runs

Use

Once you have executed the dunning proposal run successfully, start the second subprocess of the dunning run – the dunning activity run.

Prerequisites

1. You have successfully completed the dunning proposal run.
2. You have carried out the preparations required for creating dunning letters (see [Creating Printed Records](#)).

Key Features

The dunning activity run determines and runs the dunning activities defined in the dunning procedures and dunning levels. A dunning activity run relates only to those overdue items determined in a dunning proposal run.

If the dunning activity run carried out a dunning activity successfully, it sets the print date in the dunning proposal. The print date is the same as the run date.

If errors occurred during the execution of the dunning activities run, the system only sets the print date in some of the dunning headers. If the cause of the error is in the dunning proposal, you have to reverse the dunning notices concerned. If the cause of the error is in the dunning activity run, you have to correct the error and then start the dunning activity run again for this dunning proposal run. In this second run, the dunning activity run only processes the dunning notices that have not been executed yet, that is, dunning notices that have not been included in the print date (run date). If the dunning activity run is successful, the print date is set to the run date.

If you run the dunning activity run in simulation mode, you can also test the correspondence creation. If you simulate a run again, but print after the first simulation run, in the second simulation the correspondence container is filled again and you can repeat the print. However, if you do not print between two simulation runs, the data in the correspondence container is overwritten and you can only print once at the end.

Activities

You schedule and start a dunning activity run in the same way as for a dunning proposal run. On the tab page **General Selections**, enter the run parameters for the dunning proposal run that you want to execute and then schedule the program run. For detailed information, see [Functions for Scheduling Program Runs](#).

In the dunning activity run, you can revise the dunning activities defined in Customizing. In event 0351, you can add or delete dunning activities dependent on information from the dunning header (for example, business partner).

The program does not process business partners and contract accounts, for which locks exist during the program run due to dialog processing. Depending on whether you choose the “Business Partner” or “Contract Account” as the parallelization object, the program records all business partners or contract accounts that could not be processed. The job that processes the last interval (this does not have to be the interval with the highest number) selects the business partners and contract accounts that were not processed during the first attempt. If the reason for the lock no longer exists at that time, these business partners or contract accounts are processed, and therefore there is no need to schedule the run again.

Interest Calculation for Dunning Items

Use

If you want to charge interest on items to be dunned, you can link the interest calculation to a dunning level.

Features

If the calculation of interest on items to be dunned is defined for a dunning level, the dunning activity run calculates interest on items with this dunning level automatically.

It does this using the item interest calculation application component. The interest calculation is based on the interest calculation rule of the interest key defined in the dunning level. The interest is posted in accordance with the specifications in the system settings for the dunning level.

Activities

To enable item interest calculation in the dunning activities run, you have to make the following settings in the Implementation Guide for **Contract Accounts Receivable and Payable** :

If necessary, define the interest key that you want to assign to the dunning level under **Business TransactionsInterest CalculationItem Interest CalculationDefine Interest Keys** . The interest key contains the interest calculation rules to be used for the interest calculation, and you can define these in the same section of the IMG in the activity **Define Interest Calculation Rules** .

Activate the interest calculation in the dunning activity run and assign the interest key to the required dunning level of the dunning procedure. You do this by double-clicking on the required dunning level of the dunning procedure concerned under **Business TransactionsDunning NoticesConfigure Dunning Procedure** . Here you also make the following settings:

In addition to interest, you can also levy various charges on your business partner. If you set the indicator **Interest before Charges** , you can define whether the interest is to be calculated before the charges in the dunning activity run. This is necessary, for example, if the amount of the charges is to be dependent on the interest calculated. To create this dependence, define a function module for event 0360 in the Implementation Guide for **Contract Accounts Receivable and Payable** under **Program Enhancements – Define Customer-Specific Function Modules** . SAP delivers function module FKK_SPECIALCHARGE_0360 as an example implementation for such a calculation. This enables you to restrict the amount of the dunning charges if you levy dunning interest as well as dunning charges.

Define the minimum interest amount that can be posted for a dunning notice.

For detailed information, see the documentation for the corresponding fields.

Display Dunning Run Exceptions

The **Display Dunning Run Exceptions** (F7575) app provides a detailed view of the exceptions that occurred for business partners in a dunning run.

Key Features

You select the required exceptions by using the available filters, such as **Dunning Run Date**, **Dunning Run ID**, and **Business Partner**.

In the overview, you can jump to the detail view of the selected exceptions to track the errors that led to the exception.

Integration

In the **Analyze Dunning Run Exceptions** app, if you select a business partner for whom dunning exceptions exist in the overview and then choose **Display Dunning Exceptions**, you branch to the **Display Dunning Run Exceptions** app.

SAP Fiori Implementation Information

For information about implementation of the [Display Dunning Run Exceptions](#) app, see SAP Fiori Apps Reference Library.

Related Information

[Analyze Dunning Run Exceptions](#)

Modifications in the Program Sequence

Use

In the following events you can influence the dunning process:

Event	Function
0307	In event 0307, you can determine, in the dunning proposal run, the

Event	Function
	dunning procedures are different to those defined in the contract account of the business partner, but you want to dun the items together with other items from the same contract account.
0350	You should not define any customer-specific function modules in event 0350. Instead, define dunning activities in the Customizing activity Configure Dunning Activities , and assign the dunning activities to the required dunning level of the dunning procedure (see also SAP Note 487357 ).
0365 and 0366	With a function module in event 0366, you can also dun items in a payment order. To check how long an item has been in a payment order, define a customer-specific function module for event 0365.
0395	As standard, when you reverse a dunning notice, the interest and charges documents are also reversed. To reset the effect of additional dunning activities for the dunning reversal, you have to define function modules for event 0395. SAP also delivers function modules for the dunning activities delivered. For example, function module FKK_SAMPLE_0395_DELETE_CC for deleting correspondence containers or function module FKK_SAMPLE_0395_UNLOCK_VKONT for deleting a lock set in the contract account by the dunning program.

Activities

Enter a function module in the Implementation Guide for Contract Accounts Receivable and Payable under [Program Enhancements](#) > [Define Customer-Specific Function Modules](#) > .

See also the events in the area between 0300 and 0399.

Creating Printed Records

Key Features

To send dunning notices and payment forms with the dunning run, you provide application forms with the [Print Workbench](#) component. You then print the correspondence using the [Correspondence](#) component. The following form classes are delivered as standard:

- FI_CA_DUNNING_NEW (Contract Accounts Receivable and Payable) with the sample application form FI_CA_DUNNING_SAMPLE_SF (Smart Form)
- IS_U_CA_DUNNING (industry components Utilities, Telecommunications)

Depending on the dunning activity, you can create documents for a dunning notice in two ways:

- The dunning activity run creates the documents using industry-specific or customer-specific dunning activities. SAP does not recommend this method.

component. In events 0770 and 0773, you can determine the recipient and address for a dunning letter dependent on the dunning level.

i Note

To avoid printing dunning notices that have already been reversed, always print the documents immediately after the dunning activity run.

Payment Forms

If you use the function modules *DUNNING_PR_CORR_CONT_0350 as a dunning activity, you can also send a payment form for the dunned items and the related interest and charge documents with the dunning letter. If the activity for creating correspondence has not created a payment form number, you can assign the payment form number using the function module FKK_DUNNING_PF_NO_DET_0350. The internal and external payment form numbers are saved in the dunning header and can be used to assign the open items on payment receipt.

You print using the [Print Workbench](#). There, certain form classes, such as form class IS_U_CA_DUNNING, provide data in structure PAYM0 ([Attached Payment Media Output](#)). You can print this data on the attached payment form. The application form itself can also trigger a special printout using a separate CALL FUNCTION OPEN_FORM.

Using a [collection](#), you can print the application form and the payment form attached together (see also the documentation for the Print Workbench).

For detailed information about creating payment forms, see [Payment Forms](#).

Activities

1. Configure the application forms you need in Customizing for Contract Accounts Receivable and Payable under [Basic Functions](#) [Print Workbench](#) [Define Application Forms](#). For more information, see [Processing Application Forms](#) in the documentation for the [Print Workbench](#).
2. Assign the application form to the required dunning activity in the Customizing activity [Configure Dunning Activities](#) (see [Business Transactions](#) [Dunning Notices](#)).
3. Define the dunning activities in the individual dunning levels of the dunning procedure (see [Business Transactions](#) [Dunning Notices](#) [Configure Dunning Procedures](#)).

If you set the indicator [Print All Items](#) in Customizing for the dunning level (screen area [History and Dunning Printing](#)), you can include items that are due in the future (info items) in the printout. The info items are not displayed in the dunning history. To print the total of all items selected, you have to create the total in your dunning form in the Exit-During-Loop of level OPEN_ITEM, print it, and then reset it in the Exit-After-Loop.

Calculating Charges

Use

You can automatically charge your customers for the creation of dunning notices.

Activities

For the correspondence types **Dunning** and **Correspondence Dunning** (0003 and 0020), charges schedules defined in a correspondence variant have no effect.

Archiving Dunning Notices

Use

You can archive dunning notices optically.

Activities

In the Implementation Guide for **Contract Accounts Receivable and Payable**, under **Basic Functions > Correspondence > Archiving > Define Archives for Paper Records**, you can define which object type is to be used for archiving. Object type BUS4401 is used as standard for dunning notices. If however, you use object type CA_DUNNING for correspondence type 0003, the selected dunning activity creates an entry in the correspondence container, and the print program archives the paper records, you can also store the dunning letters under the dunning key in the archive. If you specify key fields from the dunning header in the **Business Document Navigator**, you can also find dunning notices, for example, under the class name **CA_DUNNING** and class type **BO**. Note that you cannot change the archiving object in Customizing in the meantime.

Reversing a Dunning Run

Use

If a dunning activity run has not been performed correctly (for example, incorrect issue date), or if individual items of the dunning activity run have not been successfully posted, because, for example, individual business partners were locked by a parallel process, you can use the **Mass Reversal of Dunning Notices** function (transaction FPVC) to reverse a complete dunning proposal run or the dunning notices not run successfully, and to reset all entries with errors in the dunning activity run.

Key Features

The system resets either the whole run or the items that were not successfully posted and marks the relevant entries in the dunning history as being reversed. The system determines and reverses the charges and interest posted during the dunning activity run and resets the creditworthiness for the customer in question. To reset additional dunning activities, you have to define a function module for event 0395 for each activity.

The reversed entries in the dunning history are not included in the dunning level determination for the next dunning proposal run.

i Note

Note for the Industry Component Utilities Industry

The lock document created by the dunning notice is deactivated.

Activities

3. On the **General Selections** tab, specify the ID of the dunning proposal run that you want to reverse.
4. Execute the run.

For more information about scheduling the run, see [Functions for Scheduling Program Runs](#).

Dunning by Telephone

Key Features

If you define the function module FKK_SAMPLE_0350_TEL_ITEM as dunning activity in Customizing, the dunning activity run automatically includes business partners that receive a dunning notice in a telephone list. You can then use this list to contact the business partners concerned by telephone.

To process the telephone list, you can use the **Dunning Telephone List** transaction (transaction FPDUTL) in the SAP Easy Access screen, under: **►Periodic Processing►For Contract Accounts►Dunning Notice►** Several clerks can use this transaction simultaneously. If the call to the dunned business partner has been made, the clerk responsible can set the entry in the list to “Completed”. To give a business partner information during the telephone call, you can use the detailed information for an entry in the telephone list, for example, to access the account balance, to access the objects linked to the dunning notice, and to access another function that you call up installation-specific in event 9011. To document the communication with the business partner in the system, the clerk can also create customer contacts manually or automatically – depending on how the system is configured. If a clerk has removed an entry from the list for processing, this entry is locked for processing for other clerks. Once processing is complete, the clerk can set an entry to “Completed” again, or place it back in the list.

When you reverse a dunning notice or a dunning run, the system can automatically delete entries in the telephone list. To do this, use function module FKK_SAMPLE_0395_TEL_ITEM in event 0395. The entry is deleted regardless of its status at this point.

Using [correspondence type 3003](#), you can use the correspondence recipient control to enter an alternative business partner in the telephone list.

Authorizations

The activities in the telephone list are protected by the authorization object F_KKDUTL.

Connection to mySAP CRM

If you do not process the list created by the dunning activity run in Contract Accounts Receivable and Payable with the transaction **Dunning Notices Telephone List**, but want to forward it to an external system, for example, the call center in **mySAP CRM**, you have to implement events 9010, 9012, and 9013. You can forward the list as follows:

- Automatically in the dunning run

Define the function module FKK_TRANSFER_CALL_LIST_1799 in event 1799.

- Independently of the dunning run

To do this, start report RFKKMADUTLTRANF. Make sure you read the report documentation.

Using an installation-specific function module for event 0395, you keep **mySAP CRM** up-to-date after you have transferred the data, for example, if an entry is removed from the telephone list again as the result of a reversal of a dunning notice.

also exists as business partner in the system where FI-CA runs. CRM middleware replicates the business partner Clerk and makes the assignment to the contract account.

Maintenance in Contract Accounts Receivable and Payable (FI-CA)

In FI-CA, enter the required clerk in the contract accounts of your business partners on the tab page **General Data** in the field **Clerk Responsible**.

Maintenance in CRM System

mySAP CRM portrays the clerk as a partner function using the business agreement. In Customizing for CRM you define which partner function is to be replicated in the corresponding field in the contract account.

Deleting Data Records No Longer Required

You can delete old entries that are no longer required – this decreases the burden on the system. To do this, on the SAP Easy Access screen, choose: ► **Periodic Processing** ► **Delete Data** ► **Entries in Dunning Telephone List** ► See the report documentation.

Activities

Make the following settings in Customizing for Contract Accounts Receivable and Payable:

- Configure the dunning activities under ► **Business Transactions** ► **Dunning Notices** ►.
- Your clerks can use customer contacts to document communication with the business partners in the system. To enable this, carry out the contact configurations for the program context SAPLFKKDUTL under ► **Basic Functions** ► **Customer Contacts** ► **Define Configurations** ►.
- Under ► **Technical Settings** ► **Prepare Processing of Clarification Worklists** ►, you can adjust the functions of the clarification worklist. The relevant application object has the key DUTL. In particular, here you can define your own processing status and user commands. SAP delivers the function module FKKDUTL_EVENT_UCOMEXIT_OTHER as an example for user commands.
- If you use the function module FKK_SAMPLE_0746_TEL_ITEM as a dunning activity, you can also create a telephone list in Correspondence Dunning (compare [Dunning Incoming Correspondence](#)).

Dunning History

In a dunning history, the system records all dunning data for each dunned item. There you can find out about the individual dunning steps. The dunning program uses the dunning history to determine the dunning levels.

In the dunning history (transaction FPM3), you can see which items have been dunned for a particular area. The functions of the dunning history are protected by the following authorization objects:

- F_KKDU (Dunning in Contract Accounts Receivable and Payable)
- F_KKKO_BUK (Authorization in Company Code)
- F_KKKO_GSB (Authorization in Business Area)
- F_KKKO_BEG (Authorization for Account via Authorization Group of Contract Account)

(cross-contract account dunning), the system does not check the authorization group. The system issues a message informing you of how many dunning notices are not displayed due to missing authorizations. Using the authorization object F_KKDU, the system checks the dunning history for authorization for the activities [Set Next Dunning Level](#) and [Reverse Dunning](#).

i Note

In the account balance and the document display, you can display the dunning history only for line items that have actually been dunned, that is, items for which you have already performed dunning activities. Items that were included in the dunning notice as info items (as described in [Creating Printed Records](#)) do not appear here.

For each business partner, the dunning history shows the name and address as standard. With a customer-specific module defined in event 4700, you can change this text to meet your requirements.

You can display additional data fields by enhancing the customer includes of structure FKKMAKO_PLUS for the dunning header and those of structure FKKMAZE_STRUC for the dunning items. Afterwards, fill your additional fields using a customer module for event 0391 for the dunning header or event 0392 for the dunning items.

Related Information

[Maintain Dunning Notices](#)

Displaying Dunning Activities

1. To display dunning activities, in the SAP Easy Access screen, choose: [Account](#) > [More Information](#) > [Dunning History](#) > (Transaction FPM3).

2. Enter the parameters that you want to use to select dunning notices.

To display dunning notices that have not been executed successfully, in the field [Selection by Print Date](#), enter Only without Print Date as selection parameter. The [Print Date](#) is the date for the execution of all dunning activities of the update run of the dunning activity run. If required, enter the display variants for the header and item.

3. Choose [Continue](#).

4. To display the separate line items (dunning items) that make up the dunning notices in the dunning history, place the cursor on the relevant dunning notice and double-click on the column [Counter](#) or select the button [Display Dunning Items](#).

All items in the dunning notice are displayed in the dunning history. For each dunning header and dunning item, you can also display the related documents (see [Displaying Documents for Dunned Items](#)). On the [Dunning History: Dunning Items](#) detail screen, you can use the object services to display the business objects linked to a dunning notice. If, for example, when you print a dunning letter you have automatically created a customer contact, or you have created a customer contact manually, and this customer contact contains an object link to the dunning notice, you can use the object services to display the linked customer contacts.

You can use display variants to influence the layout of the list containing the dunned items. For example, you can hide the key fields that have the same entries for all dunning items in a dunning notice.

i Note

If you have defined archiving object BUS4401 or CA_DUNNING in Customizing for correspondence type 0003, and have stored letters in the optical archive when printing, you can display archived dunning notices from the dunning history. (See

Editing Dunning Items

Use

In the dunning history, you can assign a dunning level to dunned items. This new dunning level is then considered in the next dunning level. However, you cannot change the current dunning level for an item in this way.

Procedure

1. Display the dunning items as described in [Displaying Dunning Activities](#) .
2. Place the cursor on the required dunning grouping (dunning header) and choose **►Goto ► Dunning Line Items** in the menu. 
3. Place the cursor on the required dunning line item and choose **Edit Dunning Items**. The screen for editing the dunning items appears.
4. Enter the new dunning level.
5. Choose **Save** .

i Note

Note for industry component Insurance You edit the dunning line items from the contract-related dunning history (see: [Displaying the Dunning History](#)).

Displaying Documents for Dunned Items

Use

In the dunning history, you can display the documents related to the dunned items, for example, interest or charges documents.

Procedure

1. Display the dunning items as described in [Displaying Dunning Activities](#) .
2. For each dunning grouping (dunning header), you can display the documents for interest and charges posted. For each item in a grouping (dunning item), you can display the source document of the item due for dunning.

To display the documents described above, place the cursor on the relevant document number and choose the button **Display Document** , double-click on the document number, or choose the menu path **►Goto ► Document.** 

Result

The system displays the selected document. You can use additional functions in the document display (see also [Functions in Document Display and Document Change](#)).

Reversing Dunning Notices

Reversing one or more dunning notices.

Procedure

1. Display the dunning history as described in [Displaying Dunning Activities](#).
2. Place the cursor on the required dunning notice (dunning header) or select the required dunning notices and then choose the **Reverse Dunning Notice** pushbutton or choose **►Goto►Reverse Dunning Notice►** from the menu.
3. If necessary, specify the reason for which you want to reverse the dunning notice.

If you have maintained reversal reasons in Customizing for Contract Accounts Receivable and Payable under **►Business Transactions►Reversal►Define Reversal Reasons►**, the system asks you to specify a reason. If you have not entered any reasons here, the system does not prompt you to enter a reason. Specifying a reason is optional.

4. In the dialog box that appears, confirm the reversal of the dunning notice(s).

i Note

In event 0395, you can realize additional activities when carrying out reversals.

Result

The reversed dunning notices are no longer used to determine the dunning levels and for calculating creditworthiness. The system automatically reverses the charges and interest posted as a result of the dunning run.

Displaying Dunning Runs

Use

By displaying a dunning run, you can determine which dunning runs processed an item.

Prerequisites

The dunning activity runs to be displayed were successfully executed.

Procedure

1. Display the dunning history as described in [Displaying Dunning Activities](#).
2. Place the cursor on the required dunning grouping (dunning header). In the menu choose **►Goto►Dunning Items.►**
3. Place the cursor on the required dunning item and choose **Display Dunning Runs** or the menu **►Goto►Display Dunning Runs.►**

Result

In an information window, you see a list of the run date and identification of all dunning runs in which the selected item was dunned.

The system records all dunning data for each dunned item. Using the [Maintain Dunning Notices](#) (F3678) app you can manually intervene in the dunning processes.

Key Features

You use the [Maintain Dunning Notices](#) app to do the following:

- Display dunning notices
- Display dunning notice items
- Set the next dunning level for a dunning notice item
- Reverse dunning notices

SAP Fiori Implementation Information

In the SAP Fiori Apps Reference Library, see the details for the [Maintain Dunning Notices](#) app.

Troubleshooting

The following information will help you analyze problems that occur in dunning runs:

Problem	Cause/Solution
An item is not dunned.	• There are dunning notices for the business partner that have not been executed. • The item is not due yet or has been deferred. • No dunning procedure is assigned to the item/contract account. • The item or the related contract account has a dunning lock or posting lock. • The item is in a workflow. Approval has not yet taken place. • The last dunning level has been reached. • The amount to be dunned is below the amount limit for dunning notices. • The item is an additional receivable whose main or subtransaction has not been configured to trigger dunning. • The dunning notice is not in line with the dunning frequency.
The dunning level of an item is reduced automatically after partial clearing.	As a result of the partial clearing, the amount no longer reaches the amount limit of the previously reached dunning level. The item therefore returns to a lower dunning level.
The dunning level of an item is not reduced automatically after partial clearing.	

Problem	Cause/Solution
	in the account is overdue, the higher of the dunning levels for both items is used to determine the total dunning level of the dunning notice. The system creates dunning notices at the same dunning level until the dunning balance qualifies for the next dunning level. • An item does not qualify for the next dunning level based on the arrears days reached, but a new receivable is due for dunning. However, no dunning frequency is specified for the dunning level of this receivable, or the dunning frequency has already been exceeded. This means that the dunning run creates another dunning notice at the same dunning level. • The indicator Always Dun is set in the dunning level concerned. See the documentation for the indicator in Customizing. • The indicator Print All Items is set and the item is only an info item and therefore is not to be dunned. • You have manually set the old dunning level as new dunning level.
A payment lock and an incoming payment method are set in the contract account. Despite this, the message Incoming Payment Method Exists appears, and no dunning notice is created.	The items in the contract account are paid from a different contract account where no payment lock is set. SAP note 584562 contains instructions on how you can consider payment locks of both contract accounts involved.
An item reaches a dunning level whose dunning frequency has not been reached.	The dunning run compares the dunning frequency of the dunning level of the item with the dunning frequency of the dunning level of the complete dunning notice. The dunning frequency should either grow with the dunning level, or remain the same; it should not be reduced.
You expect one dunning notice but receive several.	The dunning run splits the dunned items into several groups. Check the dunning grouping fields in Customizing, the dunning procedures of the individual items, and whether an alternative installment plan procedure has been maintained for the dunning procedure.

Valuating the Success of Dunning

Use

With the **Success Valuation of Dunning** mass activity, you can determine whether the dunnings that you executed in Collections Management and the dunning procedure or collection strategy you selected were successful.

Key Features

The success valuation checks to what extent the dunning items have been paid and whether the payment was as close after the

The determination of the success is not subject to a fixed logic and can be performed by an installation-specific function module for event 0393. SAP provides the sample module FKK_SAMPLE_0393 where, for example, each payment received within 7 days of dunning is seen as a 100% success. Each further day of delay reduces the success percentage rate by 2.5%.

❖ Example

If EUR 100 is dunned, and a payment of EUR 70 is received after 7 days, and the remaining amount of EUR 30 is paid after 15 days, this results in a success percentage rate of 100% for EUR 70, and 80% for EUR 30. The weighted average is then 94%. The valuation run enters this value in the dunning history.

Activities

1. In the SAP menu, choose ► **Periodic Processing** ► **For Contract Accounts** ► **Dunning** ► **Success Valuation of Dunning** ► (transaction FPVV).
2. Enter a date and an ID that you can use to identify the run later.
3. On the **Selections** tab page, you can restrict the dunnings to be selected by business partner and company code or the run parameters of one or more dunning runs.
4. Schedule the program run. For more information, see [Functions for Scheduling Program Runs](#).

Creditworthiness

Use

The creditworthiness of a business partner provides information on the business partner's payment history and influences the selection of activities for dunning and/or returns and also the calculation of charges. Various different business transactions, such as returns, dunning notices, installment plans, and write-offs update the creditworthiness in the system automatically. You can also transfer a creditworthiness record from external systems or manually.

By default, the FI-CA creditworthiness of a business partner is calculated as a weighted total of the creditworthiness figures from the past 48 months (maximum). You define the monthly weightings in Customizing. A creditworthiness of zero means that the business partner has an excellent payment history. The maximum value is 9999. At event 0400, you can override the default calculation of the FI-CA creditworthiness.

The creditworthiness value of a business partner results from the following parameters:

- The calculation type of the total creditworthiness

You define how the system determines the total creditworthiness in Customizing for Contract Accounts Receivable and Payable under ► **Integration** ► **Financial Supply Chain Management** ► **Credit Management** ► **Define Specifications for Credit Management** ► in the **Calculation Type** field. For more information about the calculation options, see the documentation for the field.

⚠ Caution

If you change the calculation type from SPACE to another value or change the value to SPACE, you must execute the mass activity **Replicate Creditworthiness** (transaction FPCM2) to replicate the external creditworthiness again.

The reason for this is that the external creditworthiness is reduced during replication by the FI-CA creditworthiness for

- The creditworthiness factor in percent
- Manual creditworthiness
- Number of dunning notices, returns, and write-offs

The creditworthiness figure is adjusted if a dunning notice or return is reversed.

Prerequisites

Time-Dependent Weighting

To determine the weighted total, enter a time-dependent creditworthiness weighting in Customizing for Contract Accounts Receivable and Payable under ► [Business Transactions](#) ► [Dunning](#) ► and/or ► [Returns](#) ► [Define Time-Dependent Creditworthiness Weightings](#) ►.

Dunning

If you want to use scoring, enter the dunning activities and/or dunning charges in conjunction with a creditworthiness figure. The dunning activity run reads the current creditworthiness of a business partner and selects the dunning activity and dunning charge where the creditworthiness determined is greater or the same as the creditworthiness value defined in Customizing.

You can define a creditworthiness weighting in the dunning levels of dunning procedures. Once dunning has taken place, the creditworthiness figure of the current month is increased by this number.

You can define the creditworthiness figure in each dunning procedure and dunning level (in Customizing for Contract Accounts Receivable and Payable under ► [Business Transactions](#) ► [Dunning](#) ► [Configure Dunning Activities](#) ► and [Configure Charge Schedules for Dunning Procedure](#)).

Returns

If you want to use scoring, enter the returns activities in conjunction with a creditworthiness figure. During returns processing, the creditworthiness of a business partner is determined automatically, and, depending on this creditworthiness among other things, the returns activity where the creditworthiness value determined is greater or the same as the value defined in Customizing is selected.

You can define a credit weighting in the returns reasons. Once returns processing has taken place, the creditworthiness figure of the current month is increased by this figure.

You can define the creditworthiness weighting with the returns reason in Customizing (see Customizing for Contract Accounts Receivable and Payable under ► [Business Transactions](#) ► [Returns](#) ► [Configure Returns Reasons](#) ►).

Write-Offs

Write-offs can also have a negative effect on a customer's creditworthiness. If you want to use scoring, enter the write-offs in conjunction with a creditworthiness score.

You can define the creditworthiness weighting with the write-off reasons in Customizing (see Customizing for Contract Accounts Receivable and Payable under ► [Business Transactions](#) ► [Write-Offs](#) ► [Configure Write-Off Reasons](#) ►).

Installment Plan

- In the [Define Categories for Installment Plan](#) activity, you can define a creditworthiness number for each installment category. On the creation of an installment plan, it is assigned to the related business partner.
- In the [Define Deactivation Reasons for Installment Plan](#) activity, for each deactivation reason, you can specify whether a creditworthiness entry updated on creation of the installment plan is reversed when the installment plan is deactivated.

Features

The system automatically determines the total creditworthiness of a business partner in returns processing and in a dunning run. The creditworthiness influences the activities and the charges levied, provided that you have defined the activities and charges dependent on creditworthiness in Customizing.

There is a display and change function for creditworthiness. There are the following features:

- You can display the automatically determined creditworthiness of every business partner in a creditworthiness history. Using the creditworthiness history you can see an overview of when the creditworthiness of a business partner changed (SAP menu: [Account](#) [More Information](#) [Creditworthiness](#), transaction FPCR1).
- You can enter or change the creditworthiness manually. The manual creditworthiness is added to the value of the automatically determined creditworthiness, and thus forms the overall creditworthiness of a customer.
- You can enter a percentage creditworthiness factor for each business partner. You use this factor to weight the creditworthiness depending on the business partner.
- You can fix the current value of the automatically determined creditworthiness. The creditworthiness value can then only change for reasons relating to creditworthiness, such as dunning or dunning notice reversal, but not for time-dependent reasons.
- You can release this fixed value manually, so that the creditworthiness can change for time-dependent reasons.
- You can enter or reverse a creditworthiness record manually or with a BAPI in the creditworthiness history. The system then determines the new creditworthiness automatically.
- For the creditworthiness of a business partner, SAP delivers the object type CA_CRDRTNG and the [BAPIs](#) contained therein.

Change documents record any entries or changes that you have made to the manual creditworthiness, as well as changes to the percentage creditworthiness factor.

If there is no data record for the current calendar year when you call the [Change Creditworthiness](#) function, the system automatically creates an initial record. The initial record contains the current calendar year. All other values in the creditworthiness records are blank.

Activities

You display and change the creditworthiness of a business partner in the SAP menu under [Master Data](#) [Business Partner](#) [Display Creditworthiness / Change Creditworthiness](#) (transactions FPCR1 or FPCR2) or in the [Manage Creditworthiness](#) app.

Related Information

[Compare Credit Score](#)

With the **Manage Creditworthiness** (F4408) app you can display and change the creditworthiness of business partners.

Key Features

You can use this app to:

- Display the creditworthiness of a business partner
- Change the creditworthiness of a business partner
- Track the creditworthiness of a business partner over time
- Fix the creditworthiness of a business partner

The system automatically determines the creditworthiness of a business partner in returns processing, in a dunning run, and during write-off. The creditworthiness influences the activities and the charges levied, provided that you have defined the activities and charges dependent on creditworthiness in the system configuration.

The creditworthiness value consists of a manual and an automatic part. The automatic value is determined by multiplying the credit numbers of the processes relevant for creditworthiness (such as dunning notices and returns) by the time-dependent credit weighting, and adding up the results.

Creditworthiness is determined using the following formula:

$$\text{Creditworthiness} = \text{automatic creditworthiness value} \times \text{percentage credit factor} + \text{manual creditworthiness}$$

The best creditworthiness value is 0. This means that the business partner has a good payment history and has, for example, not been sent a dunning notice in the last few months. The worse the payment history of a business partner is, the higher is the creditworthiness value.

The **Manage Creditworthiness** app displays the creditworthiness of business partners in a list. You can limit the results list by using filters. Once you have selected an entry from the list, the system displays all creditworthiness records, monthly totals, and the change history of the business partner.

When you edit a business partner's creditworthiness:

- You can enter or change the creditworthiness manually.

The manual creditworthiness is added to the value of the automatically determined creditworthiness. The result is the total creditworthiness of the business partner.

- You can change the percentage creditworthiness factor.

You use this factor to weight the creditworthiness depending on the business partner. The percentage only refers to the creditworthiness portion that is determined automatically. The manual creditworthiness value is not affected.

Example

If you enter a percentage of 0 for a customer, the automatic portion of creditworthiness is not considered. In this case, the creditworthiness value is that of the manual value.

- You can fix the current value of the automatically determined creditworthiness.

The creditworthiness value can then only change for reasons relating to creditworthiness, such as dunning or dunning

- Under **Creditworthiness Records**, you can enter (create) a creditworthiness record manually. These manual entries you can reverse. The system determines the new creditworthiness automatically.

Change documents record any entries or changes that you have made to the manual creditworthiness, as well as changes to the percentage creditworthiness factor. If there is no data record for the current calendar year, the system automatically creates an initial record. The initial record contains the current calendar year. All other values in the creditworthiness record are blank.

SAP Fiori Implementation Information

In the SAP Fiori Apps Reference Library, see the details for the [Manage Creditworthiness](#) app.