

Testing Notes

AI Competitor Intelligence Pipeline

1. Testing Objective

The purpose of testing was to validate that the workflow could move data from a live competitor pricing page into Airtable as structured records.

Testing was completed in checkpoints so each node could be verified before adding the next integration.

2. Test Environment

Area	Details
Workflow platform	Gumloop
Test competitor page	https://www.notion.com/pricing
Testing endpoint	Webhook.site
Final destination	Airtable - Pricing Records table
API method	POST
Loop behavior	One request per pricing plan

3. Checkpoint Results

Checkpoint	Test Performed	Result
Input Node	Entered competitor_url with the Notion pricing page.	Passed - URL value was available to downstream nodes.
Website Scraper	Scraped the Notion pricing page.	Passed - scraper returned readable pricing-page content.
Extract Data	Extracted competitor name, plans, prices, billing periods, target users, key features, and PM insights.	Passed - extracted Free, Plus, Business, and Enterprise plans.
Ask AI	Formatted extracted values into Airtable-compatible JSON.	Passed after field-name cleanup.
Webhook.site	Sent POST requests to validate payload structure.	Passed - JSON payloads were visible in request body.
Airtable API	Sent final POST requests to Airtable.	Passed - Airtable returned rec... record IDs and created rows.

4. Webhook.site Validation

Webhook.site was used before Airtable to confirm that Gumloop was sending outbound POST requests with the expected JSON body.

- Confirmed the request method changed from GET to POST when Gumloop ran the API node.
- Confirmed Content-Type was application/json.

- Confirmed Loop Mode produced multiple requests, one per pricing plan.
- Confirmed extracted plan data was present in the raw request body.

5. Airtable API Validation

Airtable was validated after the Webhook.site payload test. The workflow was considered successful when Airtable returned record IDs and new rows appeared in the Pricing Records table.

Successful response pattern:

```
{
  "id": "recXXXXXXXXXXXX",
  "createdTime": "...",
  "fields": {
    "Competitor Name": "Notion",
    "Plan Name": "Business"
  }
}
```

6. Issues Found and Fixes

Issue	Cause	Fix
HTML response returned from API	The wrong Airtable URL was being called.	Use API format: https://api.airtable.com/v0/app.../Pricing%20Records or /tbl...
INVALID_API_VERSION	API path was not formatted correctly.	Use exactly one /v0/ in the Airtable API URL.
AUTHENTICATION_REQ UIRED	Authorization header was missing or token was not passed correctly.	Set Authorization header to Bearer AIRTABLE_PERSONAL_ACCESS_TOKEN.
UNKNOWN_FIELD_NAME	JSON field names used snake_case such as competitor_name.	Use exact Airtable column names such as Competitor Name.
Single value expected / List received	Ask AI was receiving list outputs from Extract Data while Loop Mode was off.	Turn Loop Mode on for Ask AI and Call API.
Duplicate Airtable rows	The workflow was run multiple times during testing.	Delete duplicates manually or add deduplication logic in a future version.

7. Final Verified Flow

```
Competitor Pricing URL
-> Gumloop Input Node
-> Website Scraper
-> Extract Data Node
-> Ask AI JSON Formatter
-> Call API Node
-> Airtable Pricing Records Table
```

8. Final Test Outcome

Expected Record	Created in Airtable
Notion - Free	Yes
Notion - Plus	Yes
Notion - Business	Yes

Expected Record	Created in Airtable
Notion - Enterprise	Yes

9. Regression Checklist

- Run the workflow with the Notion pricing URL.
- Confirm Website Scraper returns readable content.
- Confirm Extract Data returns the expected pricing plan list.
- Confirm Ask AI output starts with { "fields": { ... } }.
- Confirm Call API returns Airtable record IDs starting with rec... .
- Confirm Airtable rows are created in the Pricing Records table.
- Remove duplicate rows after repeated test runs.

10. Notes for GitHub Screenshots

- Show the full Gumloop workflow canvas.
- Show a sample Extract Data result.
- Show a successful Call API response with rec... IDs.
- Show Airtable rows created by the workflow.
- Blur Airtable tokens, private API URLs, Webhook.site URLs, and personal account details.