









<a href="#">Cosmos DB API</a>	<a href="#">Cosmos DB Docs</a>
<a href="#">Key Vault API</a>	<a href="#">Key Vault API</a>
<a href="#">Stream Analytics API</a>	<a href="#">Stream Analytics Docs</a>
<a href="#">Time Series Insights API</a>	<a href="#">Time Series Insights Docs</a>



















[illegible]































































































```
s-l , [et * "Wff" [ ue "Wff" ] z [
```

```
{
```

```
  "Method": "GetUsers",
```

```
  | ED2 2
```

```
  "Models": [
```

```
    srs",
```



```
{
  "Method": "GetTenants",
  "Models": [
    {
      "roles": "[\"admin\"]",
      "name": "test",
      "type": "Member"
    }
  ]
}
```



```
{
  "Method": "GetTenants",
  "Models": [
    {
      "roles": "[\"admin\"]",
      "name": "test",
      "type": "Model"    "type": "[
```











```
{  
  "Method": "string",  
  "Mode
```






```
{  
  "Method": "string",  
  "Mode
```






```
{  
  "Method": "string",  
  "Models": [{"": [{"": [""]
```





```
{  
  "Method": "string",  
  "Mode
```








```
{  
  "roles": ["admin"],  
  "name": "test",  
  "type": "Member",  
  "userId": "3e30f301-4f57-4re 4"
```



```
{
  "roles": ["admin"],
  "name": "test",
  "type": "Member",
  "userId": "3e30f0301-4f57-4b3e-949a-3ff8e93870b5",
  "tenantId": "233r3"
```



```
{  
  "Method": "GetUsers",  
  "Models": [  
    {  
      "roles": "[\\\"admin\\\"]",  
      "name": "Test H
```





























```
{
  title: 'tt
```

```
      "Value": "Yes"  
    }  
  ],  
  "SupportedMethods": [],  
  "Tel er e"
```

Authorization URL: <https://login.microsoftonline.com/orsitestab2connmicrosoft.com>



{  
" { M










1003

```
{  
  "id": "
```



```
{  
  "id": "string"  
}
```







































```
{
  "jsObject": {
    "content": {
      "deviceContent": {
        "properties.desired.softwareConfig": {
          "softwareName": "I™Iq™Iq™Iq™b/d"
```

```
{
  "$metadata": {
    "$modified": "2011/02/11/02r/
```

































System.String	version	
LicenseString fM VQ{iE#o}i hampny{M #o}ĩ	c ~	c F ~


--



--



--









































```
{
  "Items": [
    {
      "Count": 17,
      "Status": "open",
      "Created": "2020-10-15T12:12:00+00:00",
      "Rule": {
        "Id": "54d0f242-c7e0-402d-9e39-f8d1e01a28ra"
      }
    }
  ]
}
```





```
{
  "Items": [
    {
      "C
```



```
{  
  "Item"
```











```
{
  "items": [
    {
      "name": "sample",
      "blobName": "sample",
      "uploadedBy": "sampleDevice",
      "uploadedOn": "date",
      "size": 0
    }
  ]
}
```

## Security

Type: OpenID Connect

Flow: implicit


Authorization UR: [i](#) F








```
{  
  "iteme
```






```
{  
  "iteme
```







```
{  
  "item
```







```
{  
  "eTag": "string",  
  "id": "string",  
  "name": "string",  
  "dateCreated": "string",  
  "dateModified": "string",  
  "enabled": "string",  
}
```





```
{
  "eTag": "string",
  "id": "string",
  "name": "string",
  "dateCreated": "string",
  "dateModified": "string",
  "enabled": "string",
}
```









```
{
  "items": [
    {
      "ed      u      u uu      u
```

```
{
  "Items": [
    {
      "E"
```



```
{
  "eTag": "string",
  "id": "string",
  "name": "string",
  "dateCreated": "string",
  "dateModified": "string",
  "enabled": "string",
}
```












































































ConfigType	Type which specifies the type of configuration	Yes, If Padka

--	--	--



{

"Devi ceGrZ

```
{  
  "deploymentId": "string",  
  "name": "string",  
  "deployment": {}  
}
```



```
{
```

```
"DeviceGroupID": "2f411a20-7632-45f0-bf43-5ae4z"
```





"Configtype": "Firmware",  
"MetricPac

ᄃ 3 3333ᄃᄃ ᄃ ᄃᄃᄃᄃ ᄃ333 3333 ᄃ 233 ᄃ 23ᄃ ᄃᄃᄃ3ᄃ333 • #B#3 #ᄃᄃᄃᄃᄃᄃᄃᄃ#B#3 #ᄃᄃᄃᄃᄃᄃᄃᄃ

```
{
  "$metadata": {
    "$type": "DevicePropertyList;1",
    "$url": "/v1/deviceproperties"
  },
  "Devices": null,
  "IsActive": false,
  "IsLatest": false,
  "CreatedDate": "2020-10-16T08:49:03.0000000-07:00",
  "LastModified": "2020-10-16T08:49:02.0000000-07:00"
}
```













Response

```
{
  "$metadata": {
    "$type": "DeviceList;1",
    "$uri": "/v1/devices"
  },
  "ContinuationToken": null,
  "ContinuationToken": null
}
```

```
{
  "$metadata": {
    "$type": "DeviceList;1",
    "$uri": "/v1/devices"
  },
  "ContinuationToken": null | èul | èul | è data": {
```





```
{
  "me" "e" "e" "e"
}
```

```
{
  "$metadata": {
    "$type": "DeviceList;1",
    "$uri": "/v1/devices"
  }
}
```

```
{
  "$metadata": {
    "$type": "DeviceList;1",
    "$uri": "/v1/devices"
  },
  "ContinuationToken": null,
  "Total": 1,
```

```
{
  "$metadata": {
    "type": "DeviceList;1",
    "uri": "/v1/devices"
  },
  "id": "ce-010-cæ"
```



Provides the report of the devices which are in the

Província de Antioquia      Pk f o e e e e      Ê Y













```
{  
  "metadata": {  
    "additional Prop1": "string",
```






```
{
  "$metadata": {
    "$type": "DeviceList;1",
    "$uri": "$
```



```
{  
  "metadata": {  
    "additional Prop1": "string",ting",tin
```







```
{
  "$metadata": {
    "$type": "DeviceList; 1",
    "$uri
```



```
{  
  "eTag": "string",  
  "id": "string",  
  "c2dmMessageCou
```





--



{  
"ne"e"e"e"










```
{
  "eTag": "string",
  "id": "string",
  "c2dmMessageCount": 0,
  "lastActivity": "2020-10-30T05:41:54.391Z",
  "constStage": true,
  "enabled": true,
  "lastSelected": true,
}
```

## Response Schema

```
{  
  "eTag": "string",  
  "id": "string",  
  "c2dmMessageCount": 0,  
  "lastActivity": "2020-10-30T05:41:54.391Z",  
  "connected": true,  
  "ena
```

```
{
  "$metadata": {
    "$type": "DeviceList;1",
    "$uri": "/v1/devices"
  },
  "ContinuationToken": null,
  "I
```





```
{
```

```
  "ETag": "\"NDE1\"ND
```







Response Schema

```
{
  "eTag": "string",
  "id": "string",
  "c2dmMessageCount": 0,
  "lastU
```



















```
"tags": {  
  "addi u
```

















"create" c "create"









{  
"ne"e"e"e"



<code>deviceid IN ['TestDevice'] AND moduleid = 'SedgeAgent'</code>	<code>deviceid+IN+'%5B%27TestDevice%27%5D+AND+moduleid+'%3D+%27%24edgeAgent%27</code>

Response

```
{
  "$metadata": {
    "$.%3D+%27%2Z+
```





{  
"ne"e"e"e"



```
{
  "$metadata": {
    "$type": "DeviceList;1",
    "$uri": "/v1/devices"
  },
  "ContinuationToken": null,
  "Items": [
    {
      "Reported": {},
      "Desired": {
        "schemaVersion": "1.0",
        "runtime": {
          "type": "docker",
          "settings": {
            "loggingOptions": {}
          }
        }
      }
    }
  ]
}
```













## Response

```
{
  "Name": "IoT Hub Manager",
  "Status": {
    "IsHealthy": true,
    "M" {
      «
```











































































```
{  
  "Name": "Tenant Manager",  
  "Status": {  
    "IsHe nager",
```



































---




Sample Response

```
{
  "Name": "ASA Manager",
  "Status": {
    "IsHe us": {H
```













Type:



--

--



--



















