







































# e i. # \$ - #, \0\0 e \0\0-@ @-0'




















|

|

---



















```
{  
  "Id": "b5[
```

























```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
```

```
<svg
```

```
  xmlns:dc="http://purl.org/dc/elements/1.1/"
```

```
  xmlns:cc="http://
```







```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
```

```
<svg
```

```
  xmlns:dc="http://purl.org/dc/elements/1.1/"
```

```
  xmlns:cc="http://
```












```
{  
  "jsObject": {  
    "coP00000C
```































---

--



TYPE	NAME	DESCTCT


--





























# Security

Type








--

--


--



--

TYPE	NAME	DESCRIPTION
System.String	id	
System.Boolean	isLatest	

Returns

TYPE	DESCRIPTION
System.Threading.Tasks.Task<ActionResult>	

GetAsync()

Declaration

```
public Task<DeploymentListApiModel> GetAsync()
```

Returns

TYPE	DESCRIPTION
System.Threading.Tasks.Task<DeploymentListApiModel>	

GetAsync(String, Boolean, Boolean)

Declaration

```
public Task<DeploymentApiModel> GetAsync(string id, bool includeDeviceStatus = false, bool isLatest = true)
```

Parameters

TYPE	NAME	DESCRIPTION
System.String	id	
System.Boolean	includeDeviceStatus	
System.Boolean	isLatest	

Returns

TYPE	DESCRIPTION
System.Threading.Tasks.Task<DeploymentApiModel>	

GetDeploymentImpactedDevices(String, String, Boolean)

Declaration

```
public Task<DeviceListApiModel> GetDeploymentImpactedDevices(string id, string query, bool isLatest = false)
```

Parameters

TYPE	NAME	DESCRIPTION
System.String	id	













































---

--







--	--

--	--

--	--

--	--

--	--















TYPE	NAME	DESCRIPTION
System.String	collectionId	
System.String	key	
ValueServiceModel	model	

Returns
