## **Hackathon Report**

This is a brief report describing the work I have done.

Initially I developed a basic outline model by converting all categorical features to numerical (Removing highly out of the way features). I got an accuracy of 81.33 at this stage.

Then I have analysed data carefully and further removed columns by eyeballing each and every feature. I tried to keep features as many low as possible which is practically done in industry ( Talked to my friend who is working in Financial Data analytics. )

## Steps followed in Feature Engineering and data cleaning:

- Implemented Information Value Weight of Confidence
- Created New Features using the Binned method. Tried out with different combinations
- Tried with Mode and Mean (To fill null values)
- Used Scatter plots to check out outliers
- Used frequency of distribution to check out about features
- Tried Dropping columns with correlation values
- Implemented Chi-square method in Feature Selection
- Used Feature Importance matrix to remove columns

I initially went with Naive Bayes (as it is suitable for a data set with multiple features) Then I went with SVM (as there are a lot of features in dataset, SVM suits) and Logistic regression.

But with correlation matrix and other means I understood all features are weakly affecting the selection ,So went with Ensemble methods.

Then worked with Gradient Boosting and Random Forests. Random Forests started showing a bit of higher accuracy compared to Gradient Boosting. Used both Cross validation, train\_test\_split method to take care of overfitting while building models. Built even other classification models to have a better understanding. Finally achieved an accuracy of **86.057**.

Unfortunately there are no standardised methods at this stage and everything is trial and error based, I have tried all the above mentioned methods in different combinations of which few worked out, few didn't. But a great practical learning experience.

Kaggle Id: 8856256 SM21MTECH12012 H.N Srikanth

Proof that I worked with different techniques.

C jupyter	Quit	Logout
□ □ Videos	13 hours ago	
□ □ VirtualBox VMs	2 months ago	
□ ■ assignment1.ipynb	19 days ago	12.5 kB
□ ■ Copy_of_Untitled3.ipynb	16 days ago	16.5 kB
□ ■ Decision tree from scratch.ipynb	18 days ago	3.55 MB
□ ■ Decision_tree_Q1_and_Q2.ipynb	2 months ago	46 kB
☐	16 days ago	318 kB
☐	Running a day ago	245 kB
☐	Running a day ago	268 kB
☐	Running a day ago	213 kB
☐	Running 11 hours ago	294 kB
☐	Running a day ago	197 kB
☐ ■ Kaggle competition-Copy6.ipynb	Running a day ago	231 kB
☐	Running 12 hours ago	210 kB
☐	Running 11 hours ago	216 kB
☐	nning 43 minutes ago	228 kB