

Beginner Project 2

To-Do List App (Frontend)

OBJECTIVE : Build a basic To-Do list web application using HTML, CSS, JavaScript

SKILLS : Learn how to organize your code into commits and set up a GitHub repository

GITHUB Concepts : Regularly commit your progress, create branches for features and make pull requests

Git Bash

```
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 4.32 KiB | 2.16 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
remote:   https://github.com/Srikar2610/beg-project2/pull/new/master
remote:
To https://github.com/Srikar2610/beg-project2.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

Administrator@528014aa64d7583 MINGW64 ~/Desktop/ssss/To-Do list (master)
$ git checkout -b feature
Switched to a new branch 'feature'

Administrator@528014aa64d7583 MINGW64 ~/Desktop/ssss/To-Do list (feature)
$ git add .

Administrator@528014aa64d7583 MINGW64 ~/Desktop/ssss/To-Do list (feature)
$ git commit -m "add task"
On branch feature
nothing to commit, working tree clean

Administrator@528014aa64d7583 MINGW64 ~/Desktop/ssss/To-Do list (feature)
$ git push -u origin feature
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature' on GitHub by visiting:
remote:   https://github.com/Srikar2610/beg-project2/pull/new/feature
remote:
To https://github.com/Srikar2610/beg-project2.git
 * [new branch]      feature -> feature
branch 'feature' set up to track 'origin/feature'.

Administrator@528014aa64d7583 MINGW64 ~/Desktop/ssss/To-Do list (feature)
$ git push origin feature
Everything up-to-date


Administrator@528014aa64d7583 MINGW64 ~/Desktop/ssss/To-Do list (feature)
$ |
```

STEPS For Pushing Files into GitHub


- **Navigate to Your Project Folder**
 - `cd C:\Users\Administrator\Desktop\ssss\To-Do list`
- **Initialize Git Repository (if not already done)**
 - `git init`
- **Add Remote Repository**
 - `git remote add origin https://github.com/Srikar2610/beg-project2.git`
- **Check Git Status**
 - `git status`
- **Stage Files for Commit**

- `git add .` (to stage all files)
- **Commit Changes**
 - `git commit -m "Your commit message"`
- **Push to GitHub**
 - `git push -u origin master`


After PUSHING the files to the GITHUB



OUTPUT OF TO-DO List :



Output of To-Do list After Adding all the tasks



Steps for creating a branch and merging it

1. Create a New Branch

```
git checkout -b your-branch-name
```

2. Make Changes and Commit

Make changes to your files, then stage and commit them:

```
git add .  
git commit -m "Your commit message"
```

3. Push the Branch to GitHub

```
git push -u origin your-branch-name
```

4. Switch to the Main Branch

```
git checkout main
```

5. Merge the Branch into Main

```
git merge your-branch-name
```

6. Push the Merged Changes to GitHub


```
git push origin main
```

7. Create a Pull Request on GitHub

- Go to your repository on GitHub.

- You'll see a prompt to create a pull request for your branch. Click "**Compare & pull request**".
- Add a title and description, then click "**Create pull request**".

After Creating a branch and merging the branch



HTML CODE:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <title>To-Do List App</title>

  <!-- Meta Tags -->

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0" />

  <!-- Links -->

  <link rel="icon" href="img/favicon.ico" type="image/x-icon" />

  <link

    href="https://fonts.googleapis.com/css2?family=Lato:wght@300;400;600&display=swap"

    rel="stylesheet"/>

  <link rel="stylesheet"

    href="https://cdnjs.cloudflare.com/ajax/libs/semantic-ui/2.4.1/semantic.min.css"
```

```
    integrity="sha512-8bHTC73gkZ7rZ7vpqUQThUDhqcNFyYi2xgDgPDHc+GXVGHXq+xPjynxlopALmOPqzo9JZj0k6OqqewdGO3EsrQ=="
```

```
    crossorigin="anonymous" />
```

```
<link rel="stylesheet"
```

```
    href="https://cdnjs.cloudflare.com/ajax/libs/noty/3.1.4/noty.css"
```

```
    integrity="sha512-NXUhxhkDgZYOMjalgd89zF2w51Mub53Ru3zCNP5LTIEzMbNNAjTjDbpURYGS5Mop2cU4b7re1nOlucsVlrx9fA=="
```

```
    crossorigin="anonymous"/>
```

```
<link rel="stylesheet" href="css/main.css" />
```

```
</head>
```

```
<body>
```

```
<!-- Main Header -->
```

```
<header class="main-header">
```

```
    <div class="ui container">
```

```
        <h1>To-Do List App</h1>
```

```
    </div>
```

```
</header>
```

```
<!-- End Main Header -->
```

```
<div class="ui container">
```

```
<!-- Add Task -->
```

```
<form id="add-task" class="ui left icon input fluid">
```

```
    <input
```

```
        id="add-task-input"
```

```
        class="large"
```

```
        type="text"
```

```
        placeholder="Write your task here..." />
```

```
    <i class="tasks icon"></i>
```

```
</form>
```

```
<!-- End Add Task -->
```

```
<!-- Buttons -->
```

```
<div id="buttons" class="ui stackable grid equal width">
```

```
    <button
```

```
        id="clear-all-tasks"
```

```

        class="ui button column"

        onclick="showClearAllTasksModal()">

        Clear all tasks

    </button>

    <button

        disabled

        class="ui button column"

        onclick="showClearCompletedTasksModal()">

        Clear completed tasks

    </button>

</div>

<!-- End Buttons -->

<!-- Tasks List -->

<ul id="tasks-list" class="ui segments"></ul>

<!-- End Tasks List -->

<!-- Edit Modal -->

<div id="edit-modal" class="ui tiny modal">

    <div class="header">Update Your Task</div>

    <div class="content">

        <div class="ui fluid input">

            <input id="task-id" type="hidden" />

            <input id="task-text" type="text" />

        </div>

    </div>

    <div class="actions">

        <div class="ui cancel button">Cancel</div>

        <div id="update-button" class="ui positive right labeled icon button">

            Update

            <i class="checkmark icon"></i>

        </div>

    </div>

</div>

<!-- End Edit Modal -->

```

```

<!-- Delete Modal -->

<div id="remove-modal" class="ui tiny modal">

  <div class="header">Delete Your Task</div>

  <div class="content">

    <div class="ui fluid input">

      <input id="task-id" type="hidden" />

      <p>Are you sure you want to delete your task?</p>

    </div>

  </div>

</div>

<div class="actions">

  <div class="ui cancel red button">No</div>

  <div

    id="remove-button"

    onclick="clearAllTasks()"

    class="ui positive right labeled icon button">

      Yes

      <i class="checkmark icon"></i>

    </div>

  </div>

</div>

<!-- End Clear All Tasks Modal -->

<!-- Clear Completed Tasks Modal -->

<div id="clear-completed-tasks-modal" class="ui tiny modal">

  <div class="header">Clear Completed Tasks</div>

  <div class="content">

    <div class="ui fluid input">

      <input id="task-id" type="hidden" />

      <p>Are you sure you want to clear completed tasks?</p>

    </div>

  </div>

  <div class="actions">

    <div class="ui cancel red button">No</div>

```

```
<div
  id="remove-button"
  onclick="clearAllTasks()"
  class="ui positive right labeled icon button"
>
  Yes
  <i class="checkmark icon"></i>
</div>
</div>
</div>
<!-- End Clear Completed Tasks Modal -->
</div>
<!-- Scripts -->
<script
  src="https://cdnjs.cloudflare.com/ajax/libs/noty/3.1.4/noty.min.js"
  integrity="sha512-
lOrm9FgT1LK0JRUXF3tp6QaMorJftUjowOWiDcG5GFZ/q7ukof19V0HKx/GWzXCdt9zYju3/KhBNdCLzK8b90Q=="
  crossorigin="anonymous"
></script>
<script
  src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.5.1/jquery.min.js"
  integrity="sha512-
bLT0Qm9VnAYZDflyKcBaQ2gg0hSYNQrJ8RilYldYQ1FxFxYoCLtUjuuRuZo+fjqhx/qtq/1itJ0C2ejDxltZVFg=="
  crossorigin="anonymous"
></script>
<script
  src="https://cdnjs.cloudflare.com/ajax/libs/semantic-ui/2.4.1/semantic.min.js"
  integrity="sha512-
dqw6X88iGgZlTsONxZK9ePmJEFrmHwpuMrsUChjAw1mRUhUITE5QU9pkcSox+ynfLhL15Sv2al5A0LVyDCmtUw=
="
  crossorigin="anonymous"
></script>
<script
  type="text/javascript"
```



```
src="https://cdn.jsdelivr.net/npm/toastify-js"
></script>
<script type="text/javascript" src="js/main.js"></script>
</body>
</html>
```

CSS CODE :

```
/* Variables */
:root {
    --dark: #1b1c1d;
    --blue: #2185d0;
    --green: #1ebc30;
    --red: #db2828;
    --white: #ffffff;
    --gray: #babac0;
    --secondary: #fbfdff;
}

/* Default Settings */
* {
    padding: 0;
    margin: 0;
    box-sizing: border-box;
}

body {
    color: var(--dark);
    background: var(--secondary);
    font-family: 'Lato', sans-serif;
}

.ui.grid + .grid {
    margin-top: 0;
}

/* Classes */
body::-webkit-scrollbar {
    background-color: var(--secondary);
```

```
        width: 16px;
    }
    body::-webkit-scrollbar-track {
        background-color: var(--secondary);
    }
    body::-webkit-scrollbar-thumb {
        background-color: var(--gray);
        border-radius: 16px;
        border: 4px solid var(--white);
    }
    /* Header */
    .main-header {
        color: var(--white);
        background: var(--blue);
        padding: 1.5rem 0;
        text-align: center;
    }
    /* Add Task */
    #add-task {
        width: 70%;
        margin: 0 auto;
        margin-top: 2rem;
    }
    #add-task input {
        margin: 1.5rem auto;
    }
    /* Buttons */
    #buttons {
        width: 70%;
        margin: 0 auto;
        margin-bottom: 3rem;
    }
    /* Tasks List */
```

```
#tasks-list {  
    margin: 0 auto;  
    width: 70%;  
    list-style: none;  
}  
  
#tasks-list li {  
    width: 100%;  
}  
  
#tasks-list li .remove,  
#tasks-list li .edit {  
    opacity: 0;  
    transition: all 0.3s ease;  
}  
  
#tasks-list li:hover .remove,  
#tasks-list li:hover .edit {  
    opacity: 1;  
}  
  
#tasks-list li .column:last-child {  
    text-align: right;  
}  
  
#tasks-list li i {  
    cursor: pointer !important;  
}  
  
/* Alert */  
.alert {  
    width: 70%;  
    margin: 0 auto;  
    margin-bottom: 1rem;  
    text-align: center;  
    padding: 0.75rem 1.25rem;  
    border-radius: 10px;  
    line-height: 1.6rem;  
}
```

```

.alert-warning {
    color: #856404;
    background-color: #fff3cd;
    border-color: #ffeeba;
}

/* Noty */
.noty_theme__metroui.noty_bar .noty_body {
    background: var(--green);
    color: var(--white);
    border-radius: 0.28571429rem;
    box-shadow: 0 0 0 1px var(--green) inset, 0 0 0 0 transparent;
}

.noty_theme__metroui.noty_type__error {
    background: none;
}

.noty_theme__metroui.noty_bar.noty_type__error .noty_body {
    background: var(--red);
    color: var(--white);
    border-radius: 0.28571429rem !important;
    box-shadow: 0 0 0 1px var(--red) inset, 0 0 0 0 transparent;
}

/* Responsive */
@media screen and (max-width: 770px) {
    #add-task,
    #buttons,
    #tasks-list {
        width: 100%;
    }
}

```

JavaScript CODE :

```

// Elements

const tasksList = document.querySelector("#tasks-list")

```

```

const addTaskForm = document.querySelector("form#add-task")
const addTaskInput = document.querySelector("#add-task-input")
const clearAllTasksBtn = document.querySelector("button#clear-all-tasks")

// Total List Of Tasks
let list = JSON.parse(localStorage.getItem("tasks")) || []

/** Show All Tasks From Local Storage In Page */
function showTasksList() {
  tasksList.innerHTML = ""

  const list = JSON.parse(localStorage.getItem("tasks")) || []

  if (list.length === 0) {
    clearAllTasksBtn.disabled = true

    const element = String.raw`
      <div class="ui icon warning message">
        <i class="inbox icon"></i>
        <div class="content">
          <div class="header">You have nothing task today!</div>
          <div>Enter your tasks today above.</div>
        </div>
      </div>
    `

    tasksList.style.border = "none"

    return tasksList.insertAdjacentHTML("beforeend", element)
  }

  clearAllTasksBtn.disabled = false

  tasksList.style.border = "1px solid rgba(34,36,38,.15)"

  list.reverse().forEach(task => {
    const element = String.raw`
      <li class="ui segment grid equal width">
        <div class="ui checkbox column">
          <input type="checkbox" ${task.completed ? "checked" :
    ""}>

          <label>${task.text}</label>
        </div>
        <div class="column">

```

```

        <i data-id="{task.id}" class="edit outline icon"></i>

        <i data-id="{task.id}" class="trash alternate outline
remove icon"></i>

        </div>

    </li>

    tasksList.insertAdjacentHTML("beforeend", element)
})
document.querySelectorAll(`li i.edit`).forEach(item => {
    item.addEventListener("click", e => {
        e.stopPropagation()
        showEditModal(+e.target.dataset.id)
    })
})
document.querySelectorAll(`li i.trash`).forEach(item => {
    item.addEventListener("click", e => {
        e.stopPropagation()
        showRemoveModal(+e.target.dataset.id)
    })
})
}

/** Add new task to local storage*/
function addTask(event) {
    event.preventDefault()
    const taskText = addTaskInput.value
    if (taskText.trim().length === 0) {
        return (addTaskInput.value = "")
    }
    list.push({
        id: list.length + 1,
        text: taskText,
        completed: false,
    })
    localStorage.setItem("tasks", JSON.stringify(list))
}

```

```

addTaskInput.value = ""

showNotification("success", "Task was successfully added")

showTasksList()
}

// Change Complete State
function completeTask(id) {
  // Get Task

  const taskIndex = list.findIndex(t => t.id == id)

  const task = list[taskIndex]

  // Change State
  task.completed = !task.completed

  list[taskIndex] = task

  // Save Changes
  localStorage.setItem("tasks", JSON.stringify(list))

  showTasksList()
}

/**
 * Remove task
 */
function removeTask(id) {
  list = list.filter(t => t.id !== id)

  localStorage.setItem("tasks", JSON.stringify(list))

  showNotification("error", "Task was successfully deleted")

  showTasksList()
}

/**
 * Edit task
 */
function editTask(id) {
  const taskText = document.querySelector("#task-text").value

  if (taskText.trim().length === 0) return

  const taskIndex = list.findIndex(t => t.id == id)

```

```

list[taskIndex].text = taskText

localStorage.setItem("tasks", JSON.stringify(list))

showNotification("success", "Task was successfully updated")

showTasksList()
}

// Clear All Tasks

function clearAllTasks() {
  if (list.length > 0) {
    list = []

    localStorage.setItem("tasks", JSON.stringify(list))

    return showTasksList()
  }

  new Noty({
    type: "error",
    text: '<i class="close icon"></i> There is no task to remove.',
    layout: "bottomRight",
    timeout: 2000,
    progressBar: true,
    closeWith: ["click"],
    theme: "metroui",
  }).show()
}

// Clear Complete Tasks

function clearCompleteTasks() {
  if (list.length > 0) {
    if (confirm("Are you sure?")) {
      const filteredTasks = list.filter(t => t.completed !== true)

      localStorage.setItem("tasks", JSON.stringify(filteredTasks))

      return showTasksList()
    }
  }
}

Toastify({
  text: "There is no task to remove",

```



```

    duration: 3000,

    close: true,

    gravity: "bottom",

    position: "left",

    backgroundColor: "linear-gradient(to right, #e45757, #d44747)",

    stopOnFocus: true,

  }).showToast()
}

// Show Edit Modal And Pass Data
function showEditModal(id) {

  const taskIndex = list.findIndex(t => t.id == id)

  const { text } = list[taskIndex]

  document.querySelector("#edit-modal .content #task-id").value = id

  document.querySelector("#edit-modal .content #task-text").value = text.trim()

  document

    .querySelector("#update-button")

    .addEventListener("click", () => editTask(+id))

  $("#edit-modal.modal").modal("show")
}

// Show Remove Modal
function showRemoveModal(id) {

  document

    .querySelector("#remove-button")

    .addEventListener("click", () => removeTask(+id))

  $("#remove-modal.modal").modal("show")
}

// Show Clear All Tasks Modal
function showClearAllTasksModal() {

  if (list.length > 0) {

    return $("#clear-all-tasks-modal.modal").modal("show")

  }

  new Noty({

    type: "error",

```

```

    text: '<i class="close icon"></i> There is no task to remove.',
    layout: "bottomRight",
    timeout: 2000,
    progressBar: true,
    closeWith: ["click"],
    theme: "metroui",
  }).show()
}

function showNotification(type, text) {
  new Noty({
    type,
    text: `<i class="check icon"></i> ${text}`,
    layout: "bottomRight",
    timeout: 2000,
    progressBar: true,
    closeWith: ["click"],
    theme: "metroui",
  }).show()
}

// Event Listeners
addTaskForm.addEventListener("submit", addTask)
window.addEventListener("load", () => addTaskInput.focus())
showTasksList()

```