The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size * size. Print a Print W for white spaces and B for black spaces.

Input:

2

3

5

Output:

WBW

BWB

WBW

WBWBW

BWBWB

WBWBW

BWBWB

WBWBW

Answer: (penalty regime: 0 %)

```c
#include<stdio.h>
int main()
{
    int T,d,i=0,i1,i2,o;
    char c;
    scanf("%d",&T);
    while(i<T)
    {
        scanf("%d",&d);
        i1=0;
        while(i1<d)
        {
            o=1;
            i2=0;
            if(i1%2==0)
            {
                o=0;
            }
            while(i2<d)
            {
            c='B';
            if(i2%2==o)
            {
                c='W';
            }
            printf("%c",c);
            i2++;
            }
            i1+=1;
            printf("\n");
        }
        i=i+1;

    }
}
```

	Input	Expected	Got	
✓	2 3 5	WBW BWB WBW WBWBW BWBWB WBWBW BWBWB WBWBW	WBW BWB WBW WBWBW BWBWB WBWBW BWBWB WBWBW	✓

Passed all tests! ✓

3

3

4

5

Output

Case #1

10203010011012

**4050809

****607

Case #2

102030401701801902O

**50607014015016

****809012013

******10011

Case #3

102030405026027028029030

**6070809022023024025

****10011012019020021

******13014017018

********15016

Answer: (penalty regime: 0 %)

```c
#include<stdio.h>
int main()
{
    int num,t;
    scanf("%d",&t);
    int st1=1;
    int st2;
    for(int k=1;k<=t;k++)
    {
        printf("Case #%d\n",k);
        scanf("%d",&num);
        st1=1;
        st2=num*(num+1);
        for(int i=0;i<num;i++)
        {
            for(int j=0;j<i;j++)
            {
                printf("**");
            }
            for(int j=0;j<num-i;j++)
            {
                printf("%d",(st1++)*10);
            }
            st2=st2-(num-i-1);
            for(int j=0;j<(num-i-1);j++)
            {
                printf("%d",(st2++)*10);
            }
                printf("%d",st2);
            st2=st2-(num-i);
            printf("\n");
        }

    }
    return 0;
}
```

Input	Expected	Got
3 3 4 5	Case #1 10203010011012 **4050809 ****607 Case #2 1020304017018019020 **50607014015016 ****809012013 ******10011 Case #3 102030405026027028029030 **6070809022023024025 ****10011012019020021 ******13014017018 ********15016	Case #1 10203010011012 **4050809 ****607 Case #2 10203040170180190; **50607014015016 ****809012013 ******10011 Case #3 10203040502602702; **60708090220230; ****100110120190; ******13014017018 ********15016

Passed all tests! ✓

✓	2 3 5	WBW BWB WBW WBWBW BWBWB WBWBW BWBWB WBWBW	WBW BWB WBW WBWBW BWBWB WBWBW BWBWB WBWBW	✓

Passed all tests! ✓

Question 2

Correct

Marked out of 5.00

Flag question

Let's print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases

Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

2

2 W

3 B

Output

WB

BW

BWB

WBW

BWB

Answer: (penalty regime: 0 %)

```c
#include<stdio.h>
int main()
{
    int T,d,i,i1,i2,o,z;
    char c,s;
    scanf("%d",&T);
    for(i=0;i<T;i++)
    {
        scanf("%d %c",&d,&s);
        for(i1=0;i1<d;i1++)
        {
            z=(s=='W') ? 0:1;
            o=(i1%2==z)? 0:1;
            for(i2=0;i2<d;i2++)
            {
                c=(i2%2==o) ? 'W':'B';
                printf("%c",c);
            }
            printf("\n");
        }
    }
    return 0;
}
```

	Input	Expected	Got	
✓	2 2 W 3 B	WB BW BWB WBW BWB	WB BW BWB WBW BWB	✓

Passed all tests! ✓

Explanation:

153 is a 3-digit number, and 153 = 1^3 + 5^3 + 3^3.

Example 2:

Input:

123

Output:

false

Explanation:

123 is a 3-digit number, and 123 != 1^3 + 2^3 + 3^3 = 36.

Example 3:

Input:

1634

Output:

true

Note:

1 <= N <= 10^8

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
#include<math.h>
int main()
{
    int n;
    scanf("%d",&n);
    int x=0,n2=n;
    while(n2!=0)
    {
        x++;
        n2=n2/10;
    }
    int sum=0;
    int n3=n,n4;
    while(n3!=0)
    {
        n4=n3%10;
        sum=sum+pow(n4,x);
        n3=n3/10;
    }
    if(n==sum)
    {
        printf("true");
    }
    else
    {
        printf("false");
    }
    return 0;
}
```

	Input	Expected	Got	
✓	153	true	true	✓
✓	123	false	false	✓

Passed all tests! ✓

Sample Output 1:

33

Explanation:

Here the lucky numbers are 3, 4, 33, 34., and the 3rd lucky number is 33.

Sample Input 2:

34

Sample Output 2:

33344

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main()
{
    int n=1,i=0,nt,co=0,e;
    scanf("%d",&e);
    while(i<e)
    {
        nt=n;
        while(nt!=0)
        {
            co=0;
            if(nt%10!=3 && nt%10!=4)
            {
                co=1;
                break;
            }
            nt=nt/10;
        }
        if(co==0)
        {
            i++;
        }
        n++;
    }
    printf("%d",--n);
    return 0;
}
```

	Input	Expected	Got	
✓	34	33344	33344	✓

Passed all tests! ✓

```
    {
        printf("true");
    }
    else
    {
        printf("false");
    }
    return 0;
}
```

	Input	Expected	Got	
✓	153	true	true	✓
✓	123	false	false	✓

Passed all tests! ✓

Question **2**

Correct

Marked out of 5.00

Flag question

Take a number, reverse it and add it to the original number until the obtained number is a palindrome. Constraints 1<=num<=99999999 Sample Input 1 32 Sample Output 1 55 Sample Input 2 789 Sample Output 2 66066

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main()
{
    int n1,n,nt=0,i=0;
    scanf("%d",&n);
    do{
        nt=n;
        n1=0;
        while(n!=0)
        {
            n1=n1*10+n%10;
            n=n/10;
        }
        n=nt+n1;
        i++;
    }
    while(n1!=nt || i==1);
    printf("%d",n1);
    return 0;
}
```

	Input	Expected	Got	
✓	32	55	55	✓
✓	789	66066	66066	✓

Passed all tests! ✓