

WEEK – 8 – GIT

GIT – HOL – 1

```
srima@LAPTOP-CTI1RISS MINGW64 ~
$ git --version
git version 2.50.1.windows.1

srima@LAPTOP-CTI1RISS MINGW64 ~
$ git config --global user.name Srimathi

srima@LAPTOP-CTI1RISS MINGW64 ~
$ git config --global user.email srimathij2004@gmail.com

srima@LAPTOP-CTI1RISS MINGW64 ~
$ git config --global --list
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=Srimathi
user.email=srimathij2004@gmail.com

srima@LAPTOP-CTI1RISS MINGW64 ~
$ notepad++
bash: notepad++: command not found

srima@LAPTOP-CTI1RISS MINGW64 ~

srima@LAPTOP-CTI1RISS MINGW64 ~
$ notepad++

srima@LAPTOP-CTI1RISS MINGW64 ~
$ notepad++.exe bash -profile

srima@LAPTOP-CTI1RISS MINGW64 ~
$

srima@LAPTOP-CTI1RISS MINGW64 ~
$ git config --global core.editor "notepad++.exe -multiInst -nosession"

srima@LAPTOP-CTI1RISS MINGW64 ~
$ git config --global -e
```

```
srima@LAPTOP-CTIIRISS MINGW64 ~  
$ mkdir GitDemo  
mkdir: cannot create directory 'GitDemo': File exists  
  
srima@LAPTOP-CTIIRISS MINGW64 ~  
$ cd GitDemo  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)  
$ git init  
Reinitialized existing Git repository in C:/Users/srima/GitDemo/.git/  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)  
$ ls -a  
./ ../ .git/  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)  
$ ls -a  
./ ../ .git/  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)  
$ echo "welcome to version control" > hello.txt  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)  
$ ls  
hello.txt  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)  
$ cat hello.txt  
welcome to version control  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)  
$ git status  
On branch master  
  
No commits yet  
  
Untracked files:  
  (use "git add <file>..." to include in what will be committed)  
    hello.txt  
  
nothing added to commit but untracked files present (use "git add" to track)  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)  
$ git add hello.txt  
warning: in the working copy of 'hello.txt', LF will be replaced by CRLF the next time Git touches it  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)  
$ git status  
On branch master  
  
No commits yet  
  
Changes to be committed:  
  (use "git rm --cached <file>..." to unstage)  
    new file:   hello.txt
```

```

rima@LAPTOP-CTI1RISS MINGW64 ~/GitDemo (master)
$ git commit
Aborting commit due to empty commit message.

rima@LAPTOP-CTI1RISS MINGW64 ~/GitDemo (master)
$ git log
fatal: your current branch 'master' does not have any commits yet

rima@LAPTOP-CTI1RISS MINGW64 ~/GitDemo (master)
$ git commit
[master (root-commit) 7386eb0] Initial commit - Added hello.txt - First test file
1 file changed, 1 insertion(+)
create mode 100644 hello.txt

rima@LAPTOP-CTI1RISS MINGW64 ~/GitDemo (master)
$ git log
commit 7386eb0f4ce06b8f1dd737ea842390611f051dc8 (HEAD -> master)
Author: Srimathi <srimathij2004@gmail.com>
Date:   Wed Aug 6 15:39:33 2025 +0530

    Initial commit
    - Added hello.txt
    - First test file

rima@LAPTOP-CTI1RISS MINGW64 ~/GitDemo (master)
$ git ewmote add origin https://gitlab.com/srimathi2004-group/gitdemo
fatal: 'ewmote' is not a git command. See 'git --help'.

The most similar command is
    remote

rima@LAPTOP-CTI1RISS MINGW64 ~/GitDemo (master)
$ git remote add origin https://gitlab.com/srimathi2004-group/gitdemo

rima@LAPTOP-CTI1RISS MINGW64 ~/GitDemo (master)
$ git pull origin master
info: please complete authentication in your browser...
warning: redirecting to https://gitlab.com/srimathi2004-group/gitdemo.git/
fatal: couldn't find remote ref master

rima@LAPTOP-CTI1RISS MINGW64 ~/GitDemo (master)
$ git push -u origin master
warning: redirecting to https://gitlab.com/srimathi2004-group/gitdemo.git/
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 267 bytes | 267.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: To create a merge request for master, visit:
remote:   https://gitlab.com/srimathi2004-group/gitdemo/-/merge_requests/new?merge_request%5Bsource_branch%5D=master
remote:
To https://gitlab.com/srimathi2004-group/gitdemo
* [new branch]      master -> master

```

GIT – HOL – 2

```
rima@LAPTOP-CTI1RISS MINGW64 ~  
cd Gitdemo  
  
rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)  
git init  
initialized existing Git repository in C:/Users/srima/GitDemo/.git/  
  
rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)  
echo "This is a log file" > debug.log  
  
rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)  
mkdir log  
echo "log file inside folder" > log/error.log  
  
rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)  
  
rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)  
ls  
debug.log  hello.txt  log/  
  
rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)  
ls log  
error.log  
  
rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)  
git status  
On branch master  
Your branch is up to date with 'origin/master'.  
  
Untracked files:  
(use "git add <file>..." to include in what will be committed)  
    debug.log  
    log/  
  
nothing added to commit but untracked files present (use "git add" to track)  
  
rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)  
touch .gitignore  
notepad++ .gitignore  
  
rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)  
git status  
On branch master  
Your branch is up to date with 'origin/master'.  
  
Untracked files:  
(use "git add <file>..." to include in what will be committed)  
    .gitignore  
  
nothing added to commit but untracked files present (use "git add" to track)
```

```
srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ touch .gitignore
notepad++ .gitignore

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ git add .gitignore
git commit -m "Add .gitignore to ignore log files and folders"
[master 4fbd0b8] Add .gitignore to ignore log files and folders
1 file changed, 2 insertions(+)
create mode 100644 .gitignore

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ git push
warning: redirecting to https://gitlab.com/srimathi2004-group/gitdemo.git/
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 309 bytes | 309.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: To create a merge request for master, visit:
remote:   https://gitlab.com/srimathi2004-group/gitdemo/-/merge_requests/new?merge_request%5Bsource_branch%5D=master
remote:
To https://gitlab.com/srimathi2004-group/gitdemo
  7386eb0..4fbd0b8 master -> master

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ echo "Test log" > test.log

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
```

GIT – HOL – 3

```
srima@LAPTOP-CTIIRISS MINGW64 ~
$ cd GitDemo

srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)
$ git checkout -b FeatureBranchDemo
Switched to a new branch 'FeatureBranchDemo'

srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (FeatureBranchDemo)
$ git branch -a
* FeatureBranchDemo
  GitNewBranch
  master
  remotes/origin/master

srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (FeatureBranchDemo)
$ echo "This is a new feature file" > feature.txt

srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (FeatureBranchDemo)
$ git add feature.txt
warning: in the working copy of 'feature.txt', LF will be replaced by CRLF the next time Git touches it

srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (FeatureBranchDemo)
$ git commit -m "Added feature.txt in FeatureBranchDemo"
[FeatureBranchDemo c84d979] Added feature.txt in FeatureBranchDemo
 1 file changed, 1 insertion(+)
 create mode 100644 feature.txt

srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (FeatureBranchDemo)
$ git status
On branch FeatureBranchDemo
nothing to commit, working tree clean

srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (FeatureBranchDemo)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)
$ git diff master FeatureBranchDemo
diff --git a/feature.txt b/feature.txt
new file mode 100644
index 0000000..c4d8ff8
--- /dev/null
+++ b/feature.txt
@@ -0,0 +1 @@
+This is a new feature file
```

```
srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)
$ git merge FeatureBranchDemo
Updating 4fbd0b8..c84d979
Fast-forward
 feature.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 feature.txt

srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)
$ git log --oneline --graph --decorate
* c84d979 (HEAD -> master, FeatureBranchDemo) Added feature.txt in FeatureBranchDemo
* 4fbd0b8 (origin/master) Add .gitignore to ignore log files and folders
* 7386eb0 Initial commit - Added hello.txt - First test file

srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)
$ git branch -d FeatureBranchDemo
Deleted branch FeatureBranchDemo (was c84d979).

srima@LAPTOP-CTIIRISS MINGW64 ~/GitDemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
```

GIT – HOL -4

```
srima@LAPTOP-CTIIRISS MINGW64 ~  
$ cd Gitdemo  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (master)  
$ git init  
Reinitialized existing Git repository in C:/Users/srima/GitDemo/.git/  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (master)  
$ git status  
On branch master  
Your branch is ahead of 'origin/master' by 1 commit.  
  (use "git push" to publish your local commits)  
  
nothing to commit, working tree clean  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (master)  
$ git checkout -b GitWork  
echo "<message>Hello from GitWork branch</message>" > hello.xml  
Switched to a new branch 'GitWork'  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (GitWork)  
$ echo "<info>Updated content in GitWork</info>" >> hello.xml  
git status  
On branch GitWork  
Untracked files:  
  (use "git add <file>..." to include in what will be committed)  
    hello.xml  
  
nothing added to commit but untracked files present (use "git add" to track)  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (GitWork)  
$ git add hello.xml  
git commit -m "Added hello.xml with updated content in GitWork branch"  
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it  
[GitWork 6a55e2b] Added hello.xml with updated content in GitWork branch  
 1 file changed, 2 insertions(+)  
 create mode 100644 hello.xml  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (GitWork)  
$ git checkout master  
Switched to branch 'master'  
Your branch is ahead of 'origin/master' by 1 commit.  
  (use "git push" to publish your local commits)  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (master)  
$ echo "<message>Different content from master</message>" > hello.xml  
  
srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (master)  
$ git add hello.xml  
git commit -m "Added hello.xml in master with different content"  
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it  
[master 6039500] Added hello.xml in master with different content  
 1 file changed, 1 insertion(+)  
 create mode 100644 hello.xml
```

```

rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
git log --oneline --graph --decorate --all
6039500 (HEAD -> master) Added hello.xml in master with different content
* 6a55e2b (GitWork) Added hello.xml with updated content in GitWork branch
/
c84d979 Added feature.txt in FeatureBranchDemo
* 4a80422 (GitNewBranch) Added files in GitNewBranch
/
4fbd0b8 (origin/master) Add .gitignore to ignore log files and folders
7386eb0 Initial commit - Added hello.txt - First test file

rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
git diff master GitWork
diff --git a/hello.xml b/hello.xml
index d1d7e82..15a4821 100644
--- a/hello.xml
+++ b/hello.xml
@@ -1,2 @@
<message>Different content from master</message>
<message>Hello from GitWork branch</message>
<info>Updated content in GitWork</info>

rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
git merge GitWork
Auto-merging hello.xml
CONFLICT (add/add): Merge conflict in hello.xml
Automatic merge failed; fix conflicts and then commit the result.

rima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master|MERGING)
cat hello.xml
<<<<<< HEAD
message>Different content from master</message>
=====
message>Hello from GitWork branch</message>
info>Updated content in GitWork</info>
>>>>>> GitWork

```

```

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master|MERGING)
$ git add hello.xml
git commit -m "Resolved conflict and merged GitWork into master"
[master 5cbb46] Resolved conflict and merged GitWork into master

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 4 commits.
(use "git push" to publish your local commits)

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    hello.xml.orig

nothing added to commit but untracked files present (use "git add" to track)

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ echo "*.orig" >> .gitignore

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ git add .gitignore
git commit -m "Added .orig files to .gitignore"
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
[master 8ebb974] Added .orig files to .gitignore
1 file changed, 1 insertion(+)

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ git branch
  GitNewBranch
  GitWork
* master

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ git branch -d GitWork
Deleted branch GitWork (was 6a55e2b).

srima@LAPTOP-CTI1RISS MINGW64 ~/Gitdemo (master)
$ git log --oneline --graph --decorate
* 8ebb974 (HEAD -> master) Added .orig files to .gitignore
* 5cbb46 Resolved conflict and merged GitWork into master
| \
| * 6a55e2b Added hello.xml with updated content in GitWork branch
| | 6039500 Added hello.xml in master with different content
| /
* c84d979 Added feature.txt in FeatureBranchDemo
* 4fbd0b8 (origin/master) Add .gitignore to ignore log files and folders
* 7386eb0 Initial commit - Added hello.txt - First test file

```

GIT – HOL – 5

```
srima@LAPTOP-CTIIRISS MINGW64 ~ (master)
$ cd Gitdemo

srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (master)
$ git init
Reinitialized existing Git repository in C:/Users/srima/GitDemo/.git/

srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 5 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (master)
$ git branch -a
  GitNewBranch
* master
  remotes/origin/master

srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (master)
$ git pull origin master
warning: redirecting to https://gitlab.com/srimathi2004-group/gitdemo.git/
From https://gitlab.com/srimathi2004-group/gitdemo
  * branch            master       -> FETCH_HEAD
Already up to date.

srima@LAPTOP-CTIIRISS MINGW64 ~/Gitdemo (master)
$ git push origin master
warning: redirecting to https://gitlab.com/srimathi2004-group/gitdemo.git/
Enumerating objects: 17, done.
Counting objects: 100% (17/17), done.
Delta compression using up to 4 threads
Compressing objects: 100% (12/12), done.
Writing objects: 100% (15/15), 1.52 KiB | 519.00 KiB/s, done.
Total 15 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: To create a merge request for master, visit:
remote:   https://gitlab.com/srimathi2004-group/gitdemo/-/merge_requests/new?merge_request%5Bsource_branch%5D=master
remote:
To https://gitlab.com/srimathi2004-group/gitdemo
  4fbd0b8..8ebb974 master -> master
```

COMMITTS OF ABOVE 5 EXERCISES

←

→

↺

🏠

🔒

gitlab.com/srimathi2004-group/gitdemo/-/commits

☆

👤 Sign in

🔖

☰

📁

srimathi2004-group / GitDemo / Commits

master ▾

gitdemo

Author ▾

Browse files

Search by message

Aug 06, 2025



Added .orig files to .gitignore

Srimathi authored 56 minutes ago

8ebb9742







Resolved conflict and merged GitWork into master

Srimathi authored 59 minutes ago

5cbba462







Added hello.xml in master with different content

Srimathi authored 1 hour ago

60395005







Added hello.xml with updated content in GitWork branch

Srimathi authored 1 hour ago

6a55e2b6







Added feature.txt in FeatureBranchDemo

Srimathi authored 2 hours ago

c84d9796







Add .gitignore to ignore log files and folders

Srimathi authored 4 hours ago

4fbd0b8b







Initial commit

...

Srimathi authored 4 hours ago

7386eb0f



