## Activity\_main.xml

```
import android.os.Bundle
import androidx.fragment.app.Fragment
import android.view.LayoutInflater
import android.view.View
import android.view.View
import android.view.ViewGroup

class StudentMarkDetailsFragment : Fragment() {
    override fun onCreateView(
        inflater: LayoutInflater, container: ViewGroup?,
        savedInstanceState: Bundle?
    ): View? {
        return inflater.inflate(R.layout.fragment_student_mark_details, container,
false)
    }
}
```

# MainActivity.kt

# fragment student basic details.xml

```
<LinearLayout
        android:layout width="match parent"
        android:layout height="wrap content"
        android:orientation="horizontal"
        android:padding="8dp">
    <TextView
            android:layout width="wrap content"
            android:layout height="wrap content"
            android:layout gravity="center vertical"/>
            android:layout height="wrap content"
            android: layout_marginLeft="45dp"
</LinearLayout>
<LinearLayout
    <TextView
            android:layout_width="wrap_content"
            android:text="Name'
            android:layout gravity="center vertical"/>
   <EditText
        android:layout width="match parent"
        android:layout height="wrap content"
        android:orientation="horizontal"
    <TextView
            android:layout height="wrap content"
            android:text="Department"
            android:layout gravity="center vertical"/>
    <EditText
            android:layout height="wrap content"
</LinearLayout>
```

### Fragment student mark details.xml

```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</p>
             android:layout width="match parent"
             android:orientation="vertical">
           android:layout width="match parent"
           android:layout height="wrap content"
           android:orientation="horizontal"
           android:padding="8dp">
       <TextView
               android:layout width="wrap content"
               android:text="SSLC Marks"
               android:textSize="20dp"
               android:layout gravity="center vertical"/>
       <EditText
               android:layout_marginLeft="40dp"
   <LinearLayout
           android:layout_width="match_parent"
           android:layout height="wrap content"
           android:padding="8dp">
               android:layout height="wrap content"
               android:layout gravity="center vertical"/>
       <EditText
               android:id="@+id/editTextHSCMarks"
               android:layout width="251dp"
               android:layout height="wrap content"
               android:layout marginLeft="45dp"
   </LinearLayout>
   <LinearLayout
           android:layout width="match parent"
```

```
android:layout_height="wrap_content"
    android:orientation="horizontal"
    android:padding="8dp">

<TextView

    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="UG CGPA"
    android:textSize="20dp"
    android:layout_gravity="center_vertical"/>

<EditText
    android:layout_gravity="center_vertical"/>

<EditText
    android:layout_width="251dp"
    android:layout_height="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginLeft="60dp"
    android:hint="Enter UG CGPA"/>

</LinearLayout></LinearLayout>
```

#### Studentbasicdetails.kt

```
package com.example.ex4
import android.os.Bundle
import androidx.fragment.app.Fragment
import android.view.LayoutInflater
import android.view.View
import android.view.ViewGroup
class StudentBasicDetailsFragment : Fragment() {
    override fun onCreateView(
        inflater: LayoutInflater, container: ViewGroup?,
        savedInstanceState: Bundle?
    ): View? {
        return inflater.inflate(R.layout.fragment_student_basic_details, container,
false)
    }
}
```

# StudentMarkDetailskt

```
import android.os.Bundle
import androidx.fragment.app.Fragment
import android.view.LayoutInflater
import android.view.View
import android.view.View
import android.view.ViewGroup

class StudentMarkDetailsFragment : Fragment() {
    override fun onCreateView(
        inflater: LayoutInflater, container: ViewGroup?,
        savedInstanceState: Bundle?
    ): View? {
        return inflater.inflate(R.layout.fragment_student_mark_details, container,
false)
    }
}
```