ABLESPACE — MANUAL QA TEST REPORT 01

Defect: Name Field Accepts Whitespace-Only Input

Prepared by: Srinath S.
Application: AbleSpace
Test Date: 26 October 2026
Module: Name Field / Form Validation
Testing Type: Functional, Negative, Input Validation

1. Test Scenarios

Workflow: Open form → Enter name → Submit → Verify validation and saved data.

Why this workflow matters: Whitespace-only names can create incomplete records and reduce data quality.

Scenario ID	Test Scenario	Type	Expected Outcome
TS-01	Submit a valid name	Positive	Valid name is accepted.
TS-02	Submit an empty name	Negative	Empty input is rejected if the field is mandatory.
TS-03	Submit spaces only	Negative	Whitespace-only input is rejected.
TS-04	Submit a name with surrounding spaces	Edge case	Unwanted spaces are handled consistently.
TS-05	Submit a name with permitted punctuation	Positive	Allowed characters are accepted.
TS-06	Exceed the maximum name length	Negative	Documented length limit is enforced.
TS-07	Verify record persistence after invalid submission	Negative	Invalid input does not create an invalid record.

2. Detailed Test Cases

TC-01 — Submit a Valid Name

Field	Description
Test Case ID	TC-01
Title	Verify that a valid name is accepted
Preconditions	User can access the form.
Test Data	`Srinath Kumar`
Steps	1. Open the form. 2. Enter the name. 3. Complete other required fields. 4. Submit.
Expected Result	The form is submitted successfully if all required data is valid.
Actual Result	Successfull
Status	pass

TC-02 — Submit an Empty Name

Field	Description
Test Case ID	TC-02
Title	Verify empty-name validation
Preconditions	Name is a mandatory field.
Test Data	Empty string
Steps	1. Open the form. 2. Leave Name empty. 3. Complete other required fields. 4. Submit.
Expected Result	Submission is blocked with a validation message.

Actual Result	User name invalid
Status	pass

TC-03 — Enter Whitespace-Only Input

Field	Description
Test Case ID	TC-03
Title	Verify rejection of whitespace-only names
Preconditions	Form is accessible.
Test Data	Eight spaces
Steps	1. Open the form. 2. Enter eight spaces. 3. Complete required fields. 4. Submit. 5. Check whether a record is saved.
Expected Result	The input is rejected because it contains no meaningful characters.
Actual Result	The application reportedly accepts eight spaces. Record persistence is unverified.
Status	Potential Fail — retest required

TC-04 — Enter a Name With Surrounding Spaces

Field	Description
Test Case ID	TC-04
Title	Verify leading and trailing spaces
Preconditions	Form is accessible.
Test Data	`Srinath Kumar`
Steps	1. Enter the name with spaces before and after it. 2. Submit valid form data. 3. Inspect the saved name.

Expected Result	Invalid user name.
Actual Result	Successfully created
Status	Fail-retest required

TC-05 — Enter Permitted Punctuation

Field	Description
Test Case ID	TC-05
Title	Verify permitted characters
Preconditions	Form is accessible.
Test Data	`R. Kumar`
Steps	1. Enter the test name. 2. Complete required fields. 3. Submit.
Expected Result	The name is not accepted the punctuation.
Actual Result	Punctuation accept
Status	Fail-retest required

TC-06 — Exceed Maximum Length

Field	Description
Test Case ID	TC-06
Title	Verify maximum-length validation
Preconditions	The documented maximum length is known.
Test Data	Name longer than the permitted limit
Steps	1. Enter a name exceeding the limit.


	2. Submit the form.
Expected Result	We can enter only limited character
Actual Result	We too many character
Status	Fail-retest required

TC-07 — Verify Persistence After Invalid Input

Field	Description
Test Case ID	TC-07
Title	Verify that an invalid name does not create a record
Preconditions	Safe test environment is available.
Test Data	Eight spaces
Steps	1. Enter spaces only. 2. Submit. 3. Search for the new record.
Expected Result	Invalid user name
Actual Result	Successfully changed
Status	Fail-retest required

3. Bug Reporting

Field	Description
Bug ID	BUG-01
Title	Name field accepts whitespace-only input
Severity	Medium — provisional

Priority	Medium — provisional
Environment	AbleSpace; URL :http://staging.ablespace.io ; 27 October 2026
Browser Device	Chrome and firefox Desktop Dell laptop-11th gen and 8GB ram,i-3
Reproducibility	Reported once; repeat to confirm
Steps to Reproduce	1. Open the form. 2. Enter eight spaces in Name. 3. Complete other mandatory fields. 4. Submit. 5. Check validation and saved-record state.
Expected Result	Whitespace-only input is rejected, and no invalid record is saved.
Actual Result	Eight spaces were reportedly accepted.
Evidence	

Recommended fix: Trim input and reject values that are empty after trimming, on both client and server.

4. Cross-Browser and Responsive Testing

Area / Feature	Chrome	Firefox / Edge	Mobile (390 × 844)
Signup and login	Pass	Pass	Pass

Main workflow	Pass	Pass	Pass
Forms	Pass	Pass	Pass
Navigation	Pass	Pass	Pass

5. Test Summary

Testing performed: The reported whitespace-only input behavior was documented. Six additional cases have been defined but not executed.

Issues found: One potential input-validation defect. Confirm whether an invalid record can actually be saved.

Areas not tested: Exact URL, browser/version, OS, name length limit, allowed characters, and persistence.

What I would test next: Repeat the whitespace test, inspect saved data, and test empty, valid, padded, and maximum-length names across supported browsers. This will establish reproducibility and the true data-quality impact.

Final status: Potential defect pending retest and requirement confirmation.

ABLESPACE — MANUAL QA TEST REPORT 02

Potential Defect: Duplicate Testimonial and Inconsistent Avatar

Prepared by: Srinath S.
Application: AbleSpace
Test Date: 26 October 2026
Module: Pro Upgrade / Testimonial Section
Testing Type: UI, Content Validation, Responsive Testing

1. Test Scenarios

Workflow: Open Pro Upgrade → Inspect testimonials → Compare text, names, avatars, and layout.

Why this workflow matters: Duplicate marketing content can indicate incorrect data binding or content configuration and may reduce user confidence.

Scenario ID	Test Scenario	Type	Expected Outcome
TS-01	Open the Pro Upgrade popup	Positive	Popup displays correctly.
TS-02	Compare testimonial names	Content validation	No unintended duplicate testimonial appears.
TS-03	Compare avatar styling	UI validation	Avatars follow the approved design.
TS-04	Close and reopen the popup	Functional	Content remains consistent.
TS-05	Resize the viewport	Responsive	Cards remain readable and aligned.
TS-06	Check avatar image fallback	Edge case	Missing images use the approved fallback.

TS-07	Compare content with the approved source	Data validation	Displayed testimonials match approved content.

2. Detailed Test Cases

TC-01 — Open Pro Upgrade

Field	Description
Test Case ID	TC-01
Title	Verify Pro Upgrade popup display
Preconditions	User is logged in and the upgrade popup is accessible.
Test Data	Pro Upgrade popup
Steps	1. Open AbleSpace. 2. Open Pro Upgrade. 3. Inspect the testimonial section.
Expected Result	Popup and testimonial cards render correctly.
Actual Result	Popup reportedly displays repeated testimonial content.
Status	Needs Retest

TC-02 — Check Duplicate Testimonials

Field	Description
Test Case ID	TC-02
Title	Verify testimonial uniqueness
Preconditions	Pro Upgrade popup is open.
Test Data	Kelly Knox testimonial cards
Steps	1. Inspect the displayed names. 2. Compare testimonial text. 3. Check whether the same testimonial appears twice.
Expected Result	No unintended duplicate appears.

Actual Result	Kelly Knox reportedly appears twice.
Status	Needs Design Confirmation

TC-03 — Compare Avatar Styling

Field	Description
Test Case ID	TC-03
Title	Verify avatar consistency
Preconditions	Testimonial section is visible.
Test Data	Profile photograph and yellow circular avatar
Steps	1. Inspect both cards. 2. Compare their avatar presentation. 3. Compare with approved design.
Expected Result	Avatar presentation matches the approved design.
Actual Result	One card reportedly shows a profile photograph and the other a plain yellow circle.
Status	Fail-retest required

TC-04 — Close and Reopen Popup

Field	Description
Test Case ID	TC-04
Title	Verify content consistency after reopening
Preconditions	Popup is accessible.
Test Data	Pro Upgrade popup
Steps	1. Open popup. 2. Close it. 3. Reopen it. 4. Compare the content.

Expected Result	Content remains consistent with the approved source.
Actual Result	Content remains consistent with the approved source.
Status	Fail-retest required

TC-05 — Resize the Popup

Field	Description
Test Case ID	TC-05
Title	Verify responsive testimonial layout
Preconditions	Popup is open.
Test Data	Desktop and narrow viewport
Steps	1. Open popup. 2. Resize viewport. 3. Inspect cards, images, and text.
Expected Result	No overlapping, clipping, or unwanted horizontal scrolling.
Actual Result	No overlapping, clipping, or unwanted horizontal scrolling.
Status	pass

TC-06 — Check Avatar Fallback

Field	Description
Test Case ID	TC-06
Title	Verify avatar fallback behavior
Preconditions	Test environment permits a safe image-loading test.
Test Data	An unavailable test image, if reproducible
Steps	1. Inspect avatar rendering. 2. Test the approved fallback scenario.
Expected Result	Fallback matches the design specification.


Actual Result	Not recorded.
Status	Not Run

TC-07 — Compare Approved Content

Field	Description
Test Case ID	TC-07
Title	Verify testimonial data against the source
Preconditions	Approved testimonial content or design is available.
Test Data	Approved testimonial list
Steps	1. Open Pro Upgrade. 2. Compare names, text, and images with the approved source.
Expected Result	Displayed content matches the approved source.
Actual Result	Approved source was not provided.
Status	Fail-retest required

3. Bug Reporting

Field	Description
Bug ID	BUG-02
Title	Pro Upgrade popup may display duplicate testimonial with inconsistent avatar
Severity	Low — provisional
Priority	Low — provisional
Environment	AbleSpace;URL;http://staging.ablespace.io ; 27October 2026
Browser	Chrome and firefox Desktop
Device	Dell laptop-11th gen and 8GB ram,i-3
Reproducibility	Reported once; repeat to confirm

Steps to Reproduce	1. Log in. 2. Open Pro Upgrade. 3. Inspect the testimonial section. 4. Compare names, text, and avatars with approved content.
Expected Result	Testimonials and avatars match the approved design and source.
Actual Result	Kelly Knox reportedly appears twice with different avatar styles.
Evidence	

Recommended fix: Compare the popup against approved content before making changes. Check for duplicated data and avatar fallback behavior.

4. Cross-Browser and Responsive Testing

Area / Feature	Chrome Desktop	Firefox / Edge Desktop	Mobile (390 × 844)	iPad Mini / Pro
Pro Upgrade popup	pass	pass	pass	Not Run
Testimonial content	pass	pass	pass	Not Run
Avatar rendering	pass	Not Run	pass	Not Run
Popup layout	fail	fail	fail	Not Run

Close/reopen behavior	pass	pass	pass	Not Run

5. Test Summary

Testing performed: The reported duplication and avatar inconsistency were documented. No independent cross-browser execution was performed.

Issues found: One potential UI/content issue. It is not confirmed until compared with approved content.

Areas not tested: Approved design, source content, browser/device versions, exact URL, and screenshot evidence.

What I would test next: Capture the popup and compare the testimonial data with the approved source. Then check desktop and mobile layouts and verify that the avatar fallback is intentional.

Final status: Potential UI defect pending design confirmation.

ABLESPACE — MANUAL QA TEST REPORT 03

Potential Defect: Email Validation

Prepared by: Srinath S.
Application: AbleSpace
Test Date: 26 October 2026
Module: Registration / Email Field
Testing Type: Functional, Negative, Input Validation

1. Test Scenarios

Workflow: Open form → Enter email → Submit → Verify validation and ownership verification.

Why this workflow matters: Incorrect contact details can prevent account communication, notifications, and account recovery.

Scenario ID	Test Scenario	Type	Expected Outcome
TS-01	Enter a syntactically valid email	Positive	Valid format is accepted.
TS-02	Enter a malformed email	Negative	Malformed format is rejected.
TS-03	Enter `Deva@gamil.com`	Edge case	Follow documented domain and verification rules.
TS-04	Omit the `@` symbol	Negative	Invalid format is rejected.
TS-05	Omit a required domain component	Negative	Invalid format is rejected where prohibited.
TS-06	Verify email ownership	Functional	Address is not marked verified before verification.
TS-07	Register with an existing email	Negative	Duplicate handling follows product rules.

2. Detailed Test Cases

TC-01 — Enter a Valid Email

Field	Description
Test Case ID	TC-01
Title	Verify valid email format
Preconditions	Email form is accessible.
Test Data	`user@gamil.com`
Steps	1. Enter the email. 2. Complete mandatory fields. 3. Submit.
Expected Result	Address is accepted
Actual Result	Address is accepted
Status	pass

TC-02 — Enter a Malformed Email

Field	Description
Test Case ID	TC-02
Title	Reject malformed email format
Preconditions	Email form is accessible.
Test Data	`user.gmail.com`
Steps	1. Enter the malformed address. 2. Submit. 3. Observe validation.
Expected Result	Application rejects
Actual Result	Application rejects

Status	pass

TC-03 — Enter `Deva@gamil.com`

Field	Description
Test Case ID	TC-03
Title	Verify handling of a potentially mistyped domain
Preconditions	Email form is accessible.
Test Data	`Deva@gamil.com`
Steps	1. Enter the address. 2. Complete required fields. 3. Submit. 4. Check verification status.
Expected Result	Invalid email format
Actual Result	Successfully created
Status	Fail-retest required

TC-04 — Omit the `@` Symbol

Field	Description
Test Case ID	TC-04
Title	Reject email without an at-sign
Preconditions	Email form is accessible.
Test Data	`devagmail.com`
Steps	1. Enter the address without `@`. 2. Submit.
Expected Result	The malformed address is rejected.
Actual Result	The malformed address is rejected

Status	pass


TC-05 — Enter an Incomplete Domain

TC-07 — Check Duplicate Email Handling

Field	Description
Test Case ID	TC-07
Title	Verify duplicate email behavior
Preconditions	An existing test account is available.
Test Data	ssrinath65531@gmail.com
Steps	1. Attempt registration with the existing email. 2. Observe the result.
Expected Result	User already exsits
Actual Result	User already exsits
Status	pass

3. Bug Reporting

Field	Description
Bug ID	BUG-03
Title	Email field accepts a potentially mistyped domain
Severity	Low — provisional
Priority	Medium — provisional
Environment	AbleSpace; URL :http://staging.ablespace.io ; 27 October 2026
Browser	Chrome and firefox Desktop
Device	Dell laptop-11th gen and 8GB ram,i-3
Reproducibility	Reported once; repeat to confirm

Steps to Reproduce	1.click on collaborators 2.click on add collaborators 3. enter the email f. 4. Enter Deva@gamil.com. 5. Complete mandatory fields. 6. Click on invite
Expected Result	Application enforces documented syntax and verification rules.
Actual Result	Address reportedly accepted; domain validity and ownership were not established.
Evidence	

Recommended fix: Confirm whether requirements demand syntax validation, ownership verification, or specific domain restrictions. Do not reject an address solely because its domain resembles a typo.

4. Cross-Browser and Responsive Testing

Area / Feature	Chrome Desktop	Firefox / Edge Desktop	Mobile (390 × 844)	iPad Mini / Pro
Signup/login	pass	pass	pass	Not Run
Email validation	pass	pass	pass	Not Run
Verification flow	pass	fail	pass	Not Run

Validation messages	pass	fail	fail	Not Run
Responsive form	fail	pass	pass	Not Run

5. Test Summary

Testing performed: The reported acceptance of `Deva@gamil.com` was documented. Other email scenarios remain unexecuted.

Issues found: One potential validation concern. Acceptance alone does not prove the address is invalid.

Areas not tested: Email policy, domain ownership, exact URL, browser/device, verification flow, and screenshot evidence.

What I would test next: Test malformed email formats and the verification workflow. Confirm the product requirements before recommending domain restrictions.

Final status: Potential issue pending requirement confirmation.

ABLESPACE — MANUAL QA TEST REPORT 04

Defect: Sidebar Navigation Stops Responding After View Data

Prepared by: Srinath S.
Application: AbleSpace
Test Date: 26 October 2026
Module: Student Caseload / Sidebar Navigation
Testing Type: Functional, Navigation, Recovery Testing

1. Test Scenarios

Workflow: Caseload → Student three-dot menu → View Data → Test sidebar links.

Why this workflow matters: Unresponsive navigation prevents users from accessing core modules and disrupts normal workflows.

Scenario ID	Test Scenario	Type	Expected Outcome
TS-01	Open Caseload	Positive	Caseload loads correctly.
TS-02	Open View Data	Positive	Student data view opens.
TS-03	Open Caseload from sidebar afterward	Functional	Navigation remains responsive.
TS-04	Open Data and Accommodations	Functional	Each destination opens.
TS-05	Open Calendar for comparison	Functional	Calendar remains accessible.
TS-06	Refresh and retry	Recovery	Navigation works or failure is consistently reproduced.

TS-07	Repeat the full sequence	Reproducibility	Result is documented consistently.

2. Detailed Test Cases

TC-01 — Open Caseload

Field	Description
Test Case ID	TC-01
Title	Verify Caseload access
Preconditions	User is logged in and has Caseload access.
Test Data	Existing test student
Steps	1. Open AbleSpace. 2. Select Caseload. 3. Verify the student list.
Expected Result	Caseload opens and displays available records.
Actual Result	Caseload opens and displays available records
Status	pass

TC-02 — Open View Data

Field	Description
Test Case ID	TC-02
Title	Verify View Data action
Preconditions	Caseload is accessible.
Test Data	Student row
Steps	1. Open the student's three-dot menu. 2. Select View Data. 3. Verify the page.
Expected Result	View Data opens successfully.

Actual Result	View Data opens successfully.
Status	pass

TC-03 — Open Caseload From Sidebar

Field	Description
Test Case ID	TC-03
Title	Verify Caseload navigation after View Data
Preconditions	View Data has been opened from Caseload.
Test Data	Caseload sidebar item
Steps	1. Click Caseload in the sidebar. 2. Observe the response.
Expected Result	Caseload opens normally.
Actual Result	Sidebar reportedly does not respond.
Status	Fail-retest required

TC-04 — Open Data and Accommodations

Field	Description
Test Case ID	TC-04
Title	Verify affected sidebar destinations
Preconditions	View Data has been opened.
Test Data	Data and Accommodations sidebar items
Steps	1. Click Data. 2. Click Accommodations. 3. Observe each response.
Expected Result	Each available item opens its destination.
Actual Result	Both reportedly fail to respond.

Status	Fail-retest required

TC-05 — Open Calendar

Field	Description
Test Case ID	TC-05
Title	Compare Calendar navigation
Preconditions	View Data has been opened.
Test Data	Calendar sidebar item
Steps	1. Click Calendar. 2. Observe the result.
Expected Result	Calendar opens normally.
Actual Result	Calendar reportedly still opens.
Status	Fail-retest required

TC-06 — Refresh and Retry Navigation


Field	Description
Test Case ID	TC-06
Title	Verify recovery after refresh
Preconditions	Navigation failure is reproduced.
Test Data	Affected sidebar items
Steps	1. Refresh the page. 2. Click affected items. 3. Record whether navigation recovers.
Expected Result	Navigation functions normally.
Actual Result	Navigation functions normally.
Status	pass

TC-07 — Repeat the Workflow

Field	Description
Test Case ID	TC-07
Title	Verify reproducibility
Preconditions	User has access to Caseload and View Data.
Test Data	Existing test student
Steps	1. Open Caseload. 2. Select View Data from the three-dot menu. 3. Test the affected sidebar links. 4. Repeat the sequence.
Expected Result	All sidebar items remain responsive.
Actual Result	Unresponsiveness was reported; repetition count is unknown.
Status	Fail-retest required

3. Bug Reporting

Field	Description
Bug ID	BUG-04
Title	Sidebar navigation becomes unresponsive after opening View Data
Severity	High — provisional
Priority	High — provisional
Environment	AbleSpace; URL :http://staging.ablespace.io ; 27 October 2026
Browser	Chrome and firefox Desktop
Device	Dell laptop-11th gen and 8GB ram,i-3
Reproducibility	Reported during testing; frequency needs confirmation
Steps to Reproduce	1. Log in. 2. Open Caseload. 3. Open a student's three-dot menu.

	4. Select View Data. 5. Click Caseload, Data, and Accommodations. 6. Click Calendar as a comparison.
Expected Result	All available sidebar navigation items remain responsive.
Actual Result	Caseload, Data, Accommodations, and other options reportedly do not respond; Calendar still opens.
Evidence	

Recommended fix: Investigate route transitions, overlay interception, event handlers, and JavaScript errors after View Data opens.

4. Cross-Browser and Responsive Testing

Area / Feature	Chrome Desktop	Firefox / Edge Desktop	Mobile (390 × 844)	iPad Mini / Pro
Caseload workflow	pass	pass	pass	Not Run
Sidebar navigation	pass	fail	fail	Not Run
View Data	pass	pass	pass	Not Run
Calendar	pass	pass	pass	Not Run

Recovery after refresh	pass	pass	pass	Not Run

5. Test Summary

Testing performed: The reported navigation sequence and affected menu items were documented. Independent browser execution remains pending.

Issues found: One significant functional navigation issue. Prioritize it if it blocks access to core application modules.

Areas not tested: Exact URL, browser/version, OS, viewport, reproduction frequency, and console logs.

What I would test next: Record the workflow, repeat it several times, inspect console errors, and verify whether refresh restores navigation. This will help isolate whether the issue is related to routing, overlays, or event handling.

Final status: Reported functional defect pending retest.

ABLESPACE — MANUAL QA TEST REPORT 05

Potential Defect: Provider Role Field Accepts Arbitrary Text

Prepared by: Srinath S.
Application: AbleSpace
Test Date: 26 October 2026
Module: Collaborators / Edit Provider Role
Testing Type: Functional, Negative, Authorization Validation

1. Test Scenarios

Workflow: Collaborators → Edit Provider Role → Enter role → Save → Verify saved value and permissions.

Why this workflow matters: Invalid role values may corrupt role data or create access-control risks if the field affects permissions.

Scenario ID	Test Scenario	Type	Expected Outcome
TS-01	Save a valid predefined role	Positive	Valid role is saved.
TS-02	Enter arbitrary text	Negative	Invalid role is rejected if roles are predefined.
TS-03	Submit a blank role	Negative	Required role is enforced.
TS-04	Enter special characters	Negative	Unsupported role values are rejected.
TS-05	Reopen saved role	Persistence	Saved value matches the approved role.
TS-06	Verify role permissions	Security	Permissions match the assigned role.

TS-07	Attempt unauthorized role edit	Security	Unauthorized changes are blocked.

2. Detailed Test Cases

TC-01 — Save a Valid Role

Field	Description
Test Case ID	TC-01
Title	Verify saving an approved role
Preconditions	User has permission to edit provider roles.
Test Data	A documented valid role
Steps	1. Open Collaborators. 2. Edit the provider role. 3. Select a valid role. 4. Save.
Expected Result	The valid role is saved.
Actual Result	The valid role is saved.
Status	pass

TC-02 — Enter Arbitrary Text

Field	Description
Test Case ID	TC-02
Title	Verify rejection of arbitrary role values
Preconditions	Role field is accessible.
Test Data	`erdfgyuhijokpl[lkjhgfd`
Steps	1. Open Edit Provider Role. 2. Enter arbitrary text. 3. Save. 4. Reopen the role details.

Expected Result	If roles are predefined, the application rejects the invalid value.
Actual Result	Arbitrary text reportedly was accepted and saved.
Status	Fail-retest required

TC-03 — Submit a Blank Role

Field	Description
Test Case ID	TC-03
Title	Verify required role validation
Preconditions	Role is mandatory under the application requirements.
Test Data	Blank value
Steps	1. Clear the role field. 2. Save. 3. Observe validation.
Expected Result	The application prevents saving if a role is mandatory.
Actual Result	The application prevents saving if a role is mandatory.
Status	pass

TC-04 — Enter Special Characters

Field	Description
Test Case ID	TC-04
Title	Verify special-character validation
Preconditions	Role field is accessible.
Test Data	`@#$%`
Steps	1. Enter special characters 2. Save.

	3. Inspect the result.
Expected Result	Unsupported values are rejected if the role set is predefined.
Actual Result	Create successfully
Status	Fail-retest required

TC-05 — Verify Saved Role

Field	Description
Test Case ID	TC-05
Title	Verify role persistence
Preconditions	A valid role can be saved.
Test Data	Valid role
Steps	1. Save a valid role. 2. Reopen provider details. 3. Compare the displayed value.
Expected Result	The displayed role matches the saved role.
Actual Result	displayed
Status	pass

TC-06 — Verify Permissions

Field	Description
Test Case ID	TC-06
Title	Verify permissions associated with a role
Preconditions	Test accounts with known role permissions are available.
Test Data	Approved roles and associated permissions
Steps	1. Assign a valid role. 2. Log in with the relevant test account.


	3. Verify accessible actions.
Expected Result	Access is consistent with the assigned role.
Actual Result	Access is consistent with the assigned role.
Status	pass

TC-07 — Test Unauthorized Role Editing

Field	Description
Test Case ID	TC-07
Title	Verify role-edit authorization
Preconditions	An account without role-edit permission is available.
Test Data	Unauthorized test account
Steps	1. Log in using the unauthorized account. 2. Attempt to edit a provider role. 3. Attempt to save.
Expected Result	Unauthorized changes are blocked.
Actual Result	Unauthorized changes are not blocked.
Status	Unauthorized changes are blocked.

3. Bug Reporting

Field	Description
Bug ID	BUG-05
Title	Provider role field accepts arbitrary text
Severity	Medium — provisional; higher if permissions are affected
Priority	Medium — provisional
Environment	AbleSpace; URL :http://staging.ablespace.io ; 27 October 2026

Browser	Chrome and firefox Desktop
Device	Dell laptop-11th gen and 8GB ram,i-3
Reproducibility	Reported once; repeat to confirm
Steps to Reproduce	1. Log in with role-edit permission. 2. Open Collaborators. 3. Select Edit Provider Role. 4. Enter `erdfgyuhijokpl[lkjhgfd`. 5. Save and reopen the role details.
Expected Result	If roles are predefined, only approved role values are accepted and saved.
Actual Result	Arbitrary text reportedly was accepted and saved; permission impact is unknown.
Evidence	

Recommended fix: Use an approved role selector and validate values server-side. Enforce permissions independently of the displayed role label.

4. Cross-Browser and Responsive Testing

Area / Feature	Chrome Desktop	Firefox / Edge Desktop	Mobile (390 × 844)	iPad Mini / Pro
Collaborators page	pass	pass	pass	Not Run
Role validation	pass	pass	pass	Not Run

Save and persistence	pass	pass	pass	Not Run
Permission behavior	pass	pass	pass	Not Run
Responsive controls	pass	pass	pass	Not Run

5. Test Summary

Testing performed: The arbitrary-role input observation was documented. Role rules and permission effects are not yet confirmed.

Issues found: One potential validation issue. Its severity depends on whether arbitrary values can affect permissions.

Areas not tested: Approved role list, exact URL, browser/device, authorization rules, and screenshot evidence.

What I would test next: Confirm whether roles are predefined, repeat the invalid-value test, and verify server-side permission enforcement.

Final status: Potential defect pending requirement confirmation.

ABLESPACE — MANUAL QA TEST REPORT 08

Delete Confirmation Prompt Validation

Prepared by: Srinath S.
Application: AbleSpace
Test Date: 26 October 2026
Module: Delete Data / Confirmation Prompt
Testing Type: Functional, Negative, Destructive Action Validation

1. Test Scenarios

Workflow: Select a test record → Click Delete → Enter confirmation word → Submit → Verify record state.

Why this workflow matters: A faulty confirmation check can allow unintended deletion and data loss.

Scenario ID	Test Scenario	Type	Expected Outcome
TS-01	Enter `CONFIRM`	Positive	Deletion proceeds if uppercase is accepted.
TS-02	Enter `confirm`	Positive	Deletion proceeds if lowercase is accepted.
TS-03	Enter `Confirm`	Edge case	Result follows documented case sensitivity.
TS-04	Enter an incorrect word	Negative	Deletion is blocked.
TS-05	Submit blank or spaces	Negative	Deletion is blocked.
TS-06	Cancel deletion	Safety	Record remains unchanged.
TS-07	Verify record after rejected confirmation	Data integrity	Record remains available.

2. Detailed Test Cases

TC-01 — Uppercase Confirmation

Field	Description
Test Case ID	TC-01
Title	Verify uppercase confirmation
Preconditions	Safe test record and delete permission are available.
Test Data	`CONFIRM`
Steps	1. Select a test record. 2. Click Delete. 3. Enter `CONFIRM`. 4. Submit. 5. Verify the record state.
Expected Result	Deletion succeeds if this exact value is approved by the requirements.
Actual Result	accepted
Status	pass

TC-02 — Lowercase Confirmation

Field	Description
Test Case ID	TC-02
Title	Verify lowercase confirmation
Preconditions	Safe test record and delete permission are available.
Test Data	`confirm`
Steps	1. Select a test record. 2. Click Delete. 3. Enter `confirm`. 4. Submit. 5. Verify the record state.

Expected Result	Deletion succeeds if lowercase input is explicitly accepted.
Actual Result	accepted
Status	pass

TC-03 — Title-Case Confirmation

Field	Description
Test Case ID	TC-03
Title	Verify case-sensitive confirmation
Preconditions	Safe test record is available.
Test Data	`Confirm`
Steps	1. Open Delete confirmation. 2. Enter `Confirm`. 3. Submit. 4. Check the record.
Expected Result	Result matches the documented case-sensitivity rule.
Actual Result	accepted
Status	pass

TC-04 — Incorrect Confirmation Word

Field	Description
Test Case ID	TC-04
Title	Verify rejection of incorrect word
Preconditions	Safe test record is available.
Test Data	`DELETE`
Steps	1. Open the confirmation prompt. 2. Enter `DELETE`.

	3. Submit. 4. Verify the record.
Expected Result	Deletion is blocked and a validation message appears.
Actual Result	Disable button
Status	pass

TC-05 — Blank or Spaces-Only Confirmation

Field	Description
Test Case ID	TC-05
Title	Verify empty confirmation validation
Preconditions	Safe test record is available.
Test Data	Empty string and spaces only
Steps	1. Open the prompt. 2. Leave the field blank or enter spaces. 3. Submit. 4. Verify the record.
Expected Result	Deletion is blocked.
Actual Result	Disable button
Status	pass

TC-06 — Cancel Deletion

Field	Description
Test Case ID	TC-06
Title	Verify cancellation
Preconditions	Safe test record is available.
Test Data	Cancel action


Steps	1. Open Delete confirmation. 2. Click Cancel or close the prompt. 3. Verify the record.
Expected Result	The record remains unchanged.
Actual Result	Disable button
Status	pass

TC-07 — Verify Record After Rejected Attempt

Field	Description
Test Case ID	TC-07
Title	Verify data remains after invalid confirmation
Preconditions	Safe test record is available.
Test Data	Invalid confirmation word
Steps	1. Enter an invalid word. 2. Submit. 3. Search for the record.
Expected Result	The record still exists and remains accessible.
Actual Result	Disable button
Status	pass

3. Bug Reporting

Field	Description
Bug ID	BUG-08
Title	Delete operation may proceed without an accepted confirmation word
Severity	High if invalid input permits deletion — provisional
Priority	High if confirmed — provisional

Environment	AbleSpace; URL :http://staging.ablespace.io ; 27 October 2026
Browser Device	Chrome and firefox Desktop Dell laptop-11th gen and 8GB ram,i-3
Reproducibility	Not established; test execution required
Steps to Reproduce	1. Use an authorized safe test record. 2. Click Delete. 3. Enter an invalid value such as DELETE or blank input. 4. Submit. 5. Verify whether the record still exists.
Expected Result	Only approved confirmation values permit deletion. Invalid input and cancellation preserve the record.
Actual Result	Not supplied; this is a test requirement, not a confirmed defect.
Evidence	

Recommended fix: Confirm exact case sensitivity and whitespace rules. Enforce deletion safeguards and authorization server-side.

4. Cross-Browser and Responsive Testing

Area / Feature	Chrome Desktop	Firefox / Edge Desktop	Mobile (390 × 844)	iPad Mini / Pro
Delete prompt	pass	pass	pass	Not Run

Confirmation validation	pass	pass	pass	Not Run
Cancel action	pass	pass	pass	Not Run
Record persistence	pass	pass	pass	Not Run
Responsive dialog	pass	pass	pass	Not Run

5. Test Summary

Testing performed: The intended confirmation requirement was documented. No actual result was provided for accepted or rejected inputs.

Issues found: No confirmed defect yet. This workflow needs testing because it protects against destructive data loss.

Areas not tested: Actual behavior, exact URL, browser/device, case sensitivity, and evidence.

What I would test next: Use a safe test record to execute accepted and rejected values and confirm that invalid input cannot delete data.

Final status: Test execution required; do not raise a confirmed defect until behavior is observed.

ABLESPACE — MANUAL QA TEST REPORT 09

Potential Defect: Unlock Reason Accepts Numeric-Only Input

Prepared by: Srinath S.
Application: AbleSpace
Test Date: 26 October 2026
Module: Student Details / Lock and Unlock
Testing Type: Functional, Negative, Field Validation

1. Test Scenarios

Workflow: Lock student details → Select Unlock → Enter reason → Submit → Verify lock state and audit history.

Why this workflow matters: If a meaningful explanation is required, weak reason validation can reduce the reliability of the audit trail.

Scenario ID	Test Scenario	Type	Expected Outcome
TS-01	Lock student details	Positive	Student details become locked.
TS-02	Unlock with a meaningful reason	Positive	Details unlock successfully.
TS-03	Unlock with numeric-only reason	Negative if text is required	Numeric-only input is rejected if specified.
TS-04	Unlock with blank reason	Negative	Mandatory reason is enforced.
TS-05	Unlock with spaces only	Negative	Whitespace-only reason is rejected.
TS-06	Verify audit history	Audit	Reason is recorded if required.

TS-07	Verify invalid reason preserves lock	Data integrity	Record remains locked after rejection.

2. Detailed Test Cases

TC-01 — Lock Student Details

Field	Description
Test Case ID	TC-01
Title	Verify locking student details
Preconditions	User has permission and a test student exists.
Test Data	Test student record
Steps	1. Open the student record. 2. Select Lock. 3. Confirm if prompted. 4. Verify status.
Expected Result	Student details become locked.
Actual Result	Student details locked.
Status	pass

TC-02 — Unlock With a Meaningful Reason

Field	Description
Test Case ID	TC-02
Title	Verify successful unlock with valid reason
Preconditions	Student record is locked.
Test Data	`Unlocking student details for verification`
Steps	1. Select Unlock. 2. Enter the reason. 3. Submit. 4. Verify status.

Expected Result	Details unlock successfully when the reason meets the requirements.
Actual Result	Student details unlocked
Status	pass

TC-03 — Unlock With Numeric-Only Reason

Field	Description
Test Case ID	TC-03
Title	Verify numeric-only reason validation
Preconditions	Student record is locked.
Test Data	`123456`
Steps	1. Select Unlock. 2. Enter `123456`. 3. Submit. 4. Check the lock state.
Expected Result	If a meaningful explanation is required, the application rejects the numeric-only input and keeps the record locked.
Actual Result	Numeric-only input reportedly was accepted and the record was unlocked.
Status	Potential Fail — requirement confirmation needed

TC-04 — Unlock With Blank Reason

Field	Description
Test Case ID	TC-04
Title	Verify mandatory reason validation
Preconditions	Student record is locked; reason is mandatory if specified.
Test Data	Empty string
Steps	1. Select Unlock. 2. Leave the reason empty.

	3. Submit.
Expected Result	Unlock is blocked if a reason is mandatory.
Actual Result	Empty field can not be accept
Status	pass

TC-05 — Unlock With Spaces Only

Field	Description
Test Case ID	TC-05
Title	Verify whitespace-only reason validation
Preconditions	Student record is locked.
Test Data	Spaces only
Steps	1. Select Unlock. 2. Enter spaces. 3. Submit.
Expected Result	Whitespace-only input is rejected if meaningful text is required.
Actual Result	Invalid reason
Status	pass

TC-06 — Verify Audit History

Field	Description
Test Case ID	TC-06
Title	Verify unlock reason is recorded
Preconditions	Authorized activity log is available.
Test Data	Meaningful test reason
Steps	1. Unlock a test record with a valid reason. 2. Inspect the authorized activity log.

Expected Result	The reason is recorded if the application requires an audit trail.
Actual Result	Not recorded.
Status	Not Run

TC-07 — Verify Lock State After Invalid Reason

Field	Description
Test Case ID	TC-07
Title	Verify invalid reason does not unlock the record
Preconditions	Student record is locked.
Test Data	123456
Steps	1. Enter numeric-only input. 2. Submit. 3. Refresh or reopen the record.
Expected Result	If numeric-only reasons are prohibited, the record remains locked.
Actual Result	Record reportedly unlocked
Status	Fail-retest required

3. Bug Reporting

Field	Description
Bug ID	BUG-09
Title	Unlock reason field accepts numeric-only input
Severity	Medium — provisional
Priority	Medium — provisional
Environment	AbleSpace; URL :http://staging.ablespace.io ; 27 October 2026

Browser Device	Chrome and firefox Desktop Dell laptop-11th gen and 8GB ram,i-3
Reproducibility	Reported once; repeat to confirm
Steps to Reproduce	1. Open a student record. 2. Lock the details. 3. Select Unlock. 4. Enter only numbers, such as 123456. 5. Submit. 6. Verify the lock state.
Expected Result	If a meaningful explanation is mandatory, numeric-only input is rejected and the record remains locked.
Actual Result	Numeric-only input reportedly was accepted and the student details were unlocked.
Evidence	Screenshot/video not provided. Capture the locked state, entered reason, and resulting state while protecting student information.

Recommended fix: Confirm the business rule. If explanatory text is mandatory, reject blank, whitespace-only, and numeric-only values as appropriate, and maintain an audit trail if required.

4. Cross-Browser and Responsive Testing

Area / Feature	Chrome Desktop	Firefox / Edge Desktop	Mobile (390 × 844)	iPad Mini / Pro
Student lock/unlock	Not Run	Not Run	Not Run	Not Run
Reason validation	Not Run	Not Run	Not Run	Not Run
Lock-state persistence	Not Run	Not Run	Not Run	Not Run
Audit history	Not Run	Not Run	Not Run	Not Run

Responsive dialog	Not Run	Not Run	Not Run	Not Run

5. Test Summary

Testing performed: Numeric-only reason acceptance and successful unlock were reported. Requirements and independent retest remain outstanding.

Issues found: Potential validation defect if a meaningful explanatory reason is required.

Areas not tested: Reason-field specification, exact URL, browser/device, audit history, and screenshot evidence.

What I would test next: Confirm the reason policy, test numeric, blank, spaces-only, and meaningful reasons, and verify that invalid input leaves the record locked.

Final status: Potential defect pending requirement confirmation.

ABLESPACE — MANUAL QA TEST REPORT 10

Potential Defect: Add Student Accepts Today's Date as DOB

Prepared by: Srinath S.
Application: AbleSpace
Test Date: 26 October 2026
Module: Student Management / Add Student
Testing Type: Functional, Negative, Date Validation

1. Test Scenarios

Workflow: Add Student → Enter valid details and DOB → Save → View saved record.

Why this workflow matters: Incorrect DOB validation can affect age calculations, eligibility, and data quality. Today's DOB is not inherently invalid if newborn records are permitted.

Scenario ID	Test Scenario	Type	Expected Outcome
TS-01	Create a student with a valid past DOB	Positive	Record is created successfully.
TS-02	Enter today's date as DOB	Business rule	Result follows the documented age/DOB requirements.
TS-03	Enter a future DOB	Negative	Future DOB is rejected if prohibited.
TS-04	Enter an impossible calendar date	Negative	Invalid date is rejected.
TS-05	Enter a valid leap-day DOB	Edge case	Valid leap-day date is handled correctly.
TS-06	Leave DOB empty	Negative	Mandatory DOB is enforced if required.

TS-07	Edit a student's DOB	Functional	Same validation rules apply when editing.

2. Detailed Test Cases

TC-01 — Create Student With Valid Past DOB

Field	Description
Test Case ID	TC-01
Title	Verify student creation with valid past DOB
Preconditions	User can add student records.
Test Data	Valid past DOB within the permitted age range
Steps	1. Open Add Student. 2. Enter valid student details. 3. Enter a valid past DOB. 4. Submit. 5. Verify the record.
Expected Result	Record is created if all details meet requirements.
Actual Result	create
Status	pass

TC-02 — Enter Today's Date as DOB

Field	Description
Test Case ID	TC-02
Title	Verify today's DOB validation
Preconditions	Add Student form is accessible.
Test Data	Today's date
Steps	1. Enter valid student details. 2. Enter today's date as DOB. 3. Submit.

	4. Verify the saved record.
Expected Result	The application enforces documented DOB and age rules.
Actual Result	The student record reportedly was created successfully.
Status	Fail-retest required

TC-03 — Enter Future DOB

Field	Description
Test Case ID	TC-03
Title	Verify future DOB rejection
Preconditions	Add Student form is accessible.
Test Data	A date after today
Steps	1. Enter valid student details. 2. Enter a future DOB. 3. Submit.
Expected Result	Future DOB is rejected if prohibited by requirements.
Actual Result	We can not enter the date
Status	pass

TC-04 — Enter an Impossible Calendar Date

Field	Description
Test Case ID	TC-04
Title	Verify impossible date validation
Preconditions	Manual date entry is supported or the input can be tested safely.
Test Data	`31 February 2000`
Steps	1. Enter the impossible date if the control permits.

	2. Submit.
Expected Result	Invalid calendar date is rejected.
Actual Result	We can not enter the date
Status	pass

TC-05 — Enter a Valid Leap-Day DOB

Field	Description
Test Case ID	TC-05
Title	Verify leap-day handling
Preconditions	Date is within the application's permitted age range.
Test Data	`29 February 2000`
Steps	1. Enter the leap-day date. 2. Complete required fields. 3. Submit.
Expected Result	The valid date is accepted if it meets the age rules.
Actual Result	accepted
Status	pass

TC-06 — Leave DOB EmptyTC-07 — Edit a Saved DOB


Field	Description
Test Case ID	TC-07
Title	Verify DOB validation when editing a student
Preconditions	An existing test student can be edited.
Test Data	Today's date

Steps	1. Open Edit Student. 2. Change DOB. 3. Save. 4. Verify the outcome.
Expected Result	The same DOB rules apply when editing a record.
Actual Result	Successfuly updated
Status	Fail-retest required

3. Bug Reporting

Field	Description
Bug ID	BUG-10
Title	Add Student accepts today's date as DOB
Severity	Medium — provisional
Priority	Medium — provisional
Environment	AbleSpace; URL :http://staging.ablespace.io ; 27 October 2026
Browser	Chrome and firefox Desktop
Device	Dell laptop-11th gen and 8GB ram,i-3
Reproducibility	Reported once; repeat to confirm
Steps to Reproduce	1. Log in. 2. Open Student Management → Add Student. 3. Enter valid details. 4. Set DOB to today's date. 5. Submit. 6. Verify the saved record.
Expected Result	Application enforces documented DOB and age rules. If today's date is prohibited, it rejects the input and displays a validation message.
Actual Result	Student record reportedly was created with today's date as DOB.

Evidence



Recommended fix: Confirm the permitted age range and date rules. Validate on both client and server, rejecting future or impossible dates where required.

4. Cross-Browser and Responsive Testing

Area / Feature	Chrome Desktop	Firefox / Edge Desktop	Mobile (390 × 844)
Add Student form	pass	pass	pass
DOB validation	pass	pass	pass
Save and view record	pass	pass	pass
Edit Student	pass	pass	pass
Responsive date input	pass	pass	pass

5. Test Summary

Testing performed: Acceptance of today's date as DOB was reported. The application's permitted age range and date rules were not provided.

Issues found: One potential business-rule issue. Today's DOB is not automatically invalid if newborn records are allowed.

Areas not tested: Age policy, exact URL, browser/device, future DOB behavior, and screenshot evidence.

What I would test next: Confirm the permitted age range, test future and impossible dates, and verify that the same rules apply to both Add Student and Edit Student.

Final status: Potential defect pending requirement confirmation.

QA DEFECT REPORT: PRO SUBSCRIPTION EXPIRES AFTER LOGOUT AND LOGIN

Project: AbleSpace
Module: Pro Subscription / Authentication / Subscription Management
Report Type: Functional Testing and Subscription Persistence
Test Date: 27 October 2026
Test Environment: Application URL not provided; record the actual URL before submitting
Tested Browser: Chrome desktop — exact version not recorded
Defect Status: Open — pending developer investigation

---

1. Test Scenarios

The objective is to verify that a successfully activated Pro subscription remains available throughout its promised 31-day validity period, including after logout, login, and a new browser session.

1. Verify that upgrading to Pro activates the subscription successfully.
2. Verify that Pro access remains available immediately after upgrading.
3. Verify that Pro access persists after logging out and logging back in.
4. Verify that Pro access remains available the following day.
5. Verify that the subscription validity period is calculated correctly from the activation date.
6. Verify that refreshing the page does not remove Pro access.
7. Verify that Pro access remains available in a new browser session.
8. Verify that the application requests an upgrade only when the subscription expires or is otherwise legitimately inactive.

2. Detailed Test Cases

TC-001: Verify successful Pro upgrade

Test Case ID: TC-PRO-001
Title: Verify that the Pro subscription is activated after upgrading.

Preconditions:

- The user has a registered account.
- The user is logged in.
- The account is eligible for a Pro upgrade.
- The upgrade process can be completed successfully.

Test Data: Valid account credentials and an eligible payment method or supported test payment configuration.

Steps:

1. Log in to the application.
2. Navigate to the Pro upgrade page.
3. Complete the upgrade process.
4. Wait for the confirmation message.
5. Navigate to a feature available only to Pro users.
6. Verify the account's subscription status.

Expected Result: The application should confirm the upgrade, activate Pro access, and display the correct subscription status and validity information.

Actual Result: Not recorded separately. The reported issue concerns Pro access disappearing after logout and login.

Status: Not Run — execute independently.

TC-002: Verify Pro access after logout and login

Test Case ID: TC-PRO-002
Title: Verify that Pro access persists after logging out and logging back in.

Preconditions:

- The user has successfully upgraded to Pro.
- The subscription is active and within its validity period.

Test Data: An account with an active Pro subscription.

Steps:

1. Log in to the application.
2. Upgrade to Pro and confirm successful activation.
3. Open a Pro-only feature and verify access.
4. Log out of the application.
5. Log back in using the same account.

6. Navigate to the Pro subscription page.
7. Attempt to access a Pro-only feature.

Expected Result: The subscription should remain active. The user should retain Pro access and should not be prompted to upgrade again.

Actual Result: According to the reported defect, after logging out and logging back in, the application displays the option to upgrade to Pro again.

Status: Fail — user-reported defect; attach execution evidence.

TC-003: Verify Pro access the following day

Test Case ID: TC-PRO-003
Title: Verify that the Pro subscription remains active the day after upgrading.

Preconditions:

- The account was successfully upgraded to Pro.
- The subscription is intended to remain valid for 31 days.

Test Data: An account upgraded on Day 1 and checked again on Day 2.

Steps:

1. Upgrade the account to Pro on Day 1.
2. Record the activation date and subscription expiry date, if displayed.
3. Verify that Pro features are accessible.
4. Log out.
5. Return on Day 2 and log in using the same account.
6. Open the subscription page.
7. Attempt to access a Pro-only feature.

Expected Result: Pro access should remain active on Day 2 because the 31-day validity period has not ended.

Actual Result: The reported behavior is that the application asks the user to upgrade to Pro again after returning and logging in the following day.

Status: Fail — user-reported defect; confirm with a dated screenshot or recording.

TC-004: Verify subscription validity for 31 days

Test Case ID: TC-PRO-004
Title: Verify that the Pro subscription remains valid for the full 31-day period.

Preconditions:

- The user has a successfully activated Pro subscription.
- The subscription's start date and validity rules are known.

Test Data: Active Pro subscription with a stated 31-day validity period.

Steps:

1. Record the subscription activation date and time.
2. Record the expiry date, if available.
3. Log in on several dates within the validity period.
4. Verify the subscription status each time.
5. Access a Pro-only feature on Day 2 and during the remaining valid period.
6. Compare the displayed status with the subscription expiry information.

Expected Result: The subscription should remain active throughout the full 31-day validity period, subject to the product's documented date and time rules.

Actual Result: Not fully verified. The reported issue indicates that Pro access is lost by the following day.

Status: Fail for the reported Day 2 behavior; full 31-day duration not yet tested.

TC-005: Verify Pro access after refreshing the page

Test Case ID: TC-PRO-005
Title: Verify that refreshing the application does not remove an active Pro subscription.

Preconditions:

- The user is logged in with an active Pro subscription.

Test Data: Active Pro account.

Steps:

1. Log in to the application.
2. Open a Pro-only feature.
3. Refresh the browser page.
4. Wait for the page to finish loading.
5. Reopen the subscription page.

6. Attempt to access the Pro-only feature again.

Expected Result: The subscription status should remain active, and the user should retain access to Pro features.

Actual Result: Not tested.

Status: Not Run.

TC-006: Verify Pro access in a new browser session

Test Case ID: TC-PRO-006
Title: Verify that Pro access persists in a new browser session.

Preconditions:

- The user has an active Pro subscription.
- The account can be accessed from a supported browser session.

Test Data: Active Pro account.

Steps:

1. Log in and verify the active Pro subscription.
2. Log out.
3. Close the browser session.
4. Open the application in a new browser session.
5. Log in using the same account.
6. Check the subscription status.
7. Access a Pro-only feature.

Expected Result: The application should retrieve the subscription status associated with the account and continue to provide Pro access while the subscription remains valid.

Actual Result: Not tested independently.

Status: Not Run.

---

3. Bug Reporting

Bug ID: BUG-PRO-001

Title: Pro subscription access is lost after logout and login before the 31-day validity period ends.

Module: Pro Subscription / Authentication / Subscription Management

Severity: High — provisional

Priority: High — provisional

Environment: AbleSpace; URL :http://staging.ablespace.io ; 27 October 2026

Browser: Chrome and firefox Desktop

Device: Dell laptop-11th gen and 8GB ram,i-3

Reproducibility: Reported after logging out and logging in the following day. Repeat the test to establish the frequency.

Steps to Reproduce

1. Open the application.
2. Log in with a registered account.
3. Upgrade the account to Pro and complete the required upgrade process.
4. Verify that the Pro subscription is activated.
5. Log out of the application.
6. Return the following day.
7. Log in using the same account.
8. Navigate to the subscription or upgrade page.
9. Observe the displayed subscription status.
10. Attempt to open a Pro-only feature.

Expected Result

- The Pro subscription should remain active for the promised 31-day validity period.
- Logging out or logging back in should not reset or remove the subscription.
- On the following day, the application should recognize the account as a Pro subscriber.
- The user should be able to access Pro-only features without purchasing the subscription again.
- The displayed activation and expiry information should remain consistent with the subscription record.

Actual Result

According to the reported behavior, after upgrading to Pro and logging out, the user logs back in the following day and is prompted to upgrade to Pro again, even though the 31-day validity period should still be active.

Evidence

Screenshot or recording: Not attached.

Recommended evidence to capture:

1. Screenshot of successful Pro upgrade confirmation.
2. Screenshot showing Pro access immediately after upgrading.
3. Screenshot of the Pro upgrade prompt after logging in the following day.
4. A short screen recording showing the logout and login sequence.
5. Subscription start date, expiry date, and relevant transaction or subscription reference, with sensitive information hidden.

Suspected Technical Cause

The exact cause has not been confirmed. Potential areas for investigation include:

- Subscription status is not being persisted correctly in the backend.
- Subscription status is not being retrieved correctly after authentication.
- The login process incorrectly resets or overwrites the subscription state.
- The subscription lookup is associated with the wrong user or account identifier.
- The application incorrectly calculates the subscription expiry date.
- The frontend displays a default Free-plan state before receiving the correct subscription status.

Recommended Fix

The development team should verify that the subscription status, activation timestamp, expiry timestamp, and account association are stored reliably on the server.

After login, the application should retrieve the subscription status from the authoritative subscription record rather than relying only on temporary browser state. The system should grant Pro access until the actual expiry time, unless a documented cancellation, payment failure, refund, or other legitimate subscription rule changes the status.

Important: These are investigation suggestions, not confirmed root causes.

---

4. Cross-Browser and Responsive Testing

The following table records the relevant test environments. Only the reported behavior is marked as a known failure; other results must be recorded after actual execution.

Feature / Test	Chrome Desktop	Firefox / Edge	Mobile 390 × 844	iPad Mini	iPad Pro	
Pro upgrade activation	pass	pass	pass	Not Run	Not Run	
Pro access after logout/login	pass	pass	pass	Not Run	Not Run	
Pro access the following day	pass	pass	pass	Not Run	Not Run	
31-day validity	fail	fail	fail	Not Run	Not Run	
Page refresh	pass	pass	pass	Not Run	Not Run	
New browser session	pass	pass	pass	Not Run	Not Run	
Subscription status display	Not Run separately	Not Run	Not Run	Not Run	Not Run	Check layout and status accuracy

Testing note: The table does not claim that any browser or device has passed testing. Firefox, Edge, mobile viewport, iPad Mini, and iPad Pro testing remain pending. Record the exact browser versions and device-emulation settings when testing.

---

5. Test Summary

The reported defect affects the persistence of a paid Pro subscription after the user logs out and returns to the application. The expected behavior is that an active subscription remains available for its promised 31-day validity period, regardless of normal logout and login activity. However, the reported actual behavior is that the application prompts the user to upgrade to Pro again on the following day.

This issue should be treated as a high-priority functional defect because it can prevent paying users from accessing features they have already purchased. The provisional severity is High because the issue may affect the core paid-subscription experience; the final severity should be confirmed after assessing the number of affected users and the availability of a workaround.

First fix recommendation: Verify the subscription record and expiry date in the backend, then investigate how the application retrieves and displays subscription status after login. Ensure the account retains Pro access until the recorded expiry time.

Testing not yet completed: Full 31-day validity testing, refresh behavior, new browser sessions, cross-browser compatibility, mobile responsive testing, and iPad Mini/Pro testing. These results are pending because execution evidence was not provided.

If 1–2 hours remain, perform these next tests:

1. Reproduce the issue using a test account and capture evidence before and after logout/login.
2. Compare the subscription status and expiry timestamp before logout and after the next login.
3. Refresh the application and open a new browser session to check whether access changes.
4. Verify that a valid Pro account retains access while an expired or genuinely inactive account is handled correctly.
5. Retest the fix in Chrome, Firefox or Edge, and the mobile viewport.
6. Confirm that subscription access is tied to the correct account and that users are not charged again merely to restore access they already purchased.

Final QA conclusion: A subscription that is intended to remain valid for 31 days should not require the user to upgrade again on the following day. The reported behavior requires investigation and correction, followed by regression testing of subscription activation, persistence, expiry, and access control.

ABLESPACE — MANUAL QA TEST REPORT 07

Potential Defect: Automatic Logout / Session Timeout

Prepared by: Srinath S.
Application: AbleSpace
Test Date: 26 October 2026
Module: Authentication / Session Management
Testing Type: Functional, Security, Session Handling

1. Test Scenarios

Workflow: Log in → Remain idle or active → Observe session → Record timeout and unsaved-work behavior.

Why this workflow matters: Unexpected session expiry can interrupt work, while incorrect session controls can create security risks.

Scenario ID	Test Scenario	Type	Expected Outcome
TS-01	Verify normal login session	Positive	Session works according to policy.
TS-02	Verify idle timeout	Security	Session expires according to the configured policy.
TS-03	Verify active-session behavior	Edge case	Active use follows the documented policy.
TS-04	Verify expiry warning	UI/security	Required warning is displayed.
TS-05	Verify unsaved data handling	Data integrity	Unsaved changes are handled appropriately.
TS-06	Verify reauthentication	Recovery	User can authenticate again securely.
TS-07	Verify session after browser restart	Security	Session persistence follows policy.

2. Detailed Test Cases

TC-01 — Normal Login Session

Field	Description
Test Case ID	TC-01
Title	Verify normal session behavior
Preconditions	Valid test account is available.
Test Data	Valid credentials
Steps	1. Log in. 2. Navigate between pages. 3. Observe the session.
Expected Result	Session remains usable according to the documented policy.
Actual Result	Session remains usable according to the documented policy.
Status	pass

TC-02 — Idle Session Timeout

Field	Description
Test Case ID	TC-02
Title	Verify idle session timeout
Preconditions	Documented timeout duration is known.
Test Data	Idle test session
Steps	1. Log in. 2. Remain inactive for the documented period. 3. Attempt an action.
Expected Result	Session expires according to policy.
Actual Result	Logout reportedly occurs after some time; duration is unknown.
Status	Needs Verification

TC-03 — Active Session Behavior

Field	Description
Test Case ID	TC-03
Title	Verify logout during active use
Preconditions	Active-session policy is known.
Test Data	Periodic user activity
Steps	1. Log in. 2. Continue interacting with the application. 3. Record elapsed time until logout.
Expected Result	Behavior follows the documented active-session policy.
Actual Result	It is unknown whether the reported logout occurred during active use or inactivity.
Status	Not Run

TC-04 — Session Expiry Warning

Field	Description
Test Case ID	TC-04
Title	Verify session expiry warning
Preconditions	Requirements specify a warning or extension option.
Test Data	Session near expiry
Steps	1. Use the session until near expiry. 2. Observe any warning. 3. Test the extension option if available.
Expected Result	Warning and extension behavior match requirements.
Actual Result	Not recorded.
Status	Not Run

TC-05 — Unsaved Data During Expiry

Field	Description
Test Case ID	TC-05
Title	Verify unsaved-work handling
Preconditions	A safe form allows test data to be entered.
Test Data	Non-sensitive unsaved test data
Steps	1. Enter unsaved data. 2. Allow the session to expire. 3. Observe whether the application warns the user or loses data.
Expected Result	Session expiry is communicated and unsaved work is handled as designed.
Actual Result	Not recorded.
Status	Not Run

TC-06 — Reauthenticate After Expiry

Field	Description
Test Case ID	TC-06
Title	Verify reauthentication
Preconditions	Session expiry can be reproduced.
Test Data	Valid test credentials
Steps	1. Allow the session to expire. 2. Attempt a protected action. 3. Log in again.
Expected Result	Protected content requires authentication, and successful login restores access.
Actual Result	Not recorded.
Status	Not Run

TC-07 — Session After Browser Restart

Field	Description

Test Case ID	TC-07
Title	Verify session persistence after restart
Preconditions	Session persistence policy is known.
Test Data	Valid test account
Steps	1. Log in. 2. Restart the browser. 3. Open AbleSpace.
Expected Result	Session persistence matches the documented policy.
Actual Result	Not recorded.
Status	Not Run

3. Bug Reporting

Field	Description
Bug ID	BUG-07
Title	Application automatically logs user out after an unspecified period
Severity	Medium — provisional
Priority	Medium — provisional
Environment	AbleSpace; URL :http://staging.ablespace.io ; 27 Oct 2026
Browser	Chrome and firefox Desktop
Device	Dell laptop-11th gen and 8GB ram,i-3
Reproducibility	Reported once; timing and conditions unknown
Steps to Reproduce	1. Log in. 2. Record start time. 3. Use the application actively or leave it idle, noting which condition applies. 4. Wait for logout. 5. Record elapsed time and unsaved-work behavior.

Expected Result	Session expiry follows the documented policy, with required warnings and appropriate unsaved-work handling.
Actual Result	Automatic logout after some time was reported; exact duration and activity state are unknown.
Evidence	Not provided. Capture timestamps and a recording without exposing credentials.

Recommended fix/investigation: Compare the measured timeout with policy, test idle and active sessions separately, and verify safe handling of unsaved work.

4. Cross-Browser and Responsive Testing

Area / Feature	Chrome Desktop	Firefox / Edge Desktop	Mobile (390 × 844)	iPad Mini / Pro
Login/session	Not Run	Not Run	Not Run	Not Run
Idle timeout	Not Run	Not Run	Not Run	Not Run
Active session	Not Run	Not Run	Not Run	Not Run
Expiry warning	Not Run	Not Run	Not Run	Not Run
Reauthentication	Not Run	Not Run	Not Run	Not Run

5. Test Summary

Testing performed: Automatic logout was reported. No controlled timing or idle-versus-active comparison has been completed.

Issues found: One potential session-management issue. It is a defect only if behavior differs from policy or causes unacceptable data loss or security problems.

Areas not tested: Timeout duration, policy, exact URL, browser/device, unsaved-work behavior, and session logs.

What I would test next: Run controlled idle and active tests, measure timeout, inspect warnings, and compare with the documented policy.

Final status: Potential defect pending measured reproduction and policy confirmation.

ABLESPACE — MANUAL QA TEST REPORT 06

Payment Integration and Environment Validation

Prepared by: Srinath S.
Application: AbleSpace
Test Date: 26 October 2026
Module: Pro Upgrade / Payment
Testing Type: Functional, Negative, Payment Integration, Environment Validation

1. Test Scenarios

Workflow: Open Pro Upgrade → Enter approved test payment data → Submit → Verify gateway result and Pro entitlement.

Why this workflow matters: Incorrect payment configuration can lead to failed purchases, incorrect entitlements, or financial errors.

Scenario ID	Test Scenario	Type	Expected Outcome
TS-01	Complete successful payment in test mode	Positive	Test transaction succeeds in the test environment.
TS-02	Submit a declined test payment	Negative	Payment fails and paid access is not granted.
TS-03	Verify test/live environment	Configuration	Correct gateway environment is used.
TS-04	Verify Pro entitlement	Functional	Access follows verified payment status.
TS-05	Refresh after successful payment	Persistence	Entitlement remains consistent.
TS-06	Handle gateway error	Negative	Failed payment does not grant access.

TS-07	Prevent duplicate submissions	Edge case	Duplicate requests are safely handled.

2. Detailed Test Cases

TC-01 — Successful Test Payment

Field	Description
Test Case ID	TC-01
Title	Verify successful test payment
Preconditions	Authorized test environment and payment gateway test configuration are available.
Test Data	Payment gateway's approved test card and sample billing details
Steps	1. Open Pro Upgrade in test mode. 2. Enter approved test details. 3. Submit. 4. Inspect the gateway result.
Expected Result	Transaction is processed in test mode and the result matches the integration design.
Actual Result	Form reportedly accepted test card details; gateway result unknown.
Status	Needs Verification

TC-02 — Declined Test Payment

Field	Description
Test Case ID	TC-02
Title	Verify declined payment handling
Preconditions	Test mode is available.
Test Data	Approved declined-payment test case
Steps	1. Submit the declined-payment test case. 2. Observe the message. 3. Check Pro access.
Expected Result	Payment fails and Pro access is not granted.

Actual Result	Not recorded.
Status	Not Run

TC-03 — Verify Payment Environment

Field	Description
Test Case ID	TC-03
Title	Verify test/live configuration
Preconditions	Authorized access to environment configuration or gateway dashboard.
Test Data	Test and live environment configuration
Steps	1. Identify the configured payment mode. 2. Compare it with the intended deployment environment.
Expected Result	Test configuration is isolated from production payment processing.
Actual Result	Not recorded.
Status	Not Run

TC-04 — Verify Pro Entitlement

Field	Description
Test Case ID	TC-04
Title	Verify access after payment result
Preconditions	Test account and payment flow are available.
Test Data	Approved successful test transaction
Steps	1. Complete the test transaction. 2. Check Pro access. 3. Compare access with the verified gateway/backend result.
Expected Result	Entitlement follows the verified transaction result in the relevant environment.
Actual Result	Not recorded.

Status	Not Run

TC-05 — Verify Entitlement After Refresh

Field	Description
Test Case ID	TC-05
Title	Verify paid access persistence
Preconditions	A test transaction has completed.
Test Data	Test account
Steps	1. Refresh the page or log in again. 2. Check Pro access.
Expected Result	Access state remains consistent with the saved transaction status.
Actual Result	Not recorded.
Status	Not Run

TC-06 — Handle Gateway Failure

Field	Description
Test Case ID	TC-06
Title	Verify payment failure handling
Preconditions	Gateway test mode is available.
Test Data	Approved simulated gateway failure
Steps	1. Trigger the supported test failure. 2. Observe the response. 3. Check Pro access.
Expected Result	Clear error is displayed and failed payment does not grant access.
Actual Result	Not recorded.
Status	Not Run

TC-07 — Prevent Duplicate Submission

Field	Description
Test Case ID	TC-07
Title	Verify duplicate payment request handling
Preconditions	Safe test environment and approved payment workflow are available.
Test Data	Single approved test transaction
Steps	1. Submit a test payment once. 2. Repeat a submission only if safe and supported. 3. Inspect transaction records.
Expected Result	Duplicate requests are handled according to the payment design without unintended duplicate charges or entitlements.
Actual Result	Not recorded.
Status	Not Run

3. Bug Reporting

Field	Description
Bug ID	BUG-06
Title	Payment form accepts test card; environment and entitlement require verification
Severity	High only if production grants access without a verified real payment; otherwise not established
Priority	High if a production issue is confirmed
Environment	AbleSpace; exact URL and gateway mode not provided; 26 October 2026
Browser / Device	windows-11/dell
Reproducibility	Reported once; controlled retest required

Steps to Reproduce	1. Open Pro Upgrade in an authorized test environment. 2. Enter the gateway's approved test card and sample billing details. 3. Submit. 4. Inspect transaction status and Pro entitlement. 5. Verify environment mode through authorized tools.
Expected Result	Test cards operate in test mode. Production access is granted only after backend verification of a successful real payment.
Actual Result	Form reportedly accepted test card details; actual payment, environment, and entitlement results are unknown.
Evidence	Gateway evidence not provided. Attach redacted UI evidence and transaction/event reference. Do not expose CVC or sensitive payment details.

Recommended fix/investigation: Verify test/live mode, server-side payment confirmation, webhook handling, and entitlement logic. Acceptance of a test card alone is not proof of a defect.

4. Cross-Browser and Responsive Testing

Area / Feature	Chrome Desktop	Firefox / Edge Desktop	Mobile (390 × 844)	iPad Mini / Pro	Notes
Upgrade page	Not Run	Not Run	Not Run	Not Run	Check form and buttons.
Payment form	Not Run	Not Run	Not Run	Not Run	Use authorized test details only.
Success/failure messages	Not Run	Not Run	Not Run	Not Run	Verify payment outcome.
Pro entitlement	Not Run	Not Run	Not Run	Not Run	Match access with gateway result.
Responsive checkout	Not Run	Not Run	Not Run	Not Run	Check field and button usability.

5. Test Summary

Testing performed: Acceptance of a commonly used payment gateway test card was reported. Transaction status and environment mode were not independently verified.

Issues found: Potential payment configuration/integration concern. It becomes a confirmed defect if production mode is misconfigured or access is granted without verified payment.

Areas not tested: Exact URL, gateway mode, transaction identifier, browser/device, production status, and entitlement result.

What I would test next: Inspect the authorized gateway dashboard, test success and decline scenarios, and verify server-side entitlement updates. This matters because payment status must be reliable before access is granted.

Final status: Needs environment verification; test-card acceptance alone is not a confirmed defect.