Started on	Thursday, 17 April 2025, 10:23 AM
State	Finished
Completed on	Thursday, 17 April 2025, 11:10 AM
Time taken	46 mins 36 secs
Grade	**80.00** out of 100.00

Question **1**

Correct

Mark 20.00 out of 20.00

Write a python program for a search function with parameter list name and the value to be searched on the given list of float values.

For example:

Test	Input	Result
search(List, n)	5 3.2 6.1 4.5 6.2 8.5 3.2	3.2 Found
search(List, n)	4 3.2 1.5 6.4 7.8 6.1	6.1 Not Found

Answer: (penalty regime: 0 %)

```
global key
def search(List,n):
    for i in range(n):
        if(List[i]==key):
            return i
    else:
        return -1
List=[]
n=int(input())
for i in range(n):
    List.append(float(input()))
key=float(input())
res=search(List,n)
if(res!=-1):
    print(f"{key} Found")
else:
    print(f"{key} Not Found")
```

	Test	Input	Expected	Got	
✔	search(List, n)	5 3.2 6.1 4.5 6.2 8.5 3.2	3.2 Found	3.2 Found	✔
✔	search(List, n)	4 3.2 1.5 6.4 7.8 6.1	6.1 Not Found	6.1 Not Found	✔
✔	search(List, n)	7 2.1 3.2 6.5 4.1 5.2 7.1 8.2 9.3	9.3 Not Found	9.3 Not Found	✔

Passed all tests! ✔

Correct

Marks for this submission: 20.00/20.00.

Question **2**

Not answered

Mark 0.00 out of 20.00

Write a python program to implement the quick sort using recursion on the given list of float values.

For example:

Input	Result
5 6.3 1.2 4.6 5.8 9.7	pivot: 9.7 pivot: 5.8 pivot: 4.6 [1.2, 4.6, 5.8, 6.3, 9.7]
6 2.3 7.8 9.5 4.2 3.6 5.4	pivot: 5.4 pivot: 3.6 pivot: 7.8 [2.3, 3.6, 4.2, 5.4, 7.8, 9.5]

Answer: (penalty regime: 0 %)

```
1
```

Question **3**

Correct

Mark 20.00 out of 20.00

Write a python program to implement merge sort using iterative approach on the given list of values.

For example:

Test	Input	Result
Merge_Sort(S)	6 4 2 3 1 6 5	The Original array is: [4, 2, 3, 1, 6, 5] Array after sorting is: [1, 2, 3, 4, 5, 6]
Merge_Sort(S)	5 2 6 4 3 1	The Original array is: [2, 6, 4, 3, 1] Array after sorting is: [1, 2, 3, 4, 6]

Answer: (penalty regime: 0 %)

```
def Merge_Sort(S):
    size=len(S)
    if(size>1):
        mid=size//2
        l=S[:mid]
        r=S[mid:]
        Merge_Sort(l)
        Merge_Sort(r)
        ls=len(l)
        rs=len(r)
        i=j=k=0
        while i<ls and j<rs:
            if(l[i]<r[j]):
                S[k]=l[i]
                i+=1
            else:
                S[k]=r[j]
                j+=1
            k+=1
        while i<ls:
            S[k]=l[i]
            i+=1
```

	Test	Input	Expected	Got	
✔	Merge_Sort(S)	6 4 2 3 1 6 5	The Original array is: [4, 2, 3, 1, 6, 5] Array after sorting is: [1, 2, 3, 4, 5, 6]	The Original array is: [4, 2, 3, 1, 6, 5] Array after sorting is: [1, 2, 3, 4, 5, 6]	✔
✔	Merge_Sort(S)	5 2 6 4 3 1	The Original array is: [2, 6, 4, 3, 1] Array after sorting is: [1, 2, 3, 4, 6]	The Original array is: [2, 6, 4, 3, 1] Array after sorting is: [1, 2, 3, 4, 6]	✔
✔	Merge_Sort(S)	4 3 5 6 1	The Original array is: [3, 5, 6, 1] Array after sorting is: [1, 3, 5, 6]	The Original array is: [3, 5, 6, 1] Array after sorting is: [1, 3, 5, 6]	✔

Passed all tests! ✔

Correct

Marks for this submission: 20.00/20.00.

Question **4**

Correct

Mark 20.00 out of 20.00

Write a python program for a search function with parameter list name and the value to be searched on the given list of int values.

For example:

Test	Input	Result
search(List, n)	5 3 4 5 6 7 4	Found
search(List, n)	6 20 34 56 87 96 51 87	Found

Answer: (penalty regime: 0 %)

```
global key
def search(List,n):
    for i in range(n):
        if(List[i]==key):
            return i
    else:
        return -1
List=[]
n=int(input())
for i in range(n):
    List.append(int(input()))
key=int(input())
res=search(List,n)
if(res!=-1):
    print("Found")
else:
    print("Not Found")
```

	Test	Input	Expected	Got	
✔	search(List, n)	5 3 4 5 6 7 4	Found	Found	✔
✔	search(List, n)	6 20 34 56 87 96 51 87	Found	Found	✔
✔	search(List, n)	4 30 10 20 50 60	Not Found	Not Found	✔

Passed all tests! ✔

Correct

Marks for this submission: 20.00/20.00.

Question **5**

Correct

Mark 20.00 out of 20.00

Write a Python Program to print factorial of a number recursively.

For example:

Input	Result
5	Factorial of number 5 = 120
6	Factorial of number 6 = 720

Answer: (penalty regime: 0 %)

```
def fact(n):
    if(n==1):
        return 1
    else:
        return n*fact(n-1)
n=int(input())
print(f"Factorial of number {n} = {fact(n)}")
```

	Input	Expected	Got	
✔	5	Factorial of number 5 = 120	Factorial of number 5 = 120	✔
✔	6	Factorial of number 6 = 720	Factorial of number 6 = 720	✔
✔	7	Factorial of number 7 = 5040	Factorial of number 7 = 5040	✔
✔	8	Factorial of number 8 = 40320	Factorial of number 8 = 40320	✔

Passed all tests! ✔

Correct

Marks for this submission: 20.00/20.00.