

Round robin simulation log

```
[2026-10-05 16:59:18 UTC] xrun -Q -unbuffered --timescale '1ns/1ns' --sysv --access --rw --coverage --functional --uvmnocdseextra --uvmhome $UVM_HOME $UVM_HOME/src/uvm_macros.svh -in
TOOL: xrun 25.03-s001: Started on Oct 05, 2026 at 12:59:18 EDT
xrun: 25.03-s001: (c) Copyright 1995-2025 Cadence Design Systems, Inc.
#1step:
|
xmvlog: *W,SANSTP (arbiter_monitor.sv,194[17]): Time unit "step" seen in literal - using local precision.
package arbiter_pkg;
|
xmvlog: *W,TSPNK (arbiter_pkg.sv,16[18]): timescale is not specified for the package. The default timescale of 1ns/1ns will be assumed for this package.
Top level design units:
  uvm_pkg
  arbiter_pkg
  fixed_priority_arbiter
  tb_round_robin
xmelab: *W,CGPDI: Covergroup "per_instance" option , by default, is set as 0.
xmelab: *N,CVCGN: Coverage configuration file command "set_covergroup -new_instance_reporting" can be specified to improve the scoping and naming of covergroup instances. It may be note
Loading snapshot worklib.fixed_priority_arbiter:sv ..... Done
SVSEED default: 1
xcelsius> source /xcelsius25.03/tools/xcelsius/files/xmsimrc
xcelsius> source /xcelsius25.03/tools/methodology/UVM/CDNS-1.2/sv/files/tcl/uvm_sim.tcl
xcelsius> run
UVM_INFO /xcelsius25.03/tools/methodology/UVM/CDNS-1.2/sv/src/base/uvm_root.svh(412) @ 0: reporter [UVM/RELNOTES]
-----
CDNS-UVM-1.2 (25.03-s001)
(C) 2007-2014 Mentor Graphics Corporation
(C) 2007-2014 Cadence Design Systems, Inc.
(C) 2006-2014 Synopsys, Inc.
(C) 2011-2013 Cypress Semiconductor Corp.
(C) 2013-2014 NVIDIA Corporation
-----

***** IMPORTANT RELEASE NOTES *****

You are using a version of the UVM library that has been compiled
with 'UVM_NO_DEPRECATED undefined.
See http://www.eda.org/svdb/view.php?id=3313 for more details.

You are using a version of the UVM library that has been compiled
with 'UVM_OBJECT_DO_NOT_NEED_CONSTRUCTOR undefined.
See http://www.eda.org/svdb/view.php?id=3770 for more details.

(Specify +UVM_NO_RELNOTES to turn off this notice)

UVM_INFO @ 0: reporter [RNTST] Running test round_robin_test...
UVM_INFO arbiter_env.sv(173) @ 0: uvm_test_top.env [ENV] Using ROUND-ROBIN scoreboard
UVM_INFO round_robin_test.sv(107) @ 0: uvm_test_top [RR_TEST] Printing UVM testbench topology
UVM_INFO /xcelsius25.03/tools/methodology/UVM/CDNS-1.2/sv/src/base/uvm_root.svh(605) @ 0: reporter [UVMTOP] UVM testbench topology:
-----
Name                                     Type                                     Size  Value
-----
uvm_test_top                             round_robin_test                       -      @1591
  env                                     arbiter_env                           -      @1654
    agent                                 arbiter_agent                         -      @1696
      driver                             arbiter_driver                       -      @2419
        rsp_port                         uvm_analysis_port                    -      @2519
          seq_item_port                 uvm_seq_item_pull_port              -      @2469
      monitor                             arbiter_monitor                      -      @2550
        ap                               uvm_analysis_port                    -      @2604
      sequencer                           arbiter_sequencer                    -      @1626
        rsp_export                      uvm_analysis_export                  -      @1826
          seq_item_export               uvm_seq_item_pull_imp               -      @2388
        arbitration_queue               array                                0        -
        lock_queue                     array                                0        -
        num_last_reqs                   integral                             32       'd1
        num_last_rsps                   integral                             32       'd1
      scoreboard                         round_robin_scoreboard              -      @1729
        analysis_export                 uvm_analysis_imp                     -      @2674
-----
```

[illegible]

[illegible]

[illegible]

[illegible]


```

UVM_INFO arbiter_driver.sv(155) @ 680: uvm_test_top.env.agent.driver [DRV] Driving req = 0100
UVM_INFO arbiter_monitor.sv(239) @ 686: uvm_test_top.env.agent.monitor [MON] Observed req=0100 grant=0100 reset=0
UVM_INFO arbiter_scoreboard_base.sv(212) @ 686: uvm_test_top.env.scoreboard [SCB] PASS | req=0100 expected=0100 actual=0100
UVM_INFO arbiter_driver.sv(155) @ 690: uvm_test_top.env.agent.driver [DRV] Driving req = 0011
UVM_INFO arbiter_monitor.sv(239) @ 696: uvm_test_top.env.agent.monitor [MON] Observed req=0011 grant=0001 reset=0
UVM_INFO arbiter_scoreboard_base.sv(212) @ 696: uvm_test_top.env.scoreboard [SCB] PASS | req=0011 expected=0001 actual=0001
UVM_INFO arbiter_driver.sv(155) @ 700: uvm_test_top.env.agent.driver [DRV] Driving req = 1111
UVM_INFO arbiter_monitor.sv(239) @ 706: uvm_test_top.env.agent.monitor [MON] Observed req=1111 grant=0010 reset=0
UVM_INFO arbiter_scoreboard_base.sv(212) @ 706: uvm_test_top.env.scoreboard [SCB] PASS | req=1111 expected=0010 actual=0010
UVM_INFO arbiter_driver.sv(155) @ 710: uvm_test_top.env.agent.driver [DRV] Driving req = 1000
UVM_INFO arbiter_monitor.sv(239) @ 716: uvm_test_top.env.agent.monitor [MON] Observed req=1000 grant=1000 reset=0
UVM_INFO arbiter_scoreboard_base.sv(212) @ 716: uvm_test_top.env.scoreboard [SCB] PASS | req=1000 expected=1000 actual=1000
UVM_INFO arbiter_driver.sv(155) @ 720: uvm_test_top.env.agent.driver [DRV] Driving req = 1111
UVM_INFO arbiter_monitor.sv(239) @ 726: uvm_test_top.env.agent.monitor [MON] Observed req=1111 grant=0001 reset=0
UVM_INFO arbiter_scoreboard_base.sv(212) @ 726: uvm_test_top.env.scoreboard [SCB] PASS | req=1111 expected=0001 actual=0001
UVM_INFO arbiter_driver.sv(155) @ 730: uvm_test_top.env.agent.driver [DRV] Driving req = 0010
UVM_INFO arbiter_monitor.sv(239) @ 736: uvm_test_top.env.agent.monitor [MON] Observed req=0010 grant=0010 reset=0
UVM_INFO arbiter_scoreboard_base.sv(212) @ 736: uvm_test_top.env.scoreboard [SCB] PASS | req=0010 expected=0010 actual=0010
UVM_INFO arbiter_driver.sv(155) @ 740: uvm_test_top.env.agent.driver [DRV] Driving req = 0011
UVM_INFO arbiter_monitor.sv(239) @ 746: uvm_test_top.env.agent.monitor [MON] Observed req=0011 grant=0001 reset=0
UVM_INFO arbiter_scoreboard_base.sv(212) @ 746: uvm_test_top.env.scoreboard [SCB] PASS | req=0011 expected=0001 actual=0001
UVM_INFO arbiter_driver.sv(155) @ 750: uvm_test_top.env.agent.driver [DRV] Driving req = 0010
UVM_INFO arbiter_monitor.sv(239) @ 756: uvm_test_top.env.agent.monitor [MON] Observed req=0010 grant=0010 reset=0
UVM_INFO arbiter_scoreboard_base.sv(212) @ 756: uvm_test_top.env.scoreboard [SCB] PASS | req=0010 expected=0010 actual=0010
UVM_INFO arbiter_driver.sv(155) @ 760: uvm_test_top.env.agent.driver [DRV] Driving req = 1101
UVM_INFO round_robin_test.sv(165) @ 765: uvm_test_top [RR_TEST] Round-robin arbiter sequence completed
UVM_INFO round_robin_test.sv(165) @ 765: uvm_test_top [RR_TEST] Round-robin arbiter sequence completed
UVM_INFO /xcelium25.03/tools/methodology/UVM/CDNS-1.2/sv/src/base/uvm_objection.svh(1271) @ 765: reporter [TEST_DONE] 'run' phase is ready to proceed to the 'extract' phase

```

```
=====
```

```

UVM_INFO /xcelium25.03/tools/methodology/UVM/CDNS-1.2/sv/src/base/uvm_report_server.svh(851) @ 765: reporter [UVM/REPORT/SERVER]
--- UVM Report Summary ---

```

```
** Report counts by severity
```

```
UVM_INFO : 235
```

```
UVM_WARNING : 0
```

```
UVM_ERROR : 0
```

```
UVM_FATAL : 0
```

```
** Report counts by id
```

```
[DRV] 74
```

```
[ENV] 1
```

```
[MON] 76
```

```
[RNTST] 1
```

```
[RR_TEST] 3
```

```
[SCB] 76
```

```
[SCB_SUMMARY] 1
```

```
[TEST_DONE] 1
```

```
[UVM/RELNOTES] 1
```

```
[UVMTOP] 1
```

```
Simulation complete via $finish(1) at time 765 NS + 65
```

```
/xcelium25.03/tools/methodology/UVM/CDNS-1.2/sv/src/base/uvm_root.svh:543 $finish;
```

```
xcelium> exit
```

```
Simulation complete via $finish(1) at time 765 NS + 65
```

```
/xcelium25.03/tools/methodology/UVM/CDNS-1.2/sv/src/base/uvm_root.svh:543 $finish;
```

```
xcelium> exit
```

```
xmsim: "N,COVCFG: Coverage configuration file command "set_covergroup -new_instance_reporting" can be specified to improve the scoping and naming of covergroup instances. It may be noted
```

```
xmsim: "W,CGDEFN: Default name "worklib.uvm_pkg::arbiter_cg" will be generated for covergroup instance "arbiter_cg" as the name of the covergroup instance is not specified explicitly; .
```

```
xmsim: "W,CGDEFN: Default name "worklib.uvm_pkg::rr_cg" will be generated for covergroup instance "rr_cg" as the name of the covergroup instance is not specified explicitly; ./round_robin
```

```
xmsim: "W,CGDEFN: Default name "worklib.uvm_pkg::same_grant_cg" will be generated for covergroup instance "same_grant_cg" as the name of the covergroup instance is not specified explicitly
```

```
coverage setup:
```

```
workdir : ./cov_work
```

```
dutinst : fixed_priority_arbiter(fixed_priority_arbiter)
```

```
dutinst : tb_round_robin(tb_round_robin)
```

```
scope : scope
```

```
testname : test
```

```
coverage files:
```

```
model(design data) : ./cov_work/scope/icc_00000000_52c30870.ucm
```

```
data : ./cov_work/scope/test/icc_00000000_52c30870.ucd
```

```
TOOL: xrun 25.03-s001: Exiting on Oct 05, 2026 at 12:59:26 EDT (total: 00:00:08)
```

```
Finding VCD file...
```

```
./round_robin_waveform.vcd
```

```
[2026-10-05 16:59:26 UTC] Opening EPWave...
```

```
Done
```