1

AI1110 ASSIGNMENT-7

DASARI SRINITH (CS21BTECH11015)

Abstract—This document contains the solution for Assignment 7 (NCERT GRADE 11 CHAPTER 16 Exercise 16.2 Question 5)

QUESTION 5:

Three coins are tossed. Describe

- (i) Two events which are mutually exclusive.
- (ii) Three events which are mutually exclusive and exhaustive.
- (iii) Two events, which are not mutually exclusive.
- (iv) Two events which are mutually exclusive but not exhaustive.
- (v) Three events which are mutually exclusive but not exhaustive.

SOLUTION:

Since a coin can either turn up Tail(0) or Head(1), the possible outcomes when 3 coins are tossed are (or) the sample space contains,

$$S = \{000, 001, 010, 100, 011, 101, 110, 111\} \quad (1)$$

Let X be a random variable and which maps to the following set of real numbers,

$$X \in \{1, 2, 3, 4, 5, 6, 7, 8\}$$

, as defined below in Table I.

Event	Description of event
X = 1	000
X = 2	001
X = 3	010
X = 4	100
X = 5	011
X = 6	101
X = 7	110
X = 8	111

TABLE I

(i) **Two events which are mutually exclusive**Let us take the events A,B as shown in Table II. So,

$$A = \{(X = 8)\}\tag{2}$$

$$B = \{(X = 1)\}\tag{3}$$

Event	Description of event
A	Getting all 3 Heads
B	Getting all 3 Tails

TABLE II

and Since,

$$A \cap B = \phi \tag{4}$$

So ,events A and B are mutually exclusive.

(ii) Three events which are mutually exclusive and exhaustive

Let us take events C,D,E as shown in Table III. So .

Event	Description of event
C	Getting all 3 Tails
D	Getting exactly 2 Tails
E	Getting at least 2 Heads

TABLE III

$$C = \{X = 1\} \tag{5}$$

$$D = \{(X = 2) \cup (X = 3) \cup (X = 4)\} \quad (6)$$

$$E = \{(X = 5) \cup (X = 6)\} \cup \{(X = 7) \cup (X = 8)\} \quad (7)$$

and Since,

$$C \cap D = \phi \tag{8}$$

$$D \cap E = \phi \tag{9}$$

$$C \cap E = \phi \tag{10}$$

We can say that, events C,D,E are mutually exclusive. And,

$$C \cup D \cup E = S \tag{11}$$

So, events C,D,E are mutually exclusive and exhaustive.

(iii) Two events ,which are not mutually exclusive

Event	Description of event
F	Getting all 3 Heads
G	Getting at least 2 Heads

TABLE IV

Let us take the events F,G as shown in Table IV. So,

$$F = \{(X = 8)\}\tag{12}$$

$$G = \{(X = 5) \cup (X = 6)\} \cup \{(X = 7) \cup (X = 8)\}$$
 (13)

and Since,

$$F \cap G \neq \phi \tag{14}$$

So ,events F and G are not mutually exclusive.

(iv) Two events ,which are mutually exclusive but not exhaustive

Let us take the events H,I as shown in Table V. So,

Event	Description of event
H	Getting all 3 Heads
I	Getting all 3 Tails

TABLE V

$$H = \{(X = 8)\}\tag{15}$$

$$I = \{(X = 1)\}\tag{16}$$

and Since,

$$H \cap I = \phi \tag{17}$$

So ,events H and I are mutually exclusive. And ,

$$H \cup I \neq S \tag{18}$$

So, events H and I are mutually exclusive but not exhaustive.

(v) Three events which are mutually exclusive but not exhaustive

Let us take events J,K,L as shown in Table VI. So ,

$$J = \{(X = 1)\}\tag{19}$$

$$K = \{(X = 2) \cup (X = 3) \cup (X = 4)\}\$$
 (20)

$$L = \{(X = 5) \cup (X = 6) \cup (X = 7)\}\$$
 (21)

Event	Description of event
J	Getting all 3 Tails
K	Getting exactly 2 Tails
L	Getting exactly 1 Tail

TABLE VI

and Since,

$$J \cap K = \phi \tag{22}$$

$$K \cap L = \phi \tag{23}$$

$$J \cap L = \phi \tag{24}$$

We can say that , events J,K,L are mutually exclusive. And ,

$$J \cup K \cup L \neq S \tag{25}$$

So, events J,K,L are mutually exclusive but not exhaustive.