



To Supply Leftover Food To Poor

Salesforce Developer Account Creation and Activation:



Venue Object Creation:




Drop-Off Object Creation:

The screenshot shows the Salesforce Setup interface for the 'Drop-Off Point' object. The browser address bar displays the URL: `ddl000005hzphuau-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/01ldL0000018ekT/Details/view`. The page title is 'Drop-Off Point'. The left sidebar contains a navigation menu with the following items: Details (selected), Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, List View Button Layout, and Restriction Rules. The main content area is titled 'Details' and includes a 'Description' field, an 'API Name' field with the value 'Drop_Off_Point_c', and a 'Custom' checkbox that is checked. Below these are fields for 'Singular Label' (Drop-Off Point), 'Plural Label' (Drop-Off Points), and 'Object Limits'. On the right side, there are checkboxes for 'Enable Reports' (checked), 'Track Activities' (checked), 'Track Field History' (checked), 'Deployment Status' (Deployed), 'Help Settings', and a link to 'Standard salesforce.com Help Window'. At the top right of the details section are 'Edit' and 'Delete' buttons. The bottom of the screen shows a Windows taskbar with various application icons and a system tray displaying the temperature (29°C), weather (Partly cloudy), and time (23:18, 28-06-2024).

Task Object Creation:


The screenshot shows the Salesforce Setup interface for the 'Task' object. The browser address bar displays the URL: `ddl000005hzphuau-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/01ldL0000018exN/Details/view`. The page title is 'Task'. The left sidebar contains a navigation menu with the following items: Details (selected), Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, List View Button Layout, and Restriction Rules. The main content area is titled 'Details' and includes a 'Description' field, an 'API Name' field with the value 'Task_c', and a 'Custom' checkbox that is checked. Below these are fields for 'Singular Label' (Task), 'Plural Label' (Tasks), and 'Object Limits'. On the right side, there are checkboxes for 'Enable Reports' (checked), 'Track Activities' (checked), 'Track Field History' (checked), 'Deployment Status' (Deployed), 'Help Settings', and a link to 'Standard salesforce.com Help Window'. At the top right of the details section are 'Edit' and 'Delete' buttons. The bottom of the screen shows a Windows taskbar with various application icons and a system tray displaying the temperature (29°C), weather (Partly cloudy), and time (23:18, 28-06-2024).

Execution Details Object Creation:



The screenshot shows the Salesforce Setup interface for the 'Execution Detail' object. The left sidebar contains a navigation menu with options like 'Details', 'Fields & Relationships', 'Page Layouts', 'Lightning Record Pages', 'Buttons, Links, and Actions', 'Compact Layouts', 'Field Sets', 'Object Limits', 'Record Types', 'Related Lookup Filters', 'Search Layouts', 'List View Button Layout', and 'Restriction Rules'. The main content area is titled 'Execution Detail' and includes a 'Details' section with fields for 'API Name' (Execution_Detail__c), 'Custom' (checked), 'Singular Label' (Execution Detail), 'Plural Label' (Execution Details), 'Enable Reports' (checked), 'Track Activities' (checked), 'Track Field History' (checked), 'Deployment Status' (Deployed), 'Help Settings' (Standard salesforce.com Help Window), and 'Standard salesforce.com Help Window'. There are 'Edit' and 'Delete' buttons in the top right corner.


Creating A Custom Tab




The screenshot shows the Salesforce Setup interface for the 'Custom Tabs' page. The left sidebar contains a navigation menu with options like 'User Interface', 'Rename Tabs and Labels', and 'Tabs'. The main content area is titled 'Custom Tabs' and includes a 'Custom Object Tabs' section with a table of tabs. The table has columns for 'Action', 'Label', 'Tab Style', and 'Description'. The tabs listed are 'Drop-Off Points', 'Execution Details', 'Tasks', 'Venues', and 'Volunteers'. There are also sections for 'Web Tabs' and 'Visualforce Tabs'.

Action	Label	Tab Style	Description
Edit Del	Drop-Off Points	Laptop	
Edit Del	Execution Details	Apple	
Edit Del	Tasks	Balls	
Edit Del	Venues	Heart	
Edit Del	Volunteers	Airplane	

Create A Lightning App



Creating fields & Relationships in Volunteer Object:



Creating fields & Relationships in Venue Object:

The screenshot shows the Salesforce Setup interface for the 'Venue' object. The 'Fields & Relationships' section is active, displaying a table of 8 fields. The table has columns for Field Label, Field Name, Data Type, Controlling Field, and Indexed status. The fields listed are Contact Email, Contact Phone, Created By, Last Modified By, Location, Owner, Venue Location, and Venue Name. The 'Venue Name' field is highlighted in blue.


FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Contact Email	Contact_Email__c	Email		
Contact Phone	Contact_Phone__c	Phone		
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		
Location	Location__c	Geolocation		
Owner	OwnerId	Lookup(User,Group)		✓
Venue Location	Venue_Location__c	Long Text Area(32768)		
Venue Name	Name	Text(80)		✓

Creating fields & Relationships in Drop-Off Object:

The screenshot shows the Salesforce Setup interface for the 'Drop-Off Point' object. The 'Fields & Relationships' section is active, displaying a table of 9 fields. The table has columns for Field Label, Field Name, Data Type, Controlling Field, and Indexed status. The fields listed are Created By, Distance, distance calculation, Drop-Off Point Name, Last Modified By, Location 2, Owner, State, and Venue__r. The 'Drop-Off Point Name' field is highlighted in blue.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Distance	Distance__c	Number(2, 0)		
distance calculation	distance_calculation__c	Formula (Number)		
Drop-Off Point Name	Name	Text(80)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Location 2	Location_2__c	Geolocation		
Owner	OwnerId	Lookup(User,Group)		✓
State	State__c	Picklist		
Venue__r	Venue__c	Lookup(Venue)		✓


Creating fields & Relationships in Task Object:



The screenshot shows the Salesforce Setup interface for the 'Task' object. The 'Fields & Relationships' section is active, displaying a table of 16 fields. The table has columns for Field Label, Field Name, Data Type, Controlling Field, and Indexed. The fields listed are: Created By, Date, Distance, Drop-Off Point, Feedback, Food Category, Last Modified By, Name of the Person, and Number of People Served. The 'Drop-Off Point' field is highlighted in blue.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Date	Date__c	Date		
Distance	Distance__c	Number(14, 4)		
Drop-Off Point	Drop_Off_Point__c	Lookup(Drop-Off Point)		✓
Feedback	Feedback__c	Long Text Area(32768)		
Food Category	Food_Category__c	Picklist (Multi-Select)		
Last Modified By	LastModifiedById	Lookup(User)		
Name of the Person	Name_of_the_Person__c	Text(100)		
Number of People Served	Number_of_People_Served__c	Number(18, 0)		


Creating fields & Relationships in Execution Details Object:



The screenshot shows the Salesforce Setup interface for the 'Execution Detail' object. The 'Fields & Relationships' section is active, displaying a table of 5 fields. The table has columns for Field Label, Field Name, Data Type, Controlling Field, and Indexed. The fields listed are: Created By, Execution Detail Name, Last Modified By, Task, and Volunteer. The 'Task' field is highlighted in blue.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Execution Detail Name	Name	Text(80)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Task	Task__c	Master-Detail(Task)		✓
Volunteer	Volunteer__c	Master-Detail(Volunteer)		✓

Venue Form Flow Creation:




Creation of Drop-Off Trigger:

DropOffTrigger code:

```
trigger DropOffTrigger on Drop_Off_point__c (before insert) {  
    for(Drop_Off_point__c Drop : Trigger.new){  
        Drop.Distance__c = Drop.distance_calculation__c;  
    }  
}
```


Creating 3 Users in Profile:



The screenshot shows the Salesforce Setup interface for managing users. The left sidebar contains a navigation menu with 'Users' selected. The main content area is titled 'All Users' and includes a table of existing users. The table has columns for Action, Full Name, Alias, Username, Role, Active, and Profile. There are buttons for 'New User', 'Reset Password(s)', and 'Add Multiple Users' at the top and bottom of the table.

Action	Full Name	Alias	Username	Role	Active	Profile
<input type="checkbox"/> Edit	Chatter Expert	Chatter	chatty00dd000005hzphuaug0th8aigcb15@chatter.salesforce.com		✓	Chatter Free User
<input checked="" type="checkbox"/> Edit	Comida para pobres. Comida para pobres	ccom	comidaparapobres@eso.com		✓	NGOs Profile
<input checked="" type="checkbox"/> Edit	Food for Poor. Food for Poor	ffood	foodforpoor@eng.com		✓	NGOs Profile
<input type="checkbox"/> Edit	Qbulampalli. Srinivas	SCbul	srinivasobulampalli@accenture.com		✓	System Administrator
<input checked="" type="checkbox"/> Edit	CNS Foundation. CNS Foundation	coms_	onsfoundation@acc.com		✓	NGOs Profile
<input type="checkbox"/> Edit	User Integration	integ	integration@00dd000005hzphuaug0th8aigcb15@chatter.salesforce.com		✓	Analytics Cloud Integration User
<input type="checkbox"/> Edit	User Security	sec	insightssecurity@00dd000005hzphuaug0th8aigcb15@chatter.salesforce.com		✓	Analytics Cloud Security User

Creating 3 Public groups for 3 Users :



The screenshot shows the Salesforce Setup interface for managing public groups. The left sidebar contains a navigation menu with 'Public Groups' selected. The main content area is titled 'Public Groups' and includes a table of existing groups. The table has columns for Action, Label, Group Name, Created By, and Created Date. There is a 'New' button at the top right of the table.

Action	Label	Group Name	Created By	Created Date
Edit Del	ops	ops	Qbulampalli. Srinivas	02/07/2024, 12:03 am
Edit Del	pobres	pobres	Qbulampalli. Srinivas	02/07/2024, 12:02 am
Edit Del	poor	poor	Qbulampalli. Srinivas	02/07/2024, 12:02 am

Food Connect App:

Final Conclusion

Student - Skill Wallet

Home | Salesforce

ddl000009hzphuau-dev-ed.develop.lightning.force.com/lightning/page/home

Trailmix by Smartint...

FoodConnect

Home Venues Tasks Drop-Off Points Execution Details Volunteers Reports Dashboards

Dashboard

Copy of Organization Details

As of 01-Aug-2024, 6:13 pm Viewing as Srinivas Obulampalli

venue and Drop off point

Drop-Off Point Na...	Venue Name	Dist...
Kadapa 7 road	TTD Kalyana Mandapam	14
RTC Bus stand	OS Kalyana Vedika	20

View Report (venue and Drop off point)

Volunteer Task

Record Count

1

0.5

0

a03dL000002ZgrF

a03dL000002Zh2X

Volunteer ID

View Report (Volunteer Task)

MAKE USE OF LEFTOVER FOOD

Venue Form

Venue Name

Contact_Email

Contact_Phone

Venue Location

Latitude

Longitude

Next

JPY/INR -0.44%

Search

ENG INTL 06:13 PM 01-08-2024