

Python - Remove Dictionary Items

[< Previous](#)[Next >](#)

Removing Items

There are several methods to remove items from a dictionary:

Example

The `pop()` method removes the item with the specified key name:

```
thisdict = {  
    "brand": "Ford",  
    "model": "Mustang",  
    "year": 1964  
}  
thisdict.pop("model")  
print(thisdict)
```

[Try it Yourself »](#)

Example

The `popitem()` method removes the last inserted item (in versions before 3.7, a random item is removed instead):

```
thisdict = {  
    "brand": "Ford",  
    "model": "Mustang",  
    "year": 1964  
}
```



```
print(thisdict)
```

[Try it Yourself »](#)

Example

The **del** keyword removes the item with the specified key name:

```
thisdict = {  
    "brand": "Ford",  
    "model": "Mustang",  
    "year": 1964  
}  
del thisdict["model"]  
print(thisdict)
```

[Try it Yourself »](#)

Example

The **del** keyword can also delete the dictionary completely:

```
thisdict = {  
    "brand": "Ford",  
    "model": "Mustang",  
    "year": 1964  
}  
del thisdict  
print(thisdict) #this will cause an error because "thisdict" no longer  
exists.
```

[Try it Yourself »](#)

Example


[HTML](#)[CSS](#)

```
thisdict = {  
    "brand": "Ford",  
    "model": "Mustang",  
    "year": 1964  
}  
thisdict.clear()  
print(thisdict)
```


[Try it Yourself »](#)[◀ Previous](#)[Next ▶](#)

NEW

We just launched
W3Schools videos

[Explore now](#)

COLOR PICKER



[HTML](#)[CSS](#)

by completing
a course today!



Get started

CODE GAME



Play Game

Report Error

Forum

About

Shop



- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [Java Tutorial](#)
- [C++ Tutorial](#)
- [jQuery Tutorial](#)

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [Java Reference](#)
- [Angular Reference](#)
- [jQuery Reference](#)

Top Examples

- [HTML Examples](#)
- [CSS Examples](#)
- [JavaScript Examples](#)
- [How To Examples](#)
- [SQL Examples](#)
- [Python Examples](#)
- [W3.CSS Examples](#)
- [Bootstrap Examples](#)
- [PHP Examples](#)
- [Java Examples](#)
- [XML Examples](#)
- [jQuery Examples](#)

Web Courses

- [HTML Course](#)
- [CSS Course](#)
- [JavaScript Course](#)
- [Front End Course](#)
- [SQL Course](#)
- [Python Course](#)
- [PHP Course](#)
- [jQuery Course](#)
- [Java Course](#)
- [C++ Course](#)
- [C# Course](#)

[HTML](#)[CSS](#)[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie](#) and [privacy policy](#).

Copyright 1999-2021 by Refsnes Data. All Rights Reserved.

W3Schools is Powered by W3.CSS.

