

Python - Update Tuples

[< Previous](#)[Next >](#)

Tuples are unchangeable, meaning that you cannot change, add, or remove items once the tuple is created.

But there are some workarounds.

Change Tuple Values

Once a tuple is created, you cannot change its values. Tuples are **unchangeable**, or **immutable** as it also is called.

But there is a workaround. You can convert the tuple into a list, change the list, and convert the list back into a tuple.

Example

Convert the tuple into a list to be able to change it:

```
x = ("apple", "banana", "cherry")
y = list(x)
y[1] = "kiwi"
x = tuple(y)

print(x)
```

[Try it Yourself »](#)



Since tuples are immutable, they do not have a build-in `append()` method, but there are other ways to add items to a tuple.

1. **Convert into a list:** Just like the workaround for *changing* a tuple, you can convert it into a list, add your item(s), and convert it back into a tuple.

Example

Convert the tuple into a list, add "orange", and convert it back into a tuple:

```
thistuple = ("apple", "banana", "cherry")
y = list(thistuple)
y.append("orange")
thistuple = tuple(y)
```

[Try it Yourself »](#)

2. **Add tuple to a tuple.** You are allowed to add tuples to tuples, so if you want to add one item, (or many), create a new tuple with the item(s), and add it to the existing tuple:

Example

Create a new tuple with the value "orange", and add that tuple:

```
thistuple = ("apple", "banana", "cherry")
y = ("orange",)
thistuple += y

print(thistuple)
```

[Try it Yourself »](#)

Note: When creating a tuple with only one item, remember to include a comma after the item, otherwise it will not be identified as a tuple.



Remove Items

Note: You cannot remove items in a tuple.

Tuples are **unchangeable**, so you cannot remove items from it, but you can use the same workaround as we used for changing and adding tuple items:

Example

Convert the tuple into a list, remove "apple", and convert it back into a tuple:

```
thistuple = ("apple", "banana", "cherry")
y = list(thistuple)
y.remove("apple")
thistuple = tuple(y)
```

[Try it Yourself »](#)

Or you can delete the tuple completely:

Example

The **del** keyword can delete the tuple completely:

```
thistuple = ("apple", "banana", "cherry")
del thistuple
print(thistuple) #this will raise an error because the tuple no longer
exists
```

[Try it Yourself »](#)




HTML

CSS



NEW

We just launched
W3Schools videos



Explore now

COLOR PICKER



Get certified
by completing
a course today!



[HTML](#)[CSS](#)

CODE GAME



[Play Game](#)

[Report Error](#)

[Forum](#)

[About](#)

[Shop](#)

Top Tutorials

[HTML Tutorial](#)

[CSS Tutorial](#)

[JavaScript Tutorial](#)

[How To Tutorial](#)

[SQL Tutorial](#)

[Python Tutorial](#)

[W3.CSS Tutorial](#)

[Bootstrap Tutorial](#)

[PHP Tutorial](#)

[Java Tutorial](#)

[C++ Tutorial](#)

[jQuery Tutorial](#)

[HTML Reference](#)[CSS Reference](#)[JavaScript Reference](#)[SQL Reference](#)[Python Reference](#)[W3.CSS Reference](#)[Bootstrap Reference](#)[PHP Reference](#)[HTML Colors](#)[Java Reference](#)[Angular Reference](#)[jQuery Reference](#)

Top Examples

[HTML Examples](#)[CSS Examples](#)[JavaScript Examples](#)[How To Examples](#)[SQL Examples](#)[Python Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[Java Examples](#)[XML Examples](#)[jQuery Examples](#)

Web Courses

[HTML Course](#)[CSS Course](#)[JavaScript Course](#)[Front End Course](#)[SQL Course](#)[Python Course](#)[PHP Course](#)[jQuery Course](#)[Java Course](#)[C++ Course](#)[C# Course](#)[XML Course](#)[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).



HTML

CSS

