



Python Tuples

[< Previous](#)[Next >](#)

```
mytuple = ("apple", "banana", "cherry")
```

Tuple

Tuples are used to store multiple items in a single variable.

Tuple is one of 4 built-in data types in Python used to store collections of data, the other 3 are List, Set, and Dictionary, all with different qualities and usage.

A tuple is a collection which is ordered and **unchangeable**.

Tuples are written with round brackets.

Example

Create a Tuple:

```
thistuple = ("apple", "banana", "cherry")  
print(thistuple)
```

[Try it Yourself »](#)

Tuple Items

Tuple items are ordered, unchangeable, and allow duplicate values.

Tuple items are indexed, the first item has index `[0]`, the second item has index `[1]` etc.

Ordered

When we say that tuples are ordered, it means that the items have a defined order, and that order will not change.

Unchangeable

Tuples are unchangeable, meaning that we cannot change, add or remove items after the tuple has been created.

Allow Duplicates

Since tuples are indexed, they can have items with the same value:

Example

Tuples allow duplicate values:

```
thistuple = ("apple", "banana", "cherry", "apple", "cherry")
print(thistuple)
```

[Try it Yourself »](#)

Tuple Length

To determine how many items a tuple has, use the `len()` function:

Example

Print the number of items in the tuple:

```
thistuple = ("apple", "banana", "cherry")
print(len(thistuple))
```

[Try it Yourself »](#)

Create Tuple With One Item

To create a tuple with only one item, you have to add a comma after the item, otherwise Python will not recognize it as a tuple.

Example

One item tuple, remember the comma:

```
thistuple = ("apple",)
print(type(thistuple))

#NOT a tuple
thistuple = ("apple")
print(type(thistuple))
```

[Try it Yourself »](#)

Tuple Items - Data Types

Tuple items can be of any data type:

Example

String, int and boolean data types:

```
tuple1 = ("apple", "banana", "cherry")
tuple2 = (1, 5, 7, 9, 3)
tuple3 = (True, False, False)
```

Try it Yourself »

A tuple can contain different data types:

Example

A tuple with strings, integers and boolean values:

```
tuple1 = ("abc", 34, True, 40, "male")
```

Try it Yourself »

type()

From Python's perspective, tuples are defined as objects with the data type 'tuple':

```
<class 'tuple'>
```

Example

What is the data type of a tuple?

```
mytuple = ("apple", "banana", "cherry")  
print(type(mytuple))
```

Try it Yourself »

The tuple() Constructor

It is also possible to use the `tuple()` constructor to make a tuple.

Example

Using the tuple() method to make a tuple:

```
thistuple = tuple(("apple", "banana", "cherry")) # note the double round-  
brackets  
print(thistuple)
```

Try it Yourself »

Python Collections (Arrays)

There are four collection data types in the Python programming language:

- **List** is a collection which is ordered and changeable. Allows duplicate members.
- **Tuple** is a collection which is ordered and unchangeable. Allows duplicate members.
- **Set** is a collection which is unordered, unchangeable*, and unindexed. No duplicate members.
- **Dictionary** is a collection which is ordered** and changeable. No duplicate members.


*Set *items* are unchangeable, but you can remove and/or add items whenever you like.

**As of Python version 3.7, dictionaries are *ordered*. In Python 3.6 and earlier, dictionaries are *unordered*.

When choosing a collection type, it is useful to understand the properties of that type. Choosing the right type for a particular data set could mean retention of meaning, and, it could mean an increase in efficiency or security.


[< Previous](#)[Next >](#)

We just launched
W3Schools videos



Explore now

COLOR PICKER



Get certified
by completing
a course today!



Get started

CODE GAME



[Play Game](#)

[Report Error](#)

[Forum](#)

[About](#)

[Shop](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)

[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Web Courses

[HTML Course](#)
[CSS Course](#)
[JavaScript Course](#)
[Front End Course](#)
[SQL Course](#)
[Python Course](#)
[PHP Course](#)
[jQuery Course](#)
[Java Course](#)
[C++ Course](#)
[C# Course](#)
[XML Course](#)

[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2021 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

