

Python - Change Dictionary Items

[< Previous](#)[Next >](#)

Change Values

You can change the value of a specific item by referring to its key name:

Example

Change the "year" to 2018:

```
thisdict = {  
    "brand": "Ford",  
    "model": "Mustang",  
    "year": 1964  
}  
thisdict["year"] = 2018
```

[Try it Yourself »](#)

Update Dictionary

The `update()` method will update the dictionary with the items from the given argument.

The argument must be a dictionary, or an iterable object with key:value pairs.

Example


[HTML](#)[CSS](#)

```
thisdict = {  
  "brand": "Ford",  
  "model": "Mustang",  
  "year": 1964  
}  
thisdict.update({"year": 2020})
```

[Try it Yourself »](#)[◀ Previous](#)[Next ▶](#)

NEW

We just launched
W3Schools videos

[Explore now](#)

COLOR PICKER



[HTML](#)[CSS](#)

by completing
a course today!



Get started

CODE GAME



Play Game

Report Error

Forum

About

Shop



Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [Java Tutorial](#)
- [C++ Tutorial](#)
- [jQuery Tutorial](#)

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [Java Reference](#)
- [Angular Reference](#)
- [jQuery Reference](#)

Top Examples

- [HTML Examples](#)
- [CSS Examples](#)
- [JavaScript Examples](#)
- [How To Examples](#)
- [SQL Examples](#)
- [Python Examples](#)
- [W3.CSS Examples](#)
- [Bootstrap Examples](#)
- [PHP Examples](#)
- [Java Examples](#)
- [XML Examples](#)
- [jQuery Examples](#)

Web Courses

- [HTML Course](#)
- [CSS Course](#)
- [JavaScript Course](#)
- [Front End Course](#)
- [SQL Course](#)
- [Python Course](#)
- [PHP Course](#)
- [jQuery Course](#)
- [Java Course](#)
- [C++ Course](#)

[HTML](#)[CSS](#)[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie](#) and [privacy policy](#).

Copyright 1999-2021 by Refsnes Data. All Rights Reserved.

W3Schools is Powered by W3.CSS.

