

Rajalakshmi Engineering College

Name: Muthu Sri ram

Email: 241801174@rajalakshmi.edu.in

Roll no: 241801174

Phone: 9840740245

Branch: REC

Department: AI & DS - Section 1

Batch: 2028

Degree: B.E - AI & DS

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 5_Q3

Attempt : 1

Total Mark : 10

Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Neha is working as a developer for CityElectricity Board, which wants to build a household electricity billing system.

Each customer's electricity account has:

A Customer ID (integer) A Customer Name (string) Units Consumed (double)

The electricity bill is calculated based on these rules:

For the first 100 units 5 units charge per unit
For the next 100 units (101–200) 7 units charge per unit
For units above 200 10 units charge per unit
If the total bill exceeds 2000 units, a 5% discount is applied on the final bill.

Neha has been asked to implement this system using:

A class with attributes for customer details.A constructor to initialize customer details.Setter methods to update details if needed.Getter methods to retrieve details.Objects of the class to represent customers.

Finally, display each customer's details and final bill amount.

Input Format

The first line of input contains an integer N, representing the number of customers.

For each customer:

- The next line contains the Customer ID (integer).
- The following line contains the Customer Name (string).
- The next line contains the Units Consumed (double).

Output Format

For each customer, print the details in the following format:

Customer ID: <customer_id>

Customer Name: <customer_name>

Final Bill: <final_bill> (rounded to one decimal place)

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1

1001

Ravi Kumar

80

Output: Customer ID: 1001

Customer Name: Ravi Kumar

Final Bill: 400.0

Answer

```
import java.util.Scanner;
```

```
class Customer
{
    private int id;
    private String name;
    private double units;

    public Customer(int id, String name, double units)
    {
        this.id = id;
        this.name = name;
        this.units = units;
    }

    public void setId(int id)
    {
        this.id = id;
    }

    public void setName(String name)
    {
        this.name = name;
    }

    public void setUnits(double units)
    {
        this.units = units;
    }

    public int getId()
    {
        return id;
    }

    public String getName()
    {
        return name;
    }

    public double getUnits()
    {
        return units;
    }
}
```

```
    }

    public double calcBill()
    {
        double bill = 0;
        if (units <= 100)
        {
            bill = units * 5;
        } else if (units <= 200)
        {
            bill = 100 * 5 + (units - 100) * 7;
        } else
        {
            bill = 100 * 5 + 100 * 7 + (units - 200) * 10;
        }
        if (bill > 2000)
        {
            bill = bill - (bill * 0.05);
        }
        return bill;
    }
}
```

```
public class Main
{
    public static void main(String[] args)
    {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        sc.nextLine();
        Customer[] cust = new Customer[n];

        for (int i = 0; i < n; i++)
        {
            int id = sc.nextInt();
            sc.nextLine();
            String name = sc.nextLine();
            double units = sc.nextDouble();
            cust[i] = new Customer(id, name, units);
        }
    }

    for (Customer c : cust)
```

```
        {
            System.out.println("Customer ID: " + c.getId());
            System.out.println("Customer Name: " + c.getName());
            System.out.println("Final Bill: " + String.format("%.1f", c.calcBill()));
        }
        sc.close();
    }
}
```

Status : Correct

Marks : 10/10