

MUTHU SRIRAM M

241801174

Experiment 7

Code:

```
preferences.html X PreferenceServlet.java web.xml
File Edit View

<!DOCTYPE html>
<html>
<head>
    <title>User Preferences</title>
</head>
<body>

    <h2>Select Your Preferences</h2>


    <form action="preferences" method="post">

        Theme:
        <select name="theme">
            <option value="Light">Light</option>
            <option value="Dark">Dark</option>
        </select>

        <br><br>

        Language:
        <select name="language">
            <option value="English">English</option>
            <option value="Tamil">Tamil</option>
            <option value="Hindi">Hindi</option>
        </select>

        <br><br>
```



```
preferences.html  PreferenceServlet.java  web.xml  (08012026).txt  16 - OS
File Edit View

        if (c.getName().equals("language")) {
            language = c.getValue();
        }
    }

    response.setContentType("text/html");
    PrintWriter out = response.getWriter();


    String bgColor = "white";
    String textColor = "black";

    if (theme.equals("Dark")) {
        bgColor = "black";
        textColor = "white";
    }

    out.println("<html>");
    out.println("<body style='background-color:" + bgColor + "; color:" + textColor + ";'>");

    out.println("<h2>Your Saved Preferences</h2>");
    out.println("<p><strong>Theme:</strong> " + theme + "</p>");
    out.println("<p><strong>Language:</strong> " + language + "</p>");
    out.println("<br>");
    out.println("<a href='preferences.html'>Change Preferences</a>");

    out.println("</body></html>");
}
```



The screenshot shows an IDE window with three tabs: 'preferences.html', 'PreferenceServlet.java', and 'web.xml'. The 'web.xml' tab is active, displaying the following XML code:

```
<?xml version="1.0" encoding="UTF-8"?>

<web-app xmlns="http://xmlns.jcp.org/xml/ns/javaee"
    version="3.1">

    <display-name>Cookie Preferences App</display-name>

    <servlet>
        <servlet-name>PreferenceServlet</servlet-name>
        <servlet-class>com.example.cookies.PreferenceServlet</servlet-class>
    </servlet>

    <servlet-mapping>
        <servlet-name>PreferenceServlet</servlet-name>
        <url-pattern>/preferences</url-pattern>
    </servlet-mapping>

</web-app>
```

Output:

