

CACE Summary for ota-2stage


netlist source: schematic

Parameter	Tool	Result	Min Limit	Min Value	Typ Target	Typ Value	Max Limit	Max Value	Status
Output voltage ratio	ngspice	gain	0.97 V/V	1.003 V/V	any	1.004 V/V	1.03 V/V	1.007 V/V	Pass 
Bandwidth	ngspice	bw	10e6 Hz	10522100.000 Hz	any	22609600.000 Hz	any	38988700.000 Hz	Pass 
Output voltage ratio (MC)	ngspice	gain_mc	any	1.003 V/V	any	1.004 V/V	any	1.004 V/V	Pass 
Bandwidth (MC)	ngspice	bw_mc	10e6 Hz	21808100.000 Hz	any	22636000.000 Hz	any	23662600.000 Hz	Pass 
Output noise	ngspice	noise	any	0.183 mV	any	0.189 mV	1 mV	0.214 mV	Pass 
Settling time	ngspice	tsettle	any	0.010 us	any	0.015 us	10 us	0.031 us	Pass 
Passband Gain	ngspice	gain	0.95 V/V	1.002 V/V	any	1.003 V/V	1.03 V/V	1.006 V/V	Pass 
Cutoff Frequency (-3dB)	ngspice	fc	9.5e3 Hz	9841.090 Hz	10.0e3 Hz	9926.370 Hz	10.5e3 Hz	10430.500 Hz	Pass 
Passband Gain (MC)	ngspice	gain_mc	any	1.001 V/V	any	1.003 V/V	any	1.004 V/V	Pass 
Cutoff (MC)	ngspice	fc_mc	9e3 Hz	9917.090 Hz	10e3 Hz	9928.145 Hz	11e3 Hz	9935.930 Hz	Pass 
Output noise LPF	ngspice	noise	any	0.150 mV	any	0.172 mV	5.0 mV	0.220 mV	Pass 
Settling time	ngspice	tsettle	any	0.001 us	150 us	0.003 us	400 us	0.046 us	Pass 
Passband Gain	ngspice	gain_lpf	0.95 V/V	1.003 V/V	any	1.007 V/V	1.15 V/V	1.129 V/V	Pass 
Passband Gain	ngspice	gain_hpf	0.95 V/V	0.964 V/V	any	0.982 V/V	1.15 V/V	1.088 V/V	Pass 
Cutoff Frequency (-3dB)	ngspice	fc_lpf	9.4e3 Hz	9842.690 Hz	10.0e3 Hz	9926.930 Hz	10.5e3 Hz	10477.200 Hz	Pass 
Cutoff Frequency (-3dB)	ngspice	fc_hpf	9.4e3 Hz	9418.050 Hz	10.0e3 Hz	9925.470 Hz	10.5e3 Hz	9949.630 Hz	Pass 


Parameter	Tool	Result	Min Limit	Min Value	Typ Target	Typ Value	Max Limit	Max Value	Status
Phase Mismatch	ngspice	phase_error	0 °	0.006 °	0 °	0.007 °	5 °	0.008 °	Pass 

Plots


gain_vs_temp




gain_vs_vin




gain_vs_vdd




gain_vs_corner




bw_vs_temp




bw_vs_vin




bw_vs_vdd




bw_vs_corner




gain_mc




bw_mc




noise_vs_temp




noise_vs_vin




noise_vs_vdd




noise_vs_corner




settling_vs_temp




settling_vs_vin




settling_vs_vdd




settling_vs_corner




gain_vs_temp_lpf




gain_vs_vin_lpf




gain_vs_vdd_lpf




gain_vs_corner_lpf




fc_vs_temp_lpf




fc_vs_vin_lpf




fc_vs_vdd_lpf




fc_vs_corner_lpf




gain_mc_lpf




fc_mc_lpf




noise_vs_temp_lpf




noise_vs_vin_lpf




noise_vs_vdd_lpf




noise_vs_corner_lpf




settling_vs_temp_lpf




settling_vs_vin_lpf




settling_vs_vdd_lpf




settling_vs_corner_lpf




gain_vs_temp_lr4_lpf




gain_vs_vin_lr4_lpf




gain_vs_vdd_lr4_lpf







fc_vs_temp_lr4_lpf




fc_vs_vin_lr4_lpf




fc_vs_vdd_lr4_lpf




fc_vs_corner_lr4_lpf




gain_vs_temp_lr4_hpf




gain_vs_vin_lr4_hpf




gain_vs_vdd_lr4_hpf




gain_vs_corner_lr4_hpf




fc_vs_temp_lr4_hpf




fc_vs_vin_lr4_hpf




fc_vs_vdd_lr4_hpf



fc_vs_corner_lr4_hpf



phase_error_vs_temp



phase_error_vs_corner

