
## 3 BCA (Web app)

## Java script (code)

#### Your folders & files should look like:



# Output:

## Off light

hello

ok oooooooo on off

# Light on:



#### In.html code:

```
<!DOCTYPE html>
<html>
<head>
    <title>abc</title>
</head>
<body>
<div id="dd">hello</div>
<button onclick="b4();">ok</button>
<button onclick="p();">oooooooo</button>
<script type="text/javascript" src="js/a.js"></script</pre>
<textarea id="t1"></textarea>
<textarea id="t2"></textarea>
<img src="img/4.gif" id="lii">
<button onclick="oo();">on</button>
<button onclick="offf();">off</button>
</body>
</html>
```

#### External JavaScript file:

```
function bca(){
confirm("enter your name")
    alert("hello ");
function b2(){
document.getElementById("dd").innerHTML="hellobca thi
e jsav script";
function b3(){
var a=5;
var b=5;
var summ= a+b;
document.getElementById("dd").innerHTML=summ;
function b4(){
document.getElementById("ii").src="img/2.jpg";
function b5(){
    document.getElementById("ii").src="img/ic1.jpg";
    }
    function b6(){
```

```
var a=document.getElementById("t1").innerHTML;
       var b=document.getElementById("t2").innerHTML;
       if(a=b){
        alert("good");
       else
        alert("bad");
function oo(){
document.getElementById("lii").src="img/4.gif";
function offf(){
    document.getElementById("lii").src="img/5.gif";
function p(){
    var x=prompt("enter pass");
    if(x=="bca"){
    alert("welcome : " + x);
    }
    else{
        alert("no account found");
```

```
}
```